

Edge#show platform software trace message smd switch active R0

```
.....
2018/11/19 22:38:38.887 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 5a 01 87 bd 3a 05 42 70 - 32 d2 e6 9d 14 73 05 32
/!mp/r/trace/smd_R0-0.22429.1.20181119214402.bin.cop: DECODE(7345:7345:0:14)
2018/11/19 22:38:38.887 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1813/51 10.1.100.21:0, Accounting-response, len 20
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 RADIUS Packet
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Delay-Time [41] 6 0
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Event-Timestamp [55] 6 1542667118
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Status-Type [40] 6 Start [1]
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 32 32 30 [220]
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 65 2d 31 2f 33 32 39 32 34 30 31 38 32 2f 35 31 [e-1/329240182/51]
]
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 30 30 34 44 32 45 31 44 46 32 37 36 3a 69 73 [0004D2E1DF276:is]
]
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Class [25] 53
RADIUS: 43 41 43 53 3a 30 35 30 32 41 38 43 30 30 30 30 [CACS:0502A8C0000]
]
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Class [25] 53 ...
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Authentic [45] 6 Remote [3]
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Session-Id [44] 10 "0000015"
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Called-Station-Id [30] 19 "50-F7-22-2B-EA-82"
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 12 "method=mab"
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 18
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C0000004D2E1DF276"
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 19 "00-50-56-A3-34-74"
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Framed-IPv6-Address [168] 18
RADIUS: fe 80 00 00 00 00 00 00 ad cb b1 e0 4a 77 62 00 [Jwb]
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-IPv6-Address [168] 18 ...
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-IP-Address [8] 6 10.100.100.3
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 0e e6 4c 49 bd c4 22 ed - 64 38 07 2a 6c 25 3a a5
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Send Accounting-Request to 10.1.100.21:1813 id 1813/51, len 298
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf0 for Accounting-Request to 10.1.100.21:1813
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS(00000000): Config NAS IPv6 ::
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id : 0
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000):Orig. component type = InvalId
2018/11/19 22:38:38.884 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (ERR): [0050.56a3.3474:Te1/0/2] Failed to search/create reauth timer rec while timer stop
2018/11/19 22:38:38.882 (smd_R0-0){1}: [lepm-tunnel] [22429]: UUID: 0, ra: 0, TID: 0 (ERR): Linksec failure but policy is not must-secure. So return SUCCESS
2018/11/19 22:38:38.882 (smd_R0-0){1}: [leap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Freed EAP context
2018/11/19 22:38:38.882 (smd_R0-0){1}: [leap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received LL (MAB) event 'EAP_DELETE' on handle 0x4D0000E7
2018/11/19 22:38:38.882 (smd_R0-0){1}: [mab] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Deleted credentials profile for 0x0FB3000041 [dot11_mac_auth_0050.56a3.3474]
2018/11/19 22:38:38.882 (smd_R0-0){1}: [leap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Failed to find method ctx while freeing eap ctx
2018/11/19 22:38:38.882 (smd_R0-0){1}: [leap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received free context (0x4D0000E7) from LL (MAB)
2018/11/19 22:38:38.882 (smd_R0-0){1}: [mab] [22429]: UUID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] mab terminate berr_state Success
2018/11/19 22:38:38.882 (smd_R0-0){1}: [mab] [22429]: UUID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] MAB success: set auth state TERMINATE
2018/11/19 22:38:38.882 (smd_R0-0){1}: [mab] [22429]: UUID: 0, ra: 0, TID: 0 (info): [0050.56a3.3474:Te1/0/2] Received event 'MAB_RESULT' on handle 0x0FB3000041
2018/11/19 22:38:38.882 (smd_R0-0){1}: [mab] [22429]: UUID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] Successfully sent a message [6] to the MAB process.
2018/11/19 22:38:38.882 (smd_R0-0){1}: [mab] [22429]: UUID: 0, ra: 0, TID: 0 (info): [0050.56a3.3474:Te1/0/2] MAB received an Access-Accept for 0x0FB3000041
2018/11/19 22:38:38.882 (smd_R0-0){1}: [mab] [22429]: UUID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] MAB success: set auth status 0x00000001
2018/11/19 22:38:38.882 (smd_R0-0){1}: [leap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (MAB) event 'EAP_SUCCESS' on handle 0x4D0000E7
2018/11/19 22:38:38.882 (smd_R0-0){1}: [leap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Freed EAP context
2018/11/19 22:38:38.882 (smd_R0-0){1}: [leap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_SUCCESS' on handle 0x4D0000E7
2018/11/19 22:38:38.882 (smd_R0-0){1}: [leap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 22:38:38.882 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug):
RADIUS/DECODE: parse unknown cisco vsa "profile-name=Microsoft-Workstation" - IGNORE
2018/11/19 22:38:38.882 (smd_R0-0){1}: [radius-authen] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/90
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 2, suppress reject flag 0
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 36 "profile-name=Microsoft-Workstation"
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 42
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 32 "cts:security-group-tag=0004-00"
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 38
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 08 08 9a fe 98 65 d2 ce 61 20 ad 11 20 71 45 3c [e e E-]
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 32 32 30 [220]
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 65 2d 31 2f 33 32 39 32 34 30 31 38 32 2f 35 31 [e-1/329240182/51]
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 30 30 34 44 32 45 31 44 46 32 37 36 3a 69 73 [0004D2E1DF276:is]
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Class [25] 53
RADIUS: 43 41 43 53 3a 30 35 30 32 41 38 43 30 30 30 30 [CACS:0502A8C0000]
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Class [25] 53 ...
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 44 46 32 37 36 [1DF276]
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 30 32 41 38 43 30 30 30 30 30 30 34 44 32 45 [02A8C00000004D2E]
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 40
RADIUS: 52 65 61 75 74 68 53 65 73 73 69 6f 6e 3a 30 35 [ReauthSession:05]
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 40 ...
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 19 "00-50-56-A3-34-74"
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator b3 da ae e0 c9 3c 5c 3d - c1 8c e0 c4 d2 88 24 cf
2018/11/19 22:38:38.881 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1812/90 10.1.100.21:0, Access-Accept, len 230
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 RADIUS Packet
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "client-ii-id=309465166"
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 34 "addrv6=fe80::adcb:b1e0:4a77:6200"
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 40
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Framed-IP-Address [8] 6 10.100.100.3
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 12 "method=mab"
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 18
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C0000004D2E1DF276"
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: cc cf 2a 91 03 33 ea 02 b3 2e 9a 19 38 58 3a 78 [*38X.x]
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 22:38:38.867 (smd_R0-0){1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-MTU [12] 6 1472
```

2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "service-type=Call Check"
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS: Service-Type [6] 6 Call Check [10]
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS: User-Password [2] 18 *
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (info): RADIUS: User-Password [2] 18 *
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 14 "005056a33474"
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator a1 f1 d8 6d 88 ca 72 7e - 19 d4 32 c0 a6 3f fa c3
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (info): RADIUS: Send Access-Request to 10.1.100.21:1812 id 1812/90, len 321
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for Access-Request to 10.1.100.21:1812
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id : 0
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000): Orig. component type = Invalid
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [aaa-authen] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): AAA/AUTHEN/8021X (00000000): Pick method list 'default'
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (MAB) event 'EAP_CUSTOMIZE_AAA_REQUEST' on handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (MAB) event 'EAP_GET_PEER_MAC_ADDRESS' on handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (MAB) event 'EAP_IDENTITY' on handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received LL (MAB) event 'EAP_RX_PACKET' on handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (dummy) event 'EAP_TX_PACKET' on handle 0x260000E8
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received LL (dummy) event 'EAP_RX_PACKET' on handle 0x260000E8
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (MAB) event 'EAP_TX_PACKET' on handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Reqld Retransmit' timer (30s) for EAP session handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] Invalid EVT 9 from EAP
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (MAB) event 'EAP_CUSTOMIZE_ID_REQUEST' on handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received EAP event 'EAP_AUTHENTICATOR_START' on handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received LL (MAB) event 'EAP_RESTART' on handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Allocated new EAP context (handle = 0x260000E8)
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Using EAP profile 'MAB_DEFAULT_EAP_PROFILE' (handle 0x260000E8)
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received proxy auth (0x4D0000E7) from lower layer
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] Starting MAC-AUTH-BYPASS for 0xF3000041
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:unknown] created mab pseudo dot1x profile dot1x_mach_auth_0050.56a3.3474
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:unknown] formatted mac = 005056a33474
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] mab acquiring berr_state Success
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] MAB success: set auth state AUTHORIZING
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (info): [0050.56a3.3474:Te1/0/2] Received event 'MAB_CONTINUE' on handle 0xF3000041
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (MAB) event 'EAP_TX_PACKET' on handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Reqld Retransmit' timer (30s) for EAP session handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] Invalid EVT 9 from EAP
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (MAB) event 'EAP_CUSTOMIZE_ID_REQUEST' on handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received EAP event 'EAP_AUTHENTICATOR_START' on handle 0x4D0000E7
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Freed EAP context
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_DELETE' on handle 0x6A0000E6
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (info): [0050.56a3.3474:Te1/0/2] MAB authentication started for 0050.56a3.3474
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] Successfully sent a message [2] to the MAB process.
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Allocated new EAP context (handle = 0x4D0000E7)
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Using EAP profile 'MAB_DEFAULT_EAP_PROFILE' (handle 0x4D0000E7)
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received context create from LL (MAB) (0xF3000041)
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] Sending create new context event to EAP from MAB for 0xF3000041 (0050.56a3.3474)
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] mab initialize berr_status Success berr_state Success
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] MAB success: set auth state INITIALIZE
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] MAB success: set auth status 0x00000000
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] MAB success: set auth status 0x00000000
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:unknown] MAB created record
2018/11/19 22:38:38.867 [smd_R0-0]{1}: [mab] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): [0050.56a3.3474:Te1/0/2] Created MAB client context 0xF3000041
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Failed to find method ctx while freeing eap ctx
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received free context (0x6A0000E6) from LL (Dot1x-Authenticator)
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received get canned status from lower layer (0x6A0000E6)
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [smd] [22429]: UUIID: 0, ra: 0, TID: 0 (debug):
CLIENT msg logging has not started
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [errmsg] [22429]: UUIID: 0, ra: 0, TID: 0 (note): %DOT1X-5-FAIL: Authentication failed for client (0050.56a3.3474) with reason (No Response from Client) on Interface Te1/0/2 AuditSessionID 0502A8C0000004D2E1DF276
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TIMEOUT' on handle 0x6A0000E6
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): 'Authenticator Reqld Retransmit' timer expired for EAP session handle 0x6A0000E6
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x6A0000E6
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Reqld Retransmit' timer (7s) for EAP session handle 0x6A0000E6
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): 'Authenticator Reqld Retransmit' timer expired for EAP session handle 0x6A0000E6
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x6A0000E6
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Reqld Retransmit' timer (7s) for EAP session handle 0x6A0000E6
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): 'Authenticator Reqld Retransmit' timer expired for EAP session handle 0x6A0000E6
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x6A0000E6
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Reqld Retransmit' timer (7s) for EAP session handle 0x6A0000E6
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): 'Authenticator Reqld Retransmit' timer expired for EAP session handle 0x6A0000E6
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Allocated new EAP context (handle = 0x6A0000E6)
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received context create from LL (Dot1x-Authenticator) (0x0300005D)
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Freed EAP context
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_DELETE' on handle 0xF60000E5
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [auth-mgr] [22429]: UUIID: 0, ra: 0, TID: 0 (ERR): [0050.56a3.3474:Te1/0/2] Failed to search/create reauth timer rec while timer stop
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [smd] [22429]: UUIID: 0, ra: 0, TID: 0 (debug):
CLIENT msg logging has not started
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [errmsg] [22429]: UUIID: 0, ra: 0, TID: 0 (note): %DOT1X-5-FAIL: Authentication failed for client (0050.56a3.3474) with reason (Cred Fail) on Interface Te1/0/2 AuditSessionID 0502A8C0000004D2E1DF276
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_FAIL' on handle 0xF60000E5
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received get canned status from lower layer (0xF60000E5)
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_FAIL' on handle 0xF60000E5
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [eap] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [radius-authen] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/89
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 3, suppress reject flag 0
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 05 1a 5b 25 45 e2 df 46 dd 39 50 b2 7f 0f e9 2a [?F9P?]
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 6
RADIUS: 04 b2 00 04
2018/11/19 22:38:38.866 [smd_R0-0]{1}: [radius] [22429]: UUIID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 6 ...

2018/11/19 22:37:10.864 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator e2 85 e3 2e 41 aa 21 f6 - 52 e4 6a 23 1d 65 1f 07
2018/11/19 22:37:10.864 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1812/89 10.1.100.21-0, Access-Reject, len 44
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 Radius Packet
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 31 32 31 37 3b [182/51217.]
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240^@]
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 45 31 44 46 32 37 36 3b 33 31 53 65 73 73 69 6f [E1DF276:31Sessio^@]
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 34 44 32 [502A8C0000004D2^@]
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0^@]
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "client-iiid=309465166"
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 34 "addrv6=fe80::adcb:b1e0:4a77:6200"
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 40
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Framed-IP-Address [8] 6 10.100.100.3
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C0000004D2E1DF276"
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 02 04 a8 68 2b 2b ef 36 bc 18 00 52 24 fb 6d 02 [h++6RSm]
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 48
RADIUS: 02 b2 00 2e 19 00 17 03 03 00 23 00 00 00 00 00 04 6f 82 cd cc 3f 4a a6 01 7c e6 08 a3 df c5 b7 ec 14 3c 87 d8 e5 97 27 a9 68 e9 0c [._?o?Jl<h]
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 48 ...
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-MTU [12] 6 1472
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 21 "service-type=Framed"
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 27
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Service-Type [6] 6 Framed [2]
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 1d 75 b9 2b 8b 5c ed 1b - d5 d4 0e 31 80 a6 14 24
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Send Access-Request to 10.1.100.21:1812 id 1812/89, len 422
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for:Access-Request to 10.1.100.21:1812
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6 ::
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id : 0
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000): Orig. component type = Invalid
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [aaa-authen] [22429]: UUID: 0, ra: 0, TID: 0 (debug): AAA/AUTHEN/8021X (00000000): Pick method list 'default'
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_CUSTOMIZE_AAA_REQUEST' on handle 0xFE60000E5
2018/11/19 22:37:10.860 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_RX_PACKET' on handle 0xFE60000E5
2018/11/19 22:37:10.853 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0xFE60000E5
2018/11/19 22:37:10.853 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Retransmit' timer (30s) for EAP session handle 0xFE60000E5
2018/11/19 22:37:10.853 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_RX_PACKET' on handle 0xFE60000E5
2018/11/19 22:37:10.853 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 22:37:10.853 {smd_R0-0}{1}: [radius-authen] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/88
2018/11/19 22:37:10.853 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 11, suppress reject flag 0
2018/11/19 22:37:10.853 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18