

Cisco Small Business

SBCS

Technical Enablement Lab (TEL)



Lab 22

Disabling Web Server on Cisco IP Phones of UC500

Table of Contents

Introduction	2
Prerequisites	3
Cisco 79xx Phones	3
Enter the Service Phone Word	3
Create the XML Configuration Files	3
Check the CNF files	4
Reset all the Cisco phones.....	5
SPA5xx Phones	5
Appendix 1	5
System:ITS	5


Introduction

There are two categories of phone models predominately sold today for UC 5xx. They are the traditional Cisco 79xx series phones and the SPA5xx Series (lower cost) phones.

Both these phones expose a web GUI, which can be accessed by typing in the Vice VLAN IP Address of the phone (visible from the phone itself or via 'show ARP ' on the UC500).

Some Partners like to disable this access to prevent some users from watching other users phone habits and call history (SPA5xx exposes this in a very readable format).

They want to avoid employees opening up web browsers and typing <http://10.1.1.17>, for example and landing on a SPA Phone:



Small Business Pro cisco SPA509G (SEP0018B9FFD74B) Call History		
Voice Call History Personal Directory		
Placed	Answered	Missed
1. Five Zerotwo,211, 6/9/10 10:06a		2. 400, 4/26/10 2:22p
3. Seven Seventy,281, 4/28/10 12:18p		4. Seven Seventy,281, 4/26/10 12:17p
5. Seven Seventy,281, 4/28/10 12:13p		6. Seven Seventy,281, 4/28/10 12:13p
7. 400, 4/26/10 12:11p		8. seven eightfivetwo,223, 4/26/10 12:10p
9. 400, 4/26/10 6:22ap		10. 400, 4/26/10 6:19p
11. Five Twofive,205, 4/26/10 6:17p		12. 400, 4/26/10 5:03p
13. 400, 4/26/10 5:03p		14. 400, 4/26/10 5:01p
15. 26219, 4/26/10 4:58p		16. A2, 4/26/10 4:57p
17. A3, 4/26/10 4:56p		18. A2, 4/26/10 4:56p
19. A2, 4/26/10 4:56p		20. A3, 4/26/10 4:55p
21. A3, 4/26/10 4:55p		22. A2, 4/26/10 4:55p
23. 401, 4/26/10 4:46p		24. 400, 4/26/10 4:43p
25. 400, 4/26/10 4:39p		26. 400, 4/26/10 4:38p
27. 400, 4/26/10 4:37p		28. Five Twofive,205, 4/26/10 4:28p
29. Five Zeronine,201, 4/26/10 4:28p		30. Five Twofive,205, 4/26/10 4:28p
31. Five Twofive,205, 4/26/10 4:27p		32. A3, 4/26/10 4:12p
33. 400, 4/26/10 4:11p		34. A2, 4/26/10 4:03p

The behaviors of the phones are primarily controlled by the phone load (firmware) and its XML Tagged configuration file. The XML file exists on 'system:ITS' directory of the UC500¹ and can be adjusted to some degree under 'telephony-service' configuration mode. These files are not to ever be manually edited as this can cause problems which will not be supported by Cisco TAC.

This lab shows you how we can safely globally edit the XML file for ALL Cisco 79xx phones with just a few commands and how we can configure this manually on one SPA5xx phone at a time until we introduce the global edit in a future Phone firmware for this model².

Prerequisites

Phones are updated and running with the latest firmware.

Phones are operating in Skinny Protocol Mode (SCCP or SPCP)

Cisco 79xx Phones

On the IOS CLI Prompt of the UC5xx, we use the Telephony-Service "service Phone <word> <value>" command, which adds XML parameters into System:Its CNF files for the Cisco 7900 series phones (all of them with this one global command).

Enter the Service Phone Word

```
UC540#conf t
Enter configuration commands, one per line. End with CNTL/Z.
UC540(config)#telephony-service ?
  setup      Start setup for Cisco Unified Communications Manager Express. Please
             refer to
             http://www.cisco.com/en/US/products/sw/voicesw/ps4625/tsd\_products\_support\_series\_home.html
             for full documentation.
```

```
UC540(config)#telephony-service
```

```
UC540(config-telephony)#service phone ?
  WORD      enter the phone xml file parameter NAME without <> brackets.
            Examples daysDisplayNotActive, displayOnTime, displayOnDuration
            displayIdleTimeout, settingsAccess, garp, pcPort
            handsetWidebandEnable, headsetWidebandEnable
            handsetWidebandUIControl, handsetWidebandUIControl
            g722CodecSupport
```

```
UC540(config-telephony)#service phone webAccess 1
```

Create the XML Configuration Files

```
UC540(config-telephony)#create ?
  cnf-files  create XML cnf for ethernet phone
```

¹ See Appendix A for a UC540 system:ITS example

² CSCth27712 (SPA50x) and CSCth27727 (SPA525) to track this enhancement

```
UC540(config-telephony)#create cnf-files
Creating CNF files
```

Check the CNF files

You can look at any of the CNF files (below is an example). Notice the bold red at the bottom, you will see the XML TAG properly entered:

```
UC540# cd system:its
```

```
UC540#more XMLDefault7960.cnf.xml
```

```
<device>
<versionStamp>{7960 Jun 10 2010 16:39:13}</versionStamp>
<devicePool>
<callManagerGroup>
<members>
<member priority="0">
<callManager>
<ports>
<ethernetPhonePort>2000</ethernetPhonePort>
</ports>
<processNodeName>10.1.1.1</processNodeName>
</callManager>
</member>
</members>
</callManagerGroup>
</devicePool>
<commonProfile>
<callLogBlfEnabled>2</callLogBlfEnabled>
</commonProfile>
<loadInformation>P00308010200</loadInformation>
<userLocale>
<name>English_United_States</name>
<langCode>en</langCode>
</userLocale>
<networkLocale>United_States</networkLocale>
<networkLocaleInfo>
<name>United_States</name>
</networkLocaleInfo>
<idleTimeout>0</idleTimeout>
<authenticationURL>http://10.1.10.2/CCMCIP/authenticate.asp</authenticationURL>
<directoryURL>http://10.1.1.1:80/localdirectory</directoryURL>
<idleURL></idleURL>
<informationURL></informationURL>
<messagesURL></messagesURL>
<proxyServerURL></proxyServerURL>
<servicesURL>http://10.1.1.1:80/CMEserverForPhone/serviceurl</servicesURL>
<dscpForSCCPPhoneServices>0</dscpForSCCPPhoneServices>
<dscpForCm2Dvce>96</dscpForCm2Dvce>
<vendorConfig>
<videoCapability>1</videoCapability>
<SPA525-wifi-on>yes</SPA525-wifi-on>
<SPA525-protocol>SPCP</SPA525-protocol>
<SPA525-auto-detect-sccp>yes</SPA525-auto-detect-sccp>
<SPA525-http-write>yes</SPA525-http-write>
<SPA525-SSID>cisco-voice</SPA525-SSID>
```

```
<SPA525-readonly>no</SPA525-readonly>
<SPA525-Encryption-type>WPA2_PSK</SPA525-Encryption-type>
<SPA525-Encryption-key>1122334455667788</SPA525-Encryption-key>
<g722CodecSupport>2</g722CodecSupport>
<webAccess>1</webAccess>
</vendorConfig>
</device>
```

Reset all the Cisco phones

Do this during a maintenance window. At this point, you should reset all phones, so they re-read the CNF files. You can watch the phones getting reading the file if you 'debug tftp events' when the phones reload. You can also Restet all from CCA Topology view (UC5xx ICON) by right mouse clicking on it.

```
UC540(config-telephony)#reset ?
  H.H.H          mac address
  all            reset all ethernet phones
  cancel         cancel in progress reset
  sequence-all  reset all ethernet phones sequentially, wait for each phone to
                re-register before resetting the next phone. This prevents
                possible conflict between phones when accessing IOS TFTP
                services
```

```
UC540(config-telephony)#reset all
Reset 15 phones: at 15 second interval - this could take several minutes per phone
Starting with 7960 phones.
```

SPA5xx Phones

As mentioned in the footnote in the introduction section, until we integrate an XML Tag into the CNF files, which SPA5xx understand, they must be done manually until that time.

On the SPA5xx phone GUI itself.

Settings Button: Then Network Settings; then Security Configuration

Setting:Security Configuration

You will see the WebAccessEnabled item set to Yes

At this point hit * * # on the phone (star, star, hash), which opens the field up to editing. Edit it to know and you are done.

Appendix 1

System:ITS

```
UC540#dir system:/its
```

```
Directory of system:/its/
```

```
 245  -rw-          948  Jun 10 2010 16:39:13 -04:00  ATADefault.cnf.xml
   5   drwx          0                <no date>  austria
   7   drwx          0                <no date>  canada
```

9	drwx	0							<no date>	denmark
16	drwx	0							<no date>	france
23	drwx	0							<no date>	germany
30	drwx	0							<no date>	italy
91	drwx	0							<no date>	japan
37	drwx	0							<no date>	netherlands
44	drwx	0							<no date>	norway
51	drwx	0							<no date>	portugal
58	drwx	0							<no date>	russia
4	-rw-	98	Jun 10 2010	16:39:13	-04:00					SEPDEFAULT.cnf
66	drwx	0							<no date>	spain
73	drwx	0							<no date>	sweden
80	drwx	0							<no date>	switzerland
82	drwx	0							<no date>	united_kingdom
84	drwx	0							<no date>	united_states
247	-rw-	4235	Jun 10 2010	16:39:13	-04:00					XMLDefault.cnf.xml
341	-rw-	1714	Jun 10 2010	16:39:13	-04:00					XMLDefault301.cnf.xml
342	-rw-	1714	Jun 10 2010	16:39:13	-04:00					XMLDefault303.cnf.xml
269	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-500S-1.cnf.xml
275	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-500S-2.cnf.xml
264	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-7914-1.cnf.xml
270	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-7914-2.cnf.xml
265	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-7915-12-1.cnf.xml
271	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-7915-12-2.cnf.xml
266	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-7915-24-1.cnf.xml
272	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-7915-24-2.cnf.xml
267	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-7916-12-1.cnf.xml
273	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-7916-12-2.cnf.xml
268	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-7916-24-1.cnf.xml
274	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault501G-7916-24-2.cnf.xml
263	-rw-	1727	Jun 10 2010	16:39:13	-04:00					XMLDefault501G.cnf.xml
282	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-500S-1.cnf.xml
288	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-500S-2.cnf.xml
277	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-7914-1.cnf.xml
283	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-7914-2.cnf.xml
278	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-7915-12-1.cnf.xml
284	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-7915-12-2.cnf.xml
279	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-7915-24-1.cnf.xml
285	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-7915-24-2.cnf.xml
280	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-7916-12-1.cnf.xml
286	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-7916-12-2.cnf.xml
281	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-7916-24-1.cnf.xml
287	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault502G-7916-24-2.cnf.xml
276	-rw-	1727	Jun 10 2010	16:39:13	-04:00					XMLDefault502G.cnf.xml
295	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault504G-500S-1.cnf.xml
301	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault504G-500S-2.cnf.xml
290	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault504G-7914-1.cnf.xml
296	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault504G-7914-2.cnf.xml
291	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault504G-7915-12-1.cnf.xml
297	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault504G-7915-12-2.cnf.xml
292	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault504G-7915-24-1.cnf.xml
298	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault504G-7915-24-2.cnf.xml
293	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault504G-7916-12-1.cnf.xml
299	-rw-	2020	Jun 10 2010	16:39:13	-04:00					XMLDefault504G-7916-12-2.cnf.xml
294	-rw-	1889	Jun 10 2010	16:39:13	-04:00					XMLDefault504G-7916-24-1.cnf.xml

300	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault504G-7916-24-2.cnf.xml
289	-rw-	1727	Jun 10	2010	16:39:13	-04:00	XMLDefault504G.cnf.xml
308	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-500S-1.cnf.xml
314	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-500S-2.cnf.xml
303	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-7914-1.cnf.xml
309	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-7914-2.cnf.xml
304	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-7915-12-1.cnf.xml
310	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-7915-12-2.cnf.xml
305	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-7915-24-1.cnf.xml
311	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-7915-24-2.cnf.xml
306	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-7916-12-1.cnf.xml
312	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-7916-12-2.cnf.xml
307	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-7916-24-1.cnf.xml
313	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault508G-7916-24-2.cnf.xml
302	-rw-	1727	Jun 10	2010	16:39:13	-04:00	XMLDefault508G.cnf.xml
321	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-500S-1.cnf.xml
327	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-500S-2.cnf.xml
316	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-7914-1.cnf.xml
322	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-7914-2.cnf.xml
317	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-7915-12-1.cnf.xml
323	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-7915-12-2.cnf.xml
318	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-7915-24-1.cnf.xml
324	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-7915-24-2.cnf.xml
319	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-7916-12-1.cnf.xml
325	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-7916-12-2.cnf.xml
320	-rw-	1889	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-7916-24-1.cnf.xml
326	-rw-	2020	Jun 10	2010	16:39:13	-04:00	XMLDefault509G-7916-24-2.cnf.xml
315	-rw-	1727	Jun 10	2010	16:39:13	-04:00	XMLDefault509G.cnf.xml
248	-rw-	1728	Jun 10	2010	16:39:13	-04:00	XMLDefault521G.cnf.xml
249	-rw-	1728	Jun 10	2010	16:39:13	-04:00	XMLDefault524G.cnf.xml
256	-rw-	1890	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-500S-1.cnf.xml
262	-rw-	2021	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-500S-2.cnf.xml
251	-rw-	1890	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-7914-1.cnf.xml
257	-rw-	2021	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-7914-2.cnf.xml
252	-rw-	1890	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-7915-12-1.cnf.xml
258	-rw-	2021	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-7915-12-2.cnf.xml
253	-rw-	1890	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-7915-24-1.cnf.xml
259	-rw-	2021	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-7915-24-2.cnf.xml
254	-rw-	1890	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-7916-12-1.cnf.xml
260	-rw-	2021	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-7916-12-2.cnf.xml
255	-rw-	1890	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-7916-24-1.cnf.xml
261	-rw-	2021	Jun 10	2010	16:39:13	-04:00	XMLDefault525G-7916-24-2.cnf.xml
250	-rw-	1728	Jun 10	2010	16:39:13	-04:00	XMLDefault525G.cnf.xml
334	-rw-	1878	Jun 10	2010	16:39:13	-04:00	XMLDefault525G2-500S-1.cnf.xml
340	-rw-	2009	Jun 10	2010	16:39:13	-04:00	XMLDefault525G2-500S-2.cnf.xml
329	-rw-	1878	Jun 10	2010	16:39:13	-04:00	XMLDefault525G2-7914-1.cnf.xml
335	-rw-	2009	Jun 10	2010	16:39:13	-04:00	XMLDefault525G2-7914-2.cnf.xml
330	-rw-	1878	Jun 10	2010	16:39:13	-04:00	XMLDefault525G2-7915-12- 1.cnf.xml
336	-rw-	2009	Jun 10	2010	16:39:13	-04:00	XMLDefault525G2-7915-12- 2.cnf.xml
331	-rw-	1878	Jun 10	2010	16:39:13	-04:00	XMLDefault525G2-7915-24- 1.cnf.xml
337	-rw-	2009	Jun 10	2010	16:39:13	-04:00	XMLDefault525G2-7915-24- 2.cnf.xml

332	-rw-	1878	Jun 10 2010 16:39:13 -04:00	XMLDefault525G2-7916-12-
1.cnf.xml				
338	-rw-	2009	Jun 10 2010 16:39:13 -04:00	XMLDefault525G2-7916-12-
2.cnf.xml				
333	-rw-	1878	Jun 10 2010 16:39:13 -04:00	XMLDefault525G2-7916-24-
1.cnf.xml				
339	-rw-	2009	Jun 10 2010 16:39:13 -04:00	XMLDefault525G2-7916-24-
2.cnf.xml				
328	-rw-	1716	Jun 10 2010 16:39:13 -04:00	XMLDefault525G2.cnf.xml
343	-rw-	1896	Jun 10 2010 16:39:13 -04:00	XMLDefault6921.cnf.xml
344	-rw-	1896	Jun 10 2010 16:39:13 -04:00	XMLDefault6941.cnf.xml
345	-rw-	1896	Jun 10 2010 16:39:13 -04:00	XMLDefault6961.cnf.xml
110	-rw-	1061	Jun 10 2010 16:39:13 -04:00	XMLDefault7902.cnf.xml
111	-rw-	1546	Jun 10 2010 16:39:13 -04:00	XMLDefault7905.cnf.xml
112	-rw-	1847	Jun 10 2010 16:39:13 -04:00	XMLDefault7906.cnf.xml
113	-rw-	1147	Jun 10 2010 16:39:13 -04:00	XMLDefault7910.cnf.xml
114	-rw-	1847	Jun 10 2010 16:39:13 -04:00	XMLDefault7911.cnf.xml
115	-rw-	1546	Jun 10 2010 16:39:13 -04:00	XMLDefault7912.cnf.xml
116	-rw-	1546	Jun 10 2010 16:39:13 -04:00	XMLDefault7920.cnf.xml
117	-rw-	1809	Jun 10 2010 16:39:13 -04:00	XMLDefault7921.cnf.xml
118	-rw-	1796	Jun 10 2010 16:39:13 -04:00	XMLDefault7925.cnf.xml
119	-rw-	1847	Jun 10 2010 16:39:13 -04:00	XMLDefault7931.cnf.xml
120	-rw-	1086	Jun 10 2010 16:39:13 -04:00	XMLDefault7935.cnf.xml
121	-rw-	1106	Jun 10 2010 16:39:13 -04:00	XMLDefault7936.cnf.xml
122	-rw-	1852	Jun 10 2010 16:39:13 -04:00	XMLDefault7937.cnf.xml
129	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-500S-1.cnf.xml
135	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-500S-2.cnf.xml
124	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-7914-1.cnf.xml
130	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-7914-2.cnf.xml
125	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-7915-12-1.cnf.xml
131	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-7915-12-2.cnf.xml
126	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-7915-24-1.cnf.xml
132	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-7915-24-2.cnf.xml
127	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-7916-12-1.cnf.xml
133	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-7916-12-2.cnf.xml
128	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-7916-24-1.cnf.xml
134	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7940-7916-24-2.cnf.xml
123	-rw-	1653	Jun 10 2010 16:39:13 -04:00	XMLDefault7940.cnf.xml
136	-rw-	1847	Jun 10 2010 16:39:13 -04:00	XMLDefault7941.cnf.xml
137	-rw-	1849	Jun 10 2010 16:39:13 -04:00	XMLDefault7941GE.cnf.xml
138	-rw-	1847	Jun 10 2010 16:39:13 -04:00	XMLDefault7942.cnf.xml
139	-rw-	1847	Jun 10 2010 16:39:13 -04:00	XMLDefault7945.cnf.xml
146	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-500S-1.cnf.xml
152	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-500S-2.cnf.xml
141	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-7914-1.cnf.xml
147	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-7914-2.cnf.xml
142	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-7915-12-1.cnf.xml
148	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-7915-12-2.cnf.xml
143	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-7915-24-1.cnf.xml
149	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-7915-24-2.cnf.xml
144	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-7916-12-1.cnf.xml
150	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-7916-12-2.cnf.xml
145	-rw-	1815	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-7916-24-1.cnf.xml
151	-rw-	1946	Jun 10 2010 16:39:13 -04:00	XMLDefault7960-7916-24-2.cnf.xml
140	-rw-	1653	Jun 10 2010 16:39:13 -04:00	XMLDefault7960.cnf.xml

159	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-500S-1.cnf.xml
165	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-500S-2.cnf.xml
154	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-7914-1.cnf.xml
160	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-7914-2.cnf.xml
155	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-7915-12-1.cnf.xml
161	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-7915-12-2.cnf.xml
156	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-7915-24-1.cnf.xml
162	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-7915-24-2.cnf.xml
157	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-7916-12-1.cnf.xml
163	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-7916-12-2.cnf.xml
158	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-7916-24-1.cnf.xml
164	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7961-7916-24-2.cnf.xml
153	-rw-	1847	Jun	10	2010	16:39:13	-04:00	XMLDefault7961.cnf.xml
172	-rw-	2011	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-500S-1.cnf.xml
178	-rw-	2142	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-500S-2.cnf.xml
167	-rw-	2011	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-7914-1.cnf.xml
173	-rw-	2142	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-7914-2.cnf.xml
168	-rw-	2011	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-7915-12-
1.cnf.xml								
174	-rw-	2142	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-7915-12-
2.cnf.xml								
169	-rw-	2011	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-7915-24-
1.cnf.xml								
175	-rw-	2142	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-7915-24-
2.cnf.xml								
170	-rw-	2011	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-7916-12-
1.cnf.xml								
176	-rw-	2142	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-7916-12-
2.cnf.xml								
171	-rw-	2011	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-7916-24-
1.cnf.xml								
177	-rw-	2142	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE-7916-24-
2.cnf.xml								
166	-rw-	1849	Jun	10	2010	16:39:13	-04:00	XMLDefault7961GE.cnf.xml
185	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-500S-1.cnf.xml
191	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-500S-2.cnf.xml
180	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-7914-1.cnf.xml
186	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-7914-2.cnf.xml
181	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-7915-12-1.cnf.xml
187	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-7915-12-2.cnf.xml
182	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-7915-24-1.cnf.xml
188	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-7915-24-2.cnf.xml
183	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-7916-12-1.cnf.xml
189	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-7916-12-2.cnf.xml
184	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-7916-24-1.cnf.xml
190	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7962-7916-24-2.cnf.xml
179	-rw-	1847	Jun	10	2010	16:39:13	-04:00	XMLDefault7962.cnf.xml
198	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-500S-1.cnf.xml
204	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-500S-2.cnf.xml
193	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-7914-1.cnf.xml
199	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-7914-2.cnf.xml
194	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-7915-12-1.cnf.xml
200	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-7915-12-2.cnf.xml
195	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-7915-24-1.cnf.xml
201	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-7915-24-2.cnf.xml

196	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-7916-12-1.cnf.xml
202	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-7916-12-2.cnf.xml
197	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-7916-24-1.cnf.xml
203	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7965-7916-24-2.cnf.xml
192	-rw-	1847	Jun	10	2010	16:39:13	-04:00	XMLDefault7965.cnf.xml
211	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-500S-1.cnf.xml
217	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-500S-2.cnf.xml
206	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-7914-1.cnf.xml
212	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-7914-2.cnf.xml
207	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-7915-12-1.cnf.xml
213	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-7915-12-2.cnf.xml
208	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-7915-24-1.cnf.xml
214	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-7915-24-2.cnf.xml
209	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-7916-12-1.cnf.xml
215	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-7916-12-2.cnf.xml
210	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-7916-24-1.cnf.xml
216	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7970-7916-24-2.cnf.xml
205	-rw-	1847	Jun	10	2010	16:39:13	-04:00	XMLDefault7970.cnf.xml
224	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-500S-1.cnf.xml
230	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-500S-2.cnf.xml
219	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-7914-1.cnf.xml
225	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-7914-2.cnf.xml
220	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-7915-12-1.cnf.xml
226	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-7915-12-2.cnf.xml
221	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-7915-24-1.cnf.xml
227	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-7915-24-2.cnf.xml
222	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-7916-12-1.cnf.xml
228	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-7916-12-2.cnf.xml
223	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-7916-24-1.cnf.xml
229	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7971-7916-24-2.cnf.xml
218	-rw-	1847	Jun	10	2010	16:39:13	-04:00	XMLDefault7971.cnf.xml
237	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-500S-1.cnf.xml
243	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-500S-2.cnf.xml
232	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-7914-1.cnf.xml
238	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-7914-2.cnf.xml
233	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-7915-12-1.cnf.xml
239	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-7915-12-2.cnf.xml
234	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-7915-24-1.cnf.xml
240	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-7915-24-2.cnf.xml
235	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-7916-12-1.cnf.xml
241	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-7916-12-2.cnf.xml
236	-rw-	2009	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-7916-24-1.cnf.xml
242	-rw-	2140	Jun	10	2010	16:39:13	-04:00	XMLDefault7975-7916-24-2.cnf.xml
231	-rw-	1847	Jun	10	2010	16:39:13	-04:00	XMLDefault7975.cnf.xml
244	-rw-	1834	Jun	10	2010	16:39:13	-04:00	XMLDefault7985.cnf.xml
246	-rw-	1798	Jun	10	2010	16:39:13	-04:00	XMLDefaultCIPC.cnf.xml

No space information available