

Supported Devices*

*= Framerate & PTZ performance may vary based on specific 3rd party device capability

Device Name	Model Name	Proxy Drivers			Event Driver	PTZ Driver	Serial Driver	Motion Driver
		Media Types	Transports	Resolutions				
acti2120	ACTi 2120 Network Camera	mpeg4-v	tcp	NTSC 4cif [720x480], cif [352x240]	N/A	No	No	No
autodome	Autodome Analog Camera	N/A			N/A	Yes	No	No
axis205	AXIS 205 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120]	N/A	No	No	No
axis206m	AXIS 206M Megapixel Network Camera	jpeg	tcp	NTSC 3M [1280x1024], 2M [1280x960], 1M [1280x720], 4cif [640x480], cif [320x240]	N/A	No	No	No
axis206w	AXIS 206W Wireless Network Camera	jpeg	tcp	NTSC 4cif [640x480], 2cif [640x360], cif [320x240], qcif [160x120]	N/A	No	No	No
axis207	AXIS 207 Network Camera	jpeg	tcp	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]	1 alarm 10 regions	No	No	No
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
axis207mw	AXIS 207MW MegaPixel Wireless Network Camera	audio	tcp		1 alarm 10 regions	No	No	No
		mpeg4-v	tcp, udp, multicast	NTSC 1M [1280x720], 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 1M [1280x720], 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
axis209m	AXIS 209M MegaPixel Network	jpeg	tcp	NTSC 1M [1280x720], 4cif [640x480], 2cif [480x360],	1 alarm 10 regions	No	No	Yes

	Camera			cif [320x240], qcif [160x120]				
		mpeg4-v	tcp, udp, multicast	NTSC 1M [1280x720], 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
axis210	AXIS 210 Network Camera	jpeg	tcp	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]	1 alarm 10 regions	No	No	No
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
axis2100	AXIS 2100 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	No
axis210a	AXIS 210A Network Camera	audio	tcp		1 alarm 10 regions	No	No	No
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
axis211	AXIS 211 Network Camera	jpeg	tcp	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]	1 alarm 10 regions	No	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
axis211a	AXIS 211A Network Camera	audio	tcp		1 alarm 10 regions	No	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
axis211m	AXIS 211M Network Camera	audio	tcp		1 alarm 10 regions	No	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 1.2M [1280x1024], 1M [1280x720], 4cif [640x480], 2cif [480x360],				

				cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 1.2M [1280x1024], 1M [1280x720], 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
axis212	AXIS 212 PTZ Network Camera	jpeg	tcp	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]	1 alarm 10 regions	Yes	No	No
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [640x480], 2cif [480x360], cif [320x240]				
axis2120	AXIS 2120 Network Camera	jpeg	tcp	NTSC 4cif [704x480], cif [352x240]	1 alarm 3 regions	No	No	No
axis213	AXIS 213 PTZ Network Camera	audio	tcp		2 alarms 0 regions	Yes	No	No
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
		jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis2130	AXIS 2130 PTZ Network Camera	jpeg	tcp	NTSC 4cif [704x480], cif [352x240], qcif [176x120]	1 alarm 0 regions	Yes	No	No
axis214	AXIS 214 PTZ Network Camera	audio	tcp		1 alarm 0 regions	Yes	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
		jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240],				

				qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis215	AXIS 215 PTZ Network Camera	audio	tcp		1 alarm 0 regions	Yes	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
		jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis216	AXIS 216FD Network Camera	jpeg	tcp	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]	1 alarm 10 regions	No	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
axis216m	AXIS 216MFD Network Camera	jpeg	tcp	NTSC 1.2M [1280x1024], 1M [1280x720], 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]	1 alarm 10 regions	No	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 1.2M [1280x1024], 1M [1280x720], 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
axis221	AXIS 221 Day and Night Camera	jpeg	tcp	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]	1 alarm 0 regions	No	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				

axis223m	AXIS 223M Network Camera	audio	tcp		N/A	No	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [640x480], cif [352x240], qcif [176x120]				
		jpeg	tcp	NTSC 2M [1600x1200], 1M [1280x960], 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120]				
axis225	AXIS 225FD Network Camera	jpeg	tcp	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]	2 alarms 10 regions	No	No	No
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
axis230	AXIS 230 MPEG-2 Network Camera	mpeg2-v	tcp	NTSC 4cif [704x480], cif [352x240], qcif [160x112]	2 alarms 0 regions	Yes	No	No
axis231	AXIS 231D Network Dome Camera	jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]	4 alarms 0 regions	Yes	No	No
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis232	AXIS 232D Network Dome Camera	jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]	4 alarms 0 regions	Yes	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL				

				4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis233	AXIS 233D Network Dome Camera	jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]	4 alarms 0 regions	Yes	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis2400	AXIS 2400 Video Server (v1)	jpeg	tcp	NTSC 4cif [704x480], cif [352x240], qcif [176x112]	4 alarms 0 regions	No	Yes	No
axis2400l	AXIS 2400 Video Server (v2)	jpeg	tcp	NTSC 4cif [704x480], cif [352x240], qcif [176x112]	4 alarms 0 regions	No	Yes	No
axis2400plus	AXIS 2400+ Video Server	jpeg	tcp	NTSC 4cif [704x480], cif [352x240], qcif [176x112] PAL 4cif [704x576], cif [352x288], qcif [176x144]	4 alarms 0 regions	No	Yes	No
axis2401	AXIS 2401 Video Server (v1)	jpeg	tcp	NTSC 4cif [704x480], cif [352x240], qcif [176x112] PAL 4cif [704x576], cif [352x288], qcif [176x144]	4 alarms 0 regions	No	Yes	No
axis2401l	AXIS 2401L Video Server (v2)	jpeg	tcp	NTSC 4cif [704x480], cif [352x240], qcif [176x112] PAL 4cif [704x576], cif [352x288], qcif [176x144]	4 alarms 0 regions	No	Yes	No
axis2401plus	AXIS 2401+ Video Server	jpeg	tcp	NTSC 4cif [704x480], cif [352x240], qcif [176x112] PAL 4cif [704x576], cif [352x288], qcif [176x144]	4 alarms 0 regions	No	Yes	No

axis240q	AXIS 240Q Video Server	jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], cif [352x288], qcif [176x144]	4 alarms 12 regions	No	Yes	No
axis2411	AXIS 2411 Video Server	jpeg	tcp	NTSC 4cif [704x480], cif [352x240], qcif [176x112] PAL 4cif [704x576], cif [352x288], qcif [176x144]	N/A	No	No	No
axis241q	AXIS 241Q Video Server	jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]	4 alarms 12 regions	No	Yes	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis241qa	AXIS 241QA Video Server	audio	tcp		4 alarms 12 regions	No	Yes	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
		jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis241s	AXIS 241S Video Server	jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576],	4 alarms 12 regions	No	Yes	Yes

				2cif [704x288], cif [352x288], qcif [176x144]				
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis241sa	AXIS 241SA Video Server	audio	tcp		4 alarms 12 regions	No	Yes	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
		jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis2420	AXIS 2420 Network Camera	jpeg	tcp	NTSC 4cif [704x480], cif [352x240]	1 alarm 3 regions	No	No	No
axis243q	AXIS 243Q Video Server	jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120]	1 alarm 10 regions	No	Yes	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120]				
axis243sa	AXIS 243SA Video Server	audio	tcp		4 alarms 10 regions	No	Yes	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
		jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240],				

				qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis247s	AXIS 247S Video Server	audio	tcp		4 alarms 10 regions	No	Yes	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
		jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
axis250s	AXIS 250S MPEG-2 Video Server	mpeg2-v	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [160x112] PAL 4cif [704x576], cif [352x288], qcif [160x144]	4 alarms 0 regions	No	Yes	No
axis_driver_v1	Axis PTZ generic camera (v1)	N/A			N/A	Yes	No	No
axis_driver_v2	Axis PTZ generic camera (v2)	N/A			N/A	Yes	No	No
axisp3301	AXIS P3301 Network Camera	audio	tcp		1 alarm 10 regions	No	No	Yes
		jpeg	tcp	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [240x180]				
		h264-v	udp, multicast	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [240x180]				
axisq7401	AXIS Q7401/Q7406 Video Server	audio	tcp		4 alarms 10 regions	No	Yes	Yes
		jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576],				

				2cif [704x288], cif [352x288], qcif [176x144]				
		h264-v	udp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
bosch_autodome_300	Bosch AutoDome 300 Network Camera	jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]	N/A	Yes	No	No
		mpeg4-v	tcp, udp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
bosch_dnip	Bosch Dinion-IP-NWC-0495 Network Camera	mpeg4-v	tcp, udp	NTSC 4cif [704x480], cif [352x240], qcif [176x112] PAL 4cif [704x576], cif [352x288], qcif [176x144]	N/A	No	Yes	No
cisco-2500	Cisco SD IP Camera 2500/W Series	jpeg	tcp, udp	NTSC d1 [720x480], 4cif [704x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], cif [352x288]	2 alarms 0 regions	Yes	Yes	Yes
		mpeg4-v	tcp, udp, multicast	NTSC d1 [720x480], 4cif [704x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], cif [352x288]				
cisco_242x	Cisco SD IP Camera Indoor Dome 2420 Series	jpeg	tcp, udp	NTSC d1 [720x480], 4cif [704x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], cif [352x288]	N/A	Yes	Yes	Yes

		mpeg4-v	tcp, udp, multicast	NTSC d1 [720x480], 4cif [704x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], cif [352x288]				
cisco_252xV	Cisco SD IP Camera Indoor Vandal Dome 2520 Series	jpeg	tcp, udp	NTSC d1 [720x480], 4cif [704x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], cif [352x288]	2 alarms 0 regions	Yes	Yes	Yes
		mpeg4-v	tcp, udp, multicast	NTSC d1 [720x480], 4cif [704x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], cif [352x288]				
cisco_253xV	Cisco SD IP Camera Ruggedized Dome 2530 Series	jpeg	tcp, udp	NTSC d1 [720x480], 4cif [704x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], cif [352x288]	2 alarms 0 regions	Yes	Yes	Yes
		mpeg4-v	tcp, udp, multicast	NTSC d1 [720x480], 4cif [704x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], cif [352x288]				
cisco_4300	Cisco HD IP Camera 4300 Series	h264-v	udp, multicast	NTSC 1080p [1920x1080], 720p [1280x720], d1 [720x480], 4cif [704x480], cif [352x240] PAL 1080p [1920x1080], 720p [1280x720], d1 [720x576], 4cif [704x576], cif [352x288]	2 alarms 0 regions	Yes	Yes	Yes
		jpeg	udp, multicast	NTSC d1 [720x480], 4cif [704x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], cif [352x288]				

cisco_4500	Cisco HD IP Camera 4500 Series	h264-v	udp, multicast	NTSC 1080p [1920x1080], 720p [1280x720], d1 [720x480], 4cif [704x480], cif [352x240] PAL 1080p [1920x1080], 720p [1280x720], d1 [720x576], 4cif [704x576], cif [352x288]	2 alarms 0 regions	Yes	Yes	Yes
		jpeg	udp, multicast	NTSC d1 [720x480], 4cif [704x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], cif [352x288]				
cisco_avg	Cisco Analog Video Gateway	h264-v	udp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240] PAL 4cif [704x576], 2cif [704x288], cif [352x288]	8 alarms 0 regions	No	Yes	Yes
		mpeg4-v	udp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240] PAL 4cif [704x576], 2cif [704x288], cif [352x288]				
		jpeg	tcp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240] PAL 4cif [704x576], 2cif [704x288], cif [352x288]				
cisco_ipc5000	Cisco 5000 Series IP HD Dome Camera	h264-v	udp	NTSC 1080p [1920x1080], 720p [1280x720], 4cif [640x352], cif [480x272], qcif [320x176]	N/A	No	No	Yes
		jpeg	tcp	NTSC 1080p [1920x1080], 720p [1280x720], 4cif [640x352], cif [480x272], qcif [320x176]				

cisco_smsg	Cisco IP Gateway Encoder (CIVS-SGxx)	h264-v	udp	NTSC d1 [720x480], 4cif [704x480], 2cif [704x240], hhr [352x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], 2cif [704x288], hhr [352x576], cif [352x288]	3 alarms 0 regions	No	Yes	No
		mpeg4-v	udp	NTSC d1 [720x480], 4cif [704x480], 2cif [704x240], hhr [352x480], cif [352x240] PAL d1 [720x576], 4cif [704x576], 2cif [704x288], hhr [352x576], cif [352x288]				
cohu	Cohu Analog Camera	N/A			N/A	Yes	No	No
cornet_ivdo	Cornet iVDO Streamer 2/4	mpeg2-e	udp, multicast	NTSC d1 [720x480], cif [352x240] PAL d1 [720x576], cif [352x288]	N/A	No	Yes	No
		mpeg4-v	udp, multicast	NTSC d1 [720x480], cif [352x240] PAL d1 [720x576], cif [352x288]				
cornet_cdx350	Cornet CDX-350	mpeg2-e	udp, multicast	NTSC d1 [720x480], 4cif [640x480], cif [360x240], qcif [160x112] PAL d1 [720x576], qcif [160x144]	N/A	No	No	No
cornet_ivdo	Cornet iVDO Streamer 2/4	mpeg2-e	udp, multicast	NTSC d1 [720x480], cif [352x240] PAL d1 [720x576], cif [352x288]	N/A	No	Yes	No
		mpeg4-v	udp, multicast	NTSC d1 [720x480], cif [352x240] PAL d1 [720x576], cif [352x288]				
cornet_mpeg2	Cornet CDX-350	mpeg2-e	udp, multicast	NTSC d1 [720x480], 4cif [640x480], cif [360x240], qcif [160x112]	N/A	No	No	No

				PAL d1 [720x576], qcif [160x144]				
generic	Pseudo-device for soft-triggered events	N/A			No	No	No	No
icx_di5000	Icx DII IR/Visible Camera	N/A			N/A	Yes	No	No
indigo	IndigoVision Indigo8000	mpeg4-v	udp, multicast	NTSC 4cif [704x480], cif [352x240], qcif [176x120] PAL 4cif [704x576], cif [352x288], qcif [176x144]	N/A	No	No	No
iqeye501	IQeye 501 Network Camera	jpeg	tcp	NTSC 1M [1280x1024], 4cif [640x512], cif [320x256], qcif [160x128]	N/A	No	No	Yes
iqeye510	IQeye 510 Network Camera	jpeg	tcp	NTSC 4cif [752x480], cif [376x240], qcif [188x120]	N/A	No	No	Yes
iqeye511	IQeye 511 Network Camera	jpeg	tcp	NTSC 1M [1280x1024], 4cif [640x512], cif [320x256], qcif [160x128]	N/A	No	No	Yes
iqeye602	IQeye 602 Network Camera	jpeg	tcp	NTSC 2M [1600x1200], 4cif [800x600], cif [400x296], qcif [200x144]	1 alarm 0 regions	No	No	Yes
iqeye702	IQeye 702 Network Camera	jpeg	tcp	NTSC 2M [1600x1200], 4cif [800x600], cif [400x296], qcif [200x144]	1 alarm 0 regions	No	No	Yes
iqeye703	IQeye 703 Network Camera	jpeg	tcp	NTSC 3M [2048x1536], 1M [1024x768], 2cif [512x384], cif [256x192]	1 alarm 0 regions	No	No	Yes
iqeye705	IQeye 705 Network Camera	jpeg	tcp	NTSC 5M [2560x1920], 1M [1280x960], 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	Yes
iqeye711	IQeye 711 Network Camera	jpeg	tcp	NTSC 1M [1280x1024],	1 alarm 0 regions	No	No	Yes

				4cif [640x512], cif [320x256], qcif [160x128]				
iqeye752	IQeye 752 Network Camera	jpeg	tcp	NTSC 2M [1600x1200], 4cif [800x600], cif [400x296], qcif [200x144]	1 alarm 0 regions	No	No	Yes
iqeye753	IQeye 753 Network Camera	jpeg	tcp	NTSC 3M [2048x1536], 1M [1024x768], 2cif [512x384], cif [256x192]	1 alarm 0 regions	No	No	Yes
iqeye755	IQeye 755 Network Camera	jpeg	tcp	NTSC 5M [2560x1920], 1M [1280x960], 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	Yes
iqeye802	IQeye 802 Network Camera	jpeg	tcp	NTSC 2M [1600x1200], 4cif [800x600], cif [400x296], qcif [200x144]	1 alarm 0 regions	No	No	Yes
iqeye803	IQeye 803 Network Camera	jpeg	tcp	NTSC 3M [2048x1536], 1M [1024x768], 2cif [512x384], cif [256x192]	1 alarm 0 regions	No	No	Yes
iqeye805	IQeye 805 Network Camera	jpeg	tcp	NTSC 5M [2560x1920], 1M [1280x960], 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	Yes
iqeye811	IQeye 811 Network Camera	jpeg	tcp	NTSC 1M [1280x1024], 4cif [640x512], cif [320x256], qcif [160x128]	1 alarm 0 regions	No	No	Yes
iqeye852	IQeye 852 Network Camera	jpeg	tcp	NTSC 2M [1600x1200], 4cif [800x600], cif [400x296], qcif [200x144]	1 alarm 0 regions	No	No	Yes
iqeye853	IQeye 853 Network Camera	jpeg	tcp	NTSC 3M [2048x1536], 1M [1024x768], 2cif [512x384], cif [256x192]	1 alarm 0 regions	No	No	Yes
iqeye855	IQeye 855 Network Camera	jpeg	tcp	NTSC 5M [2560x1920], 1M [1280x960], 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	Yes

iqeye_iqa12s	IQeye IQA12S Network Camera	jpeg	tcp	NTSC 2M [1600x1200], 4cif [800x600], cif [400x300], qcif [200x150]	1 alarm 0 regions	No	No	Yes
iqeye22s	IQEye Alliance 22S Network Camera	h264-v	udp	NTSC 4cif [640x480]	N/A	No	No	No
		jpeg	tcp	NTSC 2M [1600x1200], 4cif [800x600], cif [400x300], qcif [200x150]				
ivc_vs2101	IVnC VS2101	jpeg	tcp	NTSC 4cif [704x480], cif [352x240], qcif [176x112]	N/A	No	No	No
lumenera	Lumenera Ethernet Camera	jpeg	tcp	NTSC sxga [1376x1032], 4cif [640x480], cif [320x240], qcif [160x120]	N/A	No	No	No
mango	Mango Raven-HX Video Server	audio	udp, multicast		N/A	No	No	No
		mpeg4-v	udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
mango_hx	Mango Raven-HX Video Server	audio	udp, multicast		N/A	No	No	No
		mpeg4-v	udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
mango_hx104	Mango Raven-HX104 Video Server	audio	udp, multicast		N/A	No	Yes	No
		mpeg4-v	udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				

mango_m	Mango Raven-M Video Server	audio	udp, multicast		N/A	No	Yes	No
		mpeg4-v	udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
net300	Pelco PelcoNet NET300T	audio	udp		N/A	No	Yes	No
		mpeg4-v	tcp, udp	NTSC 4cif [704x480], cif [352x240], qcif [176x128] PAL 4cif [704x576], cif [352x288], qcif [176x144]				
net300-e	Pelco PelcoNet NET300T (events)	mpeg4-v	tcp, udp	NTSC 4cif [704x480], cif [352x240], qcif [176x128] PAL 4cif [704x576], cif [352x288], qcif [176x144]	1 alarm 0 regions	No	Yes	No
net350	Pelco PelcoNet NET350T	audio	udp		N/A	No	Yes	No
		mpeg4-v	tcp, udp	NTSC 4cif [704x480], cif [352x240], qcif [176x128] PAL 4cif [704x576], cif [352x288], qcif [176x144]				
net350-e	Pelco PelcoNet NET350T (events)	mpeg4-v	tcp, udp	NTSC 4cif [704x480], cif [352x240], qcif [176x128] PAL 4cif [704x576], cif [352x288], qcif [176x144]	1 alarm 0 regions	No	Yes	No
net4001a	Pelco PelcoNet NET4001A	audio	udp		N/A	No	Yes	No
net4001a-e	Pelco PelcoNet NET4001A (events)	mpeg2-v	tcp	NTSC 4cif [704x576], cif [352x288] PAL 4cif [704x576], cif [352x288]	1 alarm 0 regions	No	Yes	No
		mpeg4-v	tcp	NTSC 4cif [704x576], cif [352x240], qcif [176x144] PAL 4cif [704x576],				

				cif [352x288], qcif [176x144]				
nice_nvr	Nice DVR	jpeg	tcp	NTSC 4cif [704x480], cif [352x240], qcif [176x120]	N/A	Yes	No	No
optelecom_c20	Optelecom C20	audio	udp		N/A	No	No	No
		mpeg2-e	udp, multicast	NTSC d1 [720x480], 2/3d1 [480x480], 1/2d1 [352x480], cif [352x240] PAL d1 [720x576], 2/3d1 [480x576], 1/2d1 [352x576], cif [352x288]				
optelecom_c40	Optelecom C40	audio	udp		N/A	No	No	No
		mpeg4-v	udp, multicast	NTSC d1 [720x480], 2cif [720x240], cif [352x240] PAL d1 [720x576], 2cif [720x288], cif [352x288]				
optelecom_c44	Optelecom C44	mpeg4-v	udp, multicast	NTSC d1 [720x480], 2cif [720x240], vga [640x480], 2/3d1 [480x480], 1/2d1 [352x480], cif [352x240], qvga [320x240], qcif [176x128] PAL d1 [720x576], 2cif [720x288], vga [640x576], 2/3d1 [480x576], 1/2d1 [352x576], cif [352x288], qvga [352x240], qcif [176x144]	N/A	No	No	No
panasonic_cs954	Panasonic WV-CS954 Analog Camera	N/A			N/A	Yes	No	No
panasonic_nf_284	Panasonic WV-NF284 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	Yes
		mpeg4-v	udp, multicast	NTSC 4cif [640x480], cif [320x240]				

panasonic_nf_302	Panasonic WV-NF302 Network Camera	jpeg	tcp	NTSC 1M [1280x960], 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	Yes
		mpeg4-v	udp, multicast	NTSC 1M [1280x960], 4cif [640x480], cif [320x240]				
panasonic_np_1004	Panasonic WV-NP1004 Network Camera	jpeg	tcp	NTSC 2m [1280x960], 1m [960x720], 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	No
		mpeg4-v	udp, multicast	NTSC 4cif [640x480], cif [320x240]				
panasonic_np_244	Panasonic WV-NP244 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	Yes
		mpeg4-v	udp, multicast	NTSC 4cif [640x480], cif [320x240]				
panasonic_np_304	Panasonic WV-NP304 Network Camera	jpeg	tcp	NTSC 1M [1280x960], 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	Yes
		mpeg4-v	udp, multicast	NTSC 4cif [640x480], cif [320x240]				
panasonic_ns_202	Panasonic WV-NS202 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	No
		mpeg4-v	udp, multicast	NTSC 4cif [640x480], cif [320x240]				
panasonic_ns_202a	Panasonic WV-NS202A Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240]	1 alarm 0 regions	Yes	No	Yes
		mpeg4-v	udp, multicast	NTSC 4cif [640x480], cif [320x240]				
panasonic_ns_954	Panasonic WV-NS954 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240]	1 alarm 0 regions	Yes	No	No
		mpeg4-v	udp, multicast	NTSC 4cif [640x480], cif [320x240]				
panasonic_ns_964	Panasonic WV-NW964 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240]	1 alarm 0 regions	Yes	No	No
		mpeg4-v	udp, multicast	NTSC 4cif [640x480], cif [320x240]				
panasonic_nw_484s	Panasonic WV-NW484S	jpeg	tcp	NTSC 4cif [640x480], cif [320x240]	1 alarm 0 regions	No	No	Yes

	Network Camera	mpeg4-v	udp, multicast	NTSC 4cif [640x480], cif [320x240]				
pelcoSM	Pelco System Manager	mpeg4-v	udp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]	N/A	Yes	No	No
pelco_d	Pelco Analog Camera (D protocol)	N/A			N/A	Yes	No	No
pelco_endura_analog	Pelco Endura Analog Camera)	N/A			N/A	Yes	No	No
pelco_ip110	Pelco IP110 Network Camera	jpeg	tcp	NTSC 4cif [704x480] PAL 4cif [704x480]	N/A	No	No	No
		mpeg4-v	udp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
pelco_ip_spectra_iv	Pelco Spectra IV IP Camera	mpeg4-v	udp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]	N/A	Yes	No	No
pelco_miniSpectra	Pelco Mini Spectra Dome Analog Camera	N/A			N/A	Yes	No	No
pelco_net53xxt	Pelco NET53XXT Encoder	mpeg4-v	udp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x112] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]	N/A	Yes	Yes	No
pelco_p	Pelco Analog Camera (P protocol)	N/A			N/A	Yes	No	No

proxy	Existing BroadWare Proxy Source	audio	tcp		N/A	No	No	No
sightlogix	SightLogix SightSensor Camera	jpeg	tcp	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]	1 alarm 10 regions	No	No	Yes
		mpeg4-v	tcp, udp, multicast	NTSC 4cif [640x480], 2cif [480x360], cif [320x240], qcif [160x120]				
smartsight1500	SmartSight 15xx	mpeg4-v.h	udp, multicast	NTSC 2cif [704x240], cif [352x240], qcif [176x128] PAL 2cif [704x288], cif [352x288], qcif [176x144]	N/A	No	No	No
smartsight1700	SmartSight 17xx	mpeg4-v	udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240] PAL 4cif [704x576], 2cif [704x288], cif [352x288]	N/A	No	Yes	No
		mpeg4-v.h	udp, multicast	NTSC 4cif [704x480], 2cif [704x240], cif [352x240] PAL 4cif [704x576], 2cif [704x288], cif [352x288]				
smartsight1900	SmartSight 19xx	mpeg4-v.h	udp, multicast	NTSC 4cif [704x480], cif [352x240] PAL 4cif [704x576], cif [352x288]	N/A	No	No	No
smartsight2600	SmartSight 26xx Network Camera	mpeg4-v	udp, multicast	NTSC 4cif [640x480], cif [352x240] PAL 4cif [640x576], cif [352x288]	N/A	No	No	No
		mpeg4-v.h	udp, multicast	NTSC 4cif [640x480], cif [352x240] PAL 4cif [640x576], cif [352x288]				
sony_snc_cm120	Sony SNC-CM120 Network Camera	jpeg	tcp	NTSC 1M [1280x960], 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]	2 alarms 0 regions	No	No	Yes

		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]				
sony_snc_cs10	Sony SNC-CS10 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	1 alarm 0 regions	No	No	No
		mpeg4-v	udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_cs11	Sony SNC-CS11 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	1 alarm 0 regions	No	No	No
		mpeg4-v	udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_cs20	Sony SNC-CS20 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]	2 alarms 0 regions	No	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]				
sony_snc_cs3	Sony SNC-CS3 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	N/A	No	No	No
sony_snc_cs50	Sony SNC-CS50 Network Camera	h264-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL	2 alarms 0 regions	No	No	Yes

				4cif [640x480], cif [320x240], qcif [160x120]				
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_df40	Sony SNC-DF40 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	1 alarm 0 regions	No	No	No
		mpeg4-v	udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_df50	Sony SNC-DF50 Network Camera	h264-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	1 alarm 0 regions	No	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_df70	Sony SNC-DF70 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL	1 alarm 0 regions	No	No	No

				4cif [640x480], cif [320x240], qcif [160x120]				
		mpeg4-v	udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_df80	Sony SNC-DF80 Network Camera	h264-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	1 alarm 0 regions	No	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_df85	Sony SNC-DF85 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	1 alarm 0 regions	No	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_dm110	Sony SNC-DM110 Network Camera	jpeg	tcp	NTSC 1M [1280x960], 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]	2 alarms 0 regions	No	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]				

sony_snc_dm160	Sony SNC-DM160 Network Camera	jpeg	tcp	NTSC 1M [1280x960], 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]	2 alarms 0 regions	No	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]				
sony_snc_ds10	Sony SNC-DS10 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]	2 alarms 0 regions	No	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]				
sony_snc_ds60	Sony SNC-DS60 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]	2 alarms 0 regions	No	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]				
sony_snc_p1	Sony SNC-P1 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	1 alarm 0 regions	No	No	No
		mpeg4-v	udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_cs11	Sony SNC-CS11 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	1 alarm 0 regions	No	No	No

		mpeg4-v	udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_rx530	Sony SNC-RX530 Network Camera	h264-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	2 alarms 0 regions	Yes	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_rx550	Sony SNC-RX550 Network Camera	h264-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	2 alarms 0 regions	Yes	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_rx550-e	Sony SNC-RX550 (events) Network Camera	h264-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	2 alarms 0 regions	Yes	No	Yes

		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_rx570	Sony SNC-RX570 Network Camera	h264-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	2 alarms 0 regions	Yes	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_rz25	Sony SNC-RZ25 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	N/A	Yes	No	No
		mpeg4-v	udp	NTSC 4cif [640x480], cif [320x240] PAL 4cif [640x480], cif [320x240]				
sony_snc_rz30	Sony SNC-RZ30 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	N/A	Yes	No	No

sony_snc_rz50	Sony SNC-RZ50 Dome PTZ Network Camera	h264-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	2 alarms 0 regions	Yes	No	Yes
		mpeg4-v	tcp, udp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
		jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]				
sony_snc_z20	Sony SNC-Z20 Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120] PAL 4cif [640x480], cif [320x240], qcif [160x120]	N/A	No	No	No
sproxy	Existing BroadWare Solaris Proxy Source	audio	tcp		N/A	No	No	No
teleste_ipe	Teleste IPE	mpeg2-t	udp, multicast	NTSC 4cif [720x480]	N/A	No	No	No
teleste_mpce4	Teleste MPC-E4	audio	udp		N/A	No	Yes	No
		mpeg4-v	udp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
		jpeg	udp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120] PAL 4cif [704x576], 2cif [704x288], cif [352x288], qcif [176x144]				
toshiba_wb21a	Toshiba IK-WB21A Network	jpeg	tcp	NTSC 1M [1280x960], 4cif [640x480],	N/A	Yes	No	No

	Camera			cif [320x240], qcif [160x120]				
toshiba_wr01	Toshiba IK-WR01A Network Camera	jpeg	tcp	NTSC 4cif [640x480], cif [320x240], qcif [160x120]	N/A	No	No	No
vbrick	VBrick MPEG-4 Encoder	mpeg4-v	tcp, udp, multicast	NTSC cif [352x240], qcif [176x128] PAL cif [352x288], qcif [176x144]	N/A	No	No	No
videojet10	Bosch VideoJet 10	audio	udp		N/A	No	Yes	No
		mpeg4-v	tcp, udp	NTSC 4cif [704x480], cif [352x240], qcif [176x128] PAL 4cif [704x576], cif [352x288], qcif [176x144]				
		jpeg	tcp	NTSC cif [352x288] PAL cif [352x288]				
videojet10-e	Bosch VideoJet 10 (events)	mpeg4-v	tcp, udp	NTSC 4cif [704x480], cif [352x240], qcif [176x128] PAL 4cif [704x576], cif [352x288], qcif [176x144]	1 alarm 0 regions	No	Yes	No
videojet1000	Bosch VideoJet 1000	audio	udp		N/A	No	Yes	No
videojet1000-e	Bosch VideoJet 1000 (events)	mpeg2-v	tcp	NTSC 4cif [720x576], cif [352x288], qcif [176x144] PAL 4cif [720x576], cif [352x288], qcif [176x144]	1 alarm 0 regions	No	Yes	No
		mpeg4-v	tcp, udp	NTSC 4cif [704x576], cif [352x288], qcif [176x144] PAL 4cif [704x576], cif [352x288], qcif [176x144]				
vip10	Bosch VIP 10	audio	udp		N/A	No	Yes	No
		mpeg4-v	tcp, udp	NTSC 4cif [704x480], cif [352x240], qcif [176x128] PAL 4cif [704x576], cif [352x288],				

				qcif [176x144]				
		jpeg	tcp	NTSC cif [352x288] PAL cif [352x288]				
vip10-e	Bosch VIP 10 (events)	mpeg4-v	tcp, udp	NTSC 4cif [704x480], cif [352x240], qcif [176x128] PAL 4cif [704x576], cif [352x288], qcif [176x144]	1 alarm 0 regions	No	Yes	No
vip1000	Bosch VIP 1000	audio	udp		N/A	No	Yes	No
		mpeg4-v	tcp, udp	NTSC 4cif [704x480], cif [352x240], qcif [176x128] PAL 4cif [704x576], cif [352x288], qcif [176x144]				
		jpeg	tcp	NTSC cif [352x288] PAL cif [352x288]				
vip1000-e	Bosch VIP 1000 (events)	mpeg4-v	tcp, udp	NTSC 4cif [704x480], cif [352x240], qcif [176x128] PAL 4cif [704x576], cif [352x288], qcif [176x144]	1 alarm 0 regions	No	Yes	No
vip_x1	Bosch VIP X1	mpeg4-v	tcp, udp	NTSC d1 [704x480], cif [352x288] PAL d1 [704x480], cif [352x288]	N/A	No	Yes	No
vip_x2	Bosch VIP X2	mpeg4-v	tcp, udp	NTSC d1 [704x480], cif [352x240] PAL d1 [704x576], cif [352x288]	N/A	No	Yes	No
vjet_x40	Bosch VideoJet X40	mpeg4-v	tcp, udp	NTSC 4cif [704x480], 2cif [704x240], cif [352x240], qcif [176x120]	N/A	No	Yes	No