

CCAPI:

debug voip ccapi inout is ON (filter is OFF)
CCSIP SPI: SIP Call Statistics tracing is enabled (filter is OFF)
CCSIP SPI: SIP Call Message tracing is enabled (filter is OFF)

VM-EAUS-CSR1000V#
VM-EAUS-CSR1000V#
VM-EAUS-CSR1000V#
VM-EAUS-CSR1000V#
VM-EAUS-CSR1000V#
VM-EAUS-CSR1000V#
VM-EAUS-CSR1000V#
VM-EAUS-CSR1000V#
VM-EAUS-CSR1000V#
VM-EAUS-CSR1000V#

Mar 3 22:46:08.644: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
INVITE sip:2694889508@20.124.203.8:5060 SIP/2.0
Record-Route: <sip:104.219.162.21;lr=on>
Record-Route: <sip:209.193.79.10;lr;ftag=gK0d41dfc3>
Via: SIP/2.0/UDP
104.219.162.21;branch=z9hG4bK6ba2.7b186c8644e51f8bb4d69763f85c6e78.0
Via: SIP/2.0/UDP
209.193.79.10;branch=z9hG4bK6ba2.89faad885a6f2c7035f94068c790fd21.0
Via: SIP/2.0/UDP
209.193.79.30;branch=z9hG4bK6ba2.6364f3d75e322fa4f05c5da2067876c1.0
Via: SIP/2.0/UDP 4.55.41.35:5060;branch=z9hG4bK0dB442405df39358678
From: "CAMPBELL CHRIST" <sip:12699868383@4.55.41.35>;tag=gK0d41dfc3
To: <sip:12694889508@209.193.79.30>
Call-ID: 1460495898_56940344@4.55.41.35
CSeq: 28571 INVITE
Max-Forwards: 68
Allow: INVITE,ACK,CANCEL,BYE,REFER,SUBSCRIBE,PRACK,UPDATE
Accept: application/sdp, application/isup, application/dtmf,
application/dtmf-relay, multipart/mixed
Contact: "CAMPBELL CHRIST" <sip:+12699868383@4.55.41.35:5060>
P-Asserted-Identity: "CAMPBELL CHRIST" <sip:+12699868383@4.55.41.35:5060>
Supported: 100rel
Content-Length: 300
Content-Disposition: session; handling=required
Content-Type: application/sdp

v=0
o=Sonus_UAC 2548 12219 IN IP4 4.55.41.35
s=SIP Media Capabilities
c=IN IP4 4.55.41.6
t=0 0
m=audio 9616 RTP/AVP 0 8 18 101
a=rtpmap:0 PCMU/8000
a=rtpmap:8 PCMA/8000
a=rtpmap:18 G729/8000
a=fmtp:18 annex=no

a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-15
a=sendrecv
a=maxptime:20

Mar 3 22:46:08.646: //-1/8D26A1949C80/CCAPI/cc_api_display_ie_subfields:
cc_api_call_setup_ind_common:
cisco-username=12699868383
----- ccCallInfo IE subfields -----
cisco-ani=12699868383
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=0
dest=2694889508
cisco-desttype=0
cisco-destplan=0
cisco-rdie=FFFFFFFFFFFFFFFF
cisco-rdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=-1
cisco-rdnsi=-1
cisco-redirectreason=-1 fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

Mar 3 22:46:08.646: //-
1/8D26A1949C80/CCAPI/cc_api_call_setup_ind_common:
Interface=0x7FE6FED5C118, Call Info(
Calling Number=12699868383, (Calling Name=) (TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed),
Called Number=2694889508 (TON=Unknown, NPI=Unknown),
Calling Translated=FALSE, Subscriber Type Str=Unknown,
FinalDestinationFlag=TRUE,
Incoming Dial-peer=1000, Progress Indication=NULL(0), Calling IE
Present=TRUE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=, CLID
Transparent=FALSE), Call Id=384524

Mar 3 22:46:08.647: //-1/8D26A1949C80/CCAPI/ccCheckClipClir:
In: Calling Number=12699868383 (TON=Unknown, NPI=Unknown, Screening=Not
Screened, Presentation=Allowed)

Mar 3 22:46:08.647: //-1/8D26A1949C80/CCAPI/ccCheckClipClir:
Out: Calling Number=12699868383 (TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)

Mar 3 22:46:08.647: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

Mar 3 22:46:08.647: :cc_get_feature_vsa malloc success

Mar 3 22:46:08.647: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

Mar 3 22:46:08.647: cc_get_feature_vsa count is 1

Mar 3 22:46:08.647: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

Mar 3 22:46:08.647: :FEATURE_VSA attributes are:
feature_name:0,feature_time:140632177056964,feature_id:121
Mar 3 22:46:08.647:
//384524/8D26A1949C80/CCAPI/cc_api_call_setup_ind_common:
Set Up Event Sent;
Call Info(Calling Number=12699868383(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed),
Called Number=2694889508(TON=Unknown, NPI=Unknown))
Mar 3 22:46:08.647:
//384524/8D26A1949C80/CCAPI/cc_process_call_setup_ind:
Event=0x7FE701559208
Mar 3 22:46:08.647: //-1/xxxxxxxxxxxx/CCAPI/cc_setupind_match_search:
Try with the demoted called number 2694889508
Mar 3 22:46:08.647: //384524/8D26A1949C80/CCAPI/ccCallSetContext:
Context=0x7FE77BA557D0
Mar 3 22:46:08.647:
//384524/8D26A1949C80/CCAPI/cc_process_call_setup_ind:
>>>CCAPI handed cid 384524 with tag 1000 to app
"_ManagedAppProcess_Default"
Mar 3 22:46:08.648: //384524/8D26A1949C80/CCAPI/ccCallProceeding:
Progress Indication=NULL(0)
Mar 3 22:46:08.648: //384524/8D26A1949C80/CCAPI/ccCallSetupRequest:
Destination=, Calling IE Present=TRUE, Mode=0,
Outgoing Dial-peer=2000, Params=0x7FE77BA56F60, Progress
Indication=NULL(0)
Mar 3 22:46:08.648: //384524/8D26A1949C80/CCAPI/ccCheckClipClir:
In: Calling Number=12699868383(TON=Unknown, NPI=Unknown, Screening=Not
Screened, Presentation=Allowed)
Mar 3 22:46:08.648: //384524/8D26A1949C80/CCAPI/ccCheckClipClir:
Out: Calling Number=12699868383(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)
Mar 3 22:46:08.648: //384524/8D26A1949C80/CCAPI/ccCallSetupRequest:
Destination Pattern=, Called Number=2694889508, Digit Strip=FALSE
Mar 3 22:46:08.648: //384524/8D26A1949C80/CCAPI/ccCallSetupRequest:
Calling Number=12699868383(TON=Unknown, NPI=Unknown, Screening=Not
Screened, Presentation=Allowed),
Called Number=2694889508(TON=Unknown, NPI=Unknown),
Redirect Number=, Display Info=CAMPBELL CHRIST
Account Number=12699868383, Final Destination Flag=TRUE,
Guid=8D26A194-9A7A-11EC-9C80-8A8BDF9A9EE5D, Outgoing Dial-peer=2000
Mar 3 22:46:08.648:
//384524/8D26A1949C80/CCAPI/cc_api_display_ie_subfields:
ccCallSetupRequest:
cisco-username=12699868383
----- ccCallInfo IE subfields -----
cisco-ani=12699868383
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=0
dest=2694889508
cisco-desttype=0
cisco-destplan=0
cisco-rdie=FFFFFFFFFFFFFFFF

cisco-rdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=-1
cisco-rdnsi=-1
cisco-redirectreason=-1 fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

Mar 3 22:46:08.649:
//384524/8D26A1949C80/CCAPI/ccIFCallSetupRequestPrivate:
Interface=0x7FE6FED5C118, Interface Type=3, Destination=, Mode=0x0,
Call Params(Calling Number=12699868383,(Calling Name=CAMPBELL
CHRIST)(TON=Unknown, NPI=Unknown, Screening=Not Screened,
Presentation=Allowed),
Called Number=2694889508(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing Dial-
peer=2000, Call Count On=FALSE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)

Mar 3 22:46:08.649: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

Mar 3 22:46:08.649: :cc_get_feature_vsa malloc success

Mar 3 22:46:08.649: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

Mar 3 22:46:08.649: cc_get_feature_vsa count is 2

Mar 3 22:46:08.649: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

Mar 3 22:46:08.649: :FEATURE_VSA attributes are:

feature_name:0,feature_time:140632177056740,feature_id:122

Mar 3 22:46:08.649: //384524/xxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

Mar 3 22:46:08.649: cc_api_get_xcode_stream : 5013

Mar 3 22:46:08.650: //384524/xxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

Mar 3 22:46:08.650: cc_api_get_xcode_stream : 5013

Mar 3 22:46:08.650: //384524/8D26A1949C80/CCAPI/cc_api_event_indication:

Event=102, Call Id=384524

Mar 3 22:46:08.650: //384524/8D26A1949C80/CCAPI/cc_api_event_indication:

Event Is Sent To Conferenced SPI(s) Directly

Mar 3 22:46:08.650:

//384525/8D26A1949C80/CCAPI/ccIFCallSetupRequestPrivate:

SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1

Mar 3 22:46:08.650: //384525/8D26A1949C80/CCAPI/ccCallSetContext:

Context=0x7FE77BA56EE0

Mar 3 22:46:08.650: //384524/8D26A1949C80/CCAPI/ccSaveDialpeerTag:

Outgoing Dial-peer=2000

Mar 3 22:46:08.650: //384525/8D26A1949C80/CCAPI/ccGetMediaClassTag:

media class tag 0

Mar 3 22:46:08.650:

//384525/8D26A1949C80/CCAPI/ccSetMediaClassIp2ipTags:

media class tags set: NR 0, ASP 0

Mar 3 22:46:08.650: //384524/8D26A1949C80/CCAPI/ccGetMediaClassTag:

media class tag 0
Mar 3 22:46:08.650: //384524/8D26A1949C80/CCAPI/ccSetMediaClassIp2ipTags:
media class tags set: NR 0, ASP 0
Mar 3 22:46:08.650: //384525/8D26A1949C80/CCAPI/ccGet_xc_nr_asp_info:
media class tags: NR 0, ASP 0
Mar 3 22:46:08.650: //384524/8D26A1949C80/CCAPI/ccGet_xc_nr_asp_info:
media class tags: NR 0, ASP 0
Mar 3 22:46:08.650: //-1/xxxxxxxxxxxx/CCAPI/cc_is_cng_fax_detect_active:
Call Id 384524
Mar 3 22:46:08.650: //384525/8D26A1949C80/CCAPI/ccGetMediaClassTag:
media class tag 0
Mar 3 22:46:08.651: //384525/8D26A1949C80/CCAPI/ccSetMediaClassIp2ipTags:
media class tags set: NR 0, ASP 0
Mar 3 22:46:08.651: //384524/8D26A1949C80/CCAPI/ccGetMediaClassTag:
media class tag 0
Mar 3 22:46:08.651: //384524/8D26A1949C80/CCAPI/ccSetMediaClassIp2ipTags:
media class tags set: NR 0, ASP 0
Mar 3 22:46:08.651: //384525/8D26A1949C80/CCAPI/ccGet_xc_nr_asp_info:
media class tags: NR 0, ASP 0
Mar 3 22:46:08.651: //384524/8D26A1949C80/CCAPI/ccGet_xc_nr_asp_info:
media class tags: NR 0, ASP 0
Mar 3 22:46:08.651: //-1/xxxxxxxxxxxx/CCAPI/cc_is_cng_fax_detect_active:
Call Id 384525
Mar 3 22:46:08.651: //-1/xxxxxxxxxxxx/CCAPI/cc_is_cng_fax_detect_active:
Call Id 384524
Mar 3 22:46:08.651: //384525/xxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

Mar 3 22:46:08.651: cc_api_get_xcode_stream : 5013
Mar 3 22:46:08.651: //384525/8D26A1949C80/CCAPI/cc_api_call_proceeding:
Interface=0x7FE6FED5C118, Progress Indication=NULL(0)
Mar 3 22:46:08.652: //384525/xxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

Mar 3 22:46:08.652: cc_api_get_xcode_stream : 5013
Mar 3 22:46:08.652: //384525/xxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

Mar 3 22:46:08.652: cc_api_get_xcode_stream : 5013
Mar 3 22:46:08.652: //384524/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP
104.219.162.21;branch=z9hG4bK6ba2.7b186c8644e51f8bb4d69763f85c6e78.0,SIP/
2.0/UDP
209.193.79.10;branch=z9hG4bK6ba2.89faad885a6f2c7035f94068c790fd21.0,SIP/2
.0/UDP
209.193.79.30;branch=z9hG4bK6ba2.6364f3d75e322fa4f05c5da2067876c1.0,SIP/2
.0/UDP 4.55.41.35:5060;branch=z9hG4bK0dB442405df39358678
From: "CAMPBELL CHRIST" <sip:12699868383@4.55.41.35>;tag=gK0d41dfc3
To: <sip:12694889508@209.193.79.30>
Date: Thu, 03 Mar 2022 22:46:08 GMT
Call-ID: 1460495898_56940344@4.55.41.35
CSeq: 28571 INVITE

Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-17.3.4a
Session-ID:
00000000000000000000000000000000;remote=b06a3f64bdac5a4fbacde7886a8c6bde
Content-Length: 0

Mar 3 22:46:08.653: //384525/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:2694889508@10.19.254.10 SIP/2.0
Via: SIP/2.0/UDP 10.145.1.4:5060;branch=z9hG4bK46C5E2658
From: "CAMPBELL CHRIST" <sip:12699868383@reg.nexvortex.com>;tag=9EB40B07-76E
To: <sip:2694889508@10.19.254.10>
Date: Thu, 03 Mar 2022 22:46:08 GMT
Call-ID: 8D278BD0-9A7A11EC-9C868A8B-DFA9EE5D@10.145.1.4
Supported: 100rel,timer,resource-priority,replaces,sdp-anat
Min-SE: 1800
Cisco-Guid: 2368119188-2591691244-2625669771-3752455773
User-Agent: Cisco-SIPGateway/IOS-17.3.4a
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
CSeq: 101 INVITE
Timestamp: 1646347568
Contact: <sip:12699868383@10.145.1.4:5060>
Expires: 180
Allow-Events: telephone-event
Max-Forwards: 67
Session-ID:
b06a3f64bdac5a4fbacde7886a8c6bde;remote=00000000000000000000000000000000
Session-Expires: 1800
Content-Type: application/sdp
Content-Disposition: session;handling=required
Content-Length: 297

v=0
o=CiscoSystemsSIP-GW-UserAgent 7477 1715 IN IP4 10.145.1.4
s=SIP Call
c=IN IP4 10.145.1.4
t=0 0
m=audio 8242 RTP/AVP 0 101 121
c=IN IP4 10.145.1.4
a=rtpmap:0 PCMU/8000
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-15
a=rtpmap:121 frf-dialed-digit/8000
a=fmtp:121 0-15
a=ptime:20

Mar 3 22:46:08.680: //384525/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP 10.145.1.4:5060;branch=z9hG4bK46C5E2658

From: "CAMPBELL CHRIST" <sip:12699868383@reg.nexvortex.com>;tag=9EB40B07-76E
To: <sip:2694889508@10.19.254.10>
Date: Thu, 03 Mar 2022 22:46:08 GMT
Call-ID: 8D278BD0-9A7A11EC-9C868A8B-DFA9EE5D@10.145.1.4
CSeq: 101 INVITE
Allow-Events: presence
Content-Length: 0

Mar 3 22:46:08.735: //384525/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 180 Ringing
Via: SIP/2.0/UDP 10.145.1.4:5060;branch=z9hG4bK46C5E2658
From: "CAMPBELL CHRIST" <sip:12699868383@reg.nexvortex.com>;tag=9EB40B07-76E
To: <sip:2694889508@10.19.254.10>;tag=30226275~ed98d29e-db2d-4576-b2a4-28be40a3ca76-17529670
Date: Thu, 03 Mar 2022 22:46:08 GMT
Call-ID: 8D278BD0-9A7A11EC-9C868A8B-DFA9EE5D@10.145.1.4
CSeq: 101 INVITE
Allow: INVITE, OPTIONS, INFO, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY
Allow-Events: presence
Server: Cisco-CUCM12.0
Call-Info: <urn:x-cisco-remotecallinfo>;x-cisco-video-traffic-class=DESKTOP;x-cisco-qos-tcl=true
Supported: X-cisco-srtp-fallback
Supported: Geolocation
Session-ID:
781c854600105000a0005006ab8189d6;remote=b06a3f64bdac5a4fbacde7886a8c6bde
P-Asserted-Identity: "Chris Campbell" <sip:10518@10.19.254.10>
Remote-Party-ID: "Chris Campbell"
<sip:10518@10.19.254.10>;party=called;screen=yes;privacy=off
Contact:
<sip:2694889508@10.19.254.10:5060>;+u.sip!devicename.ccm.cisco.com="SEP5006AB8189D6";video
Content-Length: 0

Mar 3 22:46:08.735: //384525/8D26A1949C80/CCAPI/cc_api_call_alert:
Interface=0x7FE6FED5C118, Progress Indication=NULL(0), Signal
Indication=SIGNAL RINGBACK(1)
Mar 3 22:46:08.735: //384525/8D26A1949C80/CCAPI/cc_api_call_alert:
Call Entry(Retry Count=0, Responded=TRUE)
Mar 3 22:46:08.736: //384524/8D26A1949C80/CCAPI/ccCallAlert:
Progress Indication=NULL(0), Signal Indication=SIGNAL RINGBACK(1)
Mar 3 22:46:08.736: //384524/8D26A1949C80/CCAPI/ccCallAlert:
Call Entry(Responded=TRUE, Alert Sent=TRUE)
Mar 3 22:46:08.736: //384524/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 180 Ringing
Via: SIP/2.0/UDP
104.219.162.21;branch=z9hG4bK6ba2.7b186c8644e51f8bb4d69763f85c6e78.0,SIP/

2.0/UDP
209.193.79.10;branch=z9hG4bK6ba2.89faad885a6f2c7035f94068c790fd21.0,SIP/2.0/UDP
209.193.79.30;branch=z9hG4bK6ba2.6364f3d75e322fa4f05c5da2067876c1.0,SIP/2.0/UDP 4.55.41.35:5060;branch=z9hG4bK0dB442405df39358678
From: "CAMPBELL CHRIST" <sip:12699868383@4.55.41.35>;tag=gK0d41dfc3
To: <sip:12694889508@209.193.79.30>;tag=9EB40B5B-21C5
Date: Thu, 03 Mar 2022 22:46:08 GMT

VM-EAUS-CSR1000V#Call-ID: 1460495898_56940344@4.55.41.35
CSeq: 28571 INVITE
Require: 100rel
RSeq: 3042
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Contact: <sip:2694889508@10.145.2.4:5060>
Record-Route:
<sip:104.219.162.21;lr=on>,<sip:209.193.79.10;lr;ftag=gK0d41dfc3>
Server: Cisco-SIPGateway/IOS-17.3.4a
Session-ID:
781c854600105000a0005006ab8189d6;remote=b06a3f64bdac5a4fbacde7886a8c6bde
Content-Length: 0

Mar 3 22:46:09.237: //384524/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 180 Ringing
Via: SIP/2.0/UDP
104.219.162.21;branch=z9hG4bK6ba2.7b186c8644e51f8bb4d69763f85c6e78.0,SIP/2.0/UDP
209.193.79.10;branch=z9hG4bK6ba2.89faad885a6f2c7035f94068c790fd21.0,SIP/2.0/UDP
209.193.79.30;branch=z9hG4bK6ba2.6364f3d75e322fa4f05c5da2067876c1.0,SIP/2.0/UDP 4.55.41.35:5060;branch=z9hG4bK0dB442405df39358678
From: "CAMPBELL CHRIST" <sip:12699868383@4.55.41.35>;tag=gK0d41dfc3
To: <sip:12694889508@209.193.79.30>;tag=9EB40B5B-21C5
Date: Thu, 03 Mar 2022 22:46:08 GMT

VM-EAUS-CSR1000V#Call-ID: 1460495898_56940344@4.55.41.35
CSeq: 28571 INVITE
Require: 100rel
RSeq: 3042
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Contact: <sip:2694889508@10.145.2.4:5060>
Record-Route:
<sip:104.219.162.21;lr=on>,<sip:209.193.79.10;lr;ftag=gK0d41dfc3>
Server: Cisco-SIPGateway/IOS-17.3.4a
Session-ID:
781c854600105000a0005006ab8189d6;remote=b06a3f64bdac5a4fbacde7886a8c6bde
Content-Length: 0

Mar 3 22:46:10.236: //384524/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 180 Ringing
Via: SIP/2.0/UDP
104.219.162.21;branch=z9hG4bK6ba2.7b186c8644e51f8bb4d69763f85c6e78.0,SIP/
2.0/UDP
209.193.79.10;branch=z9hG4bK6ba2.89faad885a6f2c7035f94068c790fd21.0,SIP/
.0/UDP
209.193.79.30;branch=z9hG4bK6ba2.6364f3d75e322fa4f05c5da2067876c1.0,SIP/
.0/UDP 4.55.41.35:5060;branch=z9hG4bK0dB442405df39358678
From: "CAMPBELL CHRIST" <sip:12699868383@4.55.41.35>;tag=gK0d41dfc3
To: <sip:12694889508@209.193.79.30>;tag=9EB40B5B-21C5
Date: Thu, 03 Mar 2022 22:46:08 GMT

VM-EAUS-CSR1000V#Call-ID: 1460495898_56940344@4.55.41.35
CSeq: 28571 INVITE
Require: 100rel
RSeq: 3042
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER,
SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Contact: <sip:2694889508@10.145.2.4:5060>
Record-Route:
<sip:104.219.162.21;lr=on>,<sip:209.193.79.10;lr;ftag=gK0d41dfc3>
Server: Cisco-SIPGateway/IOS-17.3.4a
Session-ID:
781c854600105000a0005006ab8189d6;remote=b06a3f64bdac5a4fbacde7886a8c6bde
Content-Length: 0

Mar 3 22:46:11.773: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
CANCEL sip:2694889508@20.124.203.8:5060 SIP/2.0
Via: SIP/2.0/UDP
104.219.162.21;branch=z9hG4bK6ba2.7b186c8644e51f8bb4d69763f85c6e78.0
From: "CAMPBELL CHRIST" <sip:12699868383@4.55.41.35>;tag=gK0d41dfc3
To: <sip:12694889508@209.193.79.30>
Call-ID: 1460495898_56940344@4.55.41.35
CSeq: 28571 CANCEL
Max-Forwards: 68
Content-Length: 0

Mar 3 22:46:11.773:
//384524/8D26A1949C80/CCAPI/cc_api_call_disconnected:
Cause Value=16, Interface=0x7FE6FED5C118, Call Id=384524
Mar 3 22:46:11.773:
//384524/8D26A1949C80/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=16, Retry Count=0)
Mar 3 22:46:11.774: //384525/8D26A1949C80/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
Mar 3 22:46:11.774: //384525/8D26A1949C80/CCAPI/ccCallDisconnect:

Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
Mar 3 22:46:11.774: //384524/8D26A1949C80/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=16)
Mar 3 22:46:11.774: //384524/8D26A1949C80/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
Mar 3 22:46:11.774: //384524/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK
Via: SIP/2.0/UDP
104.219.162.21;branch=z9hG4bK6ba2.7b186c8644e51f8bb4d69763f85c6e78.0
From: "CAMPBELL CHRIST" <sip:12699868383@4.55.41.35>;tag=gK0d41dfc3
To: <sip:12694889508@209.193.79.30>
Date: Thu, 03 Mar 2022 22:46:11 GMT
Call-ID: 1460495898_56940344@4.55.41.35
CSeq: 28571 CANCEL
Session-ID:
781c854600105000a0005006ab8189d6;remote=b06a3f64bdac5a4fbacde7886a8c6bde
Content-Length: 0

Mar 3 22:46:11.775: //384525/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Sent:
CANCEL sip:2694889508@10.19.254.10 SIP/2.0
Via: SIP/2.0/UDP 10.145.1.4:5060;branch=z9hG4bK46C5E2658
From: "CAMPBELL CHRIST" <sip:12699868383@reg.nexvortex.com>;tag=9EB40B07-
76E
To: <sip:2694889508@10.19.254.10>
Date: Thu, 03 Mar 2022 22:46:08 GMT
Call-ID: 8D278BD0-9A7A11EC-9C868A8B-DFA9EE5D@10.145.1.4
CSeq: 101 CANCEL
Max-Forwards: 70
Timestamp: 1646347571
Reason: Q.850;cause=16
Session-ID:
b06a3f64bdac5a4fbacde7886a8c6bde;remote=00000000000000000000000000000000
Content-Length: 0

Mar 3 22:46:11.775: //384524/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 487 Request Cancelled
Via: SIP/2.0/UDP
104.219.162.21;branch=z9hG4bK6ba2.7b186c8644e51f8bb4d69763f85c6e78.0, SIP/
2.0/UDP
209.193.79.10;branch=z9hG4bK6ba2.89faad885a6f2c7035f94068c790fd21.0, SIP/2
.0/UDP
209.193.79.30;branch=z9hG4bK6ba2.6364f3d75e322fa4f05c5da2067876c1.0, SIP/2
.0/UDP 4.55.41.35:5060;branch=z9hG4bK0dB442405df39358678
From: "CAMPBELL CHRIST" <sip:12699868383@4.55.41.35>;tag=gK0d41dfc3
To: <sip:12694889508@209.193.79.30>;tag=9EB40B5B-21C5
Date: Thu, 03 Mar 2022 22:46:11 GMT
Call-ID: 1460495898_56940344@4.55.41.35
CSeq: 28571 INVITE

Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-17.3.4a
Reason: Q.850;cause=16
Session-ID:
b06a3f64bdac5a4fbacde7886a8c6bde;remote=781c854600105000a0005006ab8189d6
Session-Expires: 1800
Content-Length: 0

Mar 3 22:46:11.801: //384525/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.145.1.4:5060;branch=z9hG4bK46C5E2658
From: "CAMPBELL CHRIST" <sip:12699868383@reg.nexvortex.com>;tag=9EB40B07-76E
To: <sip:2694889508@10.19.254.10>
Date: Thu, 03 Mar 2022 22:46:11 GMT
Call-ID: 8D278BD0-9A7A11EC-9C868A8B-DFA9EE5D@10.145.1.4
Server: Cisco-CUCM12.0
CSeq: 101 CANCEL
Content-Length: 0

Mar 3 22:46:11.802:
//384525/8D26A1949C80/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x7FE6FED5C118, Tag=0x0, Call Id=384525,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)

Mar 3 22:46:11.802:
//384525/8D26A1949C80/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent

Mar 3 22:46:11.802: //-1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

Mar 3 22:46:11.802: :cc_free_feature_vsa freeing 7FE77AF51BD8

Mar 3 22:46:11.802: //-1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

Mar 3 22:46:11.802: vsacount in free is 1

Mar 3 22:46:11.803: //384525/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 487 Request Cancelled
Via: SIP/2.0/UDP 10.145.1.4:5060;branch=z9hG4bK46C5E2658
From: "CAMPBELL CHRIST" <sip:12699868383@reg.nexvortex.com>;tag=9EB40B07-76E
To: <sip:2694889508@10.19.254.10>;tag=30226275~ed98d29e-db2d-4576-b2a4-28be40a3ca76-17529670
Date: Thu, 03 Mar 2022 22:46:11 GMT
Call-ID: 8D278BD0-9A7A11EC-9C868A8B-DFA9EE5D@10.145.1.4
CSeq: 101 INVITE
Allow-Events: presence
Server: Cisco-CUCM12.0
Content-Length: 0

Mar 3 22:46:11.803: //384525/8D26A1949C80/SIP/Call/sipSPICallInfo:

The Call Setup Information is:
Call Control Block (CCB) : 0x0x7FE77B3A9918
State of The Call : STATE_DEAD
TCP Sockets Used : NO
Calling Number : 12699868383
Called Number : 2694889508
Source IP Address (Sig) : 10.145.1.4
Destn SIP Req Addr:Port : 10.19.254.10:5060
Destn SIP Resp Addr:Port : 10.19.254.10:5060
Destination Name : 10.19.254.10

Mar 3 22:46:11.803: //384525/8D26A1949C80/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream : 1
Negotiated Codec : No Codec
Negotiated Codec Bytes : 0
Nego. Codec payload : 255 (tx), 255 (rx)
Negotiated Dtmf-relay : 0
Dtmf-relay Payload : 0 (tx), 0 (rx)
Source IP Address (Media): 10.145.1.4
Source IP Port (Media): 8242
Destn IP Address (Media): -
Destn IP Port (Media): 0
Orig Destn IP Address:Port (Media): [-]:0

Mar 3 22:46:11.803: //384525/8D26A1949C80/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC) : 16
Disconnect Cause (SIP) : 487

Mar 3 22:46:11.803: //384525/8D26A1949C80/SIP/Msg/ccsipDisplayMsg:
Sent:
ACK sip:2694889508@10.19.254.10 SIP/2.0
Via: SIP/2.0/UDP 10.145.1.4:5060;branch=z9hG4bK46C5E2658
From: "CAMPBELL CHRIST" <sip:12699868383@reg.nexvortex.com>;tag=9EB40B07-76E
To: <sip:2694889508@10.19.254.10>;tag=30226275~ed98d29e-db2d-4576-b2a4-28be40a3ca76-17529670
Date: Thu, 03 Mar 2022 22:46:08 GMT
Call-ID: 8D278BD0-9A7A11EC-9C868A8B-DFA9EE5D@10.145.1.4
Max-Forwards: 70
CSeq: 101 ACK
Allow-Events: telephone-event
Session-ID:
b06a3f64bdac5a4fbacde7886a8c6bde;remote=781c854600105000a0005006ab8189d6
Content-Length: 0

Mar 3 22:46:11.826: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
ACK sip:2694889508@20.124.203.8:5060 SIP/2.0
Via: SIP/2.0/UDP
104.219.162.21;branch=z9hG4bK6ba2.7b186c8644e51f8bb4d69763f85c6e78.0
From: "CAMPBELL CHRIST" <sip:12699868383@4.55.41.35>;tag=gK0d41dfc3
To: <sip:12694889508@209.193.79.30>;tag=9EB40B5B-21C5

Call-ID: 1460495898_56940344@4.55.41.35
CSeq: 28571 ACK
Max-Forwards: 68
Content-Length: 0

Mar 3 22:46:11.827:
//384524/8D26A1949C80/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x7FE6FED5C118, Tag=0x0, Call Id=384524,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)

Mar 3 22:46:11.827:
//384524/8D26A1949C80/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent

Mar 3 22:46:11.827: //-1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

Mar 3 22:46:11.827: :cc_free_feature_vsa freeing 7FE77AF51CB8

Mar 3 22:46:11.827: //-1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

Mar 3 22:46:11.827: vsacount in free is 0

Mar 3 22:46:11.827: //384524/8D26A1949C80/SIP/Call/sipSPICallInfo:

The Call Setup Information is:

Call Control Block (CCB) : 0x0x7FE77B3A2108

State of The Call : STATE_DEAD

TCP Sockets Used : NO

Calling Number : 12699868383

Called Number : 2694889508

Source IP Address (Sig) : 10.145.2.4

Destn SIP Req Addr:Port : 104.219.162.21:5060

Destn SIP Resp Addr:Port : 104.219.162.21:5060

Destination Name : 104.219.162.21

VM-EAUS-CSR1000V#

Mar 3 22:46:11.827: //384524/8D26A1949C80/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1

Media Stream : 1

Negotiated Codec : g711ulaw

Negotiated Codec Bytes : 160

Nego. Codec payload : 0 (tx), 0 (rx)

Negotiated Dtmf-relay : 6

Dtmf-relay Payload : 101 (tx), 101 (rx)

Source IP Address (Media): 10.145.2.4

Source IP Port (Media): 8240

Destn IP Address (Media): 4.55.41.6

Destn IP Port (Media): 9616

Orig Destn IP Address:Port (Media): [-]:0

Mar 3 22:46:11.827: //384524/8D26A1949C80/SIP/Call/sipSPICallInfo:

Disconnect Cause (CC) : 16

Disconnect Cause (SIP) : 487