

000377: May 28 17:04:23.252: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

REGISTER sip:cme-router-ipSIP/2.0

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>

Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip

Max-Forwards: 70

Date: Tue, 28 May 2024 17:04:23 GMT

CSeq: 101 REGISTER

User-Agent: Cisco-CP7945G/9.3.1

Contact: <sip:167B7-1F63@phone-ip:5060;transport=udp>;

+sip.instance="<urn:uuid:00000000-0000-0000-0000-1c1d862f0468>";+u.sip!

devicename.ccm.cisco.com="SEP1C1D862F0468";+u.sip!model.ccm.cisco.com="435"

Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1

Content-Length: 0

Reason: SIP;cause=200;text="cisco-alarm:14 Name=SEP1C1D862F0468

Load=term45.default Last=cm-closed-tcp"

Expires: 3600

000378: May 28 17:04:23.254: //1581/2A79B8B28837/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>;tag=1ECC6C2-9E8

Date: Tue, 28 May 2024 17:04:23 GMT

Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip

Server: Cisco-SIPGateway/IOS-17.3.5

CSeq: 101 REGISTER

WWW-Authenticate: Digest

realm="all",nonce="0F0E004300312E4E",algorithm=MD5,qop="auth"

Content-Length: 0

000379: May 28 17:04:23.743: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

REGISTER sip:cme-router-ipSIP/2.0

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Max-Forwards: 70
Date: Tue, 28 May 2024 17:04:23 GMT
CSeq: 101 REGISTER
User-Agent: Cisco-CP7945G/9.3.1

Contact: <sip:167B7-1F63@phone-ip:5060;transport=udp>;
+sip.instance="<urn:uuid:00000000-0000-0000-0000-1c1d862f0468>";+u.sip!
devicename.ccm.cisco.com="SEP1C1D862F0468";+u.sip!model.ccm.cisco.com="435"
Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-
callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-
fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1
Content-Length: 0
Reason: SIP;cause=200;text="cisco-alarm:14 Name=SEP1C1D862F0468
Load=term45.default Last=cm-closed-tcp"
Expires: 3600

000380: May 28 17:04:23.744: //1581/2A79B8B28837/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 401 Unauthorized
Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22
From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca
To: <sip:6960@cme-router-ip>;tag=1ECC6C2-9E8
Date: Tue, 28 May 2024 17:04:23 GMT
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Server: Cisco-SIPGateway/IOS-17.3.5
CSeq: 101 REGISTER
WWW-Authenticate: Digest
realm="all",nonce="0F0E004300312E4E",algorithm=MD5,qop="auth"
Content-Length: 0

000381: May 28 17:04:24.742: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
REGISTER sip:cme-router-ipSIP/2.0
Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22
From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca
To: <sip:6960@cme-router-ip>
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Max-Forwards: 70
Date: Tue, 28 May 2024 17:04:23 GMT
CSeq: 101 REGISTER
User-Agent: Cisco-CP7945G/9.3.1
Contact: <sip:167B7-1F63@phone-ip:5060;transport=udp>;
+sip.instance="<urn:uuid:00000000-0000-0000-0000-1c1d862f0468>";+u.sip!

devicename.ccm.cisco.com="SEP1C1D862F0468";+u.sip!model.ccm.cisco.com="435"
Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1
Content-Length: 0
Reason: SIP;cause=200;text="cisco-alarm:14 Name=SEP1C1D862F0468
Load=term45.default Last=cm-closed-tcp"
Expires: 3600

000382: May 28 17:04:24.744: //1581/2A79B8B28837/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 401 Unauthorized
Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22
From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca
To: <sip:6960@cme-router-ip>;tag=1ECC6C2-9E8
Date: Tue, 28 May 2024 17:04:24 GMT
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Server: Cisco-SIPGateway/IOS-17.3.5
CSeq: 101 REGISTER
WWW-Authenticate: Digest
realm="all",nonce="0F0E004300312E4E",algorithm=MD5,qop="auth"
Content-Length: 0

000383: May 28 17:04:26.742: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
REGISTER sip:cme-router-ipSIP/2.0
Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22
From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca
To: <sip:6960@cme-router-ip>
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Max-Forwards: 70
Date: Tue, 28 May 2024 17:04:23 GMT
CSeq: 101 REGISTER
User-Agent: Cisco-CP7945G/9.3.1
Contact: <sip:167B7-1F63@phone-ip:5060;transport=udp>;
+sip.instance="urn:uuid:00000000-0000-0000-0000-1c1d862f0468";+u.sip!
devicename.ccm.cisco.com="SEP1C1D862F0468";+u.sip!model.ccm.cisco.com="435"
Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1
Content-Length: 0
Reason: SIP;cause=200;text="cisco-alarm:14 Name=SEP1C1D862F0468
Load=term45.default Last=cm-closed-tcp"
Expires: 3600

000384: May 28 17:04:26.744: //1581/2A79B8B28837/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>;tag=1ECC6C2-9E8

Date: Tue, 28 May 2024 17:04:26 GMT

Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip

Server: Cisco-SIPGateway/IOS-17.3.5

CSeq: 101 REGISTER

WWW-Authenticate: Digest

realm="all",nonce="0F0E004300312E4E",algorithm=MD5,qop="auth"

Content-Length: 0

000385: May 28 17:04:30.773: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

REGISTER sip:cme-router-ipSIP/2.0

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>

Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip

Max-Forwards: 70

Date: Tue, 28 May 2024 17:04:23 GMT

CSeq: 101 REGISTER

User-Agent: Cisco-CP7945G/9.3.1

Contact: <sip:167B7-1F63@phone-ip:5060;transport=udp>;

+sip.instance="<urn:uuid:00000000-0000-0000-0000-1c1d862f0468>";+u.sip!

devicename.ccm.cisco.com="SEP1C1D862F0468";+u.sip!model.ccm.cisco.com="435"

Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1

Content-Length: 0

Reason: SIP;cause=200;text="cisco-alarm:14 Name=SEP1C1D862F0468

Load=term45.default Last=cm-closed-tcp"

Expires: 3600

000386: May 28 17:04:30.774: //1581/2A79B8B28837/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>;tag=1ECC6C2-9E8

Date: Tue, 28 May 2024 17:04:30 GMT
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Server: Cisco-SIPGateway/IOS-17.3.5
CSeq: 101 REGISTER
WWW-Authenticate: Digest
realm="all",nonce="0F0E004300312E4E",algorithm=MD5,qop="auth"
Content-Length: 0

000387: May 28 17:04:34.773: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
REGISTER sip:cme-router-ipSIP/2.0
Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22
From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca
To: <sip:6960@cme-router-ip>
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Max-Forwards: 70
Date: Tue, 28 May 2024 17:04:23 GMT
CSeq: 101 REGISTER
User-Agent: Cisco-CP7945G/9.3.1
Contact: <sip:167B7-1F63@phone-ip:5060;transport=udp>;
+sip.instance="<urn:uuid:00000000-0000-0000-0000-1c1d862f0468>";+u.sip!
devicename.ccm.cisco.com="SEP1C1D862F0468";+u.sip!model.ccm.cisco.com="435"
Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-
callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-
fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1
Content-Length: 0
Reason: SIP;cause=200;text="cisco-alarm:14 Name=SEP1C1D862F0468
Load=term45.default Last=cm-closed-tcp"
Expires: 3600

000388: May 28 17:04:34.774: //1581/2A79B8B28837/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 401 Unauthorized
Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22
From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca
To: <sip:6960@cme-router-ip>;tag=1ECC6C2-9E8
Date: Tue, 28 May 2024 17:04:34 GMT
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Server: Cisco-SIPGateway/IOS-17.3.5
CSeq: 101 REGISTER
WWW-Authenticate: Digest
realm="all",nonce="0F0E004300312E4E",algorithm=MD5,qop="auth"
Content-Length: 0

000389: May 28 17:04:35.413: TFTP: Finished flash:/its/SEPA0554F8CC9AF.cnf.xml,
time 00:00:12 for process 248

000390: May 28 17:04:38.773: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

REGISTER sip:cme-router-ipSIP/2.0

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>

Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip

Max-Forwards: 70

Date: Tue, 28 May 2024 17:04:23 GMT

CSeq: 101 REGISTER

User-Agent: Cisco-CP7945G/9.3.1

Contact: <sip:167B7-1F63@phone-ip:5060;transport=udp>;

+sip.instance="<urn:uuid:00000000-0000-0000-0000-1c1d862f0468>";+u.sip!

devicename.ccm.cisco.com="SEP1C1D862F0468";+u.sip!model.ccm.cisco.com="435"

Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1

Content-Length: 0

Reason: SIP;cause=200;text="cisco-alarm:14 Name=SEP1C1D862F0468

Load=term45.default Last=cm-closed-tcp"

Expires: 3600

000391: May 28 17:04:38.775: //1581/2A79B8B28837/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>;tag=1ECC6C2-9E8

Date: Tue, 28 May 2024 17:04:38 GMT

Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip

Server: Cisco-SIPGateway/IOS-17.3.5

CSeq: 101 REGISTER

WWW-Authenticate: Digest

realm="all",nonce="0F0E004300312E4E",algorithm=MD5,qop="auth"

Content-Length: 0

000392: May 28 17:04:40.146: TFTP: Looking for SIP_English_United_States/be-sip.jar

000393: May 28 17:04:42.773: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

REGISTER sip:cme-router-ipSIP/2.0

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Max-Forwards: 70
Date: Tue, 28 May 2024 17:04:23 GMT
CSeq: 101 REGISTER
User-Agent: Cisco-CP7945G/9.3.1
Contact: <sip:167B7-1F63@phone-ip:5060;transport=udp>;
+sip.instance="<urn:uuid:00000000-0000-0000-0000-1c1d862f0468>";+u.sip!
devicename.ccm.cisco.com="SEP1C1D862F0468";+u.sip!model.ccm.cisco.com="435"
Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-
callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-
fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1
Content-Length: 0

Reason: SIP;cause=200;text="cisco-alarm:14 Name=SEP1C1D862F0468
Load=term45.default Last=cm-closed-tcp"
Expires: 3600

000394: May 28 17:04:42.775: //1581/2A79B8B28837/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 401 Unauthorized
Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22
From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca
To: <sip:6960@cme-router-ip>;tag=1ECC6C2-9E8
Date: Tue, 28 May 2024 17:04:42 GMT
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Server: Cisco-SIPGateway/IOS-17.3.5
CSeq: 101 REGISTER
WWW-Authenticate: Digest
realm="all",nonce="0F0E004300312E4E",algorithm=MD5,qop="auth"
Content-Length: 0

000395: May 28 17:04:43.293: TFTP: Looking for SIP_United_States/g3-tones.xml
000396: May 28 17:04:46.773: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
REGISTER sip:cme-router-ipSIP/2.0
Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22
From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca
To: <sip:6960@cme-router-ip>
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Max-Forwards: 70
Date: Tue, 28 May 2024 17:04:23 GMT
CSeq: 101 REGISTER
User-Agent: Cisco-CP7945G/9.3.1
Contact: <sip:167B7-1F63@phone-ip:5060;transport=udp>;

+sip.instance="<urn:uuid:00000000-0000-0000-0000-1c1d862f0468>";+u.sip!
devicename.ccm.cisco.com="SEP1C1D862F0468";+u.sip!model.ccm.cisco.com="435"
Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-
callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-
fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1
Content-Length: 0
Reason: SIP;cause=200;text="cisco-alarm:14 Name=SEP1C1D862F0468
Load=term45.default Last=cm-closed-tcp"
Expires: 3600

000397: May 28 17:04:46.775: //1581/2A79B8B28837/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22
From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca
To: <sip:6960@cme-router-ip>;tag=1ECC6C2-9E8
Date: Tue, 28 May 2024 17:04:46 GMT
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Server: Cisco-SIPGateway/IOS-17.3.5
CSeq: 101 REGISTER
WWW-Authenticate: Digest
realm="all",nonce="0F0E004300312E4E",algorithm=MD5,qop="auth"
Content-Length: 0

000398: May 28 17:04:50.778: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
REGISTER sip:cme-router-ipSIP/2.0
Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22
From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca
To: <sip:6960@cme-router-ip>
Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip
Max-Forwards: 70
Date: Tue, 28 May 2024 17:04:23 GMT
CSeq: 101 REGISTER
User-Agent: Cisco-CP7945G/9.3.1
Contact: <sip:167B7-1F63@phone-ip:5060;transport=udp>;
+sip.instance="<urn:uuid:00000000-0000-0000-0000-1c1d862f0468>";+u.sip!
devicename.ccm.cisco.com="SEP1C1D862F0468";+u.sip!model.ccm.cisco.com="435"
Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-
callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-
fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1
Content-Length: 0
Reason: SIP;cause=200;text="cisco-alarm:14 Name=SEP1C1D862F0468
Load=term45.default Last=cm-closed-tcp"

Expires: 3600

000399: May 28 17:04:50.779: //1581/2A79B8B28837/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>;tag=1ECC6C2-9E8

Date: Tue, 28 May 2024 17:04:50 GMT

Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip

Server: Cisco-SIPGateway/IOS-17.3.5

CSeq: 101 REGISTER

WWW-Authenticate: Digest

realm="all",nonce="0F0E004300312E4E",algorithm=MD5,qop="auth"

Content-Length: 0

000400: May 28 17:04:51.379: TFTP: Looking for softkeyDefault_kpml.xml

000401: May 28 17:04:51.396: TFTP: Opened flash:/its/softkeyDefault_kpml.xml, fd 10, size 5429 for process 248

000402: May 28 17:04:54.774: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

REGISTER sip:cme-router-ipSIP/2.0

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>

Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip

Max-Forwards: 70

Date: Tue, 28 May 2024 17:04:23 GMT

CSeq: 101 REGISTER

User-Agent: Cisco-CP7945G/9.3.1

Contact: <sip:167B7-1F63@phone-ip:5060;transport=udp>;

+sip.instance="<urn:uuid:00000000-0000-0000-0000-1c1d862f0468>";+u.sip!

devicename.ccm.cisco.com="SEP1C1D862F0468";+u.sip!model.ccm.cisco.com="435"

Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1

Content-Length: 0

Reason: SIP;cause=200;text="cisco-alarm:14 Name=SEP1C1D862F0468

Load=term45.default Last=cm-closed-tcp"

Expires: 3600

000403: May 28 17:04:54.775: //1581/2A79B8B28837/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP phone-ip:5060;branch=z9hG4bK9e379c22

From: <sip:6960@cme-router-ip>;tag=1c1d862f04680003047bf150-da7450ca

To: <sip:6960@cme-router-ip>;tag=1ECC6C2-9E8

Date: Tue, 28 May 2024 17:04:54 GMT

Call-ID: 1c1d862f-04680002-47a46008-ab504d92@phone-ip

Server: Cisco-SIPGateway/IOS-17.3.5

CSeq: 101 REGISTER

WWW-Authenticate: Digest

realm="all",nonce="0F0E004300312E4E",algorithm=MD5,qop="auth"

Content-Length: 0

000404: May 28 17:04:56.225: TFTP: Looking for CTLSEP1C1D862F0468.tlv

000405: May 28 17:04:56.365: TFTP: Looking for ITLSEP1C1D862F0468.tlv

000406: May 28 17:04:56.507: TFTP: Looking for ITLFile.tlv

000407: May 28 17:04:56.923: TFTP: Looking for SEP1C1D862F0468.cnf.xml

000408: May 28 17:04:56.936: TFTP: Opened flash:/its/SEP1C1D862F0468.cnf.xml, fd 11, size 4763 for process 425

000409: May 28 17:04:56.959: TFTP: Finished flash:/its/SEP1C1D862F0468.cnf.xml, time 00:00:00 for process 425

000410: May 28 17:05:09.774: TFTP: Finished flash:/its/softkeyDefault_kpml.xml, time 00:00:18 for process 248

000411: May 28 17:05:14.219: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

REFER sip:cme-router-ipSIP/2.0

Via: SIP/2.0/UDP 2nd-phone-ip:5060;branch=z9hG4bKa93c45f9

From: <sip:a0554f8cc9af@2nd-phone-ip>;tag=a0554f8cc9af0002c7668d4e-451986cd

To: <sip:cme-router-ip>

Call-ID: a0554f8c-c9af0002-28dc516c-7b1598a3@2nd-phone-ip

Date: Tue, 28 May 2024 17:05:13 GMT

CSeq: 1000 REFER

User-Agent: Cisco-CP7945G/9.3.1

Expires: 10

Max-Forwards: 70

Contact: <sip:a0554f8cc9af@2nd-phone-ip:5060>

Require: norefersub

Referred-By: <sip:a0554f8cc9af@2nd-phone-ip>

Refer-To: cid:86885ff2@2nd-phone-ip

Content-Id: <86885ff2@2nd-phone-ip>

Allow:

ACK,BYE,CANCEL,INVITE,NOTIFY,OPTIONS,REFER,REGISTER,UPDATE,SUBSCRIBE

Content-Length: 1357

Content-Type: application/x-cisco-alarm+xml

Content-Disposition: session;handling=required

```
<?xml version="1.0" encoding="UTF-8"?>
<x-cisco-alarm>
<Alarm Name="LastOutOfServiceInformation">
<ParameterList>
<String name="DeviceName">SEPA0554F8CC9AF</String>
<String name="DeviceIPv4Address">2nd-phone-ip/25</String>
<String name="IPv4DefaultGateway">2nd-phone-ip-gw</String>
<String name="DeviceIPv6Address"></String>
<String name="IPv6DefaultGateway"></String>
<String name="ModelNumber">CP-7945G</String>
<String name="NeighborIPv4Address">2nd-phone-ip-neighbor</String>
<String name="NeighborIPv6Address"></String>
<String name="NeighborDeviceID">OPH-2960X-SW1</String>
<String name="NeighborPortID">GigabitEthernet1/0/41</String>
<Enum name="DHCPv4Status">1</Enum>
<Enum name="DHCPv6Status">0</Enum>
<Enum name="TFTPCfgStatus">1</Enum>
<Enum name="DNSStatusUnifiedCM1">4</Enum>
<Enum name="DNSStatusUnifiedCM2">0</Enum>
<Enum name="DNSStatusUnifiedCM3">0</Enum>
<String name="VoiceVLAN">10</String>
<String name="UnifiedCMIPAddress">cme-router-ip</String>
<String name="LocalPort">-1</String>
<String name="TimeStamp">17153250081151715640903629</String>
<Enum name="ReasonForOutOfService">105</Enum>
<String name="LastProtocolEventSent">Sent:REGISTER sip:cme-router-ipSIP/2.0
Cseq:101 REGISTER CallId:a0554f8c-c9af0002-c5247130-283b644b@2nd-phone-ip</
String>
<String name="LastProtocolEventReceived"></String>
</ParameterList>
</Alarm>
</x-cisco-alarm>
```

000412: May 28 17:05:14.221: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Sent:
SIP/2.0 400 Bad Request
Via: SIP/2.0/UDP 2nd-phone-ip:5060;branch=z9hG4bKa93c45f9
From: <sip:a0554f8cc9af@2nd-phone-ip>;tag=a0554f8cc9af0002c7668d4e-451986cd
To: <sip:cme-router-ip>;tag=1ED8DD9-126A
Date: Tue, 28 May 2024 17:05:14 GMT
Call-ID: a0554f8c-c9af0002-28dc516c-7b1598a3@2nd-phone-ip
Server: Cisco-SIPGateway/IOS-17.3.5
CSeq: 1000 REFER
Content-Length: 0
Contact: <sip:cme-router-ip:5060>

000413: May 28 17:05:14.232: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

REGISTER sip:cme-router-ipSIP/2.0

Via: SIP/2.0/UDP 2nd-phone-ip:5060;branch=z9hG4bK5ecf97db

From: <sip:6961@cme-router-ip>;tag=a0554f8cc9af0003353b8196-72ae2b05

To: <sip:6961@cme-router-ip>

Call-ID: a0554f8c-c9af0002-08b7b9d0-3961408f@2nd-phone-ip

Max-Forwards: 70

Date: Tue, 28 May 2024 17:05:13 GMT

CSeq: 101 REGISTER

User-Agent: Cisco-CP7945G/9.3.1

Contact: <sip:167BB-1343@2nd-phone-ip:5060;transport=udp>;

+sip.instance="<urn:uuid:00000000-0000-0000-0000-a0554f8cc9af>";+u.sip!

devicename.ccm.cisco.com="SEPA0554F8CC9AF";+u.sip!model.ccm.cisco.com="435"

Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1

Content-Length: 0

Reason: SIP;cause=200;text="cisco-alarm:105 Name=SEPA0554F8CC9AF

Load=term45.default Last=config-retry-restart"

Expires: 3600

000414: May 28 17:05:14.234: //1583/48DCCD908839/SIP/Msg/ccsipDisplayMsg:

Sent:

SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 2nd-phone-ip:5060;branch=z9hG4bK5ecf97db

From: <sip:6961@cme-router-ip>;tag=a0554f8cc9af0003353b8196-72ae2b05

To: <sip:6961@cme-router-ip>;tag=1ED8DE6-1751

Date: Tue, 28 May 2024 17:05:14 GMT

Call-ID: a0554f8c-c9af0002-08b7b9d0-3961408f@2nd-phone-ip

Server: Cisco-SIPGateway/IOS-17.3.5

CSeq: 101 REGISTER

WWW-Authenticate: Digest

realm="all",nonce="1457BE0200314238",algorithm=MD5,qop="auth"

Content-Length: 0

000415: May 28 17:05:15.225: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:

Received:

REGISTER sip:cme-router-ipSIP/2.0

Via: SIP/2.0/UDP 2nd-phone-ip:5060;branch=z9hG4bK5ecf97db

From: <sip:6961@cme-router-ip>;tag=a0554f8cc9af0003353b8196-72ae2b05

To: <sip:6961@cme-router-ip>

Call-ID: a0554f8c-c9af0002-08b7b9d0-3961408f@2nd-phone-ip

Max-Forwards: 70

Date: Tue, 28 May 2024 17:05:13 GMT

CSeq: 101 REGISTER
User-Agent: Cisco-CP7945G/9.3.1
Contact: <sip:167BB-1343@2nd-phone-ip:5060;transport=udp>;
+sip.instance="<urn:uuid:00000000-0000-0000-0000-a0554f8cc9af>";+u.sip!
devicename.ccm.cisco.com="SEPA0554F8CC9AF";+u.sip!model.ccm.cisco.com="435"
Supported: replaces,join,sdp-anat,norefersub,resource-priority,extended-refer,X-cisco-
callinfo,X-cisco-serviceuri,X-cisco-escapecodes,X-cisco-service-control,X-cisco-srtp-
fallback,X-cisco-monrec,X-cisco-config,X-cisco-sis-6.0.0,X-cisco-xsi-8.5.1
Content-Length: 0
Reason: SIP;cause=200;text="cisco-alarm:105 Name=SEPA0554F8CC9AF
Load=term45.default Last=config-retry-restart"
Expires: 3600

000416: May 28 17:05:15.227: //1583/48DCCD908839/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 401 Unauthorized

Via: SIP/2.0/UDP 2nd-phone-ip:5060;branch=z9hG4bK5ecf97db
From: <sip:6961@cme-router-ip>;tag=a0554f8cc9af0003353b8196-72ae2b05
To: <sip:6961@cme-router-ip>;tag=1ED8DE6-1751
Date: Tue, 28 May 2024 17:05:15 GMT
Call-ID: a0554f8c-c9af0002-08b7b9d0-3961408f@2nd-phone-ip
Server: Cisco-SIPGateway/IOS-17.3.5
CSeq: 101 REGISTER
WWW-Authenticate: Digest
realm="all",nonce="1457BE0200314238",algorithm=MD5,qop="auth"
Content-Length: 0

000417: May 28 17:05:15.227: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
^_@^_@^_@^_@^,67.34 SIP/2.0
Via: SIP/2.0/UDP 2nd-phone-ip:5060;branch=z9hG4bKa93c45f9
From: <sip:a0554f8cc9af@2nd-phone-ip>;tag=a0554f8cc9af0002c7668d4e-451986cd
To: <sip:cme-router-ip>
Call-ID: a0554f8c-c9af0002-28dc516c-7b1598a3@2nd-phone-ip
Date: Tue, 28 May 2024 17:05:13 GMT
CSeq: 1000 REFER
User-Agent: Cisco-CP7945G/9.3.1
Expires: 10
Max-Forwards: 70
Contact: <sip:a0554f8cc9af@2nd-phone-ip:5060>
Require: norefersub
Referred-By: <sip:a0554f8cc9af@2nd-phone-ip>
Refer-To: cid:86885ff2@2nd-phone-ip
Content-Id: <86885ff2@2nd-phone-ip>

Allow:

ACK,BYE,CANCEL,INVITE,NOTIFY,OPTIONS,REFER,REGISTER,UPDATE,SUBSCRIBE

Content-Length: 1357

Content-Type: application/x-cisco-alarm+xml

Content-Disposition: session;handling=required

```
<?xml version="1.0" encoding="UTF-8"?>
<x-cisco-alarm>
<Alarm Name="LastOutOfServiceInformation">
<ParameterList>
<String name="DeviceName">SEPA0554F8CC9AF</String>
<String name="DeviceIPv4Address">2nd-phone-ip/25</String>
<String name="IPv4DefaultGateway">2nd-phone-ip-gw</String>
<String name="DeviceIPv6Address"></String>
<String name="IPv6DefaultGateway"></String>
<String name="ModelNumber">CP-7945G</String>
<String name="NeighborIPv4Address">2nd-phone-ip-neighbor</String>
<String name="NeighborIPv6Address"></String>
<String name="NeighborDeviceID">OPH-2960X-SW1</String>
<String name="NeighborPortID">GigabitEthernet1/0/41</String>
<Enum name="DHCPv4Status">1</Enum>
<Enum name="DHCPv6Status">0</Enum>
<Enum name="TFTPConfigStatus">1</Enum>
<Enum name="DNSStatusUnifiedCM1">4</Enum>
<Enum name="DNSStatusUnifiedCM2">0</Enum>
<Enum name="DNSStatusUnifiedCM3">0</Enum>
<String name="VoiceVLAN">10</String>
<String name="UnifiedCMIPAddress">cme-router-ip</String>
<String name="LocalPort">-1</String>
<String name="TimeStamp">17153250081151715640903629</String>
<Enum name="ReasonForOutOfService">105</Enum>
<String name="LastProtocolEventSent">Sent:REGISTER sip:cme-router-ipSIP/2.0
Cseq:101 REGISTER CallId:a0554f8c-c9af0002-c5247130-283b644b@2nd-phone-ip</
String>
<String name="LastProtocolEventReceived"></String>
</ParameterList>
</Alarm>
</x-cisco-alarm>
KWI-ISR4351-CME#
```