

Edge#show platform software trace message smd switch active R0

```
.....
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Class [25] 53 ...
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Authentic [45] 6 Remote [3]
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Session-Id [44] 10 "0000000d"
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Called-Station-Id [30] 19 "50-F7-22-2B-EA-82"
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C00000003D2D90CE3B"
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Framed-IPv6-Address [168] 18
RADIUS: fe 80 00 00 00 00 00 ad cb b1 e0 4a 77 62 00 [Jwb]
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-IPv6-Address [168] 18 ...
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-IP-Address [8] 6 10.100.100.3
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 97 20 0b 11 26 6d 0b 65 - 1a 38 f8 a1 de ac dd 0a
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Send Accounting-Request to 10.1.100.21:1813 id 1813/35, len 316
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for:Accounting-Request to 10.1.100.21:1813
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id : 0
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 20:02:05.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000):Orig. component type = Invalid
2018/11/19 20:02:04.291 [smd_R0-0](1): [rcv-srv] [22429]: UID: 0, ra: 0, TID: 0 (ERR): Identity Event,Unable to get session identity
2018/11/19 20:02:04.198 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 20 1b 9d f5 44 82 70 1d - b6 6c 17 0b de d3 e4 26
2018/11/19 20:02:04.198 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1813/34 10.1.100.21.0, Accounting-response, len 20
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 Radius Packet
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Delay-Time [41] 6 0
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Output-Packets [48] 6 0
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Input-Packets [47] 6 8
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Output-Octets [43] 6 0
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Input-Octets [42] 6 822
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Event-Timestamp [55] 6 1542657724
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Status-Type [40] 6 Watchdog [3]
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 39 34 30 [940]
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 65 2d 31 2f 33 32 39 32 34 30 31 38 32 2f 35 30 [e-1/329240182/50]
}
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 30 30 30 33 44 32 44 39 30 43 45 33 42 3a 69 73 [0003D2D90CE3Bis
}
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Class [25] 53
RADIUS: 43 41 43 53 3a 30 35 30 32 41 38 43 30 30 30 30 [CACs:0502A8C0000
}
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Class [25] 53 ...
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Authentic [45] 6 Remote [3]
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Session-Id [44] 10 "0000000d"
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Called-Station-Id [30] 19 "50-F7-22-2B-EA-82"
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C00000003D2D90CE3B"
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-IP-Address [8] 6 10.100.100.3
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 14 a2 db fe b6 df d0 e8 - c1 14 4f 36 9a 73 cd 49
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Send Accounting-Request to 10.1.100.21:1813 id 1813/34, len 298
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for:Accounting-Request to 10.1.100.21:1813
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id : 0
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 20:02:04.194 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000):Orig. component type = Invalid
2018/11/19 20:02:04.103 [smd_R0-0](1): [rcv-srv] [22429]: UID: 0, ra: 0, TID: 0 (ERR): Identity Event,Unable to get session identity
2018/11/19 20:02:04.086 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 1d 76 a7 64 d3 0d f6 9f - de 71 cf e7 e5 81 f2 2c
2018/11/19 20:02:04.086 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1813/33 10.1.100.21.0, Accounting-response, len 20
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 Radius Packet
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Delay-Time [41] 6 0
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Event-Timestamp [55] 6 1542657724
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Status-Type [40] 6 Start [1]
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 39 34 30 [940]
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 65 2d 31 2f 33 32 39 32 34 30 31 38 32 2f 35 30 [e-1/329240182/50]
}
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 30 30 30 33 44 32 44 39 30 43 45 33 42 3a 69 73 [0003D2D90CE3Bis
}
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Class [25] 53
RADIUS: 43 41 43 53 3a 30 35 30 32 41 38 43 30 30 30 30 [CACs:0502A8C0000
}
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Class [25] 53 ...
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Authentic [45] 6 Remote [3]
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Acct-Session-Id [44] 10 "0000000d"
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Called-Station-Id [30] 19 "50-F7-22-2B-EA-82"
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C00000003D2D90CE3B"
2018/11/19 20:02:04.082 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 20:02:04.081 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:04.081 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator ff cb f9 57 2c 76 8c fd - f4 0f b7 c8 a1 f5 ab 45
2018/11/19 20:02:04.081 [smd_R0-0](1): [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Send Accounting-Request to 10.1.100.21:1813 id 1813/33, len 268
```

2018/11/19 20:02:04.081 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for:Accounting-Request to 10.1.100.21:1813

2018/11/19 20:02:04.081 [smd_R0-0]{1}: [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Freed EAP context
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_DELETE' on handle 0x3E0000C2
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id : 0
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000):Orig. component type = Invalid
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): PEAP:Ignoring directive 7 received on stale handle (0x00000000)
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Sending method (PEAP) event 'Unset credentials' on handle 0x3E0000C2
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Received free context (0x3E0000C2) from LL (Dot1x-Authenticator)
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [auth-mgr] [22429]: UIID: 0, ra: 0, TID: 0 (ERR): [0050.56a3.3474:Te1/0/2] Failed to search/create reauth timer rec while timer stop
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [dot1x] [22429]: UIID: 0, ra: 0, TID: 0 (ERR): [0050.56a3.3474:Te1/0/2] Error while sending async EAPOL announcement on Authz Success with expected access info
2018/11/19 20:02:04.081 [smd_R0-0]{1}: [dot1x] [22429]: UIID: 0, ra: 0, TID: 0 (ERR): [0050.56a3.3474:TenGigabitEthernet1/0/2] EAPOL announcement CLI is not configured on TenGigabitEthernet1/0/2
2018/11/19 20:02:04.080 [smd_R0-0]{1}: [rcl-srv] [22429]: UIID: 0, ra: 0, TID: 0 (ERR): Identity Event,Unable to get session identity
2018/11/19 20:02:04.080 [smd_R0-0]{1}: [rcl-srv] [22429]: UIID: 0, ra: 0, TID: 0 (ERR): Identity Event,Unable to get session identity
2018/11/19 20:02:04.080 [smd_R0-0]{1}: [epm-tunnel] [22429]: UIID: 0, ra: 0, TID: 0 (ERR): Linksec failure but policy is not must-secure. So return SUCCESS
2018/11/19 20:02:04.080 [smd_R0-0]{1}: [rcl-epm] [22429]: UIID: 0, ra: 0, TID: 0 (ERR): EEDGE_EPM_SERVER_IPC:[HDL = 0x0] Successfully sent linksec stop update
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_SUCCESS' on handle 0x3E0000C2
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_SUCCESS' on handle 0x3E0000C2
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_KEY_AVAILABLE' on handle 0x3E0000C2
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius-authen] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/218
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 2, suppress reject flag 0
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: MS-MPPE-Recv-Key [17] 52 *
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: MS-MPPE-Recv-Key [17] 52 *
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Microsoft [26] 58
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: MS-MPPE-Send-Key [16] 52 *
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: MS-MPPE-Send-Key [16] 52 *
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Microsoft [26] 58
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 32 "cts:security-group-tag=0004-00"
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 38
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Key-Name [102] 67 *
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Key-Name [102] 67 *
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Tunnel-Private-Group-Id[81] 6 "100"
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): 01:
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 0a 1e d4 65 f6 48 34 5d a9 df 00 9f 2d 72 a4 [eH4]-r
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 6
RADIUS: 03 f9 00 04
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 6 ...
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Tunnel-Medium-Type [65] 6 ALL_802 [6]
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): 01:
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Tunnel-Type [64] 6 VLAN [13]
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): 01:
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 39 34 30 [940]
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 65 2d 31 2f 33 32 39 32 34 30 31 38 32 2f 35 30 [e-/3-29240182/50]
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 30 30 33 44 32 44 39 30 30 43 45 33 42 3a 69 73 [0003D290CE3B3s]
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Class [25] 53
RADIUS: 43 41 43 53 3a 30 35 30 32 41 38 43 30 30 30 30 [CACS:0502A8C0000]
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Class [25] 53 ...
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 39 30 43 45 33 42 [90CE3B]
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 30 32 41 38 43 30 30 30 30 30 33 44 32 44 [02A8C0000003D2D]
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 40
RADIUS: 52 65 61 75 74 68 53 65 73 73 69 6f 6e 3a 30 35 [ReauthSession:05]
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 40 ...
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator ec 7a fb 78 4b a9 eb 0b - 9f 51 b0 1f e7 92 b0 36
2018/11/19 20:02:04.079 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1812/218 10.1.100.21.0. Access-Accept, len 387
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Started a sec timeout
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 RADIUS Packet
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940]
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240^@]
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio^@]
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 33 44 32 [502A8C0000003D2^@]
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0^@]
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "client-ii-id=524823285"
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C0000003D290CE3B"
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: aa 25 3a b5 99 e2 cd ee 55 ab 61 50 30 ac b9 2a [?;UaP0*]
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 48
RADIUS: 02 f9 00 2e 19 00 17 03 00 23 00 00 00 00 00 04 d5 7a b9 4f 0a 9b 96 b3 2e 9c 0f 71 13 6a 85 f6 ae d3 8c 1e 87 ea 9e 7c 4d bb c5 [#zO.qj]
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 48 ...
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-MTU [12] 6 1472
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 21 "service-type=Framed"
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 27
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Service-Type [6] 6 Framed [2]
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 58 75 6a 6b ba 14 23 58 - 41 af 54 dd 94 a6 8b 85
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Send Access-Request to 10.1.100.21:1812 id 1812/218, len 376
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for:Access-Request to 10.1.100.21:1812
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id : 0
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000):Orig. component type = Invalid
2018/11/19 20:02:04.059 [smd_R0-0]{1}: [aaa-authen] [22429]: UIID: 0, ra: 0, TID: 0 (debug): AAA/AUTHEN/8021X (00000000): Pick method list 'default'

2018/11/19 20:02:04.059 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_CUSTOMIZE_AAA_REQUEST' on handle 0x3E0000C2
2018/11/19 20:02:04.059 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:04.058 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:04.058 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Retransmit' timer (30s) for EAP session handle 0x3E0000C2
2018/11/19 20:02:04.058 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:04.058 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius-authen] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/217
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 11, suppress reject flag 0
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18

RADIUS: ed 4b 37 30 64 b4 5c ec 47 70 00 a0 ed a3 6d 46 [K70dGpmF]
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 2e e4 cb [...] [.]
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 48
RADIUS: 01 19 00 2e 19 00 17 03 03 00 23 20 8f 3c 29 e4 c4 5f a6 3a 02 4c 44 d5 dc de 33 d7 33 72 f3 2c 8f d7 98 b1 b7 0a cd 3f c2 6a 70 [.# <->_LD33r.?jp]
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 48 ...
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240]
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio]
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C00000003D2]
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0]
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 31 1c bc e0 93 be fc 82 - ca 4c 04 87 23 ff 4d c9
2018/11/19 20:02:04.058 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1812/217 10.1.100.21.0. Access-Challenge, len 162
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 RADIUS Packet
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240^@]
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio^@]
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C00000003D2^@]
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0^@]
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "client-ii-id=524823285"
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C00000003D29D0CE3B"
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 67 13 d9 3f 80 53 06 0b 37 63 9a f9 ff e9 a4 30 [g?S7c0]
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 39
RADIUS: 02 f8 00 25 19 00 17 03 03 00 1a 00 00 00 00 00 03 7a bb 7c 3f 14 a7 79 5c 35 9e b1 78 e6 e9 fe c5 23 f6 [?z]?y5#]
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 39 ...
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-MTU [12] 6 1472
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 21 "service-type=Framed"
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 27
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Service-Type [6] 6 Framed [2]
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator f1 88 5f b9 23 79 3b 19 - 9a 0b 0d 80 e7 ef cb c6
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Send Access-Request to 10.1.100.21:1812 id 1812/217, len 367
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for:Access-Request to 10.1.100.21:1812
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id : 0
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 20:02:04.056 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000):Orig. component type = Invalid
2018/11/19 20:02:04.056 {smd_R0-0}(1); [aaa-authen] [22429]: UIID: 0, ra: 0, TID: 0 (debug): AAA/AUTHEN/8021X (00000000): Pick method list 'default'
2018/11/19 20:02:04.056 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_CUSTOMIZE_AAA_REQUEST' on handle 0x3E0000C2
2018/11/19 20:02:04.056 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:04.055 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:04.055 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Retransmit' timer (30s) for EAP session handle 0x3E0000C2
2018/11/19 20:02:04.055 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:04.055 {smd_R0-0}(1); [eap] [22429]: UIID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 20:02:04.055 {smd_R0-0}(1); [radius-authen] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/216
2018/11/19 20:02:04.055 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 11, suppress reject flag 0
2018/11/19 20:02:04.055 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 8c de 07 c2 f1 c9 37 75 f3 fe 7c 8b 30 20 46 56 [7u0 FV]
2018/11/19 20:02:04.055 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:04.055 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: b0 d6 0d 96 ce 48 56 77 5a 7c 5f d3 10 eb fe fb 6d 57 19 71 97 19 dc 3e 9f b4 83 8a 5b da 99 1e b0 ac 8e b3
29 cc be 3c 12 ac e6 64 5e 22 [HVwZ1_mWp]-d^"
2018/11/19 20:02:04.055 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 84
RADIUS: 01 f8 00 52 19 00 17 03 03 00 47 20 8f 3c 29 e4 c4 5f a5 3c d5 b9 72 03 4e 39 48 40 bb 4d 7b 36 16 e0 89 3c [RG <->_rN9H@M(6-]
2018/11/19 20:02:04.055 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 84 ...
2018/11/19 20:02:04.055 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:04.055 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240]
2018/11/19 20:02:04.055 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio]
2018/11/19 20:02:04.055 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C00000003D2]
2018/11/19 20:02:04.054 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0]
2018/11/19 20:02:04.054 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:04.054 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator c2 a9 1f 87 ee d2 a8 c7 - 51 79 0b 60 2b e1 64 fe
2018/11/19 20:02:04.054 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1812/216 10.1.100.21.0. Access-Challenge, len 198
2018/11/19 20:02:04.028 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (note): Decode of the file /tmp/rp/trace/smd_R0-0.22429_0.20181119173801.bin.copy completed in 261 msec
2018/11/19 20:02:04.013 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 20:02:04.013 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 RADIUS Packet
2018/11/19 20:02:04.013 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:04.013 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:04.013 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240^@]
2018/11/19 20:02:04.013 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio^@]
2018/11/19 20:02:04.013 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C00000003D2^@]
2018/11/19 20:02:04.013 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0^@]
2018/11/19 20:02:04.013 {smd_R0-0}(1); [radius] [22429]: UIID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...

2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "client-ii-id=524823285"
2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C0000003D290CE3B"
2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:04.013 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 05 b4 0c bd 70 e2 8b c8 89 b5 b0 d1 51 ae d7 eb [pQ]
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 0d 72 c7 1b 10 a9 06 ff 67 f7 d0 2a a8 c2 cf 19 d1 ab 04 3f d0 d9 9b a9 03 ed cc 9e 09 b0 95 aa 11 92 88 72
96 95 7d 40 05 3d 6d [ro?r]@=m]
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 101
RADIUS: 02 f7 00 63 19 00 17 03 03 00 58 00 00 00 00 00 02 72 ed 68 f2 dc 3a 42 72 c7 36 d0 6d 4b d1 2b 05 56 d1 42 de d9 ba a8 b5 77 1e 8e a8 cd ad 51 14 10 10 aa 62 [cXr:Br6mK+VbWQb]
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 101 ...
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-MTU [12] 6 1472
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 21 "service-type=Framed"
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 27
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Service-Type [6] 6 Framed [2]
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator df 68 a9 a3 13 45 aa b8 - 9e 2c 8c fc 9c e4 52 ad
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Send Access-Request to 10.1.100.21:1812 id 1812/216, len 429
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for:Access-Request to 10.1.100.21:1812
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id: 0
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 20:02:04.012 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000): Orig. component type = Invalid
2018/11/19 20:02:04.012 [smd_RO-0x1]: [aaa-authen] [22429]: UID: 0, ra: 0, TID: 0 (debug): AAA/AUTHEN/8021X (00000000): Pick method list 'default'
2018/11/19 20:02:04.012 [smd_RO-0x1]: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_CUSTOMIZE_AAA_REQUEST' on handle 0x3E0000C2
2018/11/19 20:02:04.012 [smd_RO-0x1]: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:04.008 [smd_RO-0x1]: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:04.008 [smd_RO-0x1]: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Retransmit' timer (30s) for EAP session handle 0x3E0000C2
2018/11/19 20:02:04.008 [smd_RO-0x1]: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:04.008 [smd_RO-0x1]: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 20:02:04.008 [smd_RO-0x1]: [radius-authen] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/215
2018/11/19 20:02:04.008 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 11, suppress reject flag 0
2018/11/19 20:02:04.008 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: c5 fd 7d 54 10 80 b2 21 d0 46 a0 24 b3 f5 ac cc [T]F5]
2018/11/19 20:02:04.008 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:04.008 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: fc 00 dd 04 7d 5d 27 b1 1d 3c ba 7c []]<]
2018/11/19 20:02:04.008 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 64
RADIUS: 01 f7 00 3e 19 00 17 03 03 00 33 20 8f 3c 29 e4 c4 5f a4 f0 e6 1e d8 98 e1 b3 e4 af cd 44 d7 a4 86 73 74 01 82 79 fb ce 79 c8 20 71 f4 60 f3 49 62 [->->_Dstty q |b]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 64 ...
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C00000003D2]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator a0 6e 77 c2 51 38 fb 45 - 1d 5c 34 45 d0 33 17 95
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1812/215 10.1.100.21.0. Access-Challenge, len 178
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 Radius Packet
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240^@]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio^@]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C00000003D2^@]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0^@]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "client-ii-id=524823285"
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C0000003D290CE3B"
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 0d b4 fe 8c 65 c4 55 bd eb b6 7a f0 33 43 7f af [eUz3C]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 47
RADIUS: 02 f6 00 2d 19 00 17 03 03 00 22 00 00 00 00 00 01 a7 6e eb 17 04 e6 16 ab f5 16 40 c4 f2 df 44 cb ae f5 f6 6d 1e 00 5c af 20 fd [-n@Dm.]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 47 ...
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-MTU [12] 6 1472
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 21 "service-type=Framed"
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 27
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Service-Type [6] 6 Framed [2]
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 11 0c 36 b2 c8 9b 1a 82 - f6 20 cf e6 dc e2 4b
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Send Access-Request to 10.1.100.21:1812 id 1812/215, len 375
2018/11/19 20:02:04.007 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for:Access-Request to 10.1.100.21:1812
2018/11/19 20:02:04.006 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 20:02:04.006 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 20:02:04.006 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id: 0
2018/11/19 20:02:04.006 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 20:02:04.006 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 20:02:04.006 [smd_RO-0x1]: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000): Orig. component type = Invalid
2018/11/19 20:02:04.006 [smd_RO-0x1]: [aaa-authen] [22429]: UID: 0, ra: 0, TID: 0 (debug): AAA/AUTHEN/8021X (00000000): Pick method list 'default'
2018/11/19 20:02:04.006 [smd_RO-0x1]: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_CUSTOMIZE_AAA_REQUEST' on handle 0x3E0000C2
2018/11/19 20:02:04.006 [smd_RO-0x1]: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:04.006 [smd_RO-0x1]: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x3E0000C2

2018/11/19 20:02:04.006 [smd_RO-0]{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Retransmit' timer (30s) for EAP session handle 0x3E0000C2
2018/11/19 20:02:04.006 [smd_RO-0]{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:04.006 [smd_RO-0]{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 20:02:04.006 [smd_RO-0]{1}: [radius-authen] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/214
2018/11/19 20:02:04.006 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 11, suppress reject flag 0
2018/11/19 20:02:04.006 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 5d 25 40 40 fb 78 44 b3 4f 6a 12 63 d9 96 13 62 []?@xDO]cbj
2018/11/19 20:02:04.006 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:04.005 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 38
RADIUS: 01 16 00 24 19 00 17 03 03 00 19 20 8f 3c 29 e4 c4 5f a3 5e ca e7 74 77 16 cd f5 3c 64 d8 a5 ac cd 5b 50 89 [\$ < -]_tw<d[P]
2018/11/19 20:02:04.005 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 38 ...
2018/11/19 20:02:04.005 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:04.005 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240]
2018/11/19 20:02:04.005 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio^@]
2018/11/19 20:02:04.005 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C0000003D2^@]
2018/11/19 20:02:04.005 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0^@]
2018/11/19 20:02:04.005 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:04.005 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 60 db 00 ca e3 3c 28 aa - d1 9a 9f de d9 f1 a0 2a
2018/11/19 20:02:04.005 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1812/214 10.1.100.21.0, Access-Challenge, len 152
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 Radius Packet
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240^@]
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio^@]
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C0000003D2^@]
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0^@]
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "client-ii-id=524823285"
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C0000003D2D90CE3B"
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 6a 3e 94 79 f9 ce 4f 17 98 73 ce a1 4c 16 43 c1 []>yOsLC]
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 8
RADIUS: 02 f5 00 06 19 00
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 8 ...
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-MTU [12] 6 1472
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 21 "service-type=Framed"
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 27
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Service-Type [6] 6 Framed [2]
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 65 02 86 5e c4 ab 9c 07 - a4 58 82 d4 5e 70 58 56
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Send Access-Request to 10.1.100.21:1812 id 1812/214, len 336
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for Access-Request to 10.1.100.21:1812
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id: 0
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000):Orig. component type = Invalid
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [aaa-authen] [22429]: UUID: 0, ra: 0, TID: 0 (debug): AAA/AUTHEN/8021X (00000000): Pick method list 'default'
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_CUSTOMIZE_AAA_REQUEST' on handle 0x3E0000C2
2018/11/19 20:02:04.004 [smd_RO-0]{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Retransmit' timer (30s) for EAP session handle 0x3E0000C2
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius-authen] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/213
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 11, suppress reject flag 0
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 12 d6 39 f2 67 b8 f3 af 75 08 b4 75 50 b1 e4 d7 []9guuP]
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 2f 24 5d a2 03 [/S]
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 59
RADIUS: 01 f5 00 39 19 00 14 03 03 00 01 16 03 03 00 28 20 8f 3c 29 e4 c4 5f a2 e8 58 ab 1a 37 7c 5f a e5 8b 7a 1a a6 33 ef 63 a4 2b d8 d5 5c 87 a2 d8 9f 8d 22 [9(< -)_XTL_z3c+^]
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 59 ...
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240]
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio^@]
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C0000003D2^@]
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0^@]
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 32 21 0d 51 4f f6 c8 a0 - 85 f5 38 96 0b 0e 8e 8c
2018/11/19 20:02:03.999 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1812/213 10.1.100.21.0, Access-Challenge, len 173
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 Radius Packet
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240^@]
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio^@]
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C0000003D2^@]
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0^@]
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "client-ii-id=524823285"
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:03.997 [smd_RO-0]{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C0000003D2D90CE3B"

2018/11/19 20:02:03.992 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODER(00000000):Orig. component type = Invalid
2018/11/19 20:02:03.992 [smd_R0-0]{1}; [aaa-authen] [22429]: UUID: 0, ra: 0, TID: 0 (debug): AAA/AUTHEN/8021X (00000000): Pick method list 'default'
2018/11/19 20:02:03.992 [smd_R0-0]{1}; [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_CUSTOMIZE_AAA_REQUEST' on handle 0x3E0000C2
2018/11/19 20:02:03.992 [smd_R0-0]{1}; [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Retransmit' timer (30s) for EAP session handle 0x3E0000C2
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius-authen] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/211
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 11, suppress reject flag 0
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 39 d2 44 3a 80 7f fa 1e 9a f0 cc 00 b7 e3 68 22 [9D:h"]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 06 01
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: a2 fa fa 9c 44 3f 54 a8 93 d8 cf 43 0c 85 d7 6d 7b 32 17 ef 72 6e 29 fe 2b cf cd 40 8e 57 be 5c bc ef ce 6f e6
c9 f2 81 6b [D?TCm(2rn)+@Wok]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 2b 8e cc d3 7e 75 81 1c 16 03 03 01 4d 0c 00 01 49 03 00 17 41 04 f2 1e 04 3d 90 7f 8c c9 7e 27 ff 74 65
9f c9 df 5c 2e 6e 60 47 [+uMIA=>\n G]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 8f 38 97 95 ab 31 3d cd f2 7f 3c 1a ab 51 b5 00 2d 6e 4f 4b 1f a4 15 01 64 4a 7c 9e e3 84 f3 74 38 65 3c
[81=<Q-nOKdJlI8e<]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 1f 8e 0f 3a 15 b7 f3 73 f6 09 39 be 40 3d 3c 56 86 21 d4 4e 45 ee 92 e7 e3 c1 10 2a a0 b1 ce d7 ef 1d 10
22 e8 9c ff 45 aa 1d eb 45 d9 db 02 9a 06 e5 9b 2a [5:s9@=<VINE"EE"]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: fb 87 12 c4 10 5 39 29 1e 72 2f c1 4b ab 1a 2b e9 49 fd 39 9d 15 20 50 08 9d 01 1e cd 92 f0 9e 4d 2d ae 7e
a6 a6 ff 46 7a 40 9e 13 fc 5c [9r/K+H9 P~Fz@\\]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 255
RADIUS: 6d f1 d9 30 85 3e 78 7d 46 4c 60 36 a4 fe 45 a1 83 cc 18 07 d3 00 6f da b6 2b 9c 61 2c 78 5e [m0-x)FL'6Eo+a,x"]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 255 ...
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 6b a9 b4 c8 5e 9b 52 c4 9c 20 02 69 f2 80 c2 cf 03 79 ee 19 81 04 9d 75 e3 28 7e 67 60 50 bc 44 24 06 9b
b2 [ot^R iyu(-g PDS]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: ef c6 4b 72 ce e2c 2 17 5c ac 07 0b 99 1d a8 18 66 01 27 be fb 4f 4d c5 54 4b 51 36 a5 a3 79 11 ff 00 f4 da 79
fd 7f 07 95 5a 6a [Kr,VOMTKQ6yZ]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 30 1d 06 03 55 1d 25 04 16 30 14 06 08 2b 06 01 05 05 07 03 01 06 08 2b 06 01 05 05 07 03 02 30 11 06 09
60 86 48 01 86 f8 42 01 01 04 04 03 02 06 40 30 0d 06 09 2a 86 48 86 f7 0d 01 01 05 00 03 82 01 01 00 a0 65 54 [U0?0++0]HB@0"HeT]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 0c 06 03 55 1d 13 04 05 03 01 01 f1 30 0b 06 03 55 1d 0f 04 04 03 02 02 ec 30 1d 06 03 55 1d 0e 04 16 04
14 7e 06 15 f0 a8 74 32 4b 74 3a d1 53 2a fe db 1e 45 b8 a4 74 [U00U0U-t2Kt:S"E]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 255
RADIUS: d2 ee dd 05 f1 95 73 f1 05 2c fd 17 a6 ab 56 50 57 c1 13 53 ed 98 c0 7e 00 6a f1 30 42 81 da 52 8f 02 03 01 00 01 a3 6e 30 6c 30 [s,qVPWS-j0BRn0]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 255 ...
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: d0 5a 2a e1 6f 9d f0 80 a5 c7 cb 1e f2 4a bb d9 94 88 4a e3 84 9d 40 6a 98 71 ef f3 b4 b6 1d 4f 7a 47 e4
48 a2 1c 17 df 70 2e e0 41 8a 31 [Z'oJj@iqZG4Hp.A1]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 75 85 2c ce 88 fe bc 93 04 b5 c9 02 ea 4a f1 46 73 7a 6c 59 66 94 69 a1 b0 8c 4a 7d ae c2 a9 2d 0e c9 71 77
5b [u,JFszYfiJ-qw]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 6a 32 b2 ba a7 ee 99 1d 9b cd 4d cf 69 08 e5 a0 90 60 dd 80 ea 9e c0 3f 86 aa a2 9e 30 8d 3f 81 96 fd a2 c0
ee f3 09 44 72 9c ad 26 4c 39 1e 50 2e 46 [2Mi"?0?Dr&L9P.F]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 02 08 cd 3f 4b 20 b5 61 38 4c 69 dd 7e c0 64 25 08 98 1e 8b 02 b2 5d 6c 98 04 bf 69 2a ed d9 af 90 2f 25 [?K
a8Li-d?)]i"?]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 9d 8b 37 e4 5e 2a 24 27 93 6c c1 1a 7d a9 e9 d4 a4 c0 8d 62 dc a1 41 21 23 dd 27 a9 76 18 f1 39 24 54
[?^.\$)bA#v9\$T]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 255
RADIUS: 22 30 04 06 09 2a 86 48 86 f7 0d 01 01 05 00 03 82 01 0f 00 30 82 01 0a 02 82 01 01 00 ae 03 5d c8 fa 4e 42 73 bd 7e 3a 76 d0 80 c6 5d 3a c5 39 31 [?"0]NBs-4v;9]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 255 ...
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 255 ...
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 63 61 6c 30 82 01 [calo]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 1b 31 19 30 17 06 03 55 04 03 13 10 69 73 65 2d 31 2e 64 65 6d 6f 2e 6c 6f [10Uise-1.demo.].
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 37 5a 17 0d 31 39 30 38 31 34 30 34 34 33 31 37 5a 30 [7Z19081404431720]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 6f 63 61 6c 01 1e 17 0d 31 38 30 38 31 34 30 34 34 33 31 [ocal18081404431]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 86 17 0d 01 01 05 00 30 1b 31 19 30 17 06 03 55 04 03 13 10 69 73 65 2d 31 2e 64 65 6d 6f 2e 6c
[010Uise-1.demo.].
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: c0 30 00 00 08 00 0b 00 04 03 00 01 02 16 03 03 03 5c 0b 00 03 38 00 03 35 00 03 32 30 82 03 2e 30 82 02
16 a0 03 02 01 02 02 10 5b 72 5d e5 00 00 00 0f 9d 3d e8 02 90 c1 4f 30 0d 06 09 2a 86 48 [0-8520,0rj=00^H]
2018/11/19 20:02:03.991 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 0f 7a e9 ba 1c 57 74 67 d2 bc 36 6d 47 11 75 94 8e ec 7b d0 ac 49 b7 41 65 bd 68 95 c9 49 37 79
[zWtgmGu[Aehl7y]
2018/11/19 20:02:03.990 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 255
RADIUS: 01 f3 03 f4 19 c0 00 00 04 f5 16 03 03 00 54 02 00 00 50 03 03 54 01 24 d3 11 61 fe ef 8a 53 0a 5c 8c 06 78 79 54 7e 6a e9 90 9c d5 e2 83 25 9d 7f 4a 58 1b 9c 20 [TPTsA\$wyT-j?JX]
2018/11/19 20:02:03.990 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 255 ...
2018/11/19 20:02:03.990 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940].
2018/11/19 20:02:03.990 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240]
2018/11/19 20:02:03.990 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio]
2018/11/19 20:02:03.990 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 [502A8C00000003D2]
2018/11/19 20:02:03.990 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0]
2018/11/19 20:02:03.990 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:03.990 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 8b a8 6f 6c 9c 8a 3b 71 - 65 d4 d8 20 c1 21 cc b8
2018/11/19 20:02:03.990 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1812/211 10.1.100.21.0, Access-Challenge, len 1134
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Started a sec timeout
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 RADIUS Packet
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940].
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240^@]
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio^@]
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 [502A8C00000003D2^@]
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0^@]
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "client-iiid=524823285"
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C0000003D2090CE3B"
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: ef 72 b8 9b 1f 29 d2 c8 f2 d9 fe 10 d9 24 ae 9f [r]S]
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:03.983 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: c0 30 c2 0f 00 90 9e c0 24 c0 23 c0 2b c0 27 c0 0a c0 09 c0 14 c0 13 00 9d 00 00 3d 00 3c 00 35 00 2f
00 0a 01 00 00 40 00 05 00 01 00 00 00 00 00 0a 00 08 00 06 00 1d 00 17 00 18 00 0b 00 02 01 00 00 00 14 00 12 04 01 05 01 02 01 04 03 05 03 02 03 02 06 01 06 03 00 23 00 00 17 00 00 ff 01
00 01 00 [0/\$#(=<@/#]
2018/11/19 20:02:03.982 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: f2 e0 f0 2d 11 ba e7 59 93 ae 59 a8 94 5e 9b 86 74 73 3d 04 07 0c 62 22 79 e5 2c 26 c8 22 01 00 2a c0 2c c0
2b [-YY^ts=b-y,&^,+]
2018/11/19 20:02:03.982 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 200
RADIUS: 02 f2 00 c6 19 80 00 00 bc 16 03 03 00 b7 01 00 00 b3 03 03 5b f3 13 e8 6a 56 be de 4e 5d 6e 01 60 d5 c4 34 8e 23 cc 5e 10 53 e4 17 f6 c5 e3 85 f8 43 7e 5b 20 59 [UVN]4#^SC- [Y]
2018/11/19 20:02:03.982 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 200 ...
2018/11/19 20:02:03.982 [smd_R0-0]{1}; [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-MTU [12] 6 1472

2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 21 "service-type=Framed"
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 27
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Service-Type [6] 6 Framed [2]
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 5f 2b 32 e8 00 08 85 - c7 fd f6 9e 94 a2 bf bf
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Send Access-Request to 10.1.100.21:1812 id 1812/211, len 528
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for:Access-Request to 10.1.100.21:1812
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id : 0
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000): Orig. component type = Invalid
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [aaa-authen] [22429]: UID: 0, ra: 0, TID: 0 (debug): AAA/AUTHEN/8021X (00000000): Pick method list 'default'
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_CUSTOMIZE_AAA_REQUEST' on handle 0x3E0000C2
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Retransmit' timer (30s) for EAP session handle 0x3E0000C2
2018/11/19 20:02:03.982 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius-authen] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/210
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 11, suppress reject flag 0
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 1b 0b e2 9e 6f 25 a0 a1 8f 6b 13 41 4e e0 83 7d [o?k1N]
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 8
RADIUS: 01 f2 00 06 19 21 []
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 8 ...
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240]
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio@]
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C00000003D2@]
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0]
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 21 a2 39 40 e9 bf 5b 70 - 8d 1c 44 8d d0 dc a2 62
2018/11/19 20:02:03.981 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1812/210 10.1.100.21.0. Access-Challenge, len 122
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 Radius Packet
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240^@]
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio^@]
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C00000003D2^@]
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0^@]
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "client-iiid=524823285"
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C0000003D2D90CE3B"
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 62 c1 fb ae ca f3 50 9c 5d 21 b0 e2 be fe ed b5 [bP]]
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 8
RADIUS: 02 f1 00 06 03 19 []
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 8 ...
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-MTU [12] 6 1472
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 21 "service-type=Framed"
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 27
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Service-Type [6] 6 Framed [2]
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 2b 4e e1 36 a8 58 cc 8c - 45 80 d5 7e 38 36 49 73
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Send Access-Request to 10.1.100.21:1812 id 1812/210, len 336
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for:Access-Request to 10.1.100.21:1812
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id : 0
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000): Orig. component type = Invalid
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [aaa-authen] [22429]: UID: 0, ra: 0, TID: 0 (debug): AAA/AUTHEN/8021X (00000000): Pick method list 'default'
2018/11/19 20:02:03.980 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_CUSTOMIZE_AAA_REQUEST' on handle 0x3E0000C2
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator Retransmit' timer (30s) for EAP session handle 0x3E0000C2
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): Received AAA event 'EAP_AAA_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [eap] [22429]: UID: 0, ra: 0, TID: 0 (debug): AAA reply received with callback
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius-authen] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Received from id 1812/209
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS:rad_code 11, suppress reject flag 0
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: ba c9 30 40 7c a6 90 0c 9a cf 8f b5 c8 36 c3 79 [0@16y]
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 8
RADIUS: 01 f1 00 06 0d 20 []
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 8 ...
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 31 38 32 2f 35 30 39 34 30 3b [182/50940.]
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 6e 49 44 3d 69 73 65 2d 31 2f 33 32 39 32 34 30 [nID=ise-1/329240]
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 44 39 30 43 45 33 42 3b 33 31 53 65 73 73 69 6f [D90CE3B;31Sessio]
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: 35 30 32 41 38 43 30 30 30 30 30 30 33 44 32 [502A8C00000003D2]
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS: State [24] 76
RADIUS: 33 37 43 50 4d 53 65 73 73 69 6f 6e 49 44 3d 30 [37CPMSessionID=0]
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: State [24] 76 ...
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator cf 60 1f 1b b0 83 8f - be 2c 75 97 c3 9c ec 02
2018/11/19 20:02:03.979 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Received from id 1812/209 10.1.100.21.0. Access-Challenge, len 122
2018/11/19 20:02:03.976 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (info): RADIUS: Started a sec timeout
2018/11/19 20:02:03.976 [smd_R0-0]{1}: [radius] [22429]: UID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Sending a IPv4 Radius Packet

2018/11/19 20:02:03.976 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Calling-Station-Id [31] 19 "00-50-56-A3-34-74"
2018/11/19 20:02:03.976 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port [5] 6 50102
2018/11/19 20:02:03.976 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Type [61] 6 Ethernet [15]
2018/11/19 20:02:03.976 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-Port-Id [87] 25 "TenGigabitEthernet1/0/2"
2018/11/19 20:02:03.976 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: NAS-IP-Address [4] 6 172.16.1.2
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 25 "client-iiif-id=524823285"
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 31
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 14 "method=dot1x"
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 20
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 43 "audit-session-id=0502A8C00000003D2D90CE3B"
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 49
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Key-Name [102] 2 *
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Message-Authenticator[80] 18
RADIUS: 9b a1 87 b7 be 1a 8f b5 81 81 ea 0d 39 13 fe 24 [9\$]
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Message-Authenticator[80] 18 ...
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: EAP-Message [79] 16
RADIUS: 02 01 00 0e 01 65 6d 70 6c 6f 79 65 65 32 [employee2]
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: EAP-Message [79] 16 ...
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Framed-MTU [12] 6 1472
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Cisco AVpair [1] 21 "service-type=Framed"
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Vendor, Cisco [26] 27
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS: Service-Type [6] 6 Framed [2]
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: User-Name [1] 11 "employee2"
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: authenticator 3a 1f a9 40 da f5 4d d8 - 9d c7 f5 71 d7 96 ab 20
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (info): RADIUS: Send Access-Request to 10.1.100.21:1812 id 1812/209, len 268
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Route radius Pkt on vrf:0 for:Access-Request to 10.1.100.21:1812
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): sending
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IPv6: ::
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug):
couldnt find the ipv6 source idb for VRF id : 0
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Search ipv6 source IDB in VRF DB for VRF id: 0
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS(00000000): Config NAS IP: 172.16.1.2
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [radius] [22429]: UUID: 0, ra: 0, TID: 0 (debug): RADIUS/ENCODE(00000000):Orig. component type = Invalid
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [aaa-authen] [22429]: UUID: 0, ra: 0, TID: 0 (debug): AAA/AUTHEN/8021X (00000000): Pick method list 'default'
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_CUSTOMIZE_AAA_REQUEST' on handle 0x3E0000C2
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_GET_PEER_MAC_ADDRESS' on handle 0x3E0000C2
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_IDENTITY' on handle 0x3E0000C2
2018/11/19 20:02:03.975 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received LL (Dot1x-Authenticator) event 'EAP_RX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.963 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_TX_PACKET' on handle 0x3E0000C2
2018/11/19 20:02:03.963 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Started 'Authenticator ReqId Retransmit' timer (7s) for EAP sesion handle 0x3E0000C2
2018/11/19 20:02:03.963 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Sending LL (Dot1x-Authenticator) event 'EAP_CUSTOMIZE_ID_REQUEST' on handle 0x3E0000C2
2018/11/19 20:02:03.963 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Received EAP event 'EAP_AUTHENTICATOR_START' on handle 0x3E0000C2
2018/11/19 20:02:03.963 {smd_R0-0}{1}: [eap] [22429]: UUID: 0, ra: 0, TID: 0 (debug): Allocated new EAP context (handle = 0x3E0000C2)