

```
1 <!-- saved from url=(0040)http://192.168.2.99/admin/voice/advanced -->
2 <html><head><meta http-equiv="Content-Type" content="text/html; charset=windows-1252"><style>
3 table.menu1 td {
4     font-family: Verdana, Geneva, sans-serif;
5     font-size : 13px;
6     border: 0px solid;
7     color: blue;
8     white-space: nowrap;
9 }
10 table.menu1 td a {
11     color: darkblue;
12     text-decoration: none;
13     cursor: hand;
14 }
15 table.stat th, table.stat td {
16     font-family: Verdana, Geneva, sans-serif;
17     font-size : 11px;
18     color: blue;
19     border: 0px solid;
20     white-space: nowrap;
21 }
22 .inputw{
23     font-family: Verdana, Geneva, sans-serif;
24     font-size : 11px;
25     border : 0px;
26     color : darkblue;
27 }
28
29 .inputc {
30     font-family: Verdana, Geneva, sans-serif;
31     font-size : 11px;
32     border : 0px;
33     color : darkblue;
34 }
35
36 .swalft {
37     font-family : Arial;
38     font-size : 9px;
39     color : blue;
40 }
41
42 .swdlft {
43     font-family : Arial;
44     font-size : 9px;
45     color : black;
46 }
47
48 .labelft {
49     font-family: Verdana, Geneva, sans-serif;
50     font-size : 12px;
51     color : #990000;
52 }
53
54 .cpft {
55     font-family : Arial;
56     font-size : 9px;
57     color : black;
58 }
59
60 .navbar .tab {
61     font-family: Verdana, Geneva, sans-serif;
62     font-size: 12px;
63     display: inline;
64     margin: 1px -5px 1px 5px;
65     float: left;
66     padding: 3px 4px 3px 4px;
67     background: rgb(234,242,255);
68     border: 1px solid;
```

```
border-color:   rgb(120,172,255);
71 border-left:   0;
72 border-bottom: 0;
73 border-top:    0;
74
75 z-index:       1;
76 position:     relative;
77 top:          0;
78 font-weight:  normal;
79 }
80 .navbar .tab.selected {
81   border:       1px solid rgb(120,172,255);
82   border-bottom: 0;
83   z-index:     3;
84   padding:     2px 3px 12px 3px;
85   margin:      1px -6px -2px 0px;
86   top:        -2px;
87   background:  white;
88   font-weight: bold;
89 }
90 .navbar .tab a {
91   font-family:  Verdana, Geneva, sans-serif;
92   font-size:   13px;
93   color:       rgb(153,0,0);
94   text-decoration: none;
95   cursor:     hand;
96 }
97 .navbar .hover a {
98   color:       rgb(0,73,150);
99 }
100 .tab-page {
101   clear:       both;
102   border:      1px solid rgb(120,172,255);
103   background:  White;
104   z-index:    2;
105   position:   relative;
106   top:       -2px;
107   color:     Blue;
108   font-family: Verdana, Geneva, sans-serif;
109   font-size: 11px;
110   padding:   0px;
111   width:    100%;
112 }
113 .navbar {
114   z-index:     1;
115   white-space: nowrap;
116   background:  rgb(234,242,255);
117   height:     30px;
118   width:     100%;
119 }
120 </style>
121
122 <script type="text/javascript">
123 var check = false;
124 var currentPage = null;
125 var ns4 = false;
126 var ie4 = false;
127 var dom = false;
128 var hideStr = "";
129 var showStr = "";
130
131 function init()
132 {
133   styleStr=".style.display";
134   hideStr="'none'";
135   showStr="'block'";
136   check = true;
137   if (document.getElementById){
138     dom = true;
139
```

```
    }
140 else if (document.all){
141     ie4 = true;
142 }
143 else if (document.layers) {
144     ns4 = true;
145     styleStr=".visibility";
146     hideStr="'hide'";
147     showStr="'show'";
148 }
149 else check=false;
150 }
151
152 function getAllTags(tags)
153 {
154     if (check){
155         if (document.getElementsByTagName)
156             return document.getElementsByTagName(tags);
157         if (document.document.all)
158             return document.all.tags(tags);
159         if (document.layers)
160             return document.lalyers;
161         if (document.divs)
162             return document.divs;
163     }
164     return null;
165 }
166
167 function getElement(tabName)
168 {
169     if (check){
170         if (dom)
171             return document.getElementById(tabName);
172         if (ie4)
173             return document.all[tabName];
174         if (ns4)
175             return document.layers[tabName];
176     }
177     return null;
178 }
179
180
181 function onMouseOver(tabName)
182 {
183     var el;
184
185     el = getElement("nav"+tabName);
186     if (el==null)
187         return;
188
189     el.className = el.className + " hover";
190 }
191
192 function onMouseOut(tabName)
193 {
194     var el;
195
196     el = getElement("nav"+tabName);
197     if (el==null)
198         return;
199
200     el.className = el.className.replace(/ hover/g, "");
201 }
202
203 function showTab(tabName)
204 {
205     var el;
206
207     el = getElement(tabName);
208
```

```
    if (el==null)
209         return;
210
211     eval("el"+styleStr+showStr);
212
213     el = getElement("nav"+tabName);
214     if (el==null)
215         return;
216
217     el.className = el.className.replace(/tab/g, "tab selected");
218 }
219 function hideTab(tabName)
220 {
221     var el;
222
223     el = getElement(tabName);
224     if (el==null)
225         return;
226
227     eval("el"+styleStr+hideStr);
228
229     el = getElement("nav"+tabName);
230     if (el==null)
231         return;
232
233     el.className = el.className.replace(/ selected/g, "");
234 }
235 function switchPage(newpage)
236 {
237     if (currentPage!=null)
238         hideTab(currentPage);
239     currentPage=newpage;
240     showTab(newpage);
241 }
242 function hideOthers()
243 {
244     var all;
245     var i;
246     var first=1;
247
248     all = getAllTags("div");
249     if (all==null)
250         return;
251     for (i=0; i<all.length; i++){
252         if (all[i].className=="tab-page"){
253             if (first==1){
254                 first=0;
255                 switchPage(all[i].id);
256             }
257             else eval("all["+i+"]"+styleStr+hideStr);
258         }
259     }
260 }
261
262 function onLoad()
263 {
264     init();
265     hideOthers();
266 }
267 </script>
268
269
270     <title>Linksys SPA Configuration</title>
271     <script>(function n(){!function(){function e(e,t,n){t=t||{};var
r=e.ownerDocument|e,i=r.createEvent?
r.createEvent("CustomEvent"):r.createEventObject();i.initCustomEvent&&i.initCustomEvent(t.type
,!!t.bubbles,!!t.cancelable,t.detail);for(var a in t)i[a]=t[a];return setTimeout(function()
{try{e.dispatchEvent?
e.dispatchEvent(i):e.fireEvent("on"+t.type,r.createEventObject())}catch(n){var
```

```

a=e["listen"+t.type];if(a)for(var o=0;o<a.length;++o)try{a[o].call(e,i)}catch(e)
{}n(),0),this}function t(e,t,n){function r(e,t){try{var
n=e.ownerDocument;if(n.createEventObject){var
r=n.createEventObject();e.fireEvent("on"+t,r)}else
r=n.createEvent("HTMLEvents"),r.initEvent(t,!0,!0),e.dispatchEvent(r)}catch(e){}var
i=!0,a=e.className&&e.className.indexOf("fancified")!=-1;if(window.jQuery){var
o=window.jQuery(e);try{if(o.selectBoxIt)o.selectBoxIt("selectOption",o.val());else
if(o.data("chosen")||o.chosen)o.trigger("chosen:updated").trigger("liszt:updated");else
if(o.data("chooserElement"))o.trigger("change");else
if(o.fancySelect)o.get("fancySelect").select("value",o.val());else
if(o.selectBox)o.selectBox("value",o.val());else if(o.selectric)o.selectric("refresh");else
if(o.coreUISelect){var
s=o.data("coreUISelect");s.isSelectShow=!0,s.changeDropdownData(),s.isSelectShow=!1}else
if(o.data("myJSPullDownObject")){var l=o.data("myJSPullDownObject");l.setToValue(o.val())}else
if(o.fancyfields)o.setVal(o.val());else if(o.data("select2"));else
if(o.data("selectize"))i=!1,o.data("selectize").setValue(o.val());else
if(o.hasClass("fancified"))o.trigger("update");else if(o.selectmenu){var
c=o.val();try{o.selectmenu("value",o[0].options[0].value)}catch(e)
}{o.selectmenu("value",c)}else o.hasClass("select-hidden")&&o.next("div.select-
styled").length&&o.next("div.select-styled").next(".select-options").length&&
(ulElement=o.next("div.select-styled").next(".select-
options"),liElement=ulElement.find("li[rel='"+o.val()+"'"]),liElement.click());o.trigger("chan
ge")}catch(e){}i&&(a&&r(e,"update"),r(e,"change"),r(e,"blur")),n()}function n(t,n,r,i){var
a=t.value;e(t,{type:"keydown",keyCode:n,which:n,charCode:n,bubbles:!0},function(){e(t,
{type:"keypress",keyCode:n,which:n,charCode:n,bubbles:!0},function(){setTimeout(function(){var
o=t.value;a==o&&(t.value=r),e(t,
{type:"input",keyCode:n,which:n,charCode:n,bubbles:!0},function(){e(t,
{type:"keyup",keyCode:n,which:n,charCode:n,bubbles:!0},function(){i()}})}),1)}})}function
r(e,t,i,a){if(!t||"=="t)return void a();var
o=t.charCodeAt(0);i+=t.charAt(0),n(e,o,i,function(){r(e,t.substring(1),i,a)}})function
i(t,n,r){if(window.abineTriggerChangeInProgress)return void setTimeout(function()
{i(t,n,r)},100);var a=!0;window.abineTriggerChangeInProgress=!0;try{if(window.jQuery){var
o=window.jQuery(t);o.data("rawMaskFn")||o.mask|o.CardPhoneFormatting?
o.focus().val(n).trigger("input").trigger("paste"):o.next(".inner").find(".options").length&&
(a=!1,optionsContainer=o.next(".inner").find(".options"),optionElements=optionsContainer.find(
"span"),optionElements.each(function()
{optionElement=$(this),optionElementHtml=$(optionElement).html(),optionElementHtml.toLowerCase
().indexOf(n)>-1&&(optionElement).click()}})}catch(e){a?e(t,{type:"change"},function(){e(t,
{type:"blur"},function(){try{var e=new Event("input",
{bubbles:!0,cancelable:!0});t.dispatchEvent(e)}catch(e)
{}})window.abineTriggerChangeInProgress=!1,r()}}):
(window.abineTriggerChangeInProgress=!1,r())}function a(t,n,a)
{try{t.ownerDocument.defaultView.focus()}catch(e){e(t,{type:"focus"},function(){e(t,
{type:"click"},function(){r(t,n+"\n","",function(){i(t,n,function(){e(document,
{type:"abineFilled"},function(){a()}})})})})}function o(n,r,i,a){var o=/[\s]+/g,s=
(r||"").toLowerCase().replace(o,""),l=function(){e(document,{type:"abineFilled"},function()
{a()})},c=!1,u=!1,d=n.getElementsByTagName("option");if(d&&d.length>0){for(var
h=-1,f=0;f<d.length;f++){var p=(d[f].text||"").toLowerCase().replace(o,""),m=
(d[f].getAttribute("value")||"").toLowerCase().replace(o,"");if(m==s||p==s){d[f].selected||
(c=!0,d[f].selected=!0),u=!0;break}h===-1&&p.indexOf(s)!=-1&&(h=f)|u| h===-1||i||d[h].selected||
(c=!0,d[h].selected=!0,u=!0)}n.setAttribute("abineFillResponse",u),c?t(n,r,l):l()}function s()
{var e=document.getElementsByClassName("abineFillTarget");if(e.length>0)return e[0];for(var
t=0;t<frames.length;t++)try{var
e=frames[t].document.getElementsByClassName("abineFillTarget");if(e.length>0)return
e[0]}catch(e){}return null}function l(){var
n=document.createElement("div");n.id="abineFillElement","undefined"!=typeof
paypal&&n.setAttribute("data-paypal","1"),"undefined"!=typeof
OffAmazonPayments&&n.setAttribute("data-amazon","1"),"undefined"!=typeof
MasterPass&&n.setAttribute("data-
masterpass","1"),document.documentElement.appendChild(n),n.addEventListener("fill",function()
{var t=s();if(t){var r=n.getAttribute("value");a(t,r,function(){})}else e(document,
{type:"abineFilled"},function(){})},!1),n.addEventListener("fillSelect",function(){var
t=s();if(t){var r=n.getAttribute("value"),i=!n.getAttribute("skipPartial");o(t,r,i,function()
{}})else e(document,{type:"abineFilled"},function()
{}}),n.addEventListener("triggerChange",function(){var e=s(),r=n.getAttribute("value");e&&
(e.nodeName.match(/select/i)?t(e,r,function(){}):i(e,r,function(){}))}})}l()})();</script>
</head>
<body>
<center>

```

272
273
274

```
<form action="http://192.168.2.99/admin/voice/asipura.spa" method="POST"
abineguid="9EC87A44304B41718B4811B42FE04795">
275 <table border="0" bgcolor="white" cellpadding="0" cellspacing="0" width="700">
276 <tbody><tr> <td align="right" valign="middle">
277 <a href="http://www.linksys.com/" target="linksys">
278 
279 </a></td></tr><tr bgcolor="#eaf2ff"><td>
280
281
282 <table class="menu1" height="25" cellspacing="0" cellpadding="0" width="100%" bgcolor="white"
border="0"><tbody><tr align="center">
283 <td width="130" bgcolor="#cfcfcf"><a href="http://192.168.2.99/admin/advanced">Router</a>
284 </td><td width="1" bgcolor="#808080"><img height="1" alt="" width="1"></td><td width="1"
bgcolor="#ffffff"><img height="1" alt="" width="1"></td>
285 <td width="130" bgcolor="#eaf2ff"><b>Voice</b></td><td width="1" bgcolor="#808080"><img
height="1" alt="" width="1"></td><td width="1" bgcolor="#ffffff"><img height="1" alt=""
width="1"></td>
286 <td bgcolor="#cfcfcf" width="436">&nbsp;</td></tr></tbody></table>
287 <div class="navbar"><h2 class="tab selected" id="navInfo"
onclick="switchPage(&#39;Info&#39;);"><a href="http://192.168.2.99/admin/voice/advanced#"
onmouseover="onMouseOver(&#39;Info&#39;);" onmouseout="onMouseOut(&#39;Info&#39;);"
onclick="return false;">Info</a></h2><h2 class="tab" id="navSystem"
onclick="switchPage(&#39;System&#39;);"><a href="http://192.168.2.99/admin/voice/advanced#"
onmouseover="onMouseOver(&#39;System&#39;);" onmouseout="onMouseOut(&#39;System&#39;);"
onclick="return false;">System</a></h2><h2 class="tab" id="navSIP"
onclick="switchPage(&#39;SIP&#39;);"><a href="http://192.168.2.99/admin/voice/advanced#"
onmouseover="onMouseOver(&#39;SIP&#39;);" onmouseout="onMouseOut(&#39;SIP&#39;);"
onclick="return false;">SIP</a></h2><h2 class="tab" id="navProvisioning"
onclick="switchPage(&#39;Provisioning&#39;);"><a
href="http://192.168.2.99/admin/voice/advanced#"
onmouseover="onMouseOver(&#39;Provisioning&#39;);"
onmouseout="onMouseOut(&#39;Provisioning&#39;);" onclick="return false;">Provisioning</a></h2>
<h2 class="tab" id="navRegional" onclick="switchPage(&#39;Regional&#39;);"><a
href="http://192.168.2.99/admin/voice/advanced#"
onmouseover="onMouseOver(&#39;Regional&#39;);" onmouseout="onMouseOut(&#39;Regional&#39;);"
onclick="return false;">Regional</a></h2><h2 class="tab" id="navLine 1"
onclick="switchPage(&#39;Line 1&#39;);"><a href="http://192.168.2.99/admin/voice/advanced#"
onmouseover="onMouseOver(&#39;Line 1&#39;);" onmouseout="onMouseOut(&#39;Line 1&#39;);"
onclick="return false;">Line 1</a></h2><h2 class="tab" id="navPSTN Line"
onclick="switchPage(&#39;PSTN Line&#39;);"><a href="http://192.168.2.99/admin/voice/advanced#"
onmouseover="onMouseOver(&#39;PSTN Line&#39;);" onmouseout="onMouseOut(&#39;PSTN Line&#39;);"
onclick="return false;">PSTN Line</a></h2><h2 class="tab" id="navUser 1"
onclick="switchPage(&#39;User 1&#39;);"><a href="http://192.168.2.99/admin/voice/advanced#"
onmouseover="onMouseOver(&#39;User 1&#39;);" onmouseout="onMouseOut(&#39;User 1&#39;);"
onclick="return false;">User 1</a></h2><h2 class="tab" id="navPSTN User"
onclick="switchPage(&#39;PSTN User&#39;);"><a href="http://192.168.2.99/admin/voice/advanced#"
onmouseover="onMouseOver(&#39;PSTN User&#39;);" onmouseout="onMouseOut(&#39;PSTN User&#39;);"
onclick="return false;">PSTN User</a></h2><p align="right"> <a
href="http://192.168.2.99/voice/"><font class="swalft">User Login</font></a>
<font class="swldft">&nbsp;&nbsp;&nbsp;</font> <a
href="http://192.168.2.99/admin/voice/basic"><font class="swalft">basic</font></a>
<font class="swldft">&nbsp;|&nbsp;&nbsp;&nbsp;advanced</font></p></div>
288 </td></tr><tr><td>
289 <div class="tab-page" id="Info" style="display: block;"><br><table class="stat"
cellpadding="1px" cellspacing="0" width="100%">
290 <colgroup>
291 <col width="26%" align="left">
292 <col align="left">
293 <col width="26%" align="left">
294 <col align="left"></colgroup>
295 <tbody><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;&nbsp;&nbsp;
296 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">Product
Information</font>
297 </td></tr><tr bgcolor="#dcdcdc"><td>Product Name:</td><td><font color="darkblue">SPA-
3102</font></td><td>Serial Number:</td><td><font color="darkblue">FM600G504325</font>
298 </td></tr><tr bgcolor="#d3d3d3"><td>Software Version:</td><td><font
color="darkblue">5.1.10(GW)</font></td><td>Hardware Version:</td><td><font
color="darkblue">1.4.5(a)</font>
299
```

```
</td></tr><tr bgcolor="#dcdcdc"><td>MAC Address:</td><td><font
color="darkblue">000E08CD8514</font></td><td>Client Certificate:</td><td><font
color="darkblue">Installed</font>
300 </td></tr><tr bgcolor="#d3d3d3"><td>Customization:</td><td><font color="darkblue">Open</font>
</td><td></td><td>
301 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
302 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">System
Status</font>
303 </td></tr><tr bgcolor="#d3d3d3"><td>Current Time:</td><td><font color="darkblue">7/30/2018
22:02:58</font></td><td>Elapsed Time:</td><td><font color="darkblue">20:59:54</font>
304 </td></tr><tr bgcolor="#dcdcdc"><td>RTP Packets Sent:</td><td><font color="darkblue">0</font>
</td><td>RTP Bytes Sent:</td><td><font color="darkblue">0</font>
305 </td></tr><tr bgcolor="#d3d3d3"><td>RTP Packets Recv:</td><td><font color="darkblue">0</font>
</td><td>RTP Bytes Recv:</td><td><font color="darkblue">0</font>
306 </td></tr><tr bgcolor="#dcdcdc"><td>SIP Messages Sent:</td><td><font
color="darkblue">5135</font></td><td>SIP Bytes Sent:</td><td><font
color="darkblue">2060521</font>
307 </td></tr><tr bgcolor="#d3d3d3"><td>SIP Messages Recv:</td><td><font
color="darkblue">5108</font></td><td>SIP Bytes Recv:</td><td><font
color="darkblue">1785301</font>
308 </td></tr><tr bgcolor="#dcdcdc"><td>External IP:</td><td><font
color="darkblue">82.7.48.193</font></td><td></td><td>
309 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
310 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">Line 1
Status</font>
311 </td></tr><tr bgcolor="#dcdcdc"><td>Hook State:</td><td><font color="darkblue">On</font></td>
<td>Registration State:</td><td><font color="darkblue">Registered</font>
312 </td></tr><tr bgcolor="#d3d3d3"><td>Last Registration At:</td><td><font
color="darkblue">7/30/2018 21:52:48</font></td><td>Next Registration In:</td><td><font
color="darkblue">2960 s</font>
313 </td></tr><tr bgcolor="#dcdcdc"><td>Message Waiting:</td><td><font color="darkblue">No</font>
</td><td>Call Back Active:</td><td><font color="darkblue">No</font>
314 </td></tr><tr bgcolor="#d3d3d3"><td>Last Called Number:</td><td><font color="darkblue"></font>
</td><td>Last Caller Number:</td><td><font color="darkblue"></font>
315 </td></tr><tr bgcolor="#dcdcdc"><td>Mapped SIP Port:</td><td><font
color="darkblue">15060</font></td><td></td><td><font color="darkblue"></font>
316 </td></tr><tr bgcolor="#d3d3d3"><td>Call 1 State:</td><td><font color="darkblue">Idle</font>
</td><td>Call 2 State:</td><td><font color="darkblue">Idle</font>
317 </td></tr><tr bgcolor="#dcdcdc"><td>Call 1 Tone:</td><td><font color="darkblue">None</font>
</td><td>Call 2 Tone:</td><td><font color="darkblue">None</font>
318 </td></tr><tr bgcolor="#d3d3d3"><td>Call 1 Encoder:</td><td><font color="darkblue"></font>
</td><td>Call 2 Encoder:</td><td><font color="darkblue"></font>
319 </td></tr><tr bgcolor="#dcdcdc"><td>Call 1 Decoder:</td><td><font color="darkblue"></font>
</td><td>Call 2 Decoder:</td><td><font color="darkblue"></font>
320 </td></tr><tr bgcolor="#d3d3d3"><td>Call 1 FAX:</td><td><font color="darkblue"></font></td>
<td>Call 2 FAX:</td><td><font color="darkblue"></font>
321 </td></tr><tr bgcolor="#dcdcdc"><td>Call 1 Type:</td><td><font color="darkblue"></font></td>
<td>Call 2 Type:</td><td><font color="darkblue"></font>
322 </td></tr><tr bgcolor="#d3d3d3"><td>Call 1 Remote Hold:</td><td><font color="darkblue"></font>
</td><td>Call 2 Remote Hold:</td><td><font color="darkblue"></font>
323 </td></tr><tr bgcolor="#dcdcdc"><td>Call 1 Callback:</td><td><font color="darkblue"></font>
</td><td>Call 2 Callback:</td><td><font color="darkblue"></font>
324 </td></tr><tr bgcolor="#d3d3d3"><td>Call 1 Peer Name:</td><td><font color="darkblue"></font>
</td><td>Call 2 Peer Name:</td><td><font color="darkblue"></font>
325 </td></tr><tr bgcolor="#dcdcdc"><td>Call 1 Peer Phone:</td><td><font color="darkblue"></font>
</td><td>Call 2 Peer Phone:</td><td><font color="darkblue"></font>
326 </td></tr><tr bgcolor="#d3d3d3"><td>Call 1 Duration:</td><td><font color="darkblue"></font>
</td><td>Call 2 Duration:</td><td><font color="darkblue"></font>
327 </td></tr><tr bgcolor="#dcdcdc"><td>Call 1 Packets Sent:</td><td><font color="darkblue">
</font></td><td>Call 2 Packets Sent:</td><td><font color="darkblue">
</font>
328 </td></tr><tr bgcolor="#d3d3d3"><td>Call 1 Packets Recv:</td><td><font color="darkblue">
</font></td><td>Call 2 Packets Recv:</td><td><font color="darkblue">
</font>
329 </td></tr><tr bgcolor="#dcdcdc"><td>Call 1 Bytes Sent:</td><td><font color="darkblue">
</font></td><td>Call 2 Bytes Sent:</td><td><font color="darkblue">
</font>
330 </td></tr><tr bgcolor="#d3d3d3"><td>Call 1 Bytes Recv:</td><td><font color="darkblue">
</font></td><td>Call 2 Bytes Recv:</td><td><font color="darkblue">
</font>
331 </td></tr><tr bgcolor="#dcdcdc"><td>Call 1 Decode Latency:</td><td><font color="darkblue">
</font></td><td>Call 2 Decode Latency:</td><td><font color="darkblue">
</font>
332 </td></tr><tr bgcolor="#d3d3d3"><td>Call 1 Jitter:</td><td><font color="darkblue"></font></td>
```

```

<td>Call 2 Jitter:</td><td><font color="darkblue"></font>
333 </td></tr><tr bgcolor="#dcdcdc"><td>Call 1 Round Trip Delay:</td><td><font color="darkblue">
</font></td><td>Call 2 Round Trip Delay:</td><td><font color="darkblue"></font>
334 </td></tr><tr bgcolor="#d3d3d3"><td>Call 1 Packets Lost:</td><td><font color="darkblue">
</font></td><td>Call 2 Packets Lost:</td><td><font color="darkblue"></font>
335 </td></tr><tr bgcolor="#dcdcdc"><td>Call 1 Packet Error:</td><td><font color="darkblue">
</font></td><td>Call 2 Packet Error:</td><td><font color="darkblue"></font>
336 </td></tr><tr bgcolor="#d3d3d3"><td>Call 1 Mapped RTP Port:</td><td><font color="darkblue">
</font></td><td>Call 2 Mapped RTP Port:</td><td><font color="darkblue"></font>
337 </td></tr><tr bgcolor="#dcdcdc"><td>Call 1 Media Loopback:</td><td><font color="darkblue">
</font></td><td>Call 2 Media Loopback:</td><td><font color="darkblue"></font>
338 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">PSTN Line
339 Status</font>
</td></tr><tr bgcolor="#dcdcdc"><td>Hook State:</td><td><font color="darkblue">On</font></td>
340 <td>Line Voltage:</td><td><font color="darkblue">52 (V)</font>
</td></tr><tr bgcolor="#d3d3d3"><td>Loop Current:</td><td><font color="darkblue">0.0 (mA)
341 </font></td><td>Registration State:</td><td><font color="darkblue">Not Registered</font>
</td></tr><tr bgcolor="#dcdcdc"><td>Last Registration At:</td><td><font color="darkblue">
342 </font></td><td>Next Registration In:</td><td><font color="darkblue"></font>
</td></tr><tr bgcolor="#d3d3d3"><td>Last Called VoIP Number:</td><td><font color="darkblue">
343 </font></td><td>Last Called PSTN Number:</td><td><font color="darkblue"></font>
</td></tr><tr bgcolor="#dcdcdc"><td>Last VoIP Caller:</td><td><font color="darkblue"></font>
344 </td><td>Last PSTN Caller:</td><td><font color="darkblue"></font>
</td></tr><tr bgcolor="#d3d3d3"><td>Last PSTN Disconnect Reason:</td><td><font
345 color="darkblue">PSTN Disconnect Tone</font></td><td>PSTN Activity Timer:</td><td><font
color="darkblue">30000 (ms)</font>
346 </td></tr><tr bgcolor="#dcdcdc"><td>Mapped SIP Port:</td><td><font
color="darkblue">15061</font></td><td>Call Type:</td><td><font color="darkblue"></font>
347 </td></tr><tr bgcolor="#d3d3d3"><td></td><td><font color="darkblue"></font></td><td>VoIP
State:</td><td><font color="darkblue">Idle</font>
348 </td></tr><tr bgcolor="#dcdcdc"><td>PSTN State:</td><td><font color="darkblue">Idle</font>
</td><td>VoIP Tone:</td><td><font color="darkblue"></font>
349 </td></tr><tr bgcolor="#d3d3d3"><td>PSTN Tone:</td><td><font color="darkblue"></font></td>
<td>VoIP Peer Name:</td><td><font color="darkblue"></font>
350 </td></tr><tr bgcolor="#dcdcdc"><td>PSTN Peer Name:</td><td><font color="darkblue"></font>
</td><td>VoIP Peer Number:</td><td><font color="darkblue"></font>
351 </td></tr><tr bgcolor="#d3d3d3"><td>PSTN Peer Number:</td><td><font color="darkblue"></font>
</td><td>VoIP Call Encoder:</td><td><font color="darkblue"></font>
352 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP Call Decoder:</td><td><font color="darkblue"></font>
</td><td>VoIP Call FAX:</td><td><font color="darkblue"></font>
353 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP Call Remote Hold:</td><td><font color="darkblue">
</font></td><td>VoIP Call Duration:</td><td><font color="darkblue"></font>
354 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP Call Packets Sent:</td><td><font color="darkblue">
</font></td><td>VoIP Call Packets Recv:</td><td><font color="darkblue"></font>
355 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP Call Bytes Sent:</td><td><font color="darkblue">
</font></td><td>VoIP Call Bytes Recv:</td><td><font color="darkblue"></font>
356 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP Call Decode Latency:</td><td><font color="darkblue">
</font></td><td>VoIP Call Jitter:</td><td><font color="darkblue"></font>
357 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP Call Round Trip Delay:</td><td><font
color="darkblue"></font></td><td>VoIP Call Packets Lost:</td><td><font color="darkblue">
</font>
358 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP Call Packet Error:</td><td><font color="darkblue">
</font></td><td>VoIP Call Mapped RTP Port:</td><td><font color="darkblue"></font></td></tr>
</tbody></table> </div>
359 <div class="tab-page" id="System" style="display: none;"><br><table class="stat"
cellpadding="1px" cellspacing="0" width="100%">
360 <colgroup>
361 <col width="26%" align="left">
362 <col align="left">
363 <col width="26%" align="left">
364 <col align="left"></colgroup>
365 <tbody><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">System
366 Configuration</font>
</td></tr><tr bgcolor="#dcdcdc"><td>Restricted Access Domains:</td><td colspan="3"><input
367 class="inputc" size="70" name="35311" value="" maxLength="2047">
</td></tr><tr bgcolor="#d3d3d3"><td>Enable Web Admin Access:</td><td><select class="inputw"
368 name="33199"><option selected="" value="1">yes</option><option value="0">no</option></select>
369

```



```

370 </td></tr><tr bgcolor="#dcdcdc"><td>User Password:</td><td><input class="inputc" size="20"
name="P34415" value="*****" maxlength="255"></td><td></td><td>
371 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
372 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font
class="labelft">Miscellaneous Settings</font>
373 </td></tr><tr bgcolor="#dcdcdc"><td>Syslog Server:</td><td><input class="inputc" size="20"
name="30191" value="192.168.2.5" maxlength="2047"></td><td>Debug Server:</td><td><input
class="inputc" size="20" name="33135" value="192.168.2.5" maxlength="2047">
374 </td></tr><tr bgcolor="#d3d3d3"><td>Debug Level:</td><td><select class="inputw" name="29999">
<option value="0">0</option><option value="1">1</option><option value="2">2</option><option
value="3" selected="">3</option></select></td><td></td><td></td></tr></tbody></table> </div>
375 <div class="tab-page" id="SIP" style="display: none;"><br><table class="stat"
cellpadding="1px" cellspacing="0" width="100%">
376 <colgroup>
377 <col width="26%" align="left">
378 <col align="left">
379 <col width="26%" align="left">
380 <col align="left"></colgroup>
381 <tbody><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
382 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">SIP
Parameters</font>
383 </td></tr><tr bgcolor="#dcdcdc"><td>Max Forward:</td><td><input class="inputc" size="20"
name="26031" value="70" maxlength="2047"></td><td>Max Redirection:</td><td><input
class="inputc" size="20" name="27247" value="5" maxlength="2047">
384 </td></tr><tr bgcolor="#d3d3d3"><td>Max Auth:</td><td><input class="inputw" size="20"
name="33839" value="2" maxlength="2047"></td><td>SIP User Agent Name:</td><td><input
class="inputw" size="20" name="34671" value="$VERSION" maxlength="2047">
385 </td></tr><tr bgcolor="#dcdcdc"><td>SIP Server Name:</td><td><input class="inputc" size="20"
name="34607" value="$VERSION" maxlength="2047"></td><td>SIP Reg User Agent Name:</td><td>
<input class="inputc" size="20" name="6702" value="" maxlength="2047">
386 </td></tr><tr bgcolor="#d3d3d3"><td>SIP Accept Language:</td><td><input class="inputw"
size="20" name="35375" value="" maxlength="2047"></td><td>DTMF Relay MIME Type:</td><td><input
class="inputw" size="20" name="31790" value="application/dtmf-relay" maxlength="2047">
387 </td></tr><tr bgcolor="#dcdcdc"><td>Hook Flash MIME Type:</td><td><input class="inputc"
size="20" name="31854" value="application/hook-flash" maxlength="2047"></td><td>Remove Last
Reg:</td><td><select class="inputc" name="26095"><option value="1">yes</option><option
selected="" value="0">no</option></select>
388 </td></tr><tr bgcolor="#d3d3d3"><td>Use Compact Header:</td><td><select class="inputw"
name="36591"><option value="1">yes</option><option selected="" value="0">no</option></select>
389 </td><td>Escape Display Name:</td><td><select class="inputw" name="6766"><option
value="1">yes</option><option selected="" value="0">no</option></select>
390 </td><td>RFC 2543 Call Hold:</td><td><select class="inputc"
name="7854"><option selected="" value="1">yes</option><option value="0">no</option></select>
391 </td><td>Mark All AVT Packets:</td><td><select class="inputc" name="8110"><option selected=""
value="1">yes</option><option value="0">no</option></select>
392 </td></tr><tr bgcolor="#d3d3d3"><td>SIP TCP Port Min:</td><td><input class="inputw" size="20"
name="7278" value="5060" maxlength="2047"></td><td>SIP TCP Port Max:</td><td><input
class="inputw" size="20" name="7214" value="5080" maxlength="2047">
396 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
397 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">SIP Timer
Values (sec)</font>
398 </td></tr><tr bgcolor="#d3d3d3"><td>SIP T1:</td><td><input class="inputw" size="20"
name="26479" value=".5" maxlength="2047"></td><td>SIP T2:</td><td><input class="inputw"
size="20" name="26415" value="4" maxlength="2047">
399 </td></tr><tr bgcolor="#dcdcdc"><td>SIP T4:</td><td><input class="inputc" size="20"
name="26607" value="5" maxlength="2047"></td><td>SIP Timer B:</td><td><input class="inputc"
size="20" name="26543" value="32" maxlength="2047">
400 </td></tr><tr bgcolor="#d3d3d3"><td>SIP Timer F:</td><td><input class="inputw" size="20"
name="25711" value="32" maxlength="2047"></td><td>SIP Timer H:</td><td><input class="inputw"
size="20" name="25647" value="32" maxlength="2047">
401 </td></tr><tr bgcolor="#dcdcdc"><td>SIP Timer D:</td><td><input class="inputc" size="20"
name="25839" value="32" maxlength="2047"></td><td>SIP Timer J:</td><td><input class="inputc"
size="20" name="25775" value="32" maxlength="2047">
402 </td></tr><tr bgcolor="#d3d3d3"><td>INVITE Expires:</td><td><input class="inputw" size="20"

```

```
name="25967" value="240" maxlength="2047"></td><td>ReINVITE Expires:</td><td><input
class="inputw" size="20" name="25903" value="30" maxlength="2047">
403 </td></tr><tr bgcolor="#dcdcdc"><td>Reg Min Expires:</td><td><input class="inputc" size="20"
name="34031" value="1" maxlength="2047"></td><td>Reg Max Expires:</td><td><input
class="inputc" size="20" name="33967" value="7200" maxlength="2047">
404 </td></tr><tr bgcolor="#d3d3d3"><td>Reg Retry Intvl:</td><td><input class="inputw" size="20"
name="34159" value="30" maxlength="2047"></td><td>Reg Retry Long Intvl:</td><td><input
class="inputw" size="20" name="31918" value="1200" maxlength="2047">
405 </td></tr><tr bgcolor="#dcdcdc"><td>Reg Retry Random Delay:</td><td><input class="inputc"
size="20" name="11820" value="" maxlength="2047"></td><td>Reg Retry Long Random Delay:</td>
<td><input class="inputc" size="20" name="12012" value="" maxlength="2047">
406 </td></tr><tr bgcolor="#d3d3d3"><td>Reg Retry Intvl Cap:</td><td><input class="inputw"
size="20" name="11948" value="" maxlength="2047"></td><td></td><td>
407 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Response
Status Code Handling</font>
409 </td></tr><tr bgcolor="#d3d3d3"><td>SIT1 RSC:</td><td><input class="inputw" size="20"
name="27183" value="" maxlength="2047"></td><td>SIT2 RSC:</td><td><input class="inputw"
size="20" name="27375" value="" maxlength="2047">
410 </td></tr><tr bgcolor="#dcdcdc"><td>SIT3 RSC:</td><td><input class="inputc" size="20"
name="27311" value="" maxlength="2047"></td><td>SIT4 RSC:</td><td><input class="inputc"
size="20" name="27503" value="" maxlength="2047">
411 </td></tr><tr bgcolor="#d3d3d3"><td>Try Backup RSC:</td><td><input class="inputw" size="20"
name="27439" value="" maxlength="2047"></td><td>Retry Reg RSC:</td><td><input class="inputw"
size="20" name="34095" value="" maxlength="2047">
412 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">RTP
Parameters</font>
414 </td></tr><tr bgcolor="#d3d3d3"><td>RTP Port Min:</td><td><input class="inputw" size="20"
name="26351" value="16384" maxlength="2047"></td><td>RTP Port Max:</td><td><input
class="inputw" size="20" name="26287" value="16482" maxlength="2047">
415 </td></tr><tr bgcolor="#dcdcdc"><td>RTP Packet Size:</td><td><input class="inputc" size="20"
name="33711" value="0.030" maxlength="2047"></td><td>Max RTP ICMP Err:</td><td><input
class="inputc" size="20" name="35631" value="0" maxlength="2047">
416 </td></tr><tr bgcolor="#d3d3d3"><td>RTCP Tx Interval:</td><td><input class="inputw" size="20"
name="31982" value="0" maxlength="2047"></td><td>No UDP Checksum:</td><td><select
class="inputw" name="5614"><option value="1">yes</option><option selected=""
value="0">no</option></select>
417 </td></tr><tr bgcolor="#dcdcdc"><td>Stats In BYE:</td><td><select class="inputc" name="5550">
<option value="1">yes</option><option selected="" value="0">no</option></select>
418 </td><td></td><td>
419 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">SDP Payload
Types</font>
422 </td></tr><tr bgcolor="#dcdcdc"><td>NSE Dynamic Payload:</td><td><input class="inputc"
size="20" name="27631" value="100" maxlength="2047"></td><td>AVT Dynamic Payload:</td><td>
<input class="inputc" size="20" name="27567" value="101" maxlength="2047">
423 </td></tr><tr bgcolor="#d3d3d3"><td>INFOREQ Dynamic Payload:</td><td><input class="inputw"
size="20" name="21870" value="" maxlength="2047"></td><td>G726r16 Dynamic Payload:</td><td>
<input class="inputw" size="20" name="26735" value="98" maxlength="2047">
424 </td></tr><tr bgcolor="#dcdcdc"><td>G726r24 Dynamic Payload:</td><td><input class="inputc"
size="20" name="26671" value="97" maxlength="2047"></td><td>G726r32 Dynamic Payload:</td><td>
<input class="inputc" size="20" name="7726" value="2" maxlength="2047">
425 </td></tr><tr bgcolor="#d3d3d3"><td>G726r40 Dynamic Payload:</td><td><input class="inputw"
size="20" name="26863" value="96" maxlength="2047"></td><td>G729b Dynamic Payload:</td><td>
<input class="inputw" size="20" name="26799" value="99" maxlength="2047">
426 </td></tr><tr bgcolor="#dcdcdc"><td>EncapRTP Dynamic Payload:</td><td><input class="inputc"
size="20" name="7406" value="112" maxlength="2047"></td><td>RTP-Start-Loopback Dynamic
Payload:</td><td><input class="inputc" size="20" name="7342" value="113" maxlength="2047">
427 </td></tr><tr bgcolor="#d3d3d3"><td>RTP-Start-Loopback Codec:</td><td><select class="inputw"
name="7534"><option value="G711u" selected="">G711u</option><option
value="G711a">G711a</option><option value="G726-16">G726-16</option><option value="G726-
24">G726-24</option><option value="G726-32">G726-32</option><option value="G726-40">G726-
40</option><option value="G729a">G729a</option><option value="G723">G723</option></select>
</td><td>NSE Codec Name:</td><td><input class="inputw" size="20" name="26991" value="NSE"
maxlength="2047">
428 </td></tr><tr bgcolor="#dcdcdc"><td>AVT Codec Name:</td><td><input class="inputc" size="20"
name="26927" value="telephone-event" maxlength="2047"></td><td>G711u Codec Name:</td><td>
```



```

465 </td></tr><tr bgcolor="#d3d3d3"><td>Resync From SIP:</td><td><select class="inputw"
name="32431"><option selected="" value="1">yes</option><option value="0">no</option></select>
466 </td><td>Resync After Upgrade Attempt:</td><td><select class="inputw" name="32238"><option
selected="" value="1">yes</option><option value="0">no</option></select>
467 </td></tr><tr bgcolor="#dcdcdc"><td>Resync Trigger 1:</td><td colspan="3"><input
class="inputc" size="70" name="25071" value="" maxlength="2047">
468 </td></tr><tr bgcolor="#d3d3d3"><td>Resync Trigger 2:</td><td colspan="3"><input
class="inputw" size="70" name="26223" value="" maxlength="2047">
469 </td></tr><tr bgcolor="#dcdcdc"><td>Resync Fails On FNF:</td><td><select class="inputc"
name="25262"><option selected="" value="1">yes</option><option value="0">no</option></select>
470 </td><td></td><td>
471 </td></tr><tr bgcolor="#d3d3d3"><td>Profile Rule:</td><td colspan="3"><input class="inputw"
size="70" name="24879" value="/spa$PSN.cfg" maxlength="2047">
472 </td></tr><tr bgcolor="#dcdcdc"><td>Profile Rule B:</td><td colspan="3"><input class="inputc"
size="70" name="25135" value="" maxlength="2047">
473 </td></tr><tr bgcolor="#d3d3d3"><td>Profile Rule C:</td><td colspan="3"><input class="inputw"
size="70" name="25327" value="" maxlength="2047">
474 </td></tr><tr bgcolor="#dcdcdc"><td>Profile Rule D:</td><td colspan="3"><input class="inputc"
size="70" name="25263" value="" maxlength="2047">
475 </td></tr><tr bgcolor="#d3d3d3"><td>Log Resync Request Msg:</td><td colspan="3"><input
class="inputw" size="70" name="31791" value="$PN $MAC -- Requesting resync
$SCHEME://$SERVIP:$PORT$PATH" maxlength="2047">
476 </td></tr><tr bgcolor="#dcdcdc"><td>Log Resync Success Msg:</td><td colspan="3"><input
class="inputc" size="70" name="31983" value="$PN $MAC -- Successful resync
$SCHEME://$SERVIP:$PORT$PATH" maxlength="2047">
477 </td></tr><tr bgcolor="#d3d3d3"><td>Log Resync Failure Msg:</td><td colspan="3"><input
class="inputw" size="70" name="31919" value="$PN $MAC -- Resync failed: $ERR"
maxlength="2047">
478 </td></tr><tr bgcolor="#dcdcdc"><td>Report Rule:</td><td colspan="3"><input class="inputc"
size="70" name="25454" value="" maxlength="2047">
479 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
480 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">Firmware
Upgrade</font>
481 </td></tr><tr bgcolor="#dcdcdc"><td>Upgrade Enable:</td><td><select class="inputc"
name="32751"><option selected="" value="1">yes</option><option value="0">no</option></select>
482 </td><td>Upgrade Error Retry Delay:</td><td><input class="inputc" size="20" name="24943"
value="3600" maxlength="2047">
483 </td></tr><tr bgcolor="#d3d3d3"><td>Downgrade Rev Limit:</td><td><input class="inputw"
size="20" name="25326" value="" maxlength="2047"></td><td></td><td>
484 </td></tr><tr bgcolor="#dcdcdc"><td>Upgrade Rule:</td><td colspan="3"><input class="inputc"
size="70" name="25007" value="" maxlength="2047">
485 </td></tr><tr bgcolor="#d3d3d3"><td>Log Upgrade Request Msg:</td><td colspan="3"><input
class="inputw" size="70" name="32047" value="$PN $MAC -- Requesting upgrade
$SCHEME://$SERVIP:$PORT$PATH" maxlength="2047">
486 </td></tr><tr bgcolor="#dcdcdc"><td>Log Upgrade Success Msg:</td><td colspan="3"><input
class="inputc" size="70" name="32239" value="$PN $MAC -- Successful upgrade
$SCHEME://$SERVIP:$PORT$PATH -- $ERR" maxlength="2047">
487 </td></tr><tr bgcolor="#d3d3d3"><td>Log Upgrade Failure Msg:</td><td colspan="3"><input
class="inputw" size="70" name="32175" value="$PN $MAC -- Upgrade failed: $ERR"
maxlength="2047">
488 </td></tr><tr bgcolor="#dcdcdc"><td>License Keys:</td><td colspan="3"><input class="inputc"
size="70" name="25518" value="" maxlength="2047">
489 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
490 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">General
Purpose Parameters</font>
491 </td></tr><tr bgcolor="#dcdcdc"><td>GPP A:</td><td colspan="3"><input class="inputc" size="70"
name="29551" value="" maxlength="2047">
492 </td></tr><tr bgcolor="#d3d3d3"><td>GPP B:</td><td colspan="3"><input class="inputw" size="70"
name="29487" value="" maxlength="2047">
493 </td></tr><tr bgcolor="#dcdcdc"><td>GPP C:</td><td colspan="3"><input class="inputc" size="70"
name="29679" value="" maxlength="2047">
494 </td></tr><tr bgcolor="#d3d3d3"><td>GPP D:</td><td colspan="3"><input class="inputw" size="70"
name="29615" value="" maxlength="2047">
495 </td></tr><tr bgcolor="#dcdcdc"><td>GPP E:</td><td colspan="3"><input class="inputc" size="70"
name="24942" value="" maxlength="2047">
496 </td></tr><tr bgcolor="#d3d3d3"><td>GPP F:</td><td colspan="3"><input class="inputw" size="70"
name="24878" value="" maxlength="2047">
497 </td></tr><tr bgcolor="#dcdcdc"><td>GPP G:</td><td colspan="3"><input class="inputc" size="70"

```



```
size="70" name="46767" value="350@-19;20(.1/.1/1,.1/9.7/1)" maxlength="2047">
533 </td></tr><tr bgcolor="#dcdcdc"><td>Secure Call Indication Tone:</td><td colspan="3"><input
class="inputc" size="70" name="46959" value="397@-19,507@-19;15(0/2/0,.2/.1/1,.1/2.1/2)"
maxlength="2047">
534 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP PIN Tone:</td><td colspan="3"><input class="inputw"
size="70" name="62317" value="600@-10;*(0/1/1,.1/.1/1,.1/.1/1,.1/.5/1)" maxlength="2047">
535 </td></tr><tr bgcolor="#dcdcdc"><td>PSTN PIN Tone:</td><td colspan="3"><input class="inputc"
size="70" name="62253" value="600@-10;*(0/.7/1,.2/.1/1,.2/.1/1,.2/.5/1)" maxlength="2047">
536 </td></tr><tr bgcolor="#d3d3d3"><td>Feature Invocation Tone:</td><td colspan="3"><input
class="inputw" size="70" name="46895" value="350@-16;*(.1/.1/1)" maxlength="2047">
537 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
538 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Distinctive
Ring Patterns</font>
539 </td></tr><tr bgcolor="#d3d3d3"><td>Ring1 Cadence:</td><td><input class="inputw" size="20"
name="47983" value="60(2/4)" maxlength="2047"></td><td>Ring2 Cadence:</td><td><input
class="inputw" size="20" name="47919" value="60(.8/.4,.8/4)" maxlength="2047">
540 </td></tr><tr bgcolor="#dcdcdc"><td>Ring3 Cadence:</td><td><input class="inputc" size="20"
name="48111" value="60(.4/.2,.4/.2,.8/4)" maxlength="2047"></td><td>Ring4 Cadence:</td><td>
<input class="inputc" size="20" name="48047" value="60(.3/.2,1/.2,.3/4)" maxlength="2047">
541 </td></tr><tr bgcolor="#d3d3d3"><td>Ring5 Cadence:</td><td><input class="inputw" size="20"
name="47215" value="1(.5/.5)" maxlength="2047"></td><td>Ring6 Cadence:</td><td><input
class="inputw" size="20" name="47151" value="60(.2/.4,.2/.4,.2/4)" maxlength="2047">
542 </td></tr><tr bgcolor="#dcdcdc"><td>Ring7 Cadence:</td><td><input class="inputc" size="20"
name="47343" value="60(.4/.2,.4/.2,.4/4)" maxlength="2047"></td><td>Ring8 Cadence:</td><td>
<input class="inputc" size="20" name="47279" value="60(0.25/9.75)" maxlength="2047">
543 </td></tr><tr bgcolor="#d3d3d3"><td>Ring9 Cadence:</td><td><input class="inputw" size="20"
name="47471" value="60(.4/.2,.4/2)" maxlength="2047"></td><td></td><td>
544 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
545 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Distinctive
Call Waiting Tone Patterns</font>
546 </td></tr><tr bgcolor="#d3d3d3"><td>CWT1 Cadence:</td><td><input class="inputw" size="20"
name="48239" value="30(.3/9.7)" maxlength="2047"></td><td>CWT2 Cadence:</td><td><input
class="inputw" size="20" name="48175" value="30(.1/.1,.1/9.7)" maxlength="2047">
547 </td></tr><tr bgcolor="#dcdcdc"><td>CWT3 Cadence:</td><td><input class="inputc" size="20"
name="48367" value="30(.1/.1,.1/.1,.1/9.7)" maxlength="2047"></td><td>CWT4 Cadence:</td><td>
<input class="inputc" size="20" name="48303" value="30(.1/.1,.3/.1,.1/9.3)" maxlength="2047">
548 </td></tr><tr bgcolor="#d3d3d3"><td>CWT5 Cadence:</td><td><input class="inputw" size="20"
name="48495" value="1(.5/.5)" maxlength="2047"></td><td>CWT6 Cadence:</td><td><input
class="inputw" size="20" name="48431" value="30(.1/.1,.3/.2,.3/9.1)" maxlength="2047">
549 </td></tr><tr bgcolor="#dcdcdc"><td>CWT7 Cadence:</td><td><input class="inputc" size="20"
name="48623" value="30(.3/.1,.3/.1,.1/9.1)" maxlength="2047"></td><td>CWT8 Cadence:</td><td>
<input class="inputc" size="20" name="48559" value="2.3(.3/2)" maxlength="2047">
550 </td></tr><tr bgcolor="#d3d3d3"><td>CWT9 Cadence:</td><td><input class="inputw" size="20"
name="41583" value="30(.3/9.7)" maxlength="2047"></td><td></td><td>
551 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
552 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Distinctive
Ring/CWT Pattern Names</font>
553 </td></tr><tr bgcolor="#d3d3d3"><td>Ring1 Name:</td><td><input class="inputw" size="20"
name="41327" value="Bellcore-r1" maxlength="2047"></td><td>Ring2 Name:</td><td><input
class="inputw" size="20" name="41263" value="Bellcore-r2" maxlength="2047">
554 </td></tr><tr bgcolor="#dcdcdc"><td>Ring3 Name:</td><td><input class="inputc" size="20"
name="41455" value="Bellcore-r3" maxlength="2047"></td><td>Ring4 Name:</td><td><input
class="inputc" size="20" name="41391" value="Bellcore-r4" maxlength="2047">
555 </td></tr><tr bgcolor="#d3d3d3"><td>Ring5 Name:</td><td><input class="inputw" size="20"
name="42607" value="Bellcore-r5" maxlength="2047"></td><td>Ring6 Name:</td><td><input
class="inputw" size="20" name="42543" value="Bellcore-r6" maxlength="2047">
556 </td></tr><tr bgcolor="#dcdcdc"><td>Ring7 Name:</td><td><input class="inputc" size="20"
name="42735" value="Bellcore-r7" maxlength="2047"></td><td>Ring8 Name:</td><td><input
class="inputc" size="20" name="42671" value="Bellcore-r8" maxlength="2047">
557 </td></tr><tr bgcolor="#d3d3d3"><td>Ring9 Name:</td><td><input class="inputw" size="20"
name="42863" value="Bellcore-r9" maxlength="2047"></td><td></td><td>
558 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
559 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Ring and
Call Waiting Tone Spec</font>
560 </td></tr><tr bgcolor="#d3d3d3"><td>Ring Waveform:</td><td><select class="inputw"
name="43631"><option value="Sinusoid">Sinusoid</option><option value="Trapezoid"
selected="">Trapezoid</option></select></td><td>Ring Frequency:</td><td><input class="inputw"
size="20" name="43567" value="20" maxlength="2047">
561 </td></tr><tr bgcolor="#dcdcdc"><td>Ring Voltage:</td><td><input class="inputc" size="20"
```

```
name="34799" value="85" maxlength="2047"></td><td>CWT Frequency:</td><td><input class="inputc"
size="20" name="43759" value="440@-10" maxlength="2047">
562 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
563 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">Control
Timer Values (sec)</font>
564 </td></tr><tr bgcolor="#dcdcdc"><td>Hook Flash Timer Min:</td><td><input class="inputc"
size="20" name="43695" value=".1" maxlength="2047"></td><td>Hook Flash Timer Max:</td><td>
<input class="inputc" size="20" name="43887" value=".9" maxlength="2047">
565 </td></tr><tr bgcolor="#d3d3d3"><td>Callee On Hook Delay:</td><td><input class="inputw"
size="20" name="43823" value="0" maxlength="2047"></td><td>Reorder Delay:</td><td><input
class="inputw" size="20" name="44015" value="5" maxlength="2047">
566 </td></tr><tr bgcolor="#dcdcdc"><td>Call Back Expires:</td><td><input class="inputc" size="20"
name="43951" value="1800" maxlength="2047"></td><td>Call Back Retry Intvl:</td><td><input
class="inputc" size="20" name="43119" value="30" maxlength="2047">
567 </td></tr><tr bgcolor="#d3d3d3"><td>Call Back Delay:</td><td><input class="inputw" size="20"
name="34479" value=".5" maxlength="2047"></td><td>VMWI Refresh Intvl:</td><td><input
class="inputw" size="20" name="35183" value="0" maxlength="2047">
568 </td></tr><tr bgcolor="#dcdcdc"><td>Interdigit Long Timer:</td><td><input class="inputc"
size="20" name="31279" value="10" maxlength="2047"></td><td>Interdigit Short Timer:</td><td>
<input class="inputc" size="20" name="31471" value="3" maxlength="2047">
569 </td></tr><tr bgcolor="#d3d3d3"><td>CPC Delay:</td><td><input class="inputw" size="20"
name="36527" value="2" maxlength="2047"></td><td>CPC Duration:</td><td><input class="inputw"
size="20" name="36719" value="0" maxlength="2047">
570 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
571 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Vertical
Service Activation Codes</font>
572 </td></tr><tr bgcolor="#d3d3d3"><td>Call Return Code:</td><td><input class="inputw" size="20"
name="44719" value="*69" maxlength="2047"></td><td>Call Redial Code:</td><td><input
class="inputw" size="20" name="38319" value="*07" maxlength="2047">
573 </td></tr><tr bgcolor="#dcdcdc"><td>Blind Transfer Code:</td><td><input class="inputc"
size="20" name="44911" value="*98" maxlength="2047"></td><td>Call Back Act Code:</td><td>
<input class="inputc" size="20" name="37423" value="*66" maxlength="2047">
574 </td></tr><tr bgcolor="#d3d3d3"><td>Call Back Deact Code:</td><td><input class="inputw"
size="20" name="37615" value="*86" maxlength="2047"></td><td>Call Back Busy Act Code:</td><td>
<input class="inputw" size="20" name="39535" value="*05" maxlength="2047">
575 </td></tr><tr bgcolor="#dcdcdc"><td>Cfwd All Act Code:</td><td><input class="inputc" size="20"
name="44847" value="*72" maxlength="2047"></td><td>Cfwd All Deact Code:</td><td><input
class="inputc" size="20" name="45039" value="*73" maxlength="2047">
576 </td></tr><tr bgcolor="#d3d3d3"><td>Cfwd Busy Act Code:</td><td><input class="inputw"
size="20" name="44975" value="*90" maxlength="2047"></td><td>Cfwd Busy Deact Code:</td><td>
<input class="inputw" size="20" name="44143" value="*91" maxlength="2047">
577 </td></tr><tr bgcolor="#dcdcdc"><td>Cfwd No Ans Act Code:</td><td><input class="inputc"
size="20" name="44079" value="*92" maxlength="2047"></td><td>Cfwd No Ans Deact Code:</td><td>
<input class="inputc" size="20" name="44271" value="*93" maxlength="2047">
578 </td></tr><tr bgcolor="#d3d3d3"><td>Cfwd Last Act Code:</td><td><input class="inputw"
size="20" name="44207" value="*63" maxlength="2047"></td><td>Cfwd Last Deact Code:</td><td>
<input class="inputw" size="20" name="44399" value="*83" maxlength="2047">
579 </td></tr><tr bgcolor="#dcdcdc"><td>Block Last Act Code:</td><td><input class="inputc"
size="20" name="44335" value="*60" maxlength="2047"></td><td>Block Last Deact Code:</td><td>
<input class="inputc" size="20" name="44527" value="*80" maxlength="2047">
580 </td></tr><tr bgcolor="#d3d3d3"><td>Accept Last Act Code:</td><td><input class="inputw"
size="20" name="44463" value="*64" maxlength="2047"></td><td>Accept Last Deact Code:</td><td>
<input class="inputw" size="20" name="37487" value="*84" maxlength="2047">
581 </td></tr><tr bgcolor="#dcdcdc"><td>CW Act Code:</td><td><input class="inputc" size="20"
name="37551" value="*56" maxlength="2047"></td><td>CW Deact Code:</td><td><input
class="inputc" size="20" name="37743" value="*57" maxlength="2047">
582 </td></tr><tr bgcolor="#d3d3d3"><td>CW Per Call Act Code:</td><td><input class="inputw"
size="20" name="37679" value="*71" maxlength="2047"></td><td>CW Per Call Deact Code:</td><td>
<input class="inputw" size="20" name="37871" value="*70" maxlength="2047">
583 </td></tr><tr bgcolor="#dcdcdc"><td>Block CID Act Code:</td><td><input class="inputc"
size="20" name="37807" value="*67" maxlength="2047"></td><td>Block CID Deact Code:</td><td>
<input class="inputc" size="20" name="36975" value="*68" maxlength="2047">
584 </td></tr><tr bgcolor="#d3d3d3"><td>Block CID Per Call Act Code:</td><td><input class="inputw"
size="20" name="36911" value="*81" maxlength="2047"></td><td>Block CID Per Call Deact Code:
</td><td><input class="inputw" size="20" name="37103" value="*82" maxlength="2047">
585 </td></tr><tr bgcolor="#dcdcdc"><td>Block ANC Act Code:</td><td><input class="inputc"
size="20" name="37039" value="*77" maxlength="2047"></td><td>Block ANC Deact Code:</td><td>
<input class="inputc" size="20" name="37231" value="*87" maxlength="2047">
586 </td></tr><tr bgcolor="#d3d3d3"><td>DND Act Code:</td><td><input class="inputw" size="20"
```

```
name="37167" value="*78" maxlength="2047"></td><td>DND Deact Code:</td><td><input
class="inputw" size="20" name="37359" value="*79" maxlength="2047">
587 </td></tr><tr bgcolor="#dcdcdc"><td>CID Act Code:</td><td><input class="inputc" size="20"
name="37295" value="*65" maxlength="2047"></td><td>CID Deact Code:</td><td><input
class="inputc" size="20" name="38511" value="*85" maxlength="2047">
588 </td></tr><tr bgcolor="#d3d3d3"><td>CWCID Act Code:</td><td><input class="inputw" size="20"
name="38447" value="*25" maxlength="2047"></td><td>CWCID Deact Code:</td><td><input
class="inputw" size="20" name="38639" value="*45" maxlength="2047">
589 </td></tr><tr bgcolor="#dcdcdc"><td>Dist Ring Act Code:</td><td><input class="inputc"
size="20" name="38575" value="*26" maxlength="2047"></td><td>Dist Ring Deact Code:</td><td>
<input class="inputc" size="20" name="38767" value="*46" maxlength="2047">
590 </td></tr><tr bgcolor="#d3d3d3"><td>Speed Dial Act Code:</td><td><input class="inputw"
size="20" name="38703" value="*74" maxlength="2047"></td><td>Secure All Call Act Code:</td>
<td><input class="inputw" size="20" name="37999" value="*16" maxlength="2047">
591 </td></tr><tr bgcolor="#dcdcdc"><td>Secure No Call Act Code:</td><td><input class="inputc"
size="20" name="37935" value="*17" maxlength="2047"></td><td>Secure One Call Act Code:</td>
<td><input class="inputc" size="20" name="38127" value="*18" maxlength="2047">
592 </td></tr><tr bgcolor="#d3d3d3"><td>Secure One Call Deact Code:</td><td><input class="inputw"
size="20" name="38063" value="*19" maxlength="2047"></td><td>Conference Act Code:</td><td>
<input class="inputw" size="20" name="38255" value="" maxlength="2047">
593 </td></tr><tr bgcolor="#dcdcdc"><td>Attn-Xfer Act Code:</td><td><input class="inputc"
size="20" name="38191" value="" maxlength="2047"></td><td>Modem Line Toggle Code:</td><td>
<input class="inputc" size="20" name="38383" value="*99" maxlength="2047">
594 </td></tr><tr bgcolor="#d3d3d3"><td>FAX Line Toggle Code:</td><td><input class="inputw"
size="20" name="39599" value="*99" maxlength="2047"></td><td>Media Loopback Code:</td><td>
<input class="inputw" size="20" name="39791" value="*03" maxlength="2047">
595 </td></tr><tr bgcolor="#dcdcdc"><td>Referral Services Codes:</td><td colspan="3"><input
class="inputc" size="70" name="38895" value="" maxlength="2047">
596 </td></tr><tr bgcolor="#d3d3d3"><td>Feature Dial Services Codes:</td><td colspan="3"><input
class="inputw" size="70" name="38831" value="" maxlength="2047">
597 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Vertical
Service Announcement Codes</font>
599 </td></tr><tr bgcolor="#d3d3d3"><td>Service Annc Base Number:</td><td><input class="inputw"
size="20" name="39471" value="" maxlength="2047"></td><td></td><td>
600 </td></tr><tr bgcolor="#dcdcdc"><td>Service Annc Extension Codes:</td><td colspan="3"><input
class="inputc" size="70" name="39663" value="" maxlength="2047">
601 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">Outbound
Call Codec Selection Codes</font>
603 </td></tr><tr bgcolor="#dcdcdc"><td>Prefer G711u Code:</td><td><input class="inputc" size="20"
name="25646" value="*017110" maxlength="2047"></td><td>Force G711u Code:</td><td><input
class="inputc" size="20" name="25838" value="*027110" maxlength="2047">
604 </td></tr><tr bgcolor="#d3d3d3"><td>Prefer G711a Code:</td><td><input class="inputw" size="20"
name="25774" value="*017111" maxlength="2047"></td><td>Force G711a Code:</td><td><input
class="inputw" size="20" name="25966" value="*027111" maxlength="2047">
605 </td></tr><tr bgcolor="#dcdcdc"><td>Prefer G723 Code:</td><td><input class="inputc" size="20"
name="25902" value="*01723" maxlength="2047"></td><td>Force G723 Code:</td><td><input
class="inputc" size="20" name="26094" value="*02723" maxlength="2047">
606 </td></tr><tr bgcolor="#d3d3d3"><td>Prefer G726r16 Code:</td><td><input class="inputw"
size="20" name="26030" value="*0172616" maxlength="2047"></td><td>Force G726r16 Code:</td><td>
<input class="inputw" size="20" name="27246" value="*0272616" maxlength="2047">
607 </td></tr><tr bgcolor="#dcdcdc"><td>Prefer G726r24 Code:</td><td><input class="inputc"
size="20" name="27182" value="*0172624" maxlength="2047"></td><td>Force G726r24 Code:</td><td>
<input class="inputc" size="20" name="27374" value="*0272624" maxlength="2047">
608 </td></tr><tr bgcolor="#d3d3d3"><td>Prefer G726r32 Code:</td><td><input class="inputw"
size="20" name="27310" value="*0172632" maxlength="2047"></td><td>Force G726r32 Code:</td><td>
<input class="inputw" size="20" name="27502" value="*0272632" maxlength="2047">
609 </td></tr><tr bgcolor="#dcdcdc"><td>Prefer G726r40 Code:</td><td><input class="inputc"
size="20" name="27438" value="*0172640" maxlength="2047"></td><td>Force G726r40 Code:</td><td>
<input class="inputc" size="20" name="27630" value="*0272640" maxlength="2047">
610 </td></tr><tr bgcolor="#d3d3d3"><td>Prefer G729a Code:</td><td><input class="inputw" size="20"
name="27566" value="*01729" maxlength="2047"></td><td>Force G729a Code:</td><td><input
class="inputw" size="20" name="26734" value="*02729" maxlength="2047">
611 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font
class="labelft">Miscellaneous</font>
612 </td></tr><tr bgcolor="#d3d3d3"><td>Set Local Date (mm/dd):</td><td><input class="inputw"
size="20" name="35503" value="" maxlength="2047"></td><td>Set Local Time (HH/mm):</td><td>
613 </td></tr><tr bgcolor="#d3d3d3"><td>Set Local Date (mm/dd):</td><td><input class="inputw"
size="20" name="35503" value="" maxlength="2047"></td><td>Set Local Time (HH/mm):</td><td>
```



```

614 </td></tr><tr bgcolor="#dcdcdc"><td>Time Zone:</td><td><select class="inputtc" name="43183">
<option value="GMT-12:00">GMT-12:00</option><option value="GMT-11:00">GMT-11:00</option>
<option value="GMT-10:00">GMT-10:00</option><option value="GMT-09:00">GMT-09:00</option>
<option value="GMT-08:00">GMT-08:00</option><option value="GMT-07:00">GMT-07:00</option>
<option value="GMT-06:00">GMT-06:00</option><option value="GMT-05:00">GMT-05:00</option>
<option value="GMT-04:00">GMT-04:00</option><option value="GMT-03:30">GMT-03:30</option>
<option value="GMT-03:00">GMT-03:00</option><option value="GMT-02:00">GMT-02:00</option>
<option value="GMT-01:00">GMT-01:00</option><option value="GMT" selected="">GMT</option>
<option value="GMT+01:00">GMT+01:00</option><option value="GMT+02:00">GMT+02:00</option>
<option value="GMT+03:00">GMT+03:00</option><option value="GMT+03:30">GMT+03:30</option>
<option value="GMT+04:00">GMT+04:00</option><option value="GMT+05:00">GMT+05:00</option>
<option value="GMT+05:30">GMT+05:30</option><option value="GMT+05:45">GMT+05:45</option>
<option value="GMT+06:00">GMT+06:00</option><option value="GMT+06:30">GMT+06:30</option>
<option value="GMT+07:00">GMT+07:00</option><option value="GMT+08:00">GMT+08:00</option>
<option value="GMT+09:00">GMT+09:00</option><option value="GMT+09:30">GMT+09:30</option>
<option value="GMT+10:00">GMT+10:00</option><option value="GMT+11:00">GMT+11:00</option>
<option value="GMT+12:00">GMT+12:00</option><option value="GMT+13:00">GMT+13:00</option>
</select></td><td>FXS Port Impedance:</td><td><select class="inputtc" name="43375"><option
value="600" selected="">600</option><option value="900">900</option><option
value="600+2.16uF">600+2.16uF</option><option value="900+2.16uF">900+2.16uF</option><option
value="270+750||150nF">270+750||150nF</option><option
value="220+820||120nF">220+820||120nF</option><option
value="220+820||115nF">220+820||115nF</option><option
value="200+600||100nF">200+600||100nF</option></select>
615 </td></tr><tr bgcolor="#d3d3d3"><td>Daylight Saving Time Rule:</td><td colspan="3"><input
class="inputw" size="70" name="5422" value="start=3/-1/7/2:0:0;end=10/-1/7/2:0:0;save=1:0:0"
maxlength="2047">
616 </td></tr><tr bgcolor="#dcdcdc"><td>FXS Port Input Gain:</td><td><input class="inputc"
size="20" name="43311" value="-3" maxlength="2047"></td><td>FXS Port Output Gain:</td><td>
<input class="inputc" size="20" name="43503" value="-3" maxlength="2047">
617 </td></tr><tr bgcolor="#d3d3d3"><td>DTMF Playback Level:</td><td><input class="inputw"
size="20" name="43439" value="-16" maxlength="2047"></td><td>DTMF Playback Length:</td><td>
<input class="inputw" size="20" name="44655" value=".1" maxlength="2047">
618 </td></tr><tr bgcolor="#dcdcdc"><td>Detect ABCD:</td><td><select class="inputtc" name="44591">
<option selected="" value="1">yes</option><option value="0">no</option></select>
619 </td><td>Playback ABCD:</td><td><select class="inputtc" name="44783"><option selected=""
value="1">yes</option><option value="0">no</option></select>
620
621 </td></tr><tr bgcolor="#d3d3d3"><td>Caller ID Method:</td><td><select class="inputw"
name="35119"><option value="Bellcore(N.Amer,China)">Bellcore(N.Amer,China)</option><option
value="DTMF(Finland,Sweden)">DTMF(Finland,Sweden)</option><option
value="DTMF(Denmark)">DTMF(Denmark)</option><option value="ETSI DTMF">ETSI DTMF</option>
<option value="ETSI DTMF With PR">ETSI DTMF With PR</option><option value="ETSI DTMF After
Ring">ETSI DTMF After Ring</option><option value="ETSI FSK">ETSI FSK</option><option
value="ETSI FSK With PR(UK)" selected="">ETSI FSK With PR(UK)</option><option
value="DTMF(Denmark) With PR">DTMF(Denmark) With PR</option></select></td><td>Caller ID FSK
Standard:</td><td><select class="inputw" name="6894"><option value="bell 202" selected="">bell
202</option><option value="v.23">v.23</option></select>
622 </td></tr><tr bgcolor="#dcdcdc"><td>Feature Invocation Method:</td><td><select class="inputc"
name="6830"><option value="Default" selected="">Default</option><option
value="Sweden">Sweden</option></select></td><td>More Echo Suppression:</td><td><select
class="inputc" name="8174"><option value="1">yes</option><option selected=""
value="0">no</option></select>
623 </td></tr></tbody></table> </div>
624 <div class="tab-page" id="Line 1" style="display: none;"><br><table class="stat"
cellpadding="1px" cellspacing="0" width="100%">
625 <colgroup>
626 <col width="26%" align="left">
627 <col align="left">
628 <col width="26%" align="left">
629 <col align="left"></colgroup>
630 <tbody><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;</td>
631 </tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft"></font>
632 </td></tr><tr bgcolor="#dcdcdc"><td>Line Enable:</td><td><select class="inputtc" name="21167">
<option selected="" value="1">yes</option><option value="0">no</option></select>
633 </td><td></td><td>
634 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;</td>
635 </tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">Streaming

```

```
Audio Server (SAS)</font>
636 </td></tr><tr bgcolor="#dcdcdc"><td>SAS Enable:</td><td><select class="inputc" name="9263">
<option value="1">yes</option><option selected="" value="0">no</option></select>
637 </td><td>SAS DLG Refresh Intvl:</td><td><input class="inputc" size="20" name="9455" value="30"
maxlength="2047">
638 </td></tr><tr bgcolor="#d3d3d3"><td>SAS Inbound RTP Sink:</td><td><input class="inputw"
size="20" name="9519" value="" maxlength="2047"></td><td></td><td>
639 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
640 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">NAT
Settings</font>
641 </td></tr><tr bgcolor="#d3d3d3"><td>NAT Mapping Enable:</td><td><select class="inputw"
name="8623"><option selected="" value="1">yes</option><option value="0">no</option></select>
642 </td><td>NAT Keep Alive Enable:</td><td><select class="inputw" name="28143"><option
value="1">yes</option><option selected="" value="0">no</option></select>
643 </td></tr><tr bgcolor="#dcdcdc"><td>NAT Keep Alive Msg:</td><td><input class="inputc"
size="20" name="21039" value="$NOTIFY" maxlength="2047"></td><td>NAT Keep Alive Dest:</td><td>
<input class="inputc" size="20" name="21103" value="$PROXY" maxlength="2047">
645 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
646 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">Network
Settings</font>
647 </td></tr><tr bgcolor="#dcdcdc"><td>SIP ToS/DiffServ Value:</td><td><input class="inputc"
size="20" name="9775" value="0x68" maxlength="2047"></td><td>SIP CoS Value:</td><td><input
class="inputc" size="6" name="11823" value="3" maxlength="2047">[0-7]
648 </td></tr><tr bgcolor="#d3d3d3"><td>RTP ToS/DiffServ Value:</td><td><input class="inputw"
size="20" name="9839" value="0xb8" maxlength="2047"></td><td>RTP CoS Value:</td><td><input
class="inputw" size="6" name="11887" value="6" maxlength="2047">[0-7]
649 </td></tr><tr bgcolor="#dcdcdc"><td>Network Jitter Level:</td><td><select class="inputc"
name="9967"><option value="low">low</option><option value="medium">medium</option><option
value="high">high</option><option value="very high" selected="">very high</option><option
value="extremely high">extremely high</option></select></td><td>Jitter Buffer Adjustment:</td>
<td><select class="inputc" name="11311"><option value="up and down" selected="">up and
down</option><option value="up only">up only</option><option value="down only">down
only</option><option value="disable">disable</option></select>
650 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
651 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">SIP
Settings</font>
652 </td></tr><tr bgcolor="#dcdcdc"><td>SIP Transport:</td><td><select class="inputc" name="4719">
<option value="UDP" selected="">UDP</option><option value="TCP">TCP</option><option
value="TLS">TLS</option></select></td><td>SIP Port:</td><td><input class="inputc" size="20"
name="26159" value="15060" maxlength="2047">
653 </td></tr><tr bgcolor="#d3d3d3"><td>SIP 100REL Enable:</td><td><select class="inputw"
name="9903"><option value="1">yes</option><option selected="" value="0">no</option></select>
654 </td><td>EXT SIP Port:</td><td><input class="inputw" size="20" name="27823" value=""
maxlength="2047">
655 </td></tr><tr bgcolor="#dcdcdc"><td>Auth Resync-Reboot:</td><td><select class="inputc"
name="11055"><option selected="" value="1">yes</option><option value="0">no</option></select>
656 </td><td>SIP Proxy-Require:</td><td><input class="inputc" size="20" name="10927" value=""
maxlength="2047">
657 </td></tr><tr bgcolor="#d3d3d3"><td>SIP Remote-Party-ID:</td><td><select class="inputw"
name="11119"><option selected="" value="1">yes</option><option value="0">no</option></select>
658 </td><td>SIP GUID:</td><td><select class="inputw" name="11759"><option value="1">yes</option>
<option selected="" value="0">no</option></select>
659 </td></tr><tr bgcolor="#dcdcdc"><td>SIP Debug Option:</td><td><select class="inputc"
name="33775"><option value="none">none</option><option value="1-line">1-line</option><option
value="1-line excl. OPT">1-line excl. OPT</option><option value="1-line excl. NTFY">1-line
excl. NTFY</option><option value="1-line excl. REG">1-line excl. REG</option><option value="1-
line excl. OPT|NTFY|REG">1-line excl. OPT|NTFY|REG</option><option value="full"
selected="">full</option><option value="full excl. OPT">full excl. OPT</option><option
value="full excl. NTFY">full excl. NTFY</option><option value="full excl. REG">full excl.
REG</option><option value="full excl. OPT|NTFY|REG">full excl. OPT|NTFY|REG</option></select>
</td><td>RTP Log Intvl:</td><td><input class="inputc" size="20" name="10415" value="0"
maxlength="2047">
661 </td></tr><tr bgcolor="#d3d3d3"><td>Restrict Source IP:</td><td><select class="inputw"
name="10671"><option value="1">yes</option><option selected="" value="0">no</option></select>
662 </td><td>Referor Bye Delay:</td><td><input class="inputw" size="20" name="12015" value="4"
maxlength="2047">
663 </td></tr><tr bgcolor="#dcdcdc"><td>Refer Target Bye Delay:</td><td><input class="inputc"
```

```
size="20" name="12143" value="0" maxlength="2047"></td><td>Referee Bye Delay:</td><td><input
class="inputc" size="20" name="11951" value="0" maxlength="2047">
664 </td></tr><tr bgcolor="#d3d3d3"><td>Refer-To Target Contact:</td><td><select class="inputw"
name="12079"><option value="1">yes</option><option selected="" value="0">no</option></select>
665 </td><td>Sticky 183:</td><td><select class="inputw" name="12207"><option
value="1">yes</option><option selected="" value="0">no</option></select>
666
667 </td></tr><tr bgcolor="#dcdcdc"><td>Auth INVITE:</td><td><select class="inputc" name="5103">
<option value="1">yes</option><option selected="" value="0">no</option></select>
668 </td><td>Reply 182 On Call Waiting:</td><td><select class="inputc" name="5039"><option
value="1">yes</option><option selected="" value="0">no</option></select>
669
670 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
671 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">Call
Feature Settings</font>
672 </td></tr><tr bgcolor="#dcdcdc"><td>Blind Attn-Xfer Enable:</td><td><select class="inputc"
name="10095"><option value="1">yes</option><option selected="" value="0">no</option></select>
673 </td><td>MOH Server:</td><td><input class="inputc" size="20" name="9327" value=""
maxlength="2047">
674 </td></tr><tr bgcolor="#d3d3d3"><td>Xfer When Hangup Conf:</td><td><select class="inputw"
name="11247"><option selected="" value="1">yes</option><option value="0">no</option></select>
675 </td><td></td><td>
676 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
677 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Proxy and
Registration</font>
678 </td></tr><tr bgcolor="#d3d3d3"><td>Proxy:</td><td colspan="3"><input class="inputw" size="70"
name="21359" value="draytel.org" maxlength="2047">
679 </td></tr><tr bgcolor="#dcdcdc"><td>Outbound Proxy:</td><td colspan="3"><input class="inputc"
size="70" name="21487" value="nat.draytel.org:5065" maxlength="2047">
680 </td></tr><tr bgcolor="#d3d3d3"><td>Use Outbound Proxy:</td><td><select class="inputw"
name="21295"><option value="1">yes</option><option selected="" value="0">no</option></select>
681 </td><td>Use OB Proxy In Dialog:</td><td><select class="inputw" name="14831"><option
selected="" value="1">yes</option><option value="0">no</option></select>
682
683 </td></tr><tr bgcolor="#dcdcdc"><td>Register:</td><td><select class="inputc" name="21423">
<option selected="" value="1">yes</option><option value="0">no</option></select>
684 </td><td>Make Call Without Reg:</td><td><select class="inputc" name="20975"><option
value="1">yes</option><option selected="" value="0">no</option></select>
685
686 </td></tr><tr bgcolor="#d3d3d3"><td>Register Expires:</td><td><input class="inputw" size="20"
name="20591" value="3600" maxlength="2047"></td><td>Ans Call Without Reg:</td><td><select
class="inputw" name="20911"><option value="1">yes</option><option selected=""
value="0">no</option></select>
687
688 </td></tr><tr bgcolor="#dcdcdc"><td>Use DNS SRV:</td><td><select class="inputc" name="14639">
<option value="1">yes</option><option selected="" value="0">no</option></select>
689 </td><td>DNS SRV Auto Prefix:</td><td><select class="inputc" name="9391"><option
value="1">yes</option><option selected="" value="0">no</option></select>
690
691 </td></tr><tr bgcolor="#d3d3d3"><td>Proxy Fallback Intvl:</td><td><input class="inputw"
size="20" name="10031" value="3600" maxlength="2047"></td><td>Proxy Redundancy Method:</td>
<td><select class="inputw" name="11375"><option value="Normal" selected="">Normal</option>
<option value="Based on SRV Port">Based on SRV Port</option></select>
692 </td></tr><tr bgcolor="#dcdcdc"><td>Voice Mail Server:</td><td><input class="inputc" size="20"
name="9711" value="" maxlength="2047"></td><td>Mailbox Subscribe Expires:</td><td><input
class="inputc" size="20" name="6767" value="2147483647" maxlength="2047">
693 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
694 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">Subscriber
Information</font>
695 </td></tr><tr bgcolor="#dcdcdc"><td>Display Name:</td><td><input class="inputc" size="20"
name="20527" value="Paul Steel" maxlength="2047"></td><td>User ID:</td><td><input
class="inputc" size="20" name="20719" value="8210859" maxlength="2047">
696 </td></tr><tr bgcolor="#d3d3d3"><td>Password:</td><td><input class="inputw" size="20"
name="P20655" value="*****" maxlength="255"></td><td>Use Auth ID:</td><td><select
class="inputw" name="20847"><option value="1">yes</option><option selected=""
value="0">no</option></select>
697
698 </td></tr><tr bgcolor="#dcdcdc"><td>Auth ID:</td><td><input class="inputc" size="20"
name="20783" value="8210859" maxlength="2047"></td><td></td><td>
699
```

```
</td></tr><tr bgcolor="#d3d3d3"><td>Mini Certificate:</td><td colspan="3"><input
class="inputw" size="70" name="10223" value="" maxlength="2047">
700 </td></tr><tr bgcolor="#dcdcdc"><td>SRTP Private Key:</td><td colspan="3"><input
class="inputc" size="70" name="P10159" value="" maxlength="255">
701 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
702 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font
class="labelft">Supplementary Service Subscription</font>
703 </td></tr><tr bgcolor="#dcdcdc"><td>Call Waiting Serv:</td><td><select class="inputc"
name="22127"><option selected="" value="1">yes</option><option value="0">no</option></select>
704 </td><td>Block CID Serv:</td><td><select class="inputc" name="22063"><option selected=""
value="1">yes</option><option value="0">no</option></select>
705 </td></tr><tr bgcolor="#d3d3d3"><td>Block ANC Serv:</td><td><select class="inputw"
name="22255"><option selected="" value="1">yes</option><option value="0">no</option></select>
706 </td><td>Dist Ring Serv:</td><td><select class="inputw" name="22191"><option selected=""
value="1">yes</option><option value="0">no</option></select>
707 </td></tr><tr bgcolor="#dcdcdc"><td>Cfwd All Serv:</td><td><select class="inputc"
name="22383"><option selected="" value="1">yes</option><option value="0">no</option></select>
708 </td><td>Cfwd Busy Serv:</td><td><select class="inputc" name="22319"><option selected=""
value="1">yes</option><option value="0">no</option></select>
709 </td></tr><tr bgcolor="#d3d3d3"><td>Cfwd No Ans Serv:</td><td><select class="inputw"
name="22511"><option selected="" value="1">yes</option><option value="0">no</option></select>
710 </td><td>Cfwd Sel Serv:</td><td><select class="inputw" name="22447"><option selected=""
value="1">yes</option><option value="0">no</option></select>
711 </td></tr><tr bgcolor="#d3d3d3"><td>Cfwd Last Serv:</td><td><select class="inputw"
name="21615"><option selected="" value="1">yes</option><option value="0">no</option></select>
712 </td><td>Block Last Serv:</td><td><select class="inputc" name="21551"><option selected=""
value="1">yes</option><option value="0">no</option></select>
713 </td></tr><tr bgcolor="#dcdcdc"><td>Accept Last Serv:</td><td><select class="inputw"
name="21743"><option selected="" value="1">yes</option><option value="0">no</option></select>
714 </td><td>DND Serv:</td><td><select class="inputw" name="21679"><option selected=""
value="1">yes</option><option value="0">no</option></select>
715 </td></tr><tr bgcolor="#dcdcdc"><td>CID Serv:</td><td><select class="inputc" name="21871">
<option selected="" value="1">yes</option><option value="0">no</option></select>
716 </td><td>CWCID Serv:</td><td><select class="inputc" name="21807"><option selected=""
value="1">yes</option><option value="0">no</option></select>
717 </td></tr><tr bgcolor="#d3d3d3"><td>Call Return Serv:</td><td><select class="inputw"
name="21999"><option selected="" value="1">yes</option><option value="0">no</option></select>
718 </td><td>Call Redial Serv:</td><td><select class="inputw" name="22767"><option selected=""
value="1">yes</option><option value="0">no</option></select>
719 </td></tr><tr bgcolor="#dcdcdc"><td>Call Back Serv:</td><td><select class="inputc"
name="21935"><option selected="" value="1">yes</option><option value="0">no</option></select>
720 </td><td>Three Way Call Serv:</td><td><select class="inputc" name="23151"><option selected=""
value="1">yes</option><option value="0">no</option></select>
721 </td></tr><tr bgcolor="#d3d3d3"><td>Three Way Conf Serv:</td><td><select class="inputw"
name="23087"><option selected="" value="1">yes</option><option value="0">no</option></select>
722 </td><td>Attn Transfer Serv:</td><td><select class="inputw" name="23279"><option selected=""
value="1">yes</option><option value="0">no</option></select>
723 </td></tr><tr bgcolor="#dcdcdc"><td>Unattn Transfer Serv:</td><td><select class="inputc"
name="23215"><option selected="" value="1">yes</option><option value="0">no</option></select>
724 </td><td>MWI Serv:</td><td><select class="inputc" name="23407"><option selected=""
value="1">yes</option><option value="0">no</option></select>
725 </td></tr><tr bgcolor="#d3d3d3"><td>VMWI Serv:</td><td><select class="inputw" name="23343">
<option selected="" value="1">yes</option><option value="0">no</option></select>
726 </td><td>Speed Dial Serv:</td><td><select class="inputw" name="23535"><option selected=""
value="1">yes</option><option value="0">no</option></select>
727 </td></tr><tr bgcolor="#dcdcdc"><td>Secure Call Serv:</td><td><select class="inputc"
name="22575"><option selected="" value="1">yes</option><option value="0">no</option></select>
728 </td></tr>
```



```
</td></tr><tr bgcolor="#d3d3d3"><td>DTMF Process AVT:</td><td><select class="inputw" name="10607"><option selected="" value="1">yes</option><option value="0">no</option></select></td><td>FAX Passthru Method:</td><td><select class="inputw" name="10799"><option value="None">None</option><option value="NSE" selected="">NSE</option><option value="ReINVITE">ReINVITE</option></select></td></tr><tr bgcolor="#dcdcdc"><td>DTMF Tx Method:</td><td><select class="inputc" name="16559"><option value="InBand">InBand</option><option value="AVT">AVT</option><option value="INFO">INFO</option><option value="Auto" selected="">Auto</option><option value="InBand+INFO">InBand+INFO</option><option value="AVT+INFO">AVT+INFO</option></select></td><td>DTMF Tx Mode:</td><td><select class="inputc" name="6831"><option value="Normal">Normal</option><option value="Strict" selected="">Strict</option></select></td></tr><tr bgcolor="#d3d3d3"><td>DTMF Tx Strict Hold Off Time:</td><td><input class="inputw" size="20" name="7023" value="40" maxlength="2047"></td><td>FAX Process NSE:</td><td><select class="inputw" name="10991"><option selected="" value="1">yes</option><option value="0">no</option></select></td></tr><tr bgcolor="#dcdcdc"><td>Hook Flash Tx Method:</td><td><select class="inputc" name="9583"><option value="None" selected="">None</option><option value="AVT">AVT</option><option value="INFO">INFO</option></select></td><td>FAX Disable ECAN:</td><td><select class="inputc" name="11503"><option value="1">yes</option><option selected="" value="0">no</option></select></td></tr><tr bgcolor="#d3d3d3"><td>Release Unused Codec:</td><td><select class="inputw" name="9647"><option selected="" value="1">yes</option><option value="0">no</option></select></td><td>FAX Enable T38:</td><td><select class="inputw" name="11567"><option selected="" value="1">yes</option><option value="0">no</option></select></td></tr><tr bgcolor="#dcdcdc"><td>FAX T38 Redundancy:</td><td><select class="inputc" name="4847"><option value="0">0</option><option value="1" selected="">1</option><option value="2">2</option><option value="3">3</option></select></td><td>FAX Tone Detect Mode:</td><td><select class="inputc" name="11695"><option value="caller or callee" selected="">caller or callee</option><option value="caller only">caller only</option><option value="callee only">callee only</option></select></td></tr><tr bgcolor="#d3d3d3"><td>Symmetric RTP:</td><td><select class="inputw" name="29292"><option selected="" value="1">yes</option><option value="0">no</option></select></td><td></td><td></td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Gateway Accounts</font></td></tr><tr bgcolor="#d3d3d3"><td>Gateway 1:</td><td><input class="inputw" size="20" name="29548" value="+441792824792@draytel.org" maxlength="2047"></td><td>GW1 NAT Mapping Enable:</td><td><select class="inputw" name="29484"><option value="1">yes</option><option selected="" value="0">no</option></select></td></tr><tr bgcolor="#dcdcdc"><td>GW1 Auth ID:</td><td><input class="inputc" size="20" name="29676" value="8210859" maxlength="2047"></td><td>GW1 Password:</td><td><input class="inputc" size="20" name="P29612" value="" maxlength="255"></td></tr><tr bgcolor="#d3d3d3"><td>Gateway 2:</td><td><input class="inputw" size="20" name="28780" value="" maxlength="2047"></td><td>GW2 NAT Mapping Enable:</td><td><select class="inputw" name="28716"><option value="1">yes</option><option selected="" value="0">no</option></select></td></tr><tr bgcolor="#dcdcdc"><td>GW2 Auth ID:</td><td><input class="inputc" size="20" name="28908" value="" maxlength="2047"></td><td>GW2 Password:</td><td><input class="inputc" size="20" name="P28844" value="" maxlength="255"></td></tr><tr bgcolor="#d3d3d3"><td>Gateway 3:</td><td><input class="inputw" size="20" name="29036" value="" maxlength="2047"></td><td>GW3 NAT Mapping Enable:</td><td><select class="inputw" name="28972"><option value="1">yes</option><option selected="" value="0">no</option></select></td></tr><tr bgcolor="#dcdcdc"><td>GW3 Auth ID:</td><td><input class="inputc" size="20" name="29164" value="" maxlength="2047"></td><td>GW3 Password:</td><td><input class="inputc" size="20" name="P29100" value="" maxlength="255"></td></tr><tr bgcolor="#d3d3d3"><td>Gateway 4:</td><td><input class="inputw" size="20" name="30316" value="" maxlength="2047"></td><td>GW4 NAT Mapping Enable:</td><td><select class="inputw" name="30252"><option value="1">yes</option><option selected="" value="0">no</option></select></td></tr><tr bgcolor="#dcdcdc"><td>GW4 Auth ID:</td><td><input class="inputc" size="20"
```

```
name="30444" value="" maxlength="2047"></td><td>GW4 Password:</td><td><input class="inputc"
size="20" name="P30380" value="" maxlength="255">
799 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
800 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">VoIP
Fallback To PSTN</font>
801 </td></tr><tr bgcolor="#dcdcdc"><td>Auto PSTN Fallback:</td><td><select class="inputc"
name="29420"><option selected="" value="1">yes</option><option value="0">no</option></select>
802 </td><td></td><td>
803 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
804 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">Dial
Plan</font>
805 </td></tr><tr bgcolor="#dcdcdc"><td>Dial Plan:</td><td colspan="3"><input class="inputc"
size="70" name="31407" value="(x | 100S0&lt;:;@gw0&gt; | 999S0&lt;:@gw0&gt; |
112S0&lt;:;@gw0&gt; | 15[01]S0&lt;:;@gw0&gt; | 1[45]71&lt;:;@gw0&gt; | 0[58]0xx.&lt;:;@gw0&gt;
| 00x. | &lt;:0:0044&gt;[12]x. | &lt;:0:0044&gt;[67]x. | 084x. | &lt;:087:004487&gt;x.|
030x.| 033x. | 034x. | &lt;:00441792&gt; [2-9]xxxx | &lt;:#0, :&gt;xx.&lt;:;@draytel.org&gt; |
&lt;:#1, :&gt;[x*] [x*].&lt;:;@sipbroker.com&gt; | &lt;:#2, :&gt;[x*][x*].&lt;:;@gw2&gt; |
&lt;:#3, :&gt;[x*][x*].&lt;:;@gw3&gt; | &lt;:#4, :&gt;[x*] [x*].&lt;:;@gw4&gt; |
&lt;:#90, :141&gt;xx.&lt;:;@gw0&gt; |&lt;:#91:0808170170150&gt;&lt;:;@gw0&gt; |
&lt;:#92:0808170870850&gt;&lt;:;@gw0&gt; | 118! | 09!)" maxlength="2047">
806 </td></tr><tr bgcolor="#d3d3d3"><td>Enable IP Dialing:</td><td><select class="inputw"
name="14511"><option selected="" value="1">yes</option><option value="0">no</option></select>
807 </td><td>Emergency Number:</td><td><input class="inputw" size="20" name="11439" value=""
maxlength="2047">
808 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
809 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">FXS Port
Polarity Configuration</font>
810 </td></tr><tr bgcolor="#d3d3d3"><td>Idle Polarity:</td><td><select class="inputw"
name="18223"><option value="Forward" selected="">Forward</option><option
value="Reverse">Reverse</option></select></td><td>Caller Conn Polarity:</td><td><select
class="inputw" name="18415"><option value="Forward" selected="">Forward</option><option
value="Reverse">Reverse</option></select>
811 </td></tr><tr bgcolor="#dcdcdc"><td>Callee Conn Polarity:</td><td><select class="inputc"
name="17455"><option value="Forward" selected="">Forward</option><option
value="Reverse">Reverse</option></select></td><td></td><td></td></tr></tbody></table> </div>
812 <div class="tab-page" id="PSTN Line" style="display: none;"><br><table class="stat"
cellpadding="1px" cellspacing="0" width="100%">
813 <colgroup>
814 <col width="26%" align="left">
815 <col align="left">
816 <col width="26%" align="left">
817 <col align="left"></colgroup>
818 <tbody><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
819 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft"></font>
820 </td></tr><tr bgcolor="#dcdcdc"><td>Line Enable:</td><td><select class="inputc" name="687">
<option selected="" value="1">yes</option><option value="0">no</option></select>
821 </td><td></td><td>
822 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;
823 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">NAT
Settings</font>
824 </td></tr><tr bgcolor="#dcdcdc"><td>NAT Mapping Enable:</td><td><select class="inputc"
name="53679"><option selected="" value="1">yes</option><option value="0">no</option></select>
825 </td><td>NAT Keep Alive Enable:</td><td><select class="inputc" name="34927"><option
selected="" value="1">yes</option><option value="0">no</option></select>
826 </td><td></td><td>
827 </td></tr><tr bgcolor="#d3d3d3"><td>NAT Keep Alive Msg:</td><td><input class="inputw"
size="20" name="35055" value="$NOTIFY" maxlength="2047"></td><td>NAT Keep Alive Dest:</td><td>
<input class="inputw" size="20" name="34863" value="$PROXY" maxlength="2047">
828 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
829 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Network
Settings</font>
830 </td></tr><tr bgcolor="#d3d3d3"><td>SIP ToS/DiffServ Value:</td><td><input class="inputw"
size="20" name="54831" value="0x68" maxlength="2047"></td><td>SIP CoS Value:</td><td><input
class="inputw" size="6" name="56879" value="3" maxlength="2047">[0-7]
831 </td></tr><tr bgcolor="#dcdcdc"><td>RTP ToS/DiffServ Value:</td><td><input class="inputc"
size="20" name="54895" value="0xb8" maxlength="2047"></td><td>RTP CoS Value:</td><td><input
class="inputc" size="6" name="56943" value="6" maxlength="2047">[0-7]
832 </td></tr><tr bgcolor="#d3d3d3"><td>Network Jitter Level:</td><td><select class="inputw"
name="55023"><option value="low">low</option><option value="medium">medium</option><option
```



```
class="inputw" name="431"><option value="1">yes</option><option selected=""
value="0">no</option></select>
863
864 </td></tr><tr bgcolor="#dcdcdc"><td>Use DNS SRV:</td><td><select class="inputc" name="59695">
<option value="1">yes</option><option selected="" value="0">no</option></select>
865 </td><td>DNS SRV Auto Prefix:</td><td><select class="inputc" name="54447"><option
value="1">yes</option><option selected="" value="0">no</option></select>
866
867 </td></tr><tr bgcolor="#d3d3d3"><td>Proxy Fallback Intvl:</td><td><input class="inputw"
size="20" name="55087" value="3600" maxlength="2047"></td><td>Proxy Redundancy Method:</td>
<td><select class="inputw" name="56431"><option value="Normal" selected="">Normal</option>
<option value="Based on SRV Port">Based on SRV Port</option></select>
868 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
869 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Subscriber
Information</font>
870 </td></tr><tr bgcolor="#d3d3d3"><td>Display Name:</td><td><input class="inputw" size="20"
name="47" value="Paul Steel" maxlength="2047"></td><td>User ID:</td><td><input class="inputw"
size="20" name="239" value="8210859" maxlength="2047">
871 </td></tr><tr bgcolor="#dcdcdc"><td>Password:</td><td><input class="inputc" size="20"
name="P175" value="*****" maxlength="255"></td><td>Use Auth ID:</td><td><select
class="inputc" name="367"><option value="1">yes</option><option selected=""
value="0">no</option></select>
872
873 </td></tr><tr bgcolor="#d3d3d3"><td>Auth ID:</td><td><input class="inputw" size="20"
name="303" value="8210859" maxlength="2047"></td><td></td><td>
874 </td></tr><tr bgcolor="#dcdcdc"><td>Mini Certificate:</td><td colspan="3"><input
class="inputc" size="70" name="55279" value="" maxlength="2047">
875 </td></tr><tr bgcolor="#d3d3d3"><td>SRTP Private Key:</td><td colspan="3"><input
class="inputw" size="70" name="P55215" value="" maxlength="255">
876 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;
877 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Audio
Configuration</font>
878 </td></tr><tr bgcolor="#d3d3d3"><td>Preferred Codec:</td><td><select class="inputw"
name="61679"><option value="G711u" selected="">G711u</option><option
value="G711a">G711a</option><option value="G726-16">G726-16</option><option value="G726-
24">G726-24</option><option value="G726-32">G726-32</option><option value="G726-40">G726-
40</option><option value="G729a">G729a</option><option value="G723">G723</option></select>
</td><td>Silence Supp Enable:</td><td><select class="inputw" name="61935"><option
value="1">yes</option><option selected="" value="0">no</option></select>
879
880 </td></tr><tr bgcolor="#dcdcdc"><td>Use Pref Codec Only:</td><td><select class="inputc"
name="61807"><option value="1">yes</option><option selected="" value="0">no</option></select>
881 </td><td>Echo Canc Enable:</td><td><select class="inputc" name="61871"><option selected=""
value="1">yes</option><option value="0">no</option></select>
882
883 </td></tr><tr bgcolor="#d3d3d3"><td>G729a Enable:</td><td><select class="inputw" name="29806">
<option selected="" value="1">yes</option><option value="0">no</option></select>
884 </td><td>Echo Canc Adapt Enable:</td><td><select class="inputw" name="59759"><option
selected="" value="1">yes</option><option value="0">no</option></select>
885
886 </td></tr><tr bgcolor="#dcdcdc"><td>G723 Enable:</td><td><select class="inputc" name="29742">
<option selected="" value="1">yes</option><option value="0">no</option></select>
887 </td><td>Echo Supp Enable:</td><td><select class="inputc" name="63087"><option selected=""
value="1">yes</option><option value="0">no</option></select>
888
889 </td></tr><tr bgcolor="#d3d3d3"><td>G726-16 Enable:</td><td><select class="inputw"
name="29934"><option selected="" value="1">yes</option><option value="0">no</option></select>
890 </td><td>FAX CED Detect Enable:</td><td><select class="inputw" name="63343"><option
selected="" value="1">yes</option><option value="0">no</option></select>
891
892 </td></tr><tr bgcolor="#dcdcdc"><td>G726-24 Enable:</td><td><select class="inputc"
name="29870"><option selected="" value="1">yes</option><option value="0">no</option></select>
893 </td><td>FAX CNG Detect Enable:</td><td><select class="inputc" name="55919"><option
selected="" value="1">yes</option><option value="0">no</option></select>
894
895 </td></tr><tr bgcolor="#d3d3d3"><td>G726-32 Enable:</td><td><select class="inputw"
name="30062"><option selected="" value="1">yes</option><option value="0">no</option></select>
896 </td><td>FAX Passthru Codec:</td><td><select class="inputw" name="63215"><option value="G711u"
selected="">G711u</option><option value="G711a">G711a</option></select>
897
```



```
</td></tr><tr bgcolor="#dcdcdc"><td>VoIP User 1 Password:</td><td colspan="3"><input
class="inputc" size="70" name="P25197" value="" maxlength="255">
943 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP User 2 Auth ID:</td><td><input class="inputw"
size="20" name="29229" value="" maxlength="2047"></td><td>VoIP User 2 DP:</td><td><select
class="inputw" name="8749"><option value="none">none</option><option value="1"
selected="">1</option><option value="2">2</option><option value="3">3</option><option
value="4">4</option><option value="5">5</option><option value="6">6</option><option
value="7">7</option><option value="8">8</option></select>
944 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP User 2 Password:</td><td colspan="3"><input
class="inputc" size="70" name="P25133" value="" maxlength="255">
945 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP User 3 Auth ID:</td><td><input class="inputw"
size="20" name="29421" value="" maxlength="2047"></td><td>VoIP User 3 DP:</td><td><select
class="inputw" name="8941"><option value="none">none</option><option value="1"
selected="">1</option><option value="2">2</option><option value="3">3</option><option
value="4">4</option><option value="5">5</option><option value="6">6</option><option
value="7">7</option><option value="8">8</option></select>
946 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP User 3 Password:</td><td colspan="3"><input
class="inputc" size="70" name="P25325" value="" maxlength="255">
947 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP User 4 Auth ID:</td><td><input class="inputw"
size="20" name="29357" value="" maxlength="2047"></td><td>VoIP User 4 DP:</td><td><select
class="inputw" name="8877"><option value="none">none</option><option value="1"
selected="">1</option><option value="2">2</option><option value="3">3</option><option
value="4">4</option><option value="5">5</option><option value="6">6</option><option
value="7">7</option><option value="8">8</option></select>
948 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP User 4 Password:</td><td colspan="3"><input
class="inputc" size="70" name="P25261" value="" maxlength="255">
949 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP User 5 ID Auth ID:</td><td><input class="inputw"
size="20" name="29549" value="" maxlength="2047"></td><td>VoIP User 5 DP:</td><td><select
class="inputw" name="9069"><option value="none">none</option><option value="1"
selected="">1</option><option value="2">2</option><option value="3">3</option><option
value="4">4</option><option value="5">5</option><option value="6">6</option><option
value="7">7</option><option value="8">8</option></select>
950 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP User 5 Password:</td><td colspan="3"><input
class="inputc" size="70" name="P25453" value="" maxlength="255">
951 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP User 6 Auth ID:</td><td><input class="inputw"
size="20" name="29485" value="" maxlength="2047"></td><td>VoIP User 6 DP:</td><td><select
class="inputw" name="9005"><option value="none">none</option><option value="1"
selected="">1</option><option value="2">2</option><option value="3">3</option><option
value="4">4</option><option value="5">5</option><option value="6">6</option><option
value="7">7</option><option value="8">8</option></select>
952 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP User 6 Password:</td><td colspan="3"><input
class="inputc" size="70" name="P25389" value="" maxlength="255">
953 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP User 7 Auth ID:</td><td><input class="inputw"
size="20" name="29677" value="" maxlength="2047"></td><td>VoIP User 7 DP:</td><td><select
class="inputw" name="9197"><option value="none">none</option><option value="1"
selected="">1</option><option value="2">2</option><option value="3">3</option><option
value="4">4</option><option value="5">5</option><option value="6">6</option><option
value="7">7</option><option value="8">8</option></select>
954 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP User 7 Password:</td><td colspan="3"><input
class="inputc" size="70" name="P25581" value="" maxlength="255">
955 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP User 8 Auth ID:</td><td><input class="inputw"
size="20" name="29613" value="" maxlength="2047"></td><td>VoIP User 8 DP:</td><td><select
class="inputw" name="9133"><option value="none">none</option><option value="1"
selected="">1</option><option value="2">2</option><option value="3">3</option><option
value="4">4</option><option value="5">5</option><option value="6">6</option><option
value="7">7</option><option value="8">8</option></select>
956 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP User 8 Password:</td><td colspan="3"><input
class="inputc" size="70" name="P25517" value="" maxlength="255">
957 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">PSTN-To-
VoIP Gateway Setup</font>
959 </td></tr><tr bgcolor="#dcdcdc"><td>PSTN-To-VoIP Gateway Enable:</td><td><select
class="inputc" name="65133"><option value="1">yes</option><option selected=""
value="0">no</option></select>
960 </td><td>PSTN Caller Auth Method:</td><td><select class="inputc" name="62381"><option
value="none" selected="">none</option><option value="PIN">PIN</option></select>
961 </td></tr><tr bgcolor="#d3d3d3"><td>PSTN Ring Thru Line 1:</td><td><select class="inputw"
name="61741"><option selected="" value="1">yes</option><option value="0">no</option></select>
962 </td><td>PSTN PIN Max Retry:</td><td><input class="inputw" size="20" name="62573" value="3"
```



```
</td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">FXO Timer Values (sec)</font>
980 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP Answer Delay:</td><td><input class="inputc" size="20"
name="61485" value="0" maxlength="2047"></td><td>VoIP PIN Digit Timeout:</td><td><input
class="inputc" size="20" name="62637" value="10" maxlength="2047">
981 </td></tr><tr bgcolor="#d3d3d3"><td>PSTN Answer Delay:</td><td><input class="inputw" size="20"
name="61549" value="0" maxlength="2047"></td><td>PSTN PIN Digit Timeout:</td><td><input
class="inputw" size="20" name="62701" value="10" maxlength="2047">
982 </td></tr><tr bgcolor="#dcdcdc"><td>PSTN-To-VoIP Call Max Dur:</td><td><input class="inputc"
size="20" name="63853" value="0" maxlength="2047"></td><td>PSTN Ring Thru Delay:</td><td>
<input class="inputc" size="20" name="63725" value="1" maxlength="2047">
983 </td></tr><tr bgcolor="#d3d3d3"><td>VoIP-To-PSTN Call Max Dur:</td><td><input class="inputw"
size="20" name="63661" value="0" maxlength="2047"></td><td>PSTN Ring Thru CWT Delay:</td><td>
<input class="inputw" size="20" name="65517" value="3" maxlength="2047">
984 </td></tr><tr bgcolor="#dcdcdc"><td>VoIP DLG Refresh Intvl:</td><td><input class="inputc"
size="20" name="54511" value="0" maxlength="2047"></td><td>PSTN Ring Timeout:</td><td><input
class="inputc" size="20" name="65261" value="5" maxlength="2047">
985 </td></tr><tr bgcolor="#d3d3d3"><td>PSTN Dialing Delay:</td><td><input class="inputw"
size="20" name="65069" value="1" maxlength="2047"></td><td>PSTN Dial Digit Len:</td><td><input
class="inputw" size="20" name="64557" value=".1/.1" maxlength="2047">
986 </td></tr><tr bgcolor="#dcdcdc"><td>PSTN Hook Flash Len:</td><td><input class="inputc"
size="20" name="64685" value=".25" maxlength="2047"></td><td></td><td>
987 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;   
988 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">PSTN
Disconnect Detection</font>
989 </td></tr><tr bgcolor="#dcdcdc"><td>Detect CPC:</td><td><select class="inputc" name="63085">
<option selected="" value="1">yes</option><option value="0">no</option></select>
990 </td><td>Detect Polarity Reversal:</td><td><select class="inputc" name="63021"><option
selected="" value="1">yes</option><option value="0">no</option></select>
991 </td></tr><tr bgcolor="#d3d3d3"><td>Detect PSTN Long Silence:</td><td><select class="inputw"
name="63149"><option value="1">yes</option><option selected="" value="0">no</option></select>
992 </td><td>Detect VoIP Long Silence:</td><td><select class="inputw" name="65453"><option
value="1">yes</option><option selected="" value="0">no</option></select>
993 </td></tr><tr bgcolor="#dcdcdc"><td>PSTN Long Silence Duration:</td><td><input class="inputc"
size="20" name="63277" value="30" maxlength="2047"></td><td>VoIP Long Silence Duration:</td>
<td><input class="inputc" size="20" name="64621" value="30" maxlength="2047">
994 </td></tr><tr bgcolor="#d3d3d3"><td>PSTN Silence Threshold:</td><td><select class="inputw"
name="63469"><option value="very high">very high</option><option value="high">high</option>
<option value="medium" selected="">medium</option><option value="low">low</option><option
value="very low">very low</option></select></td><td>Min CPC Duration:</td><td><input
class="inputw" size="20" name="65389" value="0.2" maxlength="2047">
995 </td></tr><tr bgcolor="#dcdcdc"><td>Detect Disconnect Tone:</td><td><select class="inputc"
name="63213"><option selected="" value="1">yes</option><option value="0">no</option></select>
996 </td><td></td><td>
997 </td></tr><tr bgcolor="#d3d3d3"><td>Disconnect Tone:</td><td colspan="3"><input class="inputw"
size="70" name="63341" value="480@-30,620@-30;4(.25/.25/1+2)" maxlength="2047">
998 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;   
999 </td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font
class="labelft">International Control</font>
1000 </td></tr><tr bgcolor="#d3d3d3"><td>FXO Port Impedance:</td><td><select class="inputw"
name="63405"><option value="600" selected="">600</option><option value="900">900</option>
<option value="270+750||150nF">270+750||150nF</option><option
value="220+820||120nF">220+820||120nF</option><option
value="370+620||310nF">370+620||310nF</option><option
value="320+1050||230nF">320+1050||230nF</option><option
value="370+820||110nF">370+820||110nF</option><option
value="275+780||115nF">275+780||115nF</option><option
value="120+820||110nF">120+820||110nF</option><option
value="350+1000||210nF">350+1000||210nF</option><option
value="0+900||30nF">0+900||30nF</option><option value="600+2.16uF">600+2.16uF</option><option
value="900+1uF">900+1uF</option><option value="900+2.16uF">900+2.16uF</option><option
value="600+1uF">600+1uF</option><option value="Global">Global</option></select></td><td>Ring
Frequency Min:</td><td><input class="inputw" size="20" name="62893" value="10"
maxlength="2047">
1001 </td></tr><tr bgcolor="#dcdcdc"><td>SPA To PSTN Gain:</td><td><input class="inputc" size="20"
name="62765" value="0" maxlength="2047"></td><td>Ring Frequency Max:</td><td><input
class="inputc" size="20" name="64109" value="90" maxlength="2047">
1002 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;   
1003 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;   
1004 </td></tr>
```

```

1005 </td></tr><tr bgcolor="#d3d3d3"><td>PSTN To SPA Gain:</td><td><input class="inputw" size="20"
name="62957" value="0" maxlength="2047"></td><td>Ring Validation Time:</td><td><select
class="inputw" name="64045"><option value="100 ms">100 ms</option><option value="150 ms">150
ms</option><option value="200 ms">200 ms</option><option value="256 ms" selected="">256
ms</option><option value="384 ms">384 ms</option><option value="512 ms">512 ms</option><option
value="640 ms">640 ms</option><option value="1024 ms">1024 ms</option></select>
1006 </td></tr><tr bgcolor="#dcdcdc"><td>Tip/Ring Voltage Adjust:</td><td><select class="inputc"
name="63597"><option value="3.1 V">3.1 V</option><option value="3.2 V">3.2 V</option><option
value="3.35 V">3.35 V</option><option value="3.5 V" selected="">3.5 V</option></select></td>
<td>Ring Indication Delay:</td><td><select class="inputc" name="64173"><option
value="0">0</option><option value="256 ms">256 ms</option><option value="512 ms"
selected="">512 ms</option><option value="768 ms">768 ms</option><option value="1024
ms">1024 ms</option><option value="1280 ms">1280 ms</option><option value="1536 ms">1536
ms</option><option value="1792 ms">1792 ms</option></select>
1007 </td></tr><tr bgcolor="#d3d3d3"><td>Operational Loop Current Min:</td><td><select
class="inputw" name="64429"><option value="10 mA" selected="">10 mA</option><option value="12
mA">12 mA</option><option value="14 mA">14 mA</option><option value="16 mA">16 mA</option>
</select></td><td>Ring Timeout:</td><td><select class="inputw" name="64365"><option
value="0">0</option><option value="128 ms">128 ms</option><option value="256 ms">256
ms</option><option value="384 ms">384 ms</option><option value="512 ms">512 ms</option><option
value="640 ms" selected="">640 ms</option><option value="768 ms">768 ms</option><option
value="896 ms">896 ms</option><option value="1024 ms">1024 ms</option><option value="1152
ms">1152 ms</option><option value="1280 ms">1280 ms</option><option value="1408 ms">1408
ms</option><option value="1536 ms">1536 ms</option><option value="1664 ms">1664 ms</option>
<option value="1792 ms">1792 ms</option><option value="1920 ms">1920 ms</option></select>
1008 </td></tr><tr bgcolor="#dcdcdc"><td>On-Hook Speed:</td><td><select class="inputc"
name="64493"><option value="Less than 0.5 ms" selected="">Less than 0.5 ms</option><option
value="3 ms (ETSI)">3 ms (ETSI)</option><option value="26 ms (Australia)">26 ms (Australia)
</option></select></td><td>Ring Threshold:</td><td><select class="inputc" name="64237"><option
value="13.5-16.5 Vrms" selected="">13.5-16.5 Vrms</option><option value="19.35-23.65
Vrms">19.35-23.65 Vrms</option><option value="40.5-49.5 Vrms">40.5-49.5 Vrms</option></select>
1009 </td></tr><tr bgcolor="#d3d3d3"><td>Current Limiting Enable:</td><td><select class="inputw"
name="63533"><option value="1">yes</option><option selected="" value="0">no</option></select>
1010 </td><td>Ringer Impedance:</td><td><select class="inputw" name="64301"><option value="High
(Normal)" selected="">High (Normal)</option><option value="Synthesized
(Poland,S.Africa,Slovenia)">Synthesized (Poland,S.Africa,Slovenia)</option></select>
1011 </td></tr><tr bgcolor="#dcdcdc"><td>Line-In-Use Voltage:</td><td><input class="inputc"
size="20" name="65325" value="30" maxlength="2047"></td><td></td><td></td></tr></tbody>
</table> </div>
1012 <div class="tab-page" id="User 1" style="display: none;"><br><table class="stat"
cellpadding="1px" cellspacing="0" width="100%">
1013 <colgroup>
1014 <col width="26%" align="left">
1015 <col align="left">
1016 <col width="26%" align="left">
1017 <col align="left"></colgroup>
1018 <tbody><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;</td>
1019 </td></tr><tr bgcolor="#dcdcdc"><td>Cfwd All Dest:</td><td><input class="inputc" size="20"
name="17775" value="" maxlength="2047"></td><td>Cfwd Busy Dest:</td><td><input class="inputc"
size="20" name="17711" value="" maxlength="2047">
1020 </td></tr><tr bgcolor="#d3d3d3"><td>Cfwd No Ans Dest:</td><td><input class="inputw" size="20"
name="17903" value="" maxlength="2047"></td><td>Cfwd No Ans Delay:</td><td><input
class="inputw" size="20" name="17839" value="20" maxlength="2047">
1021 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;</td>
1022 </td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">Selective
Call Forward Settings</font>
1023 </td></tr><tr bgcolor="#d3d3d3"><td>Cfwd Sel1 Caller:</td><td><input class="inputw" size="20"
name="20335" value="" maxlength="2047"></td><td>Cfwd Sel1 Dest:</td><td><input class="inputw"
size="20" name="19055" value="" maxlength="2047">
1024 </td></tr><tr bgcolor="#dcdcdc"><td>Cfwd Sel2 Caller:</td><td><input class="inputc" size="20"
name="20271" value="" maxlength="2047"></td><td>Cfwd Sel2 Dest:</td><td><input class="inputc"
size="20" name="18991" value="" maxlength="2047">
1025 </td></tr><tr bgcolor="#d3d3d3"><td>Cfwd Sel3 Caller:</td><td><input class="inputw" size="20"
name="20463" value="" maxlength="2047"></td><td>Cfwd Sel3 Dest:</td><td><input class="inputw"
size="20" name="19183" value="" maxlength="2047">
1026 </td></tr><tr bgcolor="#dcdcdc"><td>Cfwd Sel4 Caller:</td><td><input class="inputc" size="20"
name="20399" value="" maxlength="2047"></td><td>Cfwd Sel4 Dest:</td><td><input class="inputc"

```



```
</td></tr><tr bgcolor="#dcdcdc"><td>Cfwd Sel5 Caller:</td><td><input class="inputc" size="20"
name="64623" value="" maxlength="2047"></td><td>Cfwd Sel5 Dest:</td><td><input class="inputc"
size="20" name="64367" value="" maxlength="2047">
1084 </td></tr><tr bgcolor="#d3d3d3"><td>Cfwd Sel6 Caller:</td><td><input class="inputw" size="20"
name="64559" value="" maxlength="2047"></td><td>Cfwd Sel6 Dest:</td><td><input class="inputw"
size="20" name="64303" value="" maxlength="2047">
1085 </td></tr><tr bgcolor="#dcdcdc"><td>Cfwd Sel7 Caller:</td><td><input class="inputc" size="20"
name="64751" value="" maxlength="2047"></td><td>Cfwd Sel7 Dest:</td><td><input class="inputc"
size="20" name="64495" value="" maxlength="2047">
1086 </td></tr><tr bgcolor="#d3d3d3"><td>Cfwd Sel8 Caller:</td><td><input class="inputw" size="20"
name="64687" value="" maxlength="2047"></td><td>Cfwd Sel8 Dest:</td><td><input class="inputw"
size="20" name="64431" value="" maxlength="2047">
1087 </td></tr><tr bgcolor="#dcdcdc"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#dcdcdc"><td align="left" colspan="4"><font class="labelft">PSTN-To-
VoIP Speed Dial Settings</font>
1089 </td></tr><tr bgcolor="#d3d3d3"><td>Speed Dial 2:</td><td><input class="inputw" size="20"
name="59823" value="" maxlength="2047"></td><td>Speed Dial 3:</td><td><input class="inputw"
size="20" name="61039" value="" maxlength="2047">
1090 </td></tr><tr bgcolor="#dcdcdc"><td>Speed Dial 4:</td><td><input class="inputc" size="20"
name="60975" value="" maxlength="2047"></td><td>Speed Dial 5:</td><td><input class="inputc"
size="20" name="61167" value="" maxlength="2047">
1091 </td></tr><tr bgcolor="#d3d3d3"><td>Speed Dial 6:</td><td><input class="inputw" size="20"
name="61103" value="" maxlength="2047"></td><td>Speed Dial 7:</td><td><input class="inputw"
size="20" name="61295" value="" maxlength="2047">
1092 </td></tr><tr bgcolor="#dcdcdc"><td>Speed Dial 8:</td><td><input class="inputc" size="20"
name="61231" value="" maxlength="2047"></td><td>Speed Dial 9:</td><td><input class="inputc"
size="20" name="61423" value="" maxlength="2047">
1093 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">PSTN Ring
Thru Line 1 Distinctive Ring Settings</font>
1095 </td></tr><tr bgcolor="#dcdcdc"><td>Ring1 Caller:</td><td><input class="inputc" size="20"
name="3695" value="" maxlength="2047"></td><td>Ring2 Caller:</td><td><input class="inputc"
size="20" name="3631" value="" maxlength="2047">
1096 </td></tr><tr bgcolor="#d3d3d3"><td>Ring3 Caller:</td><td><input class="inputw" size="20"
name="3823" value="" maxlength="2047"></td><td>Ring4 Caller:</td><td><input class="inputw"
size="20" name="3759" value="" maxlength="2047">
1097 </td></tr><tr bgcolor="#dcdcdc"><td>Ring5 Caller:</td><td><input class="inputc" size="20"
name="3951" value="" maxlength="2047"></td><td>Ring6 Caller:</td><td><input class="inputc"
size="20" name="3887" value="" maxlength="2047">
1098 </td></tr><tr bgcolor="#d3d3d3"><td>Ring7 Caller:</td><td><input class="inputw" size="20"
name="4079" value="" maxlength="2047"></td><td>Ring8 Caller:</td><td><input class="inputw"
size="20" name="4015" value="" maxlength="2047">
1099 </td></tr><tr bgcolor="#dcdcdc"><td>Ring9 Caller:</td><td><input class="inputc" size="20"
name="3183" value="" maxlength="2047"></td><td></td><td>
1100 </td></tr><tr bgcolor="#d3d3d3"><td colspan="4">&nbsp;</td></tr><tr bgcolor="#d3d3d3"><td align="left" colspan="4"><font class="labelft">PSTN Ring
Thru Line 1 Ring Settings</font>
1102 </td></tr><tr bgcolor="#dcdcdc"><td>Default Ring:</td><td><select class="inputc" name="62319">
<option value="1" selected="">1</option><option value="2">2</option><option
value="3">3</option><option value="4">4</option><option value="5">5</option><option
value="6">6</option><option value="7">7</option><option value="8">8</option><option
value="Follow Line 1">Follow Line 1</option></select></td><td></td><td>
1103 </td></tr><tr><td>
1104 <table width="100%">
1105 <tbody><tr><td align="right">
1106 <input type="reset" value="Undo All Changes">&nbsp;</td><td align="left">&nbsp;<input type="submit" value="Submit All Changes">
1107 </td></tr></tbody></table>
1108 </td></tr><tr><td align="left">
1109 <a href="http://192.168.2.99/voice/"><font class="swalft">User
Login</font></a> <font class="swdlft">&nbsp;&nbsp;&nbsp;</font>
1110 <a href="http://192.168.2.99/admin/voice/basic"><font class="swalft">basic</font></a>
<font class="swdlft">&nbsp;&nbsp;&nbsp;|&nbsp;&nbsp;&nbsp;advanced</font>
1111 </td></tr><tr><td align="center"><p class="cpft"><br><br>
1112 Copyright © 1992-2006 Cisco Systems, Inc. All Rights Reserved.</p>
1113 </td></tr></tbody></table>
1114 </form>
1115 </td></tr></tbody></table>
1116 </div>
```

```
1117     </center>
1118 <script type="text/javascript">
1119 onLoad();
1120 </script>
1121
1122 </body><div id="abineFillElement"></div></html>
```