

jax011314

```
asdm image flash:/asdm-501.bin
asdm location [REDACTED] 255.255.255.224 inside
asdm location 2.168.1.0 255.255.255.0 outside
asdm location [REDACTED] 255.255.255.0 outside
asdm location [REDACTED] 255.255.255.248 outside
asdm location 20.20.20.0 255.255.255.0 outside
asdm location [REDACTED] 20.0 255.255.255.192 outside
asdm location [REDACTED] 255.255.255.255 inside
no asdm history enable
```

: Saved

:

PIX Version 7.0(1)

names

!

interface Ethernet0

nameif outside

security-level 0

ip address 68.153.[REDACTED] 255.255.255.248

!

interface Ethernet1

nameif inside

security-level 100

ip address 20.20.20.1 255.255.255.0

!

interface Ethernet2

shutdown

no nameif

no security-level

no ip address

!

interface Ethernet3

shutdown

no nameif

no security-level

no ip address

!

interface Ethernet4

shutdown

no nameif

no security-level

no ip address

!

interface Ethernet5

shutdown

no nameif

no security-level

no ip address

!

jax011314

```
enable password [REDACTED] encrypted
passwd [REDACTED] encrypted
hostname [REDACTED]
domain-name [REDACTED]
ftp mode passive
clock timezone EST -5
clock summer-time EDT recurring
dns retries 2
dns timeout 2
dns domain-lookup outside
dns name-server [REDACTED]
dns name-server [REDACTED]
same-security-traffic permit inter-interface
access-list outside-in extended permit icmp any any
access-list outside-in remark RDC
access-list outside-in extended permit tcp any any eq 3389
access-list outside-in extended permit udp any eq sip any eq sip log
access-list outside-in extended permit tcp any host 68.153.[REDACTED] eq www
access-list nat-bypass extended permit ip any 20.20.20.0 255.255.255.224
access-list inside_access_in extended permit udp any eq sip any eq sip
access-list outside_cryptomap_20 extended permit ip 20.20.20.0 255.255.255.0
192.168.1.0 255.255.255.0
access-list inside_nat0_outbound extended permit ip 20.20.20.0 255.255.255.0
20.20.20.0 255.255.255.192
access-list inside_nat0_outbound extended permit ip 20.20.20.0 255.255.255.0
192.168.1.0 255.255.255.0
access-list inside_access_in_V1 extended permit udp any eq sip any eq sip
access-list inside_access_in_V1 extended permit ip any any
pager lines 24
logging enable
logging asdm informational
mtu outside 1500
mtu inside 1500
ip local pool [REDACTED] 20.20.20.15-20.20.20.20 mask 255.255.255.0
no vpn-addr-assign aaa
no vpn-addr-assign dhcp
no failover
monitor-interface outside
monitor-interface inside
asdm image flash:/asdm-501.bin
no asdm history enable
arp timeout 14400
global (outside) 1 interface
nat (inside) 0 access-list inside_nat0_outbound
nat (inside) 1 20.20.20.0 255.255.255.0
access-group outside-in in interface outside
access-group inside_access_in_V1 in interface inside
route outside 0.0.0.0 0.0.0.0 68.153.[REDACTED] 1
```

jax011314

```
timeout xlate 3:00:00
timeout conn 1:00:00 half-closed 0:10:00 udp 0:02:00 icmp 0:00:02
timeout sunrpc 0:10:00 h323 0:05:00 h225 1:00:00 mgcp 0:05:00
timeout mgcp-pat 0:05:00 sip 0:30:00 sip_media 0:02:00
timeout uauth 0:05:00 absolute
group-policy DfltGrpPolicy attributes
  banner none
  wins-server value 20.20.20.2
  dns-server value 20.20.20.2
  dhcp-network-scope none
  vpn-access-hours none
  vpn-simultaneous-logins 3
  vpn-idle-timeout 30
  vpn-session-timeout none
  vpn-filter none
  vpn-tunnel-protocol IPSec
  password-storage disable
  ip-comp disable
  re-xauth enable
  group-lock none
  pfs enable
  ipsec-udp disable
  ipsec-udp-port 10000
  split-tunnel-policy tunnelall
  split-tunnel-network-list none
  default-domain value ██████████
  split-dns none
  secure-unit-authentication disable
  user-authentication disable
  user-authentication-idle-timeout 30
  ip-phone-bypass disable
  leap-bypass disable
  nem disable
  backup-servers keep-client-config
  client-firewall none
  client-access-rule none
group-policy ██████ internal
group-policy ██████ attributes
  wins-server value 20.20.20.2
  dns-server value 20.20.20.2
  default-domain value ██████████
username admin password 6sms8zbx5RxUOAG encrypted privilege 15
username jbowen password QwtNi5aRaIrS2pA9 encrypted privilege 5
aaa authentication ssh console LOCAL
http server enable
http 70.158.██████ 255.255.255.255 outside
http 70.158.██████ 255.255.255.255 outside
http 20.20.20.0 255.255.255.0 inside
```

jax011314

```
no snmp-server location
no snmp-server contact
snmp-server enable traps snmp
crypto ipsec transform-set ESP-DES-SHA esp-des esp-sha-hmac
crypto ipsec transform-set ESP-3DES-SHA esp-3des esp-none
crypto ipsec transform-set TUNNEL_ESP_3DES_SHA esp-3des esp-sha-hmac
crypto map outside_map 20 match address outside_cryptomap_20
crypto map outside_map 20 set peer 70.158.
crypto map outside_map 20 set transform-set TUNNEL_ESP_3DES_SHA
crypto map outside_map interface outside
isakmp identity address
isakmp enable outside
isakmp policy 10 authentication pre-share
isakmp policy 10 encryption 3des
isakmp policy 10 hash sha
isakmp policy 10 group 2
isakmp policy 10 lifetime 86400
telnet 20.20.20.2 255.255.255.255 inside
telnet timeout 5
ssh 70.158. 255.255.255.255 outside
ssh timeout 15
console timeout 0
dhcpd dns
dhcpd wins 20.20.20.2
dhcpd domain
dhcpd option 6 ip 20.20.20.2
tunnel-group 70.158 type ipsec-l2l
tunnel-group 70.158 ipsec-attributes
pre-shared-key *
tunnel-group type ipsec-ra
tunnel-group general-attributes
address-pool
default-group-policy
tunnel-group ipsec-attributes
pre-shared-key *
!
class-map inspection_default
match default-inspection-traffic
!
!
policy-map global_policy
class inspection_default
inspect dns maximum-length 512
inspect ftp
inspect h323 h225
inspect h323 ras
inspect netbios
inspect rsh
```