

Conditional Rules vs. ISF (1)

- Conditions - Provide equivalents for ISF global identifiers and serviceForm objects

Rule Condition	ISF
Dictionary Field Dictionary	✓
User Role Customer Role	<i>No equivalent</i>
Moment	✓
Task Name	✓
Context	✓
Service Name	✓
Does unsubmitted requisition exist?	✓
Is order on behalf	✓

Conditional Rules vs. ISF (2)

- Actions - Provide equivalents for frequently used ISF/JavaScript commands

Rule Action	ISF
Show	✓
Hide	✓
Set Value	✓
Make Mandatory; Make Optional	✓
Make Read-Only; Make Writeable	✓
Set Focus	✓
Alert	✓ *1
Stop Submission	✓
Enable; Disable	No equivalent
Set Price	No equivalent

*1 ISF alerts can include HTML formatting and field values; rule alerts can only include literal text

Conditional Rules vs. ISF (3)

- No Actions
 - Only ISF/JavaScript commands provide some functionality

Rule Action	ISF Method
<i>No equivalent</i>	Show or hide the dictionary caption
<i>No equivalent</i>	Set the value of the dictionary caption
<i>No equivalent</i>	Set the value of the field label (prompt)
<i>No equivalent</i>	Set the value of the field's help (instructional) text
<i>No equivalent</i>	Get the value of the field