

localhost:8080/RequestCenter/sling/home.do?formAction=integrations&selectedNode=2

Cisco Prime Service Catalog admin admin Service Link

Home Control Agents Manage Integrations View Transactions

Agents Transformations Adapters

Agents

- Agents
  - CreateEmail
    - CreateEmailTest
      - General
      - Outbound Properties
      - Inbound Properties
      - Outbound Request Paramet
      - Outbound Response Param
      - Inbound Parameters

Configure Outbound Properties

Name	Value
HttpOutboundAdapter.WsdlURL	
HttpOutboundAdapter.WsdlOperation	
HttpOutboundAdapter.RoutingURL	http://192.168.1.5/params.php?from=\$FromEmail&to=\$ToEmail&subject=Hello&text=Testing%20some%20Mail
HttpOutboundAdapter.AcceptUntrustedURL	false
HttpOutboundAdapter.ContentType	application/x-www-form-urlencoded
HttpOutboundAdapter.TimeOut	180000
HttpOutboundAdapter.ProcessResponse	false
HttpOutboundAdapter.RequestHeaders	
HttpOutboundAdapter.AuthenticationScheme	BASIC
HttpOutboundAdapter.AuthenticationScopeHost	
HttpOutboundAdapter.AuthenticationScopePort	
HttpOutboundAdapter.AuthenticationScopeRealm	
HttpOutboundAdapter.Username	*****
HttpOutboundAdapter.Pass word	*****
HttpOutboundAdapter.Host	
HttpOutboundAdapter.Domain	
HttpOutboundAdapter.SaveRefField	false
HttpOutboundAdapter.method	Post

Save Cancel

Defined Agent using HTTP/WS Adapter with Routing URL as  
 http://192.168.1.5/params.php?from=\$FromEmail&to=\$ToEmail&subject=Hello&text=Testing%20some%20Mail

Def

The screenshot displays the Cisco Prime Service Catalog interface for configuring integrations. The browser address bar shows the URL: localhost:8080/RequestCenter/slng/home.do?formAction=integrations&selectedNode=2. The page header includes the Cisco logo, 'Cisco Prime Service Catalog', and user information 'admin admin' with a 'Service Link' dropdown menu. The main navigation bar contains 'Home', 'Control Agents', 'Manage Integrations' (active), and 'View Transactions'. Below this, there are tabs for 'Agents', 'Transformations', and 'Adapters'. The 'Agents' tab is selected, showing a tree view on the left with 'Agents' expanded to 'CreateEmailTest' > 'Outbound Request Paramet'. The central pane shows 'nsXML elements' with a 'NewEmployeeDetails' dictionary selected, listing fields: FirstName, LastName, JobTitle, StartDate, CurrentEmail, and BusinessEmail. The right pane, titled 'Outbound Parameter Mappings', contains buttons for 'Add Mapping', 'Save', and 'Remove Selected'. Below these is a table for 'Service Data Mapping' with two rows: one mapping '#NewEmployeeDetails.BusinessEmail#' to 'ToEmail', and another mapping '#NewEmployeeDetails.CurrentEmail#' to 'FromEmail'. A callout box with an arrow points to the 'ToEmail' parameter, stating '2 parameters defined'. At the bottom of the right pane is an 'Edit Parameter Values' section with input fields for 'Parameter:' (containing 'ToEmail') and 'Service Data Mapping:' (containing '#NewEmployeeDetails.BusinessEmail#'). An 'Apply' button is located at the bottom left of the right pane. The Windows taskbar at the bottom shows the Start button, several application icons, and the system tray with the time '2:16 PM' and date '1/26/2014'.

localhost:8080/RequestCenter/slng/home.do?formAction=transactions&action=viewfailed

Cisco Prime Service Catalog

admin admin Service Link

Home Control Agents Manage Int

Messages External Tasks Message Reput

MessageStatus Is Failed

Direction	Message Type
Outbound	Execute Task
Outbound	Execute Task

Resend Message

**Date: 01/26/2014 06:07 AM**

```

com.newscastle.is.core.RoutingException: Routing exception found: HTTP Post Error 400from : $FromEmail$<br /> to : $ToEmail$<br /> subject : Hello<br /> text :
Testing some Mail<br /> caused by: HTTP Post Error 400from : $FromEmail$<br /> to : $ToEmail$<br /> subject : Hello<br /> text : Testing some Mail<br /> at
com.newscastle.is.core.MessageRouter.routeMessage(MessageRouter.java:118) at
com.newscastle.is.core.MessageExecutor.processOutboundMessage(MessageExecutor.java:610) at
com.newscastle.is.core.MessageExecutor.processMessage(MessageExecutor.java:103) at
com.newscastle.is.core.QueueListener.handleTextMessage(QueueListener.java:91) at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at
sun.reflect.NativeMethodAccessorImpl.invoke(Unknown Source) at sun.reflect.DelegatingMethodAccessorImpl.invoke(Unknown Source) at
java.lang.reflect.Method.invoke(Unknown Source) at org.apache.camel.component.bean.MethodInfo.invoke(MethodInfo.java:340) at
org.apache.camel.component.bean.MethodInfo$1.proceed(MethodInfo.java:237) at
org.apache.camel.component.bean.BeanProcessor.process(BeanProcessor.java:168) at
org.apache.camel.util.AsyncProcessorHelper.process(AsyncProcessorHelper.java:99) at
org.apache.camel.component.bean.BeanProcessor.process(BeanProcessor.java:73) at
org.apache.camel.impl.ProcessorEndpoint.onExchange(ProcessorEndpoint.java:101) at org.apache.camel.impl.ProcessorEndpoint$1.process(ProcessorEndpoint.java:71)
at org.apache.camel.util.AsyncProcessorConverterHelper$ProcessorToAsyncProcessorBridge.process(AsyncProcessorConverterHelper.java:61) at
org.apache.camel.util.AsyncProcessorHelper.process(AsyncProcessorHelper.java:73) at
org.apache.camel.processor.SendProcessor$2.doInAsyncProducer(SendProcessor.java:115) at
org.apache.camel.impl.ProducerCache.doInAsyncProducer(ProducerCache.java:285) at org.apache.camel.processor.SendProcessor.process(SendProcessor.java:110) at
org.apache.camel.util.AsyncProcessorHelper.process(AsyncProcessorHelper.java:73) at
org.apache.camel.processor.DelegateAsyncProcessor.processNext(DelegateAsyncProcessor.java:99) at
org.apache.camel.processor.DelegateAsyncProcessor.process(DelegateAsyncProcessor.java:90) at
org.apache.camel.management.InstrumentationProcessor.process(InstrumentationProcessor.java:71) at
org.apache.camel.util.AsyncProcessorHelper.process(AsyncProcessorHelper.java:73) at
org.apache.camel.processor.DelegateAsyncProcessor.processNext(DelegateAsyncProcessor.java:99) at
org.apache.camel.processor.DelegateAsyncProcessor.process(DelegateAsyncProcessor.java:90) at
org.apache.camel.processor.interceptor.TraceInterceptor.process(TraceInterceptor.java:91) at
org.apache.camel.util.AsyncProcessorHelper.process(AsyncProcessorHelper.java:73) at
org.apache.camel.processor.RedeliveryErrorHandler.processErrorHandler(RedeliveryErrorHandler.java:322) at
org.apache.camel.processor.RedeliveryErrorHandler.process(RedeliveryErrorHandler.java:213) at
org.apache.camel.processor.RouteContextProcessor.processNext(RouteContextProcessor.java:45) at
org.apache.camel.processor.DelegateAsyncProcessor.process(DelegateAsyncProcessor.java:90) at
org.apache.camel.processor.interceptor.DefaultChannel.process(DefaultChannel.java:303) at
org.apache.camel.processor.RouteContextProcessor.processNext(RouteContextProcessor.java:45) at
org.apache.camel.processor.DelegateAsyncProcessor.process(DelegateAsyncProcessor.java:90) at
org.apache.camel.processor.UnitOfWorkProcessor.processAsync(UnitOfWorkProcessor.java:150) at

```

Both parameters not substituted

subject  
email account  
email account  
page 1 of

Close

Adaptor log shows Message fails and shows parameters are not substituted

localhost:8080/RequestCenter/slng/home.do?formAction=transactions&action=viewfailed

Cisco Prime Service Catalog

Home Control Agents Manage Integrations View Transactions

Messages External Tasks Message Rep

MessageStatus is Failed

Direction	Message Type
Outbound	Execute Task
Outbound	Execute Task

Resend Message

Agent Name  
CreateEmailT  
CreateEmailT

Message Details nsXML Message External Message

```
<start-date/>
<start-mode>0</start-mode>
</parameters>
<pricing-schema>0</pricing-schema>
<quantity>1</quantity>
<service-id>2</service-id>
<version>248</version>
<standard-duration>64.0</standard-duration>
</service>
<start-after/>
<start-date>2014-01-26 14:07:25</start-date>
<start-mode>0</start-mode>
<status>1</status>
</requisition-entry>
<requisition-id>3</requisition-id>
<started-on>2014-01-26 14:07:19</started-on>
<status>1</status>
</requisition>
<context>
<requisitionentryref itemnumber="1"/>
</context>
<agent-parameter multi-valued="false"><name>ToEmail</name><value>Test_LastName@mailinator.com</value>
</agent-parameter><agent-parameter multi-valued="false"><name>FromEmail</name>
<value>support@metsi.com</value></agent-parameter></task-started>
</message>
```

Save Validate Close

parameters are definitely there in the agent

but here it shows parameters are there n the agent