

MARS Silent Monitor & Coaching Application For Cisco Call Manager

Contact centers are required to assure the quality of customer service provided by agents to customers. To provide assurance of quality, the ability to monitor the agent-customer conversations and talk in whisper mode to the agent in between calls is critical to call center business.

Parsec's MARS Silent Monitor & Whisper-Coaching application for Cisco Unified Communications Manager enables a supervisor to silently monitor & whisper/coach an agent during a conversation with customer without the customer or agent knowing that he/she is being monitored.

Application works with install bases having Cisco CUCM (Cisco Contact Center Apps not required) Application works with install bases having Cisco UCCX / Cisco UCCE /Cisco PCCE

Application features

alialia cisco

- ✓ Monitor all incoming Calls
- ✓ Monitor Campaign Dialer Calls
- Monitor manually dialed outbound calls
- ✓ Monitor Agent to Agent Call
- ✓ Whisper Coaching
- Monitoring can be initiated by supervisor via a web based UI
- ✓ Displays agent phone status (Talking, Idle)
- ✓ Supports Cisco Jabber Windows Client also along with other desk Cisco phones
- ✓ Supports multiple extensions configured in an agent's Cisco IP Phone
- ✓ Supports shared extensions configured in an agent's Cisco IP Phone
- ✓ Supports multiple devices/phones assigned to a single Agent
- ✓ Silent Monitor the calls being handled by front desk executive on multiple board line numbers configured on executive's phone
- ✓ Multiple supervisors can simultaneously monitor-whisper different agent DN/Extensions



Highlights of Parsec's MARS Silent Monitor & Coaching application

Application Highlights

Silent Monitor Session: Supervisor can hear the voice of both agent & customer, but customer & agent cannot hear the voice of the supervisor

Silent Whisper Coach Session: Supervisor can hear the voice of both agent & customer.

Agent can hear the voice of the supervisor but customer cannot hear the voice of the supervisor

Supervisor can start/stop monitor-coach session of an agent(phone) using a web based interface in PC or laptop

Application administration is done using a web based application admin interface

Each supervisor & agent is assigned to user groups.

A supervisor & agent can belong to one or more groups.

A supervisor can monitor agents assigned to his/her group only.

The list of user groups to which the supervisor is assigned will be displayed to the supervisor in the web based interface

On selection of a user group, the list of agents(phone numbers) of that group will be displayed to the supervisor in the web based interface

The supervisor can view the status(On Call/Idle) of the agent in the web based UI

Supervisor will select the agent whom he/she wants to monitor and then click the "Start" button in the web based interface

On start monitor action the Supervisor's phone will receive an incoming call as the monitoring call

To stop monitor/whisper supervisor will click the "Stop Button" button in the web based interface

To monitor a 2nd agent supervisor will stop monitoring the 1st agent(in case there is an active monitor in progress) in the web based interface

During an ongoing monitor if the agent or customer disconnects the call the monitor will automatically stop

During an active monitor of an agent call , if agent puts a call on hold and then resumes call, monitor will continue working

To start whisper/Coach the supervisor needs to click the whisper button


cisco





.al 🖌 😫 🕰	Agent Details : group3										
😋 Auto Loan	Agent Device	Agent DN	State	Call Id	Action	Agent Id	Monitor State	Monitor Type	Supervisor Device	Supervisor DN	Supervisor Id
🙎 Car Insurance	SEPE8BA70FA173D		TALKING	1072004/1	A 🔹 📕	Mary	MONSTART	WHISPER	SEP74E6E24AC033		
н	SEP0C8525A64F67	2030	TALKING	1072001/1	A 🔹 📕	ankur.k	MONSTART	MONITOR	SEP74E6E24AC033	3014	
🖁 group2	SEP0C8525A64F67	2029	IDLE		A 🔹 📕	ankur.k					
😫 group3	SEP0C8525A64F67	2044	IDLE		A 🔹 📕	ankur.k					
🖁 Home Loan 🔄	SEP0C8525A64F67	2045	IDLE		A 🔹 📕	ankur.k					
Life Insurance	SEP0C8525A64F67	2046	IDLE		A 🔹 📕	ankur.k					
	SEPE8BA70FA173D	2029	IDLE		A 🔹 📕	Mary					
Saving Account « ARSEC ARSE	Supervisor configured groups		Monitor lected Group		Whisper Coach	Stop	-Dynamic list of agents based on configured and selected group -TALKING & Monitored agents will be always on top -Switching between monitoring & whisper anytime -No limit on number of supervisor groups				


Silent Coach-Whisper Voice Streams







Silent Monitor Voice Streams



Suppo	rting Hardware & Software:						
1.	CUCM Supported	9.x,10.1,10.5,11.11.5,12,BE 6000,BE 7000					
2.	Phones supported	6961, 6941,6921,7821,7841,7861,7941,7942,					
		7945,7961,7962,7965,7970,7971,7975, 8841, 8851, 8861, 8961, 9971,					
		9951, Jabber Windows Client v 10.5+					
		For other phone models please contact Parsec.					
		The cisco IP Phones to be monitored should support BIB (Built In Bridge) &					
		JTAPI feature in CUCM					
		Note:					
		 Cisco IP Communicator phone supports Monitor feature only 					
		 Jabber Windows Client can be configured to support Monitoring or 					
		Whisper but not both					
3.	Application Server Details	Intel Xeon Quad Core 2.3 +					
		RAM : 8 GB+,HDD : 70 GB+					
		Windows Server 2012/2016 R2 64 Bit					
		VMware supported					
4.	Supervisor Client PC OS &	3GHz Dual Core+ CPU, 2GB+ RAM					
	Web Browsers supported	OS: Win 7, Win 8 with Web Browser: IE 10+, Chrome 16+, Mozilla Firefox					
		5+, Safari 6+, Opera 12+					

For more details write to info@parsec-tech.com

www.parsec-tech.com