Unified CM Silent Monitoring Recording Supported Device Matrix

Last update 09/10/2013

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Analog Phone	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 12 S	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 12 SP	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 30 SP+	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 3905	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco 3911	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 6901	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 6911	XX	xx	Requires UCM 7.1(3) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	Yes	CUCM 7.1(3) requires Dec 2009 firmware update 8.5(4)
Cisco 6921	XX	XX	Requires UCM 7.1(3) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	Yes	CUCM 7.1(3) requires Dec 2009 firmware update 8.5(4)
Cisco 6941	XX	XX	Requires UCM 7.1(3) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	Yes	CUCM 7.1(3) requires Dec 2009 firmware update 8.5(4)

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco 6945	xx	XX	Requires UCM 7.1(3) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	Yes	Requires firmware 9.1(2) or later. SIP support in 9.2(1) in July 2011.
Cisco 6961	XX	xx	Requires UCM 7.1(3) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	Yes	CUCM 7.1(3) requires Dec 2009 firmware update 8.5(4)
Cisco 7902	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 7905	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 7906	XX	xx	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco 7910	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 7911	XX	XX	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	
Cisco 7912	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 7914 Sidecar	XX		Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	End of Software Maintenance Release 2010
Cisco 7915 Sidecar	XX	XX	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco 7916 Sidecar	XX	xx	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	
Cisco CKEM Sidecar		XX	Requires UCM 7.1(3) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	
Cisco 7920	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 7921	XX		Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	CUCM 6.0(1) requires Aug 2008 firmware update
Cisco 7925 & 7925-EX	XX		Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco 7926	XX		Requires UCM 7.0(1) or later	Requires UCM 7.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	
Cisco 7931	XX		Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	
Cisco 7935	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 7936	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 7937	XX		Requires UCM 6.0(1) or later	No	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	Requires March 2010 firmware update 1.4(1)

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco 7940	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco 7941	XX	XX	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	
Cisco 7941G-GE	XX	XX	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	End of Software Maintenance Release 2009
Cisco 7942	xx	XX	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	

SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	RTP- Unencrypted Media	Recording	Silent Selective Recording	Selective Recording (available in UCM 9.0 or later)	Remarks
XX	XX	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	
NA	NA	NA	NA	NA	NA	NA	Not a supported device	Not a supported device
XX	XX	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	
XX	XX	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	End of Software Maintenance Release 2009
	XX NA XX	XX XX NA NA XX XX	(built-in-bridge) RTP- Unencrypted Media XX XX Requires UCM 6.0(1) or later XX XX Requires UCM 6.0(1) or later XX XX Requires UCM 6.0(1) or later	(built-in-bridge) RTP- Unencrypted Media XX XX Requires UCM 6.0(1) or later NA NA NA XX Requires UCM 6.0(1) or later XX XX Requires UCM 6.0(1) or later	(built-in-bridge) RTP- Unencrypted Media XX XX Requires UCM 6.0(1) or later NA NA NA XX Requires UCM 6.0(1) or later XX XX Requires UCM For later XX IX	Chuilt-in-bridge Chuilt-in-bridge Chuilt-in-bridge Chunencrypted Chu	Chailt-in-bridge RTP-	RTP- Unencrypted Media RECOrding Recording (available in UCM 9.0 or later) XX XX Requires UCM 6.0(1) or later NA NA NA NA

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco 7962	XX	xx	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	
Cisco 7965	XX	xx	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	
Cisco 7970	XX	XX	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	End of Software Maintenance Release 2009
Cisco 7971	XX	XX	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	End of Software Maintenance Release 2009

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco 7975	XX	XX	Requires UCM 6.0(1) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	SCCP, Yes SIP, Device- based only	
Cisco 7985	NA	NA	NA	NA	NA	NA	NA	Not a supported device	Not a supported device
Cisco 8831		XX	Requires SIP firmware 9.3(2)	Requires SIP firmware 9.3(2)	Requires UCM 10.0(1) or later	Yes	Yes	SIP, Device- based only	
Cisco 8941	xx	XX	Requires UCM 7.1(5) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	Yes	Requires firmware 9.1(2) or later. SIP support in 9.2(1) in July 2011.

		(built-in-bridge) RTP- Unencrypted Media	(built-in- bridge) sRTP - Encrypted Media	RTP- Unencrypted Media	Recording	Selective Recording	Selective Recording (available in UCM 9.0 or later)	
xx	XX	Requires UCM 7.1(5) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	Yes	Requires firmware 9.1(2) or later. SIP support in 9.2(1) in July 2011.
	XX	Requires UCM 7.1(3) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	Yes	CUCM 8.0(1) requires March 2010 firmware update 9.0(2)
	XX	Requires UCM 7.1(3) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	Yes	CUCM 8.0(1) requires March 2010 firmware update 9.0(2) CUCM 10.0(1) requires firmware update 9.4.1
	XX	XX	XX XX Requires UCM 7.1(5) or later XX Requires UCM 7.1(3) or later XX Requires UCM 7.1(3) or later	Unencrypted SRTP - Encrypted Media XX XX Requires UCM Requires UCM 8.0(1) or later XX Requires UCM Requires UCM 8.0(1) or later XX Requires UCM Requires UCM 8.0(1) or later XX Requires UCM Requires UCM 8.0(1) or later	Unencrypted Media XX XX Requires UCM 7.1(5) or later XX Requires UCM 7.1(3) or later XX Requires UCM Requires UCM 10.0(1) or later XX Requires UCM 7.1(3) or later XX Requires UCM Requires UCM 10.0(1) or later	Unencrypted Media XX XX Requires UCM 7.1(5) or later XX Requires UCM 7.1(3) or later XX Requires UCM 7.1(3) or later XX Requires UCM Requires Requires UCM 10.0(1) or later XX Requires UCM 7.1(3) or later XX Requires UCM Requires 10.0(1) or later XX Requires UCM 7.1(3) or later XX Requires UCM Requires Requires UCM 10.0(1) or later XX Requires UCM 7.1(3) or later XX Requires UCM Requires Requires UCM 10.0(1) or later	Unencrypted Media SRTP - Encrypted Media XX XX Requires UCM 7.1(5) or later XX Requires UCM 7.1(5) or later XX Requires UCM Requires 10.0(1) or later XX Requires UCM 7.1(3) or later XX Requires UCM 7.1(3) or later XX Requires UCM Requires 10.0(1) or later XX Requires UCM 7.1(3) or later XX Requires UCM Requires 10.0(1) or later XX Requires UCM 7.1(3) or later XX Requires UCM 10.0(1) or later	Unencrypted Media SRTP - Encrypted Media XX XX Requires UCM 7.1(5) or later XX Requires UCM 7.1(3) or later XX Requires UCM Requires UCM 10.0(1) or later XX Requires UCM 7.1(3) or later XX Requires UCM 8.0(1) or later XX Requires UCM 10.0(1) or later XX Requires UCM 10.0(1) or later XX Requires UCM 7.1(3) or later XX Requires UCM Requires UCM 10.0(1) or later XX Requires UCM 7.1(3) or later XX Requires UCM 10.0(1) or later

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco 9971		XX	Requires UCM 7.1(3) or later	Requires UCM 8.0(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	Yes	CUCM 8.0(1) requires March 2010 firmware update 9.0(2) CUCM 10.0(1) requires firmware update 9.4.1
Cisco DX650		XX	Requires UCM 7.1(3) or later	Requires UCM 8.5(1) or later	Requires UCM 10.0(1) or later	Yes	Yes	Yes	CUCM 10.0(1) requires firmware update 10.1.1
Cisco E20	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco EX60	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco EX90	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco CTS 500	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco CTS 500-32	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco CTS (all other device models)	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco ATA 186	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco ATA 187	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device

NA No	NA Requires UCM	NA Yes	NA	NA	Not a supported device
No	· ·	Yes			
	10.0(1) or later		Yes	SCCP, Yes SIP, Device- based only	
Requires Jabber for Windows 9.2 or later	Requires UCM 10.0(1) or later	Yes	Yes	No	
NA	Requires Jabber for Windows 9.2 or later and UCM 10.0(1) or later	Yes	Yes	No	
	NA	for Windows 9.2 or later and UCM 10.0(1) or	for Windows 9.2 or later and UCM 10.0(1) or	for Windows 9.2 or later and UCM 10.0(1) or	for Windows 9.2 or later and UCM 10.0(1) or

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco Jabber for Windows - Remote Desktop Control Mode	NA	NA	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.
Cisco Jabber for Mac - Softphone Mode		XX	Requires Jabber for Mac 9.2 or later	Requires Jabber for Mac 9.2 or later	Requires UCM 10.0(1) or later	Yes	Yes	No	
Cisco Jabber for Mac - Remote Desktop Control Mode	NA	NA	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco Jabber for iPad (Wifi-only)	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes	No	
Cisco Jabber for iPhone	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes	No	
Cisco Jabber for Android	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes	No	
Cisco Unified Personal Communicator - Softphone Mode	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Cisco Unified Personal Communicator - Remote Desktop Control Mode	NA	NA	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco Unified Communications Integration for Microsoft Office Communicator/Lync - Softphone Modes	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes	No	
Cisco Unified Communications Integration for Microsoft Office Communicator/Lync - Remote Desktop Control Mode	NA	NA	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.
Cisco Unified Communications for RTX (CUCRTX) - Softphone Mode	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes	No	

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Cisco Unified Communications for RTX (CUCRTX) - Remote Desktop Control Mode	NA	NA	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.
Cisco Web Communicator for Wx Social - Softphone Mode	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes	No	
Cisco Web Communicator for Wx Social - Remote Desktop Control Mode	NA	NA	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.

		(built-in-bridge) RTP- Unencrypted Media	(built-in- bridge) sRTP - Encrypted Media	RTP- Unencrypted Media	Recording	Selective Recording	Selective Recording (available in UCM 9.0 or later)	
NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
NA	NA	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.	Refer to the device model under remote control to determine support.
NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
	NA NA	NA NA	NA NA Refer to the device model under remote control to determine support. NA NA NA NA	NA NA Refer to the device model under remote control to determine support. NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA	RTP- Unencrypted SRTP - Encrypted Media NA NA NA NA NA Refer to the device model under remote control to determine support. NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA	RTP- Unencrypted SRTP - Encrypted Media NA NA NA NA NA Refer to the device model under remote control to determine support. NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA NA	RTP- Unencrypted SRTP - Encrypted Media NA NA NA NA Refer to the device model under remote control to determine support. NA NA NA NA NA NA NA NA NA N	RTP- Unencrypted SRTP - Encrypted Media NA NA NA NA NA Refer to the device model under remote control to determine support. NA N

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
VG248	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
CTI Port	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes	Yes	
CTI Remote Device (Extend & Connect)	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes	Yes	
CTI Route Point	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
CTI Route Point (Pilot Point)	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
ISDN BRI Phone	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device

Device/Phone Model	SCCP	SIP	Device-based (built-in-bridge) RTP- Unencrypted Media	Device-based (built-in- bridge) sRTP - Encrypted Media	Gateway-based RTP- Unencrypted Media	Automatic Recording	Silent Selective Recording	User Selective Recording (available in UCM 9.0 or later)	Remarks
Carrier Integrated Mobile	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes		
IMS Client	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes		
Mobile Communicator	NA	NA	NA	NA	NA	NA	NA	NA	Not a supported device
Nokia S60	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes	Yes via DTMF	
Remote Destination Profile (Single Number Reach)	NA	NA	NA	NA	Requires UCM 10.0(1) or later	Yes	Yes	Yes via DTMF	