



Cisco Unified Contact Center Express Historical Reporting Administrator and Developer Guide, Release 9.0(2)

First Published: January 04, 2013

Last Modified: December 23, 2013

Americas Headquarters

Cisco Systems, Inc.
170 West Tasman Drive
San Jose, CA 95134-1706
USA
<http://www.cisco.com>
Tel: 408 526-4000
800 553-NETS (6387)
Fax: 408 527-0883

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS MANUAL ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS MANUAL ARE BELIEVED TO BE ACCURATE BUT ARE PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF ANY PRODUCTS.

THE SOFTWARE LICENSE AND LIMITED WARRANTY FOR THE ACCOMPANYING PRODUCT ARE SET FORTH IN THE INFORMATION PACKET THAT SHIPPED WITH THE PRODUCT AND ARE INCORPORATED HEREIN BY THIS REFERENCE. IF YOU ARE UNABLE TO LOCATE THE SOFTWARE LICENSE OR LIMITED WARRANTY, CONTACT YOUR CISCO REPRESENTATIVE FOR A COPY.

The Cisco implementation of TCP header compression is an adaptation of a program developed by the University of California, Berkeley (UCB) as part of UCB's public domain version of the UNIX operating system. All rights reserved. Copyright © 1981, Regents of the University of California.

NOTWITHSTANDING ANY OTHER WARRANTY HEREIN, ALL DOCUMENT FILES AND SOFTWARE OF THESE SUPPLIERS ARE PROVIDED "AS IS" WITH ALL FAULTS. CISCO AND THE ABOVE-NAMED SUPPLIERS DISCLAIM ALL WARRANTIES, EXPRESSED OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THOSE OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE AND NON-INFRINGEMENT OR ARISING FROM A COURSE OF DEALING, USAGE, OR TRADE PRACTICE.

IN NO EVENT SHALL CISCO OR ITS SUPPLIERS BE LIABLE FOR ANY INDIRECT, SPECIAL, CONSEQUENTIAL, OR INCIDENTAL DAMAGES, INCLUDING, WITHOUT LIMITATION, LOST PROFITS OR LOSS OR DAMAGE TO DATA ARISING OUT OF THE USE OR INABILITY TO USE THIS MANUAL, EVEN IF CISCO OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES.

Any Internet Protocol (IP) addresses and phone numbers used in this document are not intended to be actual addresses and phone numbers. Any examples, command display output, network topology diagrams, and other figures included in the document are shown for illustrative purposes only. Any use of actual IP addresses or phone numbers in illustrative content is unintentional and coincidental.

Cisco and the Cisco logo are trademarks or registered trademarks of Cisco and/or its affiliates in the U.S. and other countries. To view a list of Cisco trademarks, go to this URL: <http://www.cisco.com/go/trademarks>. Third-party trademarks mentioned are the property of their respective owners. The use of the word partner does not imply a partnership relationship between Cisco and any other company. (1110R)

© 2013 Cisco Systems, Inc. All rights reserved.



CONTENTS

Preface

Overview vii

Audience vii

Organization vii

Related documentation viii

Obtaining documentation obtaining support and security guidelines viii

Documentation feedback viii

CHAPTER 1

Overview of historical reports 1

CHAPTER 2

Historical reports query designs 11

Conventions used in this chapter 12

Abandoned Call Detail Activity report 14

Aborted and Rejected Call Detail report 15

Agent Call Summary report 17

Agent Detail report 21

Agent Login Logout Activity report 25

Agent Not Ready Reason Code Summary report 27

Agent State Detail report 31

Agent State Summary report (by Agent and Interval) 33

Agent Summary report 38

Agent Wrap-Up Data Detail report 43

Agent Wrap-Up Data Summary report 45

Application Performance Analysis report 47

Application Summary report 47

Call Custom Variables report 49

Called Number Summary Activity report 51

Chat Agent Detail report 53

Chat Agent Summary report	55
Chat Contact Service Queue Activity report	56
Chat CSQ Agent Summary report	57
Chat Traffic Analysis report	58
Common Skill Contact Service Queue Activity report (by Interval)	60
Contact Service Queue Activity report	62
Contact Service Queue Activity reports (by CSQ and Interval)	67
Contact Service Queue Call Distribution Summary report	70
Contact Service Queue Priority Summary report	74
Contact Service Queue Service Level Priority Summary report	75
CSQ-Agent Summary report	77
Detailed Call by Call CCCR report	79
Detailed Call CSQ Agent report	82
Outbound Agent Detail Performance report	85
Outbound Campaign Summary report	87
Priority Summary Activity report	89
Remote Monitoring Detail report	90
Traffic Analysis report	92
Email Agent Activity report	93
Email Contact Service Queue Activity report	95
Email Contact Service Queue Agent Activity report	96
Email Inbox Traffic Analysis report	98
Email Response Detail report	98

CHAPTER 3**Writing database records 101**

Flow of call-related detail records	102
Call scenarios	102
Basic ACD call scenario - call queues for one CSQ	103
Basic ACD call scenario - call queues for two CSQs	104
Basic ACD call scenario - wrap up	104
Basic agent based routing call scenario	105
Transfer to route point scenario	106
Conference to agent scenario	107
Workflow redirect to route point scenario	108
ACD call unanswered scenario	108

Agent to agent Non-ACD call scenario	109
Agent to agent Non-ACD call transfer scenario	110
Agent to agent Non-ACD call conference scenario	110
ACD call blind transfer scenario	111
Agent places consult call then resumes call scenario	112
Agent consults agent then resumes call scenario	113
Basic outbound call scenario - call accepted	114
Basic outbound call scenario - call rejected then accepted	115
Basic outbound call scenario - call accepted and transferred to other agent	116
Basic outbound call scenario - call accepted and transferred to route point	116
Flow of chat-related detail records	118
Chat scenario	118
Chat contact unanswered scenario	118
Flow of email-related detail records	119
Email scenarios	120
Basic incoming email with a response sent	120
Email re-queued	121
Email transferred to different CSQ	121
<hr/>	
CHAPTER 4	Creating custom reports for Unified CCX 123
Creating custom historical reports	123
Creating a report	123
Before you begin	124
Create a report using Crystal Reports Version 11	125
Create a report definition file	128
Update the reports catalog file	132
Permissions to the stored procedure	133
Viewing stored procedures for existing historical reports	133
Troubleshooting	134
New report does not appear on the Report Type drop-down list	134
Generating a custom report fails with Invalid name error	135
Creating Custom Cisco Unified Intelligence Center Reports	135
Creating Custom Unified CCX Stock Reports	135
Comparison between Historical Reporting Client and Cisco Unified Intelligence Center	135

CHAPTER 5**Frequently asked questions 137**

- Abandoned Call Detail Activity report 138
- Agent Call Summary report 139
- Agent Detail report 139
- Agent Login Logout Activity report 140
- Agent Summary report 140
- Application Performance Analysis report 141
- Availability of reporting data 141
- Call Custom Variables report 144
- Common Skill Contact Service Queue Activity report 144
- Contact Service Queue Activity report 144
- Contact Service Queue Activity report (by CSQ) 146
- Data reconciliation among reports 147
- Detailed Call by Call CDR report 150
- General 151
- Traffic Analysis report 152



Overview

Cisco Unified Contact Center Express Historical Reporting Administrator and Developer Guide, Release explains how the queries are designed for the Cisco Unified Contact Center Express (Unified CCX) historical reports. It also describes how database records are written for various call scenarios, how to share historical reports on the web, how to export data to a data warehouse, and how to create custom reports. In addition, this manual provides answers to a variety of frequently asked questions.

The information in this manual is designed to help you understand the Cisco Unified CCX historical reports and to assist you if you want to create your own custom reports.

- [Audience, page vii](#)
- [Organization, page vii](#)
- [Related documentation, page viii](#)
- [Obtaining documentation obtaining support and security guidelines, page viii](#)
- [Documentation feedback, page viii](#)

Audience

This guide is intended for readers who are familiar with database design, operation, and terminology.

Organization

This manual is organized as follows:

Overview of historical reports	Lists the basic historical reports and the 277 report types that you can create
Historical reports query designs, on page 11	Explains how the information in each field in each Unified CCX historical report is obtained or calculated and explains how the filter parameters for a report obtain data
Writing database records, on page 101	Explains how database records are written for sample call flows

Creating custom reports for Unified CCX, on page 123	Describes how to create your own Cisco Unified CCX historical reports and add them to the Report Type drop-down list on the Unified CCX Historical Reports main window
Frequently asked questions, on page 137	Provides answers to frequently asked questions about historical reports and the data in reports

Related documentation

For additional information related to Unified CCX historical reporting, refer to the following documents, which are available at this URL:

http://www.cisco.com/en/US/products/sw/custcosw/ps1846/tsd_products_support_series_home.htm

- *Cisco Unified Contact Center Express Historical Reports User Guide*
- *Cisco Unified Contact Center Express Database Schema*

Obtaining documentation obtaining support and security guidelines

For information on obtaining documentation, obtaining support, security guidelines, and also recommended aliases and general Cisco documents, see the monthly *What's New in Cisco Product Documentation*, which also lists all new and revised Cisco technical documentation, at:

<http://www.cisco.com/en/US/docs/general/whatsnew/whatsnew.html>

Documentation feedback

You can provide comments about this document by sending email to the following address:

ccbu_docfeedback@cisco.com

We appreciate your comments.



CHAPTER

1

Overview of historical reports

The Unified CCX Historical Reports system provides you with complete and comprehensive information about the call activities of your Unified CCX system.

Historical reports are designed with the flexibility to let you obtain the specific information that you need. Using filters provided with most of the basic historical reports, you can create up to 150 reports that contain relevant and detailed information. By adding charts, you can create up to 211 separate reports.

[Table 1](#) shows the various report types that you can create from the basic reports. It also shows the charts that you can include, which further expand the reporting capabilities of the system. For information about creating these historical reports, refer to Cisco Unified Contact Center Express Historical Reports User Guide.

Table 1: Unified CCX historical reports

Basic report	Report types	Charts
Abandoned Call Detail Activity Report	<ul style="list-style-type: none">Abandoned Call Detail Activity	<ul style="list-style-type: none">Calls Abandoned Each Day by Final Call Priority
Aborted and Rejected Call Detail Report	<ul style="list-style-type: none">Both Aborted Calls and Rejected CallsAborted Calls OnlyRejected Calls Only	<ul style="list-style-type: none">Total Calls by Contact Disposition
Agent Call Summary Report	<ul style="list-style-type: none">All Agents or Selected Agent(s)Selected Resource Group(s)Selected Skill(s)Selected Team(s)	<ul style="list-style-type: none">Total Inbound, Outbound Calls by AgentAverage Talk, Hold, Work Time for Inbound ACDAverage, Maximum Call Time for Outbound Calls

Basic report	Report types	Charts
Agent Detail Report	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) • Selected Resource Group(s) • Selected Skill(s) • Selected Team(s) • Selected Call Type(s) 	<ul style="list-style-type: none"> • Total Talk Time, Hold Time, Work Time by Agent
Agent Login Logout Activity Report	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) • Selected Resource Group(s) • Selected Skill(s) • Selected Team(s) 	<ul style="list-style-type: none"> • Total Logged-in Time for Each Agent
Agent Not Ready Reason Code Summary Report	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) • All/Selected Agents Half-Hourly • All/Selected Agents Hourly • Selected Resource Group(s) • Selected Resource Group(s) Half-Hourly • Selected Resource Group(s) Hourly • Selected Skill • Selected Skill(s) Half-Hourly • Selected Skill(s) Hourly • Selected Team(s) • Selected Team(s) Half-Hourly • Selected Team(s) Hourly • Selected Reason Code(s) • Selected Reason Code(s) Half-Hourly • Selected Reason Code(s) Hourly 	<ul style="list-style-type: none"> • Total Not Ready Time by Agent and Reason Code
Agent State Detail Report	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) • Selected Resource Group(s) • Selected Skill(s) • Selected Team(s) 	<ul style="list-style-type: none"> • Agent State Duration by Agent

Basic report	Report types	Charts
Agent State Summary Report (by Agent)	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) • All/Selected Agents Half-Hourly • All/Selected Agents Hourly • Selected Resource Group(s) • Selected Resource Group(s) Half-Hourly • Selected Resource Group(s) Hourly • Selected Skill(s) • Selected Skill(s) Half-Hourly • Selected Skill(s) Hourly • Selected Team(s) • Selected Team(s) Half-Hourly • Selected Team(s) Hourly 	<ul style="list-style-type: none"> • Time Spent in Agent State by Agent
Agent State Summary Report (by Interval)	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) • All/Selected Agents Half-Hourly • All/Selected Agents Hourly • Selected Resource Group(s) • Selected Resource Group(s) Half-Hourly • Selected Resource Group(s) Hourly • Selected Skill(s) • Selected Skill(s) Half-Hourly • Selected Skill(s) Hourly • Selected Team(s) • Selected Team(s) Half-Hourly • Selected Team(s) Hourly 	<ul style="list-style-type: none"> • Time Spent in Agent State by Interval

Basic report	Report types	Charts
Agent Summary Report	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) • Selected Resource Group(s) • Selected Skill(s) • Selected Team(s) • Top N Agents Ranked by Call Handle Ratio • Bottom N Agents Ranked by Call Handle Ratio • Top N Agents Ranked by Average Hold Time • Bottom N Agents Ranked by Average Hold Time • Top N Agents Ranked by Average Talk Time • Bottom N Agents Ranked by Average Talk Time • Top N Agents Ranked by Average Work Time • Bottom N Agents Ranked by Average Work Time • Top N Agents Ranked by Average Handle Time • Bottom N Agents Ranked by Average Handle Time 	<ul style="list-style-type: none"> • Call Handle Ratio by Agent • Total Calls Handled by Agent • Average Talk Time, Hold Time, Work Time by Agent
Agent Wrap-Up Data Detail Report	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) • Selected Resource Group(s) • Selected Skill(s) • Selected Team(s) 	<ul style="list-style-type: none"> • Total Calls by Agent and Wrap-Up Data
Agent Wrap-Up Data Summary Report	<ul style="list-style-type: none"> • Wrap-Up Data 	<ul style="list-style-type: none"> • Total ACD Calls by Wrap-Up Data • Average Handle, Talk, Work Time by Wrap-Up Data
Application Performance Analysis Report	<ul style="list-style-type: none"> • Application Performance Analysis 	<ul style="list-style-type: none"> • Total Incoming Calls by Application • Calls Handled vs. Calls Abandoned by Application • Average Call Duration by Application

Basic report	Report types	Charts
Application Summary Report	<ul style="list-style-type: none"> • Application Summary 	<ul style="list-style-type: none"> • Calls Presented by Application
Call Custom Variables Report	<ul style="list-style-type: none"> • All • Selected Original Called Number(s) • Selected Called Number(s) • Selected Calling Number(s) • Selected Application Name(s) • Selected Contact Type(s) • Selected Originator Type(s) • Selected Destination Type(s) • Call Duration >= T Seconds • Call Duration <= T Seconds • Custom Variable 1 Containing Specified String(s) or Substring(s) • Custom Variable 2 Containing Specified String(s) or Substring(s) • Custom Variable 3 Containing Specified String(s) or Substring(s) • Custom Variable 4 Containing Specified String(s) or Substring(s) • Custom Variable 5 Containing Specified String(s) or Substring(s) • Custom Variable 6 Containing Specified String(s) or Substring(s) • Custom Variable 7 Containing Specified String(s) or Substring(s) • Custom Variable 8 Containing Specified String(s) or Substring(s) 	<p>—</p>
Call Custom Variables Report (continued)	<ul style="list-style-type: none"> • Custom Variable 9 Containing Specified String(s) or Substring(s) • Custom Variable 10 Containing Specified String(s) or Substring(s) • Any Custom Variable Containing Specified String(s) or Substring(s) 	

Basic report	Report types	Charts
Called Number Summary Activity Report	<ul style="list-style-type: none"> • Called Number Summary Activity 	<ul style="list-style-type: none"> • Total Calls by Called Number • Average Call Duration by Called Number
Chat Agent Detail Report	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) • Selected Resource Group(s) • Selected Skill(s) • Selected Team(s) • Selected Chat Type(s) 	<ul style="list-style-type: none"> • Total Active Time, Accept Time by Agent
Chat Agent Summary Report	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) • Selected Resource Group(s) • Selected Skill(s) • Selected Team(s) 	<ul style="list-style-type: none"> • Total Presented vs Handled Chats by Agent • Average Accept and Active Chat Time for Agents • Average Ready, Not Ready Time for Agent
Chat Contact Service Queue Activity Report	<ul style="list-style-type: none"> • All CSQs or Selected CSQ(s) 	<ul style="list-style-type: none"> • Max Queue Time for Calls Presented by CSQ • Average Handle Time by CSQ
Chat CSQ Agent Summary Report	<ul style="list-style-type: none"> • All CSQs or Selected CSQ(s) 	<ul style="list-style-type: none"> • Chats Handled by CSQ and Agent
Chat Traffic Analysis Report	<ul style="list-style-type: none"> • Traffic Analysis 	<ul style="list-style-type: none"> • Total Incoming Chats by Date • Peak Chats by Date • Average Chat Duration by Date
Common Skill Contact Service Queue Activity Report (by Interval)	<ul style="list-style-type: none"> • All CSQs or Selected CSQ(s) • Half-Hourly • Hourly 	<ul style="list-style-type: none"> • Calls Handled and Calls Abandoned by Interval

Basic report	Report types	Charts
Contact Service Queue Activity Report	<ul style="list-style-type: none"> • All CSQs or Selected CSQ(s) • Resource Group(s) (CSQs configured based on resources) • Skill Group(s) (CSQs configured based on skills) 	<ul style="list-style-type: none"> • Max Queue Time for Calls Presented by CSQ • Average Speed of Answer by CSQ • Average Handle Time by CSQ • Average Time to Abandon by CSQ • Average Time to Dequeue by CSQ
Contact Service Queue Activity Report (by CSQ)	<ul style="list-style-type: none"> • All CSQs or Selected CSQ(s) • Half-Hourly • Hourly 	<ul style="list-style-type: none"> • Calls Handled, Abandoned, and Dequeued by CSQ • Total Calls that Met Service Level by CSQ
Contact Service Queue Activity Report (by Interval)	<ul style="list-style-type: none"> • All CSQs or Selected CSQ(s) • Half-Hourly • Hourly 	<ul style="list-style-type: none"> • Calls Handled, Abandoned, and Dequeued by Interval • Total Calls that Met Service Level by Interval
Contact Service Queue Call Distribution Summary Report	<ul style="list-style-type: none"> • All CSQs or Selected CSQ(s) 	<ul style="list-style-type: none"> • Total Calls Handled by Time Interval and CSQ • Total Calls Abandoned by Time Interval and CSQ
Contact Service Queue Priority Summary Report	<ul style="list-style-type: none"> • Contact Service Queue Priority Summary 	<ul style="list-style-type: none"> • Total Calls Presented by CSQ and Call Priority
Contact Service Queue Service Level Priority Summary Report	<ul style="list-style-type: none"> • Contact Service Queue Service Level Priority Summary 	<ul style="list-style-type: none"> • Total Calls that Met Service Level • Percentage of Calls that Met Service Level
CSQ–Agent Summary Report	<ul style="list-style-type: none"> • All CSQs or Selected CSQ(s) 	<ul style="list-style-type: none"> • Calls Handled by CSQ and Agent

Basic report	Report types	Charts
Detailed Call by Call CCDR Report	<ul style="list-style-type: none"> • All • Selected Original Called Number(s) • Selected Called Number(s) • Selected Calling Number(s) • Selected Application Name(s) • Selected Contact Type(s) • Selected Originator Type(s) • Selected Destination Type(s) • Call Duration >= T Seconds • Call Duration <= T Seconds 	<ul style="list-style-type: none"> • Number of Calls by Contact Disposition • Number of Calls by Originator Type
Detailed Call, CSQ, Agent Report	<ul style="list-style-type: none"> • All • Selected Called Number(s) • Selected Calling Number(s) • Selected Application Name(s) • Selected Contact Type(s) • Selected Originator Type(s) • Selected Destination Type(s) • Call Duration >= T Seconds • Call Duration <= T Seconds • Selected Agent(s) • Selected CSQ(s) 	<ul style="list-style-type: none"> • Total Calls by Called Number
Email Agent Activity Report	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) 	-
Email Contact Service Queue Activity Report	<ul style="list-style-type: none"> • All CSQs or Selected CSQ(s) 	-
Email Contact Service Queue Agent Activity Report	<ul style="list-style-type: none"> • All CSQs or Selected CSQ(s) 	-
Email Inbox Traffic Analysis Report	<ul style="list-style-type: none"> • All email addresses or Selected email address(es) 	-

Basic report	Report types	Charts
Email Response Detail Report	<ul style="list-style-type: none"> • All CSQs or Selected CSQ(s) • All Agents or Selected Agent(s) 	-
License Utilization Hourly Report	<ul style="list-style-type: none"> • All Agents or Selected Agent(s) • All Ports or Selected Ports(s) • Hourly 	<ul style="list-style-type: none"> • License Utilization Hourly Report Line Chart
Outbound Agent Detail Performance Report	<ul style="list-style-type: none"> • Selected Campaigns • All Agents or Selected Agent(s) • Selected Resource Group(s) • Selected Skill(s) • Selected Team(s) 	<ul style="list-style-type: none"> • Calls Accepted by Campaign and Agent
Outbound Campaign Summary Report	<ul style="list-style-type: none"> • Campaign Name 	<ul style="list-style-type: none"> • Calls Accepted, Rejected, Closed by Campaign
Priority Summary Activity Report	<ul style="list-style-type: none"> • All or Selected Call Priority Level(s) 	<ul style="list-style-type: none"> • Total Calls by Call Priority
Remote Monitoring Detail Report	<ul style="list-style-type: none"> • Remote Monitoring Detail 	<ul style="list-style-type: none"> • Total Duration by User ID • Average Wait Time by User ID
Traffic Analysis Report	<ul style="list-style-type: none"> • Traffic Analysis 	<ul style="list-style-type: none"> • Total Incoming Calls by Date • Peak Calls by Date • Average Call Duration by Date



CHAPTER 2

Historical reports query designs

This chapter explains how the information in each field in each Unified CCX historical report is obtained or calculated. It also describes how the filter parameters for a report obtain data.

This chapter includes the following topics.

- [Conventions used in this chapter, page 12](#)
- [Abandoned Call Detail Activity report, page 14](#)
- [Aborted and Rejected Call Detail report, page 15](#)
- [Agent Call Summary report, page 17](#)
- [Agent Detail report, page 21](#)
- [Agent Login Logout Activity report, page 25](#)
- [Agent Not Ready Reason Code Summary report, page 27](#)
- [Agent State Detail report, page 31](#)
- [Agent State Summary report \(by Agent and Interval\), page 33](#)
- [Agent Summary report, page 38](#)
- [Agent Wrap-Up Data Detail report, page 43](#)
- [Agent Wrap-Up Data Summary report, page 45](#)
- [Application Performance Analysis report, page 47](#)
- [Application Summary report, page 47](#)
- [Call Custom Variables report, page 49](#)
- [Called Number Summary Activity report, page 51](#)
- [Chat Agent Detail report, page 53](#)
- [Chat Agent Summary report, page 55](#)
- [Chat Contact Service Queue Activity report, page 56](#)
- [Chat CSQ Agent Summary report, page 57](#)
- [Chat Traffic Analysis report, page 58](#)

- [Common Skill Contact Service Queue Activity report \(by Interval\)](#), page 60
- [Contact Service Queue Activity report](#), page 62
- [Contact Service Queue Activity reports \(by CSQ and Interval\)](#), page 67
- [Contact Service Queue Call Distribution Summary report](#), page 70
- [Contact Service Queue Priority Summary report](#), page 74
- [Contact Service Queue Service Level Priority Summary report](#), page 75
- [CSQ-Agent Summary report](#), page 77
- [Detailed Call by Call CCDR report](#), page 79
- [Detailed Call CSQ Agent report](#), page 82
- [Outbound Agent Detail Performance report](#), page 85
- [Outbound Campaign Summary report](#), page 87
- [Priority Summary Activity report](#), page 89
- [Remote Monitoring Detail report](#), page 90
- [Traffic Analysis report](#), page 92
- [Email Agent Activity report](#), page 93
- [Email Contact Service Queue Activity report](#), page 95
- [Email Contact Service Queue Agent Activity report](#), page 96
- [Email Inbox Traffic Analysis report](#), page 98
- [Email Response Detail report](#), page 98

Conventions used in this chapter

The following conventions are used in this chapter:

- Database table names - Explanations of report fields in this chapter refer to various Unified CCX database tables. In some cases, these explanations use abbreviations for database table names. [Conventions used in this chapter](#), on page 12 lists the database tables that this chapter refers to and shows the abbreviations that are used.

For detailed information about the Unified CCX database tables, refer to *Cisco Unified Contact Center Express Database Schema*.

Table 2: Database Tables

Database table name	Abbreviation used in this chapter
AgentConnectionDetail	ACD
AgentStateDetail	ASD
Campaign	—

Database table name	Abbreviation used in this chapter
ContactCallDetail	CCD
ContactQueueDetail	CQD
ContactRoutingDetail	CRD
ContactServiceQueue	CSQU
DialingList	—
MonitoredResourceDetail	MRD
RemoteMonitoringDetail	RMD
Resource	—
ResourceGroup	RG
ResourceSkillMapping	RSM
Skill	—
SkillGroup	SG
TextAgentConnectionDetail	TACD
TextAgentStateDetail	TASD
TextContactDetail	TCD
TextContactQueueDetail	TCQD
EEMContactEmailDetail	EEMCED
EEMQueueAgentDetail	EEMQAD
EEMEmailAgentStateDetail	EEMEASD

- Database table fields - Explanations in this chapter specify fields in the Cisco Unified CCX database tables as follows:

table.field

where *table* is the name or abbreviation of the database table (see above) and *field* is the name of the field. For example,

- CSQU.skillGroupID means the skillGroupID field in the ContactServiceQueue table
- Resource.resourceID means the resourceID field in the Resource table

- Report field names - In an explanation of a report field, a report field name in **bold type** indicates that field in the same report.

Abandoned Call Detail Activity report

The Abandoned Call Detail Activity report contains one row per abandoned call. An abandoned call is a call for which CCD.contactDisposition is set to 1 (abandoned).

[Table 3: Abandoned Call Detail Activity report query design, on page 14](#) shows how the information in the Abandoned Call Detail Activity report is obtained or calculated.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 3: Abandoned Call Detail Activity report query design

Field	Explanation
Call Start Time	Obtained from CCD.startDateTime.
Called Number	Obtained from CCD.calledNumber.
Call ANI	For ACD calls, obtained from CCD.originatorDN. For IVR calls, this field is set to the extension of the originating agent as follows: join CCD.originatorID with Resource.resourceID, and CCD.profileID with Resource.profileID to obtain Resource.extension.
Initial Call Priority	Join CCD and CRD on sessionID, sessionSeqNum, nodeID, and profileID. Note A call may be abandoned without being assigned a call priority. In this case, CRD.origPriority will be blank and this Initial Call Priority field will show "n/a."
Call Routed CSQ	Join CCD and CQD on sessionID, sessionSeqNum, nodeID, and profileID. Additional search criteria are CCD.contactDisposition is 1 (abandoned), CQD.disposition is 1 (abandoned) or 3 (dequeued), and CQD.targetType is 0 (CSQ type). The CSQ information is stored in CQD.targetID. Join CQD.targetID with CSQ.recordID, and join CQD.profileID with CSQ.profileID to obtain CSQ name, which is stored in CSQ.csqName. Note A call may be abandoned without being presented to any CSQ. In this case, this Call Routed CSQ field will be blank.If a call has been routed to multiple CSQs, the Call Routed CSQ field displays the CSQ name followed by ellipsis (for example: CSQ025...).
Agent Name	Join CCD and ACD on sessionID, sessionSeqNum, nodeID and profileID to include only calls with CCD.contactDisposition set to 1 (abandoned). Join ACD and Resource on resourceID and profileID to obtain the name of the agent who was presented with the call, which is stored in Resource.resourceName. Note A call may be abandoned without being presented to any agent. In this case, this agent Name field will be blank.

Field	Explanation
Call Skills	<p>This field shows the list of skills that belong to the CSQ shown in Call Routed CSQ.</p> <p>Join CQD.targetID with CSQU.recordID, and CQD.profileID with CSQU.profileID to obtain CSQU.skillGroupID. Join CSQU.skillGroupID with SG.skillGroupID to obtain SG.skillID. Join SG.skillID with Skill.skillID to obtain the list of call skills, which is stored in Skill.skillName.</p> <p>Note This Call Skills field will be blank for a call that is abandoned without being presented to a CSQ and for a call that is abandoned after it is presented a resource-based CSQ.</p>
Final Call Priority	<p>Join CCD and CRD on sessionID, sessionSeqNum, nodeID, and profileID.</p> <p>Note A call may be abandoned without being assigned a call priority. In this case, CRD.finalPriority will be blank and this Final Call Priority field will show "n/a."</p>
Call Abandon Time	Obtained from CCD.endDateTime.

Aborted and Rejected Call Detail report

The Aborted and Rejected Call Detail report provides detailed information about each call that is aborted or rejected by the system. A call is aborted if an exception occurs in the workflow that is processing a call. A call is rejected if system resources reach maximum capacity (for example, the maximum number of CTI ports is reached).

[Table 4: Aborted and Rejected Call Detail report Query Design, on page 15](#) shows how the information in the Aborted and Rejected Call Detail report is obtained or calculated.

[Table 5: Aborted and Rejected Call Detail report filter parameter, on page 17](#) explains how the Aborted and Rejected Call Detail report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 4: Aborted and Rejected Call Detail report Query Design

Field	Explanation
Node ID	Obtained from CCD.nodeID.
Session ID	Obtained from CCD.sessionID.
Sequence No	Obtained from CCD.sessionSeqNum.
Call Start Time	Obtained from CCD.startDateTime.
Call End Time	Obtained from CCD.endDateTime.
Contact Type	Obtained from CCD.contactType.

Field	Explanation
Contact Disposition	<p>Obtained from CCD.contactDisposition.</p> <p>If CCD.contactDisposition is 4, this field displays Aborted. If CCD.contactDisposition is 5 or greater, this field displays Rejected.</p>
Abort/Reject Reason	<p>For aborted calls, CCD.contactDisposition is 4, and this field displays the value stored in CCD.dispositionReason.</p> <p>For rejected calls, CCD.contactDisposition is 5 or greater, and this field displays the text according to the following mapping. The description for each reject reason is also explained below:</p> <p>5—Reject: No Trigger - Trigger is not recognized or has been removed</p> <p>6—Reject: Channels Not Ready - Channels Not Ready - Group(s) are not ready</p> <p>7—Reject: Trigger Timeout - Trigger timeout expires before attempting to get the channel</p> <p>8—Reject: Channels Busy - No channel(s) available</p> <p>9—Reject: No Channel License - No channel license is available to process the call</p> <p>10—Reject: Remote Timeout - CTI Accept Timer expires</p> <p>11—Reject: Software Error - Internal software error</p> <p>12—Reject: Trigger Max Session - Trigger has reached its maximum session</p> <p>13—Reject: Trigger Failed - JTAPI Subsystem redirect to CTI port fails</p> <p>14—Reject: Setup Timeout - Setup Timeout: JTAPI Subsystem Accept timer expires</p> <p>15—Reject: Setup Failed - JTAPI Subsystem Accept fails</p> <p>16—Reject: Resource Invalid - Resource address is invalid</p> <p>17—Reject: Resource Not Acknowledging - Resource is not acknowledging</p> <p>18—Reject: Resource Busy - Resource is busy</p> <p>19—Reject: Contact Not Offered - Contact is not successfully offered, either because the destination is not acknowledging the offering or it does not receive it</p> <p>20—Reject: Internal Error - PlaceCall gets an internal error</p> <p>21—Reject: Contact Rejected in Script - Rejected by script</p> <p>22—Reject: Agent reject Outbound call - Outbound call rejected by agent</p> <p>23—Reject: Agent Skipped Outbound Call - Outbound call skipped by agent</p> <p>24—Reject: Agent clicked Cancel Reservation for Outbound call.</p> <p>Note The event occurred when the campaign got disabled or deleted or when the associated CSQ got deleted before the agent clicked Cancel Reservation. This is because CCDR will be written only when the call is disconnected.</p> <p>25-98—Reserved.</p>
Originator DN (DN = Directory Number)	<p>Obtained from CCD.originatorDN.</p> <p>If CCD.originatorType is 1 (agent type), this field contains the extension of the originating agent, and is calculated as follows: Join CCD.originatorID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain the agent extension, which is stored in Resource.extension.</p>

Field	Explanation
Destination DN	Obtained from CCD.destinationDN. If CCD.destinationType is 1 (agent type), this field contains the extension of the destination agent, and is calculated as follows: Join CCD.destinationID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain the agent extension, which is stored in Resource.extension.
Called Number	Obtained from CCD.calledNumber.
Original Called No.	Obtained from CCD.origCalledNumber.
Application Name	Obtained from CCD.applicationName.
Call Routed CSQ	Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to determine CQD records with a CCD.startDateTime value that is within the report period. Join CQD and CRD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex to obtain CQD.targetID, and join CQD.profileID with CQD.targetType = 0 (CSQ type). CQD.targetID contains the recordID of the CSQ that handled the call. Join CQD.targetID with CSQ.recordID, and join CQD.profileID with CSQ.profileID to obtain the CSQ name, which is stored in CSQ.csqName.

Table 5: Aborted and Rejected Call Detail report filter parameter

Filter parameter	Explanation
Contact Disposition	To report on aborted calls only, obtain CCD records with CCD.contactDisposition = 4. To report on rejected calls only, obtain CCD records with CCD.contactDisposition >= 5. To report on both aborted and rejected calls, obtain CCD records with CCD.contactDisposition >= 4.

Agent Call Summary report

The Agent Call Summary report shows, for each agent specified, summary information about each call that was received (an inbound call) and each call that was made (an outbound call) by the agent. This report also shows the number of calls transferred to the agent and transferred out (to another route point or another agent) by the agent, and the number of conference calls in which the agent participated.

[Table 6: Agent Call Summary report query design, on page 18](#) shows how the information in the Agent Call Summary report is obtained or calculated.

[Table 7: Agent Call Summary report filter parameters, on page 21](#) explains how the Agent Call Summary report filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see [Conventions used in this chapter, on page 12](#).

Table 6: Agent Call Summary report query design

Field	Explanation
Agent Name	<p>For the agents specified, obtain the Resource.resourceID and Resource.profileID as described in Table 7: Agent Call Summary report filter parameters, on page 21. Agent Name is stored in Resource.resourceName.</p> <p>Note When an attribute of an agent changes (for example, extension or resource group), the agent will have multiple entries in the Resource table. In this case, each entry will have a different resource ID, so several resource IDs can belong to one agent, and Resource.resourceID will not uniquely identify an agent. Also, one agent may belong to different application profiles, and will have different Resource.profileID entries. Therefore, the combination of Resource.resourceID and Resource.profileID is not sufficient to uniquely identify an agent. The combination of Resource.resourceName and Resource.resourceLoginID is used to uniquely identify an agent. Resource.resourceName itself is not sufficient to do so because different agents may have the same first and last names, but have different resource login IDs. Resource.resourceLoginID by itself does not uniquely identify an agent because a generic resource login ID (for example, supportagent003) may be used for different agents at different times. The combination of two uniquely identifies an agent.</p>
Extension	<p>For agents who have not had their extension changed, obtained from Resource.extension.</p> <p>For agents who have had their extension changed at some time, the extension that is assigned to the agent during the report period.</p>
Total Inbound	<p>Calculated as follows:</p> <p>Total inbound ACD calls + Total inbound IVR calls.</p>
Inbound ACD— Total	<p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to find ACD records within the report period. (For such records, the corresponding CCD.startDateTime value is within the report period.) Join ACD.resourceID with Resource.resourceID and ACD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>For each agent, count the number of ACD records to determine the total number of inbound ACD calls received by each agent.</p>
Inbound ACD—Avg Talk	<p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to find ACD records within the report period. (For such records, the corresponding CCD.startDateTime value is within the report period.) Join ACD.resourceID with Resource.resourceID and ACD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>For each agent, calculate the sum of the values in ACD.talkTime, then divide by the number of ACD records for that agent.</p>

Field	Explanation
Inbound ACD—Avg Hold	<p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to find ACD records within the report period. (For such records, the corresponding CCD.startDateTime value is within the report period.) Join ACD.resourceID with Resource.resourceID and ACD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>For each agent, calculate the sum of the values in ACD.holdTime, then divide by the number of ACD records for that agent.</p>
Inbound ACD—Avg Work	<p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to find ACD records within the report period. (For such records, the corresponding CCD.startDateTime value is within the report period.) Join ACD.resourceID with Resource.resourceID and ACD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>For each agent, calculate the sum of the values in ACD.workTime, then divide by the number of ACD records for that agent.</p>
Inbound Non-ACD—Total	<p>Search CCD for records for which the value of startDateTime is within the report period and destinationType is 1 (agent). Join CCD.destinationID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>Compare sessionID, sessionSeqNum, profileID, nodeID, and resourceID in this result set with the results for these fields obtained from Inbound ACD—Total. Eliminate all entries that are already counted in the calculation of total inbound ACD calls. The remaining value is the number of IVR calls.</p> <p>For each agent, count the number of CCD records to determine the number of total inbound IVR calls.</p>
Inbound Non-ACD—Avg Talk Time	<p>Talk time of an IVR call is stored in CCD.connectTime.</p> <p>Search CCD for records in which the value of startDateTime is within the report period and destinationType is 1 (agent). Join CCD.destinationID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>Compare sessionID, sessionSeqNum, profileID, nodeID, and resourceID in this result set with the result obtained from Inbound ACD—Total. Eliminate all entries that are already counted in the calculation of total inbound ACD calls. The remaining value is the number of IVR calls.</p> <p>For each agent, calculate the sum of the values stored in CCD.connectTime, then divide by the number of CCD records for that agent.</p>
Inbound Non-ACD—Max Talk Time	<p>Talk time of an IVR call is stored in CCD.connectTime.</p> <p>Search CCD for records for which the value of startDateTime is within the report period and destinationType is 1 (agent). Join CCD.destinationID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>Compare sessionID, sessionSeqNum, profileID, nodeID, and resourceID in this result set with the result obtained from Inbound ACD—Total. Eliminate all entries that are already counted in the calculation of total inbound ACD calls. The remaining value is the number of IVR calls.</p> <p>For each agent, determine the maximum value stored in CCD.connectTime.</p>

Field	Explanation
Outbound—Total	<p>Search CCD for records in which the startDateTime is within the report period, and originatorType is 1 (agent). Join CCD.originatorID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>For each agent, count the number of CCD records.</p>
Outbound—Avg Call Time	<p>Search CCD for records in which the startDateTime is within the report period, and originatorType is 1 (agent). Join CCD.originatorID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>For each agent, calculate the sum of the values stored in CCD.connectTime, then divide by the number of CCD records for that agent.</p>
Outbound—Max Call Time	<p>Search CCD for records in which the startDateTime is within the report period, and originatorType is 1 (agent). Join CCD.originatorID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>For each agent, determine the maximum value stored in CCD.connectTime.</p>
ACD Transfer-In	<p>For ACD calls that are transferred in, CCD.contactType = 5 (transfer-in), and an ACD record is present. Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to find ACD records within the report period. (For such records, the corresponding CCD.startDateTime value is within the report period.) Join ACD.resourceID with Resource.resourceID and ACD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>For each agent, count the number of ACD records for which the corresponding CCD records have contactType = 5 (transfer-in).</p>
ACD Transfer-Out	<p>For ACD calls that are transferred out, CCD.transfer = 1, and an ACD record is present.</p> <p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to find ACD records within the report period. (For such records, the corresponding CCD.startDateTime value is within the report period.) Join ACD.resourceID with Resource.resourceID and ACD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>For each agent, count the number of ACD records for which the corresponding CCD records have transfer = 1.</p>
ACD Conference	<p>For ACD conference calls, CCD.conference = 1, and an ACD record is present.</p> <p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to find ACD records within the report period. (For such records, the corresponding CCD.startDateTime value is within the report period.) Join ACD.resourceID with Resource.resourceID and ACD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p> <p>For each agent, count the number of ACD records for which the corresponding CCD records have conference = 1.</p>

Table 7: Agent Call Summary report filter parameters

Filter parameter	Explanation
All Agents (default, no filter parameter)	To report on all agents, obtain the list of resource IDs and profile IDs as follows: Search the Resource table for agents who are active (Resource.active is 1) or who are deleted after report start time (Resource.dateInactive is later than the report start time). In this way, the report does not include agents who are deleted before the report start time.
Agent Names	To report on a specific agent or agents, obtain the list of resource IDs and profile IDs as follows: Obtain the list of agent names from the user selection for this parameter. These values are in Resource.resourceName. Obtain the corresponding Resource.resourceID and Resource.profileID.
Resource Group Names	To report on a specific resource group or groups, obtain the list of resource IDs and profile IDs as follows: Obtain the list of resource group names from the user selection for this parameter. Search the ResourceGroup table to find records for which RG.resourceGroupName contains values found in the list. Join RG and Resource on resourceGroupID and profileID to find the list of agents that belong to the selected resource group or groups. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who are active and agents who are deleted after the report start time.
Skill Names	To report on agents with a specific skill or skills, obtain the list of resource IDs and profile IDs as follows: Obtain the list of skill names from the user selection for this parameter. Search the Skill table to find records for which Skill.skillName contains values found in the list. Join Skill and RSM on skillID and profileID to find resourceSkillMapID. Join RSM and Resource on resourceSkillMapID and profileID to find the list of agents that have the selected skill or skills. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who are active and agents who are deleted after the report start time.
Team Names	To report on a specific team or teams, obtain the list of resource IDs and profile IDs as follows: Obtain the list of team names from the user selection for this parameter. Search the Team table to find records whose Team.teamName contains values found in the list. Join Team.teamID with Resource.assignedTeamID, and Team.profileID with Resource.profileID to find the list of agents who belong to the selected team or teams. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively.

Agent Detail report

The Agent Detail report contains detailed information for calls received and calls made by an agent. The report contains one row per call and includes Unified CCX and Cisco Unified IP IVR calls.

For ACD calls, the ACD table records all the calls handled by an agent.

For IVR calls, the CCD table records all the calls made by or received by an agent. If an agent makes an IVR call, the agent's resource ID appears in CCD.originatorID. If the agent receives an IVR call, the agent's resource ID appears in CCD.destinationID.

[Table 8: Agent Detail report query design, on page 22](#) shows how the information in the Agent Detail report is obtained or calculated.

[Table 9: Agent Detail report filter parameters, on page 24](#) explains how the Agent Detail report filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 8: Agent Detail report query design

Field	Explanation
Agent Name	<p>For ACD calls, an agent is identified by the combination of ACD.resourceID and ACD.profileID. Join ACD.resourceID with Resource.resourceID, and join ACD.profileID with Resource.profileID to obtain the agent name, which is stored in Resource.resourceName.</p> <p>For IVR calls, if an agent is the originator of the call, the agent is identified by CCD.originatorID and CCD.profileID, when CCD.originatorType = 1 (agent type). Join CCD.originatorID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName.</p> <p>If an agent is the destination of an IVR call, the agent is identified by CCD.destinationID and CCD.profileID, when CCD.destinationType = 1 (agent type). Join CCD.destinationID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName.</p>
Extension	<p>For ACD calls, an agent is identified by the combination of ACD.resourceID and ACD.profileID. Join ACD.resourceID with Resource.resourceID, and join ACD.profileID with Resource.profileID to obtain the agent name, which is stored in Resource.resourceName.</p> <p>For IVR calls, if an agent is the originator of the call, the agent is identified by CCD.originatorID and CCD.profileID, when CCD.originatorType = 1 (agent type). Join CCD.originatorID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName.</p> <p>If an agent is the destination of an IVR call, the agent is identified by CCD.destinationID and CCD.profileID, when CCD.destinationType = 1 (agent type). Join CCD.destinationID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.extension.</p>
Call Start Time	<p>For ACD calls, obtained from ACD.startDateTime.</p> <p>For IVR calls, obtained from CCD.startDateTime.</p>
Call End Time	<p>For ACD calls, obtained from ACD.endDateTime.</p> <p>For IVR calls, obtained from CCD.startDateTime.</p>
Duration	<p>Calculated as follows:</p> <p>Call End Time – Call Start Time</p> <p>Displayed as hh:mm:ss.</p>
Called Number	<p>For ACD calls, agent identification is stored in ACD (see Agent Name earlier in this table). Join ACD and CCD on sessionID, sessionSeqNum, nodeID, and profileID. The value of this field is obtained from CCD.calledNumber.</p> <p>For IVR calls, agent identification is stored in CCD (see Agent Name earlier in this table). The value of this field is obtained directly from CCD.calledNumber.</p>

Field	Explanation
Call ANI	<p>For ACD calls, agent identification is stored in ACD (see Agent Name earlier in this table). Join ACD and CCD on sessionID, sessionSeqNum, nodeID, and profileID. The value of this field is obtained from CCD.originatorDN.</p> <p>For IVR calls, agent identification is stored in CCD (see Agent Name earlier in this table). The value of this field is obtained directly from CCD.originatorDN.</p> <p>For internal calls (CCD.contactType = 3), but the CCD.originatorDN field is blank. This field is set to the extension of the agent who originates the call, as follows:</p> <p>Join CCD.originatorID with Resource.resourceID, join and CCD.profileID with Resource.profileID to obtain the extension of the originating agent, which is stored in Resource.extension.</p>
Call Routed CSQ	Join ACD and CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type), and CQD.disposition = 2 (handled). The combination of CQD.targetID and CQD.profileID uniquely identifies a CSQ. Join CQD.targetID with CSQ.recordID, and join CQD.profileID with CSQ.profileID to obtain the CSQ name, which is stored in CSQ.csqName.
Other CSQs	Join ACD and CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type), and CQD.disposition is not 2 (not handled) to obtain the CSQ for which the call was queued but not handled. The combination of CQD.targetID and CQD.profileID uniquely identifies a CSQ. Join CQD.targetID with CSQ.recordID, and join CQD.profileID with CSQ.profileID to obtain the CSQ name, which is stored in CSQ.csqName. Multiple CSQ names are represented by "...".
Call Skills	Join ACD and CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type), and CQD.disposition = 2 (handled) to obtain a skill group ID, which is stored in CSQ.skillGroupID. Join CSQ.skillGroupID with SG.skillGroupID to get SG.skillID. Join SG.skillID with Skill.skillID to get the list of skill names, stored in Skill.skillName. Multiple skill names are separated by commas.
Talk Time	<p>For ACD calls, obtained from ACD.talkTime.</p> <p>For IVR calls, shows the value of Duration if CCD.contactDisposition = 2 (handled). Shows zero if CCD.contactDisposition = 1 (abandoned).</p>
Hold Time	<p>For ACD calls, obtained from ACD.holdTime.</p> <p>Blank for IVR calls.</p>
Work Time	<p>For ACD calls, obtained from ACD.workTime.</p> <p>Blank for IVR calls.</p>

Field	Explanation
Call Type	<ul style="list-style-type: none"> • Inbound ACD—Call has an ACD record present. • Inbound Non-ACD—CCD.destinationType = 1 (agent type), CCD.destinationID is a resource ID, and there is no corresponding ACD record. (A corresponding ACD record has the same sessionID, sessionSeqNum, nodeID, and profileID.) • Outbound—CCD.originatorType = 1 (agent type), and CCD.originatorID is a resource ID. • Transfer-In—CCD.contactType = 5 (transfer-in), and there is a corresponding ACD record. • Transfer-Out—CCD.transfer = 1, and there is a corresponding ACD record. • Conference—CCD.conference = 1, and there is a corresponding ACD record.

Table 9: Agent Detail report filter parameters

Filter parameter	Explanation
All Agents (default, no filter parameter)	To report on all agents, obtain the list of resource IDs and profile IDs from the Resource table.
Resource Group Names	To report on a specific resource group or groups, obtain the list of resource IDs and profile IDs as follows: Obtain the list of resource group names from the user selection for this parameter. Search the ResourceGroup table to find records for which RG.resourceGroupName contains values found in the list. Join RG and Resource on resourceGroupID and profileID to find the list of agents that belong to the selected resource group or groups. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively.
Agent Names	To report on a specific agent or agents, obtain the list of resource IDs and profile IDs as follows: Obtain the list of agent names from the user selection for this parameter. These values are in Resource.resourceName. Obtain the corresponding Resource.resourceID and Resource.profileID.
Skill Names	To report on agents with a specific skill or skills, obtain the list of resource IDs and profile IDs as follows: Obtain the list of skill names from the user selection for this parameter. Search the Skill table to find records for which Skill.skillName contains values found in the list. Join Skill and RSM on skillID and profileID to find resourceSkillMapID. Join RSM and Resource on resourceSkillMapID and profileID to find the list of agents that have the selected skill or skills. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively.
Team Names	To report on a specific team or teams, obtain the list of resource IDs and profile IDs as follows: Obtain the list of team names from the user selection for this parameter. Search the Team table to find records whose Team.teamName contains values found in the list. Join Team.teamID with Resource.assignedTeamID, and Team.profileID with Resource.profileID to find the list of agents who belong to the selected team or teams. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively.

Filter parameter	Explanation
Call Type	To report on a specific call type or types, obtain the call types from the user selection for this parameter. (Up to 6 call types can be selected.) Call types that are not selected will be eliminated before the final result set is displayed. The elimination process is based on the classification criteria described in the Call Type field in Table 8: Agent Detail report query design, on page 22 .

Agent Login Logout Activity report

The Agent Login Logout Activity report contains detailed information about the login and logout activities of agents. The login and logout information is stored in the ASD table.

[Table 10: Agent Login Logout Activity report query design, on page 25](#) shows how the information in the Agent Login Logout Activity report is obtained or calculated.

[Table 11: Agent Login Logout Activity report filter parameters, on page 26](#) explains how the Agent Login Logout Activity report filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 10: Agent Login Logout Activity report query design

Field	Explanation
Agent Name	Join ASD.agentID with Resource.resourceID to obtain the agent name, which is stored in Resource.resourceName.
Extension	For agents who have not had their extension changed, obtained from Resource.extension. For agents who have had their extension changed at some time, the extension that is assigned to the agent during the report period.
Login Time	Join ASD.agentID with Resource.resourceID, and join ASD.profileID with Resource.profileID to obtain state transition records for each agent, identified by Resource.resourceName and Resource.resourceLoginID. (See agent Name for the relationship between resourceID/profileID and resourceName/ resourceLoginID.) Login Time is stored in ASD.eventDateTime where ASD.eventType = 1. If the agent logged in before the report start time, this field is displayed as < report start time.
Logout Time	Join ASD.agentID with Resource.resourceID, and join ASD.profileID with Resource.profileID to obtain state transition records for each agent, identified by Resource.resourceName and Resource.resourceLoginID. (See Agent Name for the relationship between resourceID/profileID and resourceName/ resourceLoginID.) Login Time is stored in ASD.eventDateTime where ASD.eventType = 7. If the agent logged out after the report end time, this field is displayed as: > report end time.
Logout Reason Code	This field is obtained from ASD.reasonCode when ASD.eventType = 7 (logout).

Field	Explanation
Logged-In Duration	<ul style="list-style-type: none"> • If the agent logged in before the report start time and logged out after the report end time—Logged-In Duration = report end time – report start time • If the agent logged in before the report start time and logged out during the report period—Logged-In Duration = Logout Time – report start time • If the agent logged in during the report period and logged out after the report end time—Logged-In Duration = report end time – Login Time • If the agent logged in and out during the report period—Logged-In Duration = Logout Time – Login Time

Table 11: Agent Login Logout Activity report filter parameters

Filter parameter	Explanation
All Agents (default, no filter parameter)	<p>To report on all agents, obtain the list of resource IDs as follows:</p> <p>Search the Resource table for records with resourceType set to 1 (agent). Resource ID is stored in Resource.resourceID.</p> <p>Join Resource.resourceID with ASD.resourceID to obtain other call-related data.</p>
Resource Group Names	<p>To report on a specific resource group or groups, obtain the list of resource IDs as follows:</p> <p>Obtain the list of resource group name(s) from the user selection for this parameter. Find the corresponding RG.resourceGroupID(s). Join RG.resourceGroupID with Resource.resourceGroupID to find agents belonging to the selected resource group(s). The value of resource ID is stored in Resource.resourceID.</p> <p>Join Resource.resourceID with ASD.resourceID to obtain other call-related data.</p>
Agent Names	<p>To report on a specific agent or agents, obtain the list of resource IDs as follows:</p> <p>Obtain the list of agent names from the user selection for this parameter. Find the corresponding Resource.resourceID(s).</p> <p>Join Resource.resourceID with ASD.resourceID to obtain other call-related data.</p>
Skill Names	<p>To report on agents who possess a specific skill or skills, obtain the list of resource IDs as follows:</p> <p>Obtain the list of skill names from the user selection for this parameter. Find the corresponding Skill.skillID(s). Join Skill.skillID with RSM.skillID, RSM.resourceSkillMapID with Resource.resourceSkillMapID to find the agents who possess the selected skill(s). The value of resource ID is stored in Resource.resourceID.</p> <p>Join Resource.resourceID with ASD.resourceID to obtain other call-related data.</p>

Filter parameter	Explanation
Team Names	To report on a specific team or teams, obtain the list of resource IDs and profile IDs as follows: Obtain the list of team names from the user selection for this parameter. Search the Team table to find records in which Team.teamName contains values found in the list. Join Team.teamID with Resource.assignedTeamID, and join Team.profileID with Resource.profileID to find the list of agents who belong to the selected team or teams. The Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively.

Agent Not Ready Reason Code Summary report

The Agent Not Ready Reason Code Summary report provides information about the length of time each agent spent in Not Ready state during the report period. This report also shows the length of time that agents spent in Not Ready state for the reasons indicated by the reason codes that agents entered when going to Not Ready state. The report shows detailed information for each of up to eight reason codes, and displays consolidated information for other reason codes. By default, the report shows information for eight predefined reason codes. However, you can specify the eight reason codes for which the report shows detailed information.

[Table 12: Agent Not Ready Reason Code Summary report Query Design, on page 27](#) shows how the information in the Agent Not Ready Reason Code Summary report is obtained or calculated.

[Table 13: Agent Not Ready Reason Code Summary report filter parameter, on page 30](#) explains how the Agent Not Ready Reason Code Summary report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 12: Agent Not Ready Reason Code Summary report Query Design

Field	Explanation
Agent Name	<p>For the agents specified, obtain the Resource.resourceID and Resource.profileID as described in Table 13: Agent Not Ready Reason Code Summary report filter parameter, on page 30. Agent Name is stored in Resource.resourceName.</p> <p>Note When an attribute of an agent changes (for example, extension or resource group), the agent will have multiple entries in the Resource table. In this case, each entry will have a different resource ID, so several resource IDs can belong to one agent, and Resource.resourceID will not uniquely identify an agent. Also, one agent may belong to different application profiles, and will have different Resource.profileID entries. Therefore, the combination of Resource.resourceID and Resource.profileID is not sufficient to uniquely identify an agent. The combination of Resource.resourceName and Resource.resourceLoginID is used to uniquely identify an agent.</p> <p>Resource.resourceName itself is not sufficient to do so because different agents may have the same first and last names, but have different resource login IDs.</p> <p>Resource.resourceLoginID by itself does not uniquely identify an agent because a generic resource login ID (for example, supportagent003) may be used for different agents at different times. The combination of two uniquely identifies an agent.</p>

Field	Explanation
Extension	<p>For agents who have not had their extension changed, obtained from Resource.extension.</p> <p>For agents who have had their extension changed at some time, the extension that is assigned to the agent during the report period.</p>
Interval Start Time	<p>Beginning of an interval.</p> <p>End users can divide the report period into 30- or 60-minute intervals. (The default interval length is the entire report period.)</p>
Interval End Time	<p>End of an interval.</p> <p>End-users can divide the report period into 30- or 60-minute intervals. (The default interval length is the entire report period.)</p>
Total Logged-in	<p>Login time is stored in ASD.eventDateTime with eventType set to 1 (log in). Logout time is stored in ASD.eventDateTime with eventType set to 7 (log out).</p> <p>The calculation of the logged-in time for a single session depends on the agent activity, as follows:</p> <ul style="list-style-type: none"> • An agent logs in and logs out during the interval: Total Logged-in Time = logout time – login time • An agent logs in before the interval and logs out after the interval: Total Logged-in Time = Interval End Time – Interval Start Time • An agent logs in before the interval and logs out during the interval: Total Logged-in Time = logout time – Interval Start Time • An agent logs in during the interval and logs out after the interval: Total Logged-in Time = Interval End Time – login time <p>If an agent has multiple login sessions during the interval, this field displays the sum of the time spent in each login session.</p>

Field	Explanation
Total Not Ready	<p>Join ASD.agentID with Resource.resourceID, and join ASD.profileID with Resource.profileID to obtain state transition records for each agent, identified by Resource.resourceName and Resource.resourceLoginID. (See agent Name in this table for the relationship between resourceID/profileID and resourceName/resourceLoginID.) Not Ready state is identified by ASD.eventType = 2.</p> <p>The time spent in Not Ready state depends on the agent activity, as follows:</p> <ul style="list-style-type: none"> • An agent goes in to and out of Not Ready state during the interval: Total Not Ready Time = time out of Not Ready state – time in Not Ready state • An agent goes in to Not Ready state before the interval and goes out of Not Ready state after the interval: Total Not Ready Time = Interval End Time – Interval Start Time • An agent goes in to Not Ready state before the interval and goes out of Not Ready state during the interval: Total Not Ready Time = time out of Not Ready state – Interval Start Time • An agent goes in to Not Ready state during the interval and goes out of Not Ready state after the interval: Total Not Ready Time = Interval End Time – time in to Not Ready state <p>If an agent goes to Not Ready state multiple times during the interval, this field displays the sum of the time spent in each Not Ready state.</p>
Time in RC n1 Time in RC n2 Time in RC n3 Time in RC n4 Time in RC n5 Time in RC n6 Time in RC n7 Time in RC n8	<p>Join ASD.agentID with Resource.resourceID, and join ASD.profileID with Resource.profileID to obtain state transition records for each agent, identified by Resource.resourceName and Resource.resourceLoginID. (See Agent Name in this table for the relationship between resourceID/profileID and resourceName/resourceLoginID.) Not Ready state is identified by ASD.eventType = 2. The reason code is stored in ASD.reasonCode.</p> <p>By default, this report sorts the predefined Not Ready reason codes in numerical order and displays the first eight reason codes.</p> <p>You can specify other reason codes to report by selecting Filter Parameter Reason Code.</p>
Time in Other RCs	<p>Sum of the duration spent in Not Ready reason codes that are not shown in the Time in RC n1 through Time in RC n8 fields. The total time spent in different reason codes adds up to Total Not Ready Time (Time in Reason Code 1 + Time in Reason Code 2 + ... + Time in Reason Code 8 = Total Not Ready Time).</p> <p>Join ASD.agentID with Resource.resourceID, and join ASD.profileID with Resource.profileID to obtain state transition records for each agent, identified by Resource.resourceName and Resource.resourceLoginID. (See Agent Name in this table for the relationship between resourceID/profileID and resourceName/resourceLoginID.) Not Ready state is identified by ASD.eventType = 2. The reason code is stored in ASD.reasonCode. For this calculation, do not consider values that have been listed in the previous eight fields.</p>

Table 13: Agent Not Ready Reason Code Summary report filter parameter

Filter parameter	Explanation
All Agents (default, no filter parameter)	To report on all agents, obtain the list of resource IDs and profile IDs as follows: Search and display the Resource table for agents who are active (Resource.active is 1) or who are deleted after report start time (Resource.dateInactive is later than the report start time). In this way, the report does not include agents who are deleted before the report start time.
Interval Length	Entire report range —Displays information from the report start time through the report end time, but does not display information for specific intervals within the report period. Thirty (30) minute intervals —Displays information for 30-minute intervals within the report period. The first interval begins at the report start time, the next interval begins 30 minutes after the report start time, and so on. Sixty (60) minute intervals —Displays information for 60-minute intervals within the report period. The first interval begins at the report start time, the next interval begins 60 minutes after the report start time, and so on.
Resource Group Names	To report on a specific resource group or groups, obtain the list of resource IDs and profile IDs as follows: Obtain the list of resource group names from the user selection for this parameter. Search the ResourceGroup table to find records for which RG.resourceGroupName contains values found in the list. Join RG and Resource on resourceGroupID and profileID to find the list of agents that belong to the selected resource group or groups. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who are active and agents who are deleted after the report start time.
Agent Names	To report on a specific agent or agents, obtain the list of resource IDs and profile IDs as follows: Obtain the list of agent names from the user selection for this parameter. These values are in Resource.resourceName. Obtain the corresponding Resource.resourceID and Resource.profileID.
Skill Names	To report on agents with a specific skill or skills, obtain the list of resource IDs and profile IDs as follows: Obtain the list of skill names from the user selection for this parameter. Search the Skill table to find records for which Skill.skillName contains values found in the list. Join Skill and RSM on skillID and profileID to find resourceSkillMapID. Join RSM and Resource on resourceSkillMapID and profileID to find the list of agents that have the selected skill or skills. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who are active and agents who are deleted after the report start time.
Team Names	To report on a specific team or teams, obtain the list of resource IDs and profile IDs as follows: Obtain the list of team names from the user selection for this parameter. Search the Team table to find records whose Team.teamName contains values found in the list. Join Team.teamID with Resource.assignedTeamID, and Team.profileID with Resource.profileID to find the list of agents who belong to the selected team or teams. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively.
Reason Code	To report on a specific reason code or codes, obtain the list of reason codes from the user selection for this parameter. Find ASD records for which the ASD.eventType is 2 (Not Ready) and for which the value stored ASD.reasonCode is found in the selected list.

Agent State Detail report

The Agent State Detail report shows detailed information about when an agent changed from one state to another.

[Table 14: Agent State Detail report query design, on page 31](#) shows how the information in the Agent State Detail report is obtained or calculated.

[Table 15: Agent State Detail report filter parameters, on page 32](#) explains how the Agent State Detail report filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 14: Agent State Detail report query design

Field	Explanation
Agent Name	<p>For the agents specified, obtain the Resource.resourceID and Resource.profileID as described in Table 15: Agent State Detail report filter parameters, on page 32. Agent Name is stored in Resource.resourceName.</p> <p>Note When an attribute of an agent changes (for example, extension or resource group), the agent will have multiple entries in the Resource table. In this case, each entry will have a different resource ID, so several resource IDs can belong to one agent, and Resource.resourceID will not uniquely identify an agent. Also, one agent may belong to different application profiles, and will have different Resource.profileID entries. Therefore, the combination of Resource.resourceID and Resource.profileID is not sufficient to uniquely identify an agent. The combination of Resource.resourceName and Resource.resourceLoginID is used to uniquely identify an agent. Resource.resourceName itself is not sufficient to do so because different agents may have the same first and last names, but have different resource login IDs. Resource.resourceLoginID by itself does not uniquely identify an agent because a generic resource login ID (for example, supportagent003) may be used for different agents at different times. The combination of two uniquely identifies an agent.</p>
Extension	<p>For agents who have not had their extension changed, obtained from Resource.extension.</p> <p>For agents who have had their extension changed at some time, the extension that is assigned to the agent during the report period.</p>
State Transition Time	<p>Obtained from ASD.eventDateTime.</p> <p>For agent identification, join ASD.agentID with Resource.resourceID, and join ASD.profileID with Resource.profileID to obtain Resource.resourceName and Resource.resourceLoginID, the combination of which uniquely identifies an agent.</p>

Field	Explanation
Agent State	<p>Obtained from ASD.eventType. The mapping between the numeric ASD.eventType and the displayed text is as follows:</p> <ul style="list-style-type: none"> 1—Logged-in 2—Not Ready 3—Ready 4—Reserved 5—Talking 6—Work 7—Logout
Reason Code	Obtained from ASD.reasonCode.
Duration	<p>Time agent goes out of the state specified in the Agent State field – Time Agent goes to Agent State</p> <p>The calculation of the duration depends on the agent activity, as follows:</p> <ul style="list-style-type: none"> • An agent goes to Agent State before the report start time and goes out of that state after the report end time: Duration = report end time – report start time • An agent goes to Agent State before the report start time and goes out of that state during the report period: Duration = time agent goes out of Agent State – report start time • An agent goes to Agent State during the report period and goes out of that state after the report end time: Duration = report end time – Transition Time • An agent goes to Agent State and out of Agent State during the report period: Duration = time agent goes out of Agent State – Transition Time

Table 15: Agent State Detail report filter parameters

Filter parameter	Explanation
All Agents (default, no filter parameter)	<p>To report on all agents, obtain the list of resource IDs and profile IDs as follows:</p> <p>Search and display the Resource table for agents who are active (Resource.active is 1) or who are deleted after report start time (Resource.dateInactive is later than the report start time). In this way, the report does not include agents who are deleted before the report start time.</p>
Agent Names	<p>To report on a specific agent or agents, obtain the list of resource IDs and profile IDs as follows:</p> <p>Obtain the list of agent names from the user selection for this parameter. These values are in Resource.resourceName. Obtain the corresponding Resource.resourceID and Resource.profileID.</p>

Filter parameter	Explanation
Resource Group Names	To report on a specific resource group or groups, obtain the list of resource IDs and profile IDs as follows: Obtain the list of resource group names from the user selection for this parameter. Search the ResourceGroup table to find records for which RG.resourceGroupName contains values found in the list. Join RG and Resource on resourceGroupID and profileID to find the list of agents that belong to the selected resource group or groups. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who are active and agents who are deleted after the report start time.
Skill Names	To report on agents with a specific skill or skills, obtain the list of resource IDs and profile IDs as follows: Obtain the list of skill names from the user selection for this parameter. Search the Skill table to find records for which Skill.skillName contains values found in the list. Join Skill and RSM on skillID and profileID to find resourceSkillMapID. Join RSM and Resource on resourceSkillMapID and profileID to find the list of agents that have the selected skill or skills. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who are active and agents who are deleted after the report start time.
Team Name	To report on a specific team or teams, obtain the list of resource IDs and profile IDs as follows: Obtain the list of team names from the user selection for this parameter. Search the Team table to find records whose Team.teamName contains values found in the list. Join Team.teamID with Resource.assignedTeamID, and Team.profileID with Resource.profileID to find the list of agents who belong to the selected team or teams. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively.

Agent State Summary report (by Agent and Interval)

The Agent State Summary report (by Agent) and the Agent State Summary report (by Interval) show the length and percentage of time that each agent spent in each of the following agent states: Not Ready, Ready, Reserved, Talk, and Work. These reports also show the total length of time that each agent was logged in.

In the Agent State Summary report (by Agent), information presented is sorted first by agent, then by interval.

In the Agent State Summary report (by Interval), information presented is sorted first by interval, then by agent.

[Table 16: Agent State Summary reports query design, on page 34](#) shows how the information in the Agent State Summary reports is obtained or calculated.

[Table 17: Agent State Summary reports filter parameters, on page 37](#) explains how the Agent State Summary reports filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 16: Agent State Summary reports query design

Field	Explanation
Agent Name	Join ASD.agentID with Resource.resourceID to obtain the agent name, which is stored in Resource.resourceName.
Extension	For agents who have not had their extension changed, obtained from Resource.extension. For agents who have had their extension changed at some time, the extension that is assigned to the agent during the report period.
Interval Start Time	Beginning of an interval. End-users can divide the report period into 30- or 60-minute intervals. (The default interval length is the entire report period.)
Interval End Time	End of an interval. End-users can divide the report period into 30- or 60-minute intervals. (The default interval length is the entire report period.)
Total Logged-in Time	<p>Login time is stored in ASD.eventDateTime with eventType set to 1 (log in). Logout time is stored in ASD.eventDateTime with eventType set to 7 (log out).</p> <p>The calculation of the logged-in time for a single session depends on the agent activity, as follows:</p> <ul style="list-style-type: none"> • An agent logs in and logs out during the interval: Total Logged-in Time = logout time – login time • An agent logs in before the interval and logs out after the interval: Total Logged-in Time = Interval End Time – Interval Start Time • An agent logs in before the interval and logs out during the interval: Total Logged-in Time = logout time – Interval Start Time • An agent logs in during the interval and logs out after the interval: Total Logged-in Time = Interval End Time – login time <p>If an agent has multiple login sessions during the interval, this field displays the sum of the time spent in each login session.</p>

Field	Explanation
Not Ready Time	<p>Total time that an agent spent in Not Ready state during the interval, and the percentage of total logged-in time that an agent spent in Not Ready state.</p> <p>The time that an agent goes to Not Ready state is stored in ASD.eventDateTime with eventType set to 2. The time spent in Not Ready state depends on the agent activity, as follows:</p> <ul style="list-style-type: none"> • An agent goes in to and out of Not Ready state during the interval: Total Not Ready Time = time out of Not Ready state – time in to Not Ready state • An agent goes in to Not Ready state before the interval and goes out of Not Ready state after the interval: Total Not Ready Time = Interval End Time – Interval Start Time • An agent goes in to Not Ready state before the interval and goes out of Not Ready state during the interval: Total Not Ready Time = time out of Not Ready state – Interval Start Time • An agent goes in to Not Ready state during the interval and goes out of Not Ready state after the interval: Total Not Ready Time = Interval End Time – time in to Not Ready state <p>If an agent goes to Not Ready state multiple times during the interval, this field displays the sum of the time spent in each Not Ready state.</p> <p>The percentage is calculated as: (Not Ready Time / Total Logged-in Time) * 100%</p>
Ready Time	<p>Total time that an agent spent in Ready state during the interval, and the percentage of total logged-in time that an agent spent in Ready state.</p> <p>The time that an agent goes to the Ready state is stored in ASD.eventDateTime with eventType set to 3. The time spent in Ready state depends on the agent activity, as follows:</p> <ul style="list-style-type: none"> • An agent goes in to and out of Ready state during the interval: Total Ready Time = time out of Ready state – time in to Ready state • An agent goes in to Ready state before the interval and goes out of Ready state after the interval: Total Ready Time = Interval End Time – Interval Start Time • An agent goes in to Ready state before the interval and goes out of Ready state during the interval: Total Ready Time = time out of Ready state – Interval Start Time • An agent goes in to Ready state during the interval and goes out of Ready state after the interval: Total Ready Time = Interval End Time – time in to Ready state <p>If an agent goes to Ready state multiple times during the interval, this field displays the sum of the time spent in each Ready state.</p> <p>The percentage is calculated as: (Ready Time / Total Logged-in Time) * 100%</p>

Field	Explanation
Reserved Time	<p>Total time an agent spent in the Reserved state during the interval, and the percentage total logged-in time that an agent spent in Reserved state.</p> <p>The time that an agent goes to the Reserved state is stored in ASD.eventDateTime with eventType set to 4. The time spent in Reserved state depends on the agent activity, as follows:</p> <ul style="list-style-type: none"> • An agent goes in to and out of Reserved state during the interval: Total Reserved Time = time out of Reserved state – time in to Reserved state • An agent goes in to Reserved state before the interval and goes out of Reserved state after the interval: Total Reserved Time = Interval End Time – Interval Start Time • An agent goes in to Reserved state before the interval and goes out of Reserved state during the interval: Total Reserved Time = time out of Reserved state – Interval Start Time • An agent goes in to Reserved state during the interval and goes out of Reserved state after the interval: Total Reserved Time = Interval End Time – time in to Reserved state <p>If an agent goes to the Reserved state multiple times during the interval, this field displays the sum of the time spent in each Reserved state.</p> <p>The percentage is calculated as: (Reserved Time / Total Logged-in Time) * 100%</p>
Talk Time	<p>Total time an agent spent in the Talk state during the interval, and the percentage of total logged-in time that an agent spent in Talk state.</p> <p>The time that an agent goes to the Talk state is stored in ASD.eventDateTime with eventType set to 5. The time spent in Talk state depends on the agent activity, as follows:</p> <ul style="list-style-type: none"> • An agent goes in to and out of Talk state during the interval: Total Talk Time = time out of Talk state – time in to Talk state • An agent goes in to Talk state before the interval and goes out of Talk state after the interval: Total Talk Time = Interval End Time – Interval Start Time • An agent goes in to Talk state before the interval and goes out of Talk state during the interval: Total Talk Time = time out of Talk state – Interval Start Time • An agent goes in to Talk state during the interval and goes out of Talk state after the interval: Total Talk Time = Interval End Time – time in to Talk state <p>If an agent goes to the Talk state multiple times during the interval, this field displays the sum of the time spent in each Talk state.</p> <p>The percentage is calculated as: (Talk Time / Total Logged-in Time) * 100%</p>

Field	Explanation
Work Time	<p>Total time an agent spent in the Work state during the interval, and the percentage of total logged-in time that an agent spent in Work state.</p> <p>The time that an agent goes to the Work state is stored in ASD.eventDateTime with eventType set to 6. The time spent in Work state depends on the agent activity, as follows:</p> <ul style="list-style-type: none"> • An agent goes in to and out of Work state during the interval: Total Work Time = time out of Work state – time in to Work state • An agent goes in to Work state before the interval and goes out of Work state after the interval: Total Work Time = Interval End Time – Interval Start Time • An agent goes in to Work state before the interval and goes out of Work state during the interval: Total Work Time = time out of Work state – Interval Start Time • An agent goes in to Work state during the interval and goes out of Work state after the interval: Total Work Time = Interval End Time – time in to Work state <p>If an agent goes to the Work state multiple times during the interval, this field displays the sum of the time spent in each Work state.</p> <p>The percentage is calculated as: (Work Time / Total Logged-in Time) * 100%</p>
Summary	<p>For the Agent State Summary report (by Agent): Summation of data in each report field across all intervals.</p> <p>For the Agent State Summary report (by Interval): Summation of data in each report field during each interval.</p>
Grand Total	Summation of data in all report fields for all intervals.

Table 17: Agent State Summary reports filter parameters

Filter parameter	Explanation
All Agents (default, no filter parameter)	<p>To report on all agents, obtain the list of resource IDs as follows:</p> <p>Search the Resource table for records with resourceType set to 1 (agent). Resource ID is stored in the Resource.resourceID field.</p> <p>Join Resource.resourceID with ASD.resourceID to obtain other call-related data.</p>
Interval Length	Options are entire report period (default), 30 minutes, 60 minutes.
Resource Group Names	<p>To report on a specific resource group or groups, obtain the list of resource IDs as follows:</p> <p>Obtain the list of resource group name(s) from the user selection for this parameter. Find the corresponding RG.resourceGroupID(s). Join RG.resourceGroupID with Resource.resourceGroupID to find agents belonging to the selected resource group(s). The value of resource ID is stored in Resource.resourceID.</p> <p>Join Resource.resourceID with ASD.resourceID to obtain other call-related data.</p>

Filter parameter	Explanation
Agent Names	To report on a specific agent or agents, obtain the list of resource IDs as follows: Obtain the list of agent names from the user selection for this parameter. Find the corresponding Resource.resourceID(s). Join Resource.resourceID with ASD.resourceID to obtain other call-related data.
Skill Names	To report on agents who possess a specific skill or skills, obtain the list of resource IDs as follows: Obtain the list of skill names from the user selection for this parameter. Find the corresponding Skill.skillID(s). Join Skill.skillID with RSM.skillID and join RSM.resourceSkillMapID with Resource.resourceSkillMapID to find the agents who possess the selected skill(s). The value of resource ID is stored in Resource.resourceID. Join Resource.resourceID with ASD.resourceID to obtain other call-related data.
Team Names	To report on a specific team or teams, obtain the list of resource IDs and profile IDs as follows: Obtain the list of team names from the user selection for this parameter. Search the Team table to find records in which Team.teamName contains values found in the list. Join Team.teamID with Resource.assignedTeamID, and join Team.profileID with Resource.profileID to find the list of agents who belong to the selected team or teams. The Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively.

Agent Summary report

The Agent Summary report contains one row per agent. Each row contains a summary of the activities of an agent.

The ACD table contains information of the agents who handled ACD calls. This table provides the basic data for the Agent Summary report.

[Table 18: Agent Summary report query design, on page 38](#) shows how the information in the Agent Summary report is obtained or calculated.

[Table 19: Agent Summary report filter parameters, on page 41](#) explains how the Agent Summary report filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 18: Agent Summary report query design

Field	Explanation
Agent Name	Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to get ACD.resourceID and ACD.profileID. ACD.resourceID contains the resource ID of the agent who handled the call. Join ACD.resourceID with Resource.resourceID, and ACD.profileID with Resource.profileID to obtain the agent name, which is stored in Resource.resourceName.

Field	Explanation
Extension	<p>For agents who have not had their extension changed, obtained from Resource.extension.</p> <p>For agents who have had their extension changed at some time, the extension that is assigned to the agent during the report period.</p>
Avg Logged-In Time	<p>The ASD provides the times that each agent logs in and logs out. The length of time between log in and log out is the agent logged-in time. Login time is stored in ASD.eventDateTime with eventType set to 1 (log in). Logout time is stored in ASD.eventDateTime with eventType set to 7 (log out).</p> <p>The calculation of the average logged-in time depends on the agent activity, as follows. In these calculations, t1 is the report start time and t2 is the report end time.</p> <ul style="list-style-type: none"> • An agent logs in before t1 and logs out between t1 and t2: Logged-in duration = logout time – t1 • An agent logs in between t1 and t2 and logs out after t2: Logged-in duration = t2 – login time • An agent logs in between t1 and t2 and logs out between t1 and t2: Logged-in duration = logout time – login time • An agent logs in before t1 and logs out after t2: Logged-in duration = t2 – t1 <p>The average logged-in time for an agent is calculated as follows: Calculate the total logged-in time for an agent during the report period and divide by the number of logged-in sessions.</p>
Calls Handled	<p>Join ACD and CCD on sessionID, sessionSeqNum, profileID, and nodeID. For each agent, count the number of unique CCD.sessionID that meet the following criteria:</p> <ul style="list-style-type: none"> • CCD.startDateTime is in the report period • CCD.contactDisposition is 2 (handled) • ACD.talkTime is greater than zero
Calls Presented	<p>Join ACD and CCD on sessionID and sessionSeqNum, profileID, and nodeID. For each agent, count the number of unique CCD.sessionID with CCD.startDateTime falling within the report period.</p>
Handle Ratio	<p>Call Handled divided by Calls Presented.</p>
Handle Time—Avg	<p>Each call handled by an agent has an ACD record. The handle time of a call is calculated as follows: ACD.talkTime + ACD.holdTime + ACD.workTime</p> <p>The average handle time is the sum of the handle times of all the calls handled by the agent within the report period divided by the number of calls handled within the report period.</p>

Field	Explanation
Handle Time—Max	<p>Each call handled by an agent has an ACD record. The handle time of a call is calculated as follows: $ACD.talkTime + ACD.holdTime + ACD.workTime$</p> <p>The maximum handle time for an agent is the longest handle time of all calls handled by the agent within the report period.</p>
Talk Time—Avg	<p>Talk time of a call is obtained from <code>ACD.talkTime</code>.</p> <p>The average talk time for an agent is the sum of talk times of all calls handled by the agent within the report period divided by the number of calls handled within the report period.</p>
Talk Time—Max	<p>Talk time of a call is obtained from <code>ACD.talkTime</code>.</p> <p>Maximum talk time for an agent is the longest talk time of all the calls handled by the agent within the report period.</p>
Hold Time—Avg	<p>Hold time of a call is obtained from <code>ACD.holdTime</code>.</p> <p>Average hold time for an agent is the sum of the hold times of all calls handled by the agent within the report period divided by the number of calls handled calls within the report period.</p>
Hold Time—Max	<p>Hold time of a call is obtained from <code>ACD.holdTime</code>.</p> <p>The maximum hold time for an agent is the longest hold time of all calls handled by the agent within the report period.</p>
Work Time—Avg	<p>Work time of a call is obtained from <code>ACD.workTime</code>.</p> <p>The average work time for an agent is the sum of work times of all calls handled by the agent within the report period divided by the number of calls handled within the report period.</p>
Work Time—Max	<p>Work time of a call is obtained from <code>ACD.workTime</code>.</p> <p>The maximum work time for an agent is the longest work time of all the calls handled by the agent within the report period.</p>
Idle Time—Avg	<p>The ASD records the date and time that an agent goes to a specific state. Idle time is the time spent in the Not Ready state (2). While in the Not Ready state (2), an agent can go to Ready state (3), Reserved state (4), or Logout state (7).</p> <p>An idle session begins when an agent goes to Not Ready state and ends when the agent goes to the next state (Ready, Reserved, or Logout). The length of time that the agent spends in Not Ready state is the duration of an idle session.</p> <p>The average idle time for an agent is the sum of the durations of all of an agent's idle sessions within the report period divided by the number of idle sessions within the report period.</p>

Field	Explanation
Idle Time—Max	<p>The ASD records the date and time that an agent goes to a specific state. Idle time is the time spent in the Not Ready state (2). While in the Not Ready state (2), an agent can go to Ready state (3), Reserved state (4), or Logout state (7).</p> <p>An idle session begins when an agent goes to Not Ready state and ends when the agent goes to the next state (Ready, Reserved, or Logout). The length of time that the agent spends in Not Ready state is the duration of an idle session.</p> <p>The maximum idle time for an agent is the longest duration of the idle sessions within the report period.</p>

Table 19: Agent Summary report filter parameters

Filter parameter	Explanation
All Agents (default, no filtering parameters)	<p>To report on all agents, obtain the list of resource IDs and profile IDs as follows:</p> <p>Search and display the Resource table for agents who are active (Resource.active = 1) or who are deleted after the report start time (Resource.dateInactive later than the report start time, which means that the agent is still active during the report period). In this way, the report does not include agents who are deleted before the report start time.</p>
Resource Group Names	<p>To report on a specific resource group or groups, obtain the list of resource IDs and profile IDs as follows:</p> <p>Obtain the list of resource group names from the user selection for this parameter. Search the ResourceGroup table to find records for which RG.resourceGroupName contains values found in the list. Join RG and Resource on resourceGroupID and profileID to find the list of agents who belong to the selected resource group(s). Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who are active and agents who are deleted after the report start time.</p>
Agent Names	<p>To report on a specific agent or agents, obtain the list of resource IDs and profile IDs as follows:</p> <p>Obtain the list of agent names from the user selection for this parameter. These values are found in Resource.resourceName. Obtain the corresponding Resource.resourceID and Resource.profileID.</p>
Skill Names	<p>To report on agents with a specific skill or skills, obtain the list of resource IDs and profile IDs as follows:</p> <p>Obtain the list of skill names from the user selection for this parameter. Search the Skill table to find records whose Skill.skillName contains values found in the list. Join Skill and RSM on skillID and profileID to find resourceSkillMapID. Join RSM and Resource on resourceSkillMapID and profileID to find the list of agents who have the selected skill(s). Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who were active during the report start time.</p>

Filter parameter	Explanation
Team Names	<p>To report on a specific team or teams, obtain the list of resource IDs and profile IDs as follows:</p> <p>Obtain the list of team names from the user selection for this parameter. Search the Team table to find records in which Team.teamName contains values found in the list. Join Team.teamID with Resource.assignedTeamID, and join Team.profileID with Resource.profileID to find the list of agents who belong to the selected team or teams. The Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively.</p> <p>This report displays only the active agents and the agents who are deleted after the report start time.</p>
Top N Calls Handled/Presented Ratio	<p>To report on N agents who rank highest in the calls handled/presented ratio, obtain the list of resource IDs as follows:</p> <p>Rank the agents by the calls handled/presented ratio in descending order. In case of a tie, order the agents alphabetically by Resource.resourceLoginID. Select the top N agents. The value of resource ID is stored in Resource.resourceID.</p> <p>Join Resource.resourceID with ACD.resourceID and ACD.profileID to obtain other call-related data.</p>
Bottom N Calls Handled/Presented Ratio	<p>To report on N agents who rank lowest in the calls handled/presented ratio, obtain the list of resource IDs as follows:</p> <p>Rank the agents by the calls handled/presented ratio in descending order. In case of a tie, order the agents alphabetically by Resource.resourceLoginID. Select the bottom N agents. The value of resource ID is stored in Resource.resourceID.</p> <p>Join Resource.resourceID with ACD.resourceID and ACD.profileID to obtain other call-related data.</p>
Top N Avg Hold Time	<p>To report on N agents who rank highest in average hold time, obtain the list of resource IDs as follows:</p> <p>Rank the agents by average hold time in descending order. In case of a tie, order the agents alphabetically by Resource.resourceLoginID. Select the top N agents. The value of resource ID is stored in Resource.resourceID.</p> <p>Join Resource.resourceID with ACD.resourceID and ACD.profileID to obtain other call-related data.</p>
Bottom N Avg Hold Time	<p>To report on N agents who rank lowest in average hold time, obtain the list of resource IDs as follows:</p> <p>Rank the agents by average hold time in descending order. In case of a tie, order the agents alphabetically by Resource.resourceLoginID. Select the bottom N agents. The value of resource ID is stored in Resource.resourceID.</p> <p>Join Resource.resourceID with ACD.resourceID and ACD.profileID to obtain other call-related data.</p>
Top N Avg Talk Time	<p>To report on N agents who rank highest in average talk time, obtain the list of resource IDs as follows:</p> <p>Rank the agents by average talk time in descending order. In case of a tie, order the agents alphabetically by Resource.resourceLoginID. Select the top N agents. The value of resource ID is stored in Resource.resourceID.</p> <p>Join Resource.resourceID with ACD.resourceID and ACD.profileID to obtain other call-related data.</p>

Filter parameter	Explanation
Bottom N Avg Talk Time	To report on N agents who rank lowest in average talk time, obtain the list of resource IDs as follows: Rank the agents by average talk time in descending order. In case of a tie, order the agents alphabetically by Resource.resourceLoginID. Select the bottom N agents. The value of resource ID is stored in Resource.resourceID. Join Resource.resourceID with ACD.resourceID and ACD.profileID to obtain other call-related data.
Top N Avg Work Time	To report on N agents who rank highest in average work time, obtain the list of resource IDs as follows: Rank the agents by average work time in descending order. In case of a tie, order the agents alphabetically by Resource.resourceLoginID. Select the top N agents. The value of resource ID is stored in Resource.resourceID. Join Resource.resourceID with ACD.resourceID and ACD.profileID to obtain other call-related data.
Bottom N Avg Work Time	To report on N agents who rank lowest in average work time, obtain the list of resource IDs as follows: Rank the agents by average work time in descending order. In case of a tie, order the agents alphabetically by Resource.resourceLoginID. Select the bottom N agents. The value of resource ID is stored in Resource.resourceID. Join Resource.resourceID with ACD.resourceID and ACD.profileID to obtain other call-related data.
Top N Avg Handle Time	To report on N agents who rank highest in average handle time, obtain the list of resource IDs as follows: Rank the agents by average handle time in descending order. In case of a tie, order the agents alphabetically by Resource.resourceLoginID. Select the top N agents. The value of resource ID is stored in Resource.resourceID. Join Resource.resourceID with ACD.resourceID and ACD.profileID to obtain other call-related data.
Bottom N Avg Handle Time	To report on N agents who rank lowest in average handle time, obtain the list of resource IDs as follows: Rank the agents by average handle time in descending order. In case of a tie, order the agents alphabetically by Resource.resourceLoginID. Select the bottom N agents. The value of resource ID is stored in Resource.resourceID. Join Resource.resourceID with ACD.resourceID and ACD.profileID to obtain other call-related data.

Agent Wrap-Up Data Detail report

The Agent Wrap-Up Data Detail report shows the details entered by an agent when entering the work state after attending an ACD. This report is available with the Agent Wrap-Up feature.

[Table 20: Agent Wrap-Up Data Detail report query design, on page 44](#) shows how the information in the Agent Wrap-Up Data Detail report is obtained or calculated.

[Table 21: Agent Wrap-Up Data Detail report filter parameters, on page 45](#) explains how the Agent Wrap-Up Data Detail report filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 20: Agent Wrap-Up Data Detail report query design

Field	Explanation
Agent Name	<p>For ACD calls, an agent is identified by the combination of ACD.resourceID and ACD.profileID. Join ACD.resourceID with Resource.resourceID, and join ACD.profileID with Resource.profileID to obtain the agent name, which is stored in Resource.resourceName.</p> <p>For IVR calls, if an agent is the originator of the call, the agent is identified by CCD.originatorID and CCD.profileID, when CCD.originatorType = 1 (agent type). Join CCD.originatorID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName.</p> <p>If an agent is the destination of an IVR call, the agent is identified by CCD.destinationID and CCD.profileID, when CCD.destinationType = 1 (agent type). Join CCD.destinationID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName.</p>
Extension	<p>For ACD calls, an agent is identified by the combination of ACD.resourceID and ACD.profileID. Join ACD.resourceID with Resource.resourceID, and join ACD.profileID with Resource.profileID to obtain the agent name, which is stored in Resource.resourceName.</p> <p>For IVR calls, if an agent is the originator of the call, the agent is identified by CCD.originatorID and CCD.profileID, when CCD.originatorType = 1 (agent type). Join CCD.originatorID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.resourceName.</p> <p>If an agent is the destination of an IVR call, the agent is identified by CCD.destinationID and CCD.profileID, when CCD.destinationType = 1 (agent type). Join CCD.destinationID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.extension.</p>
Node ID	Obtained from CCD.nodeID.
Session ID	Obtained from CCD.sessionID.
Sequence No.	Obtained from CCD.sessionSeqNum.
Call Start Time	Obtained from ACD.startDateTime.
Call End Time	Obtained from ACD.endDateTime.
Call ANI	Agent identification is stored in ACD (see Agent Name earlier in this table). Join ACD and CCD on sessionID, sessionSeqNum, nodeID, and profileID. The value of this field is obtained from CCD.originatorDN.
Called Number	Agent identification is stored in ACD (see Agent Name earlier in this table). Join ACD and CCD on sessionID, sessionSeqNum, nodeID, and profileID. The value of this field is obtained from CCD.calledNumber.
Call Routed CSQ	Join ACD and CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type), and CQD.disposition = 2 (handled). The combination of CQD.targetID and CQD.profileID uniquely identifies a CSQ. Join CQD.targetID with CSQ.recordID, and join CQD.profileID with CSQ.profileID to obtain the CSQ name, which is stored in CSQ.csqName.
Talk Time	Obtained from ACD.talkTime.

Field	Explanation
Hold Time	Obtained from ACD.holdTime.
Work Time	Obtained from ACD.workTime.
Wrap-Up Data	Obtained from ACD.callWrapupData.

Table 21: Agent Wrap-Up Data Detail report filter parameters

Filter parameter	Explanation
Agent Names	To report on a specific agent or agents, obtain the list of resource IDs and profile IDs as follows: Obtain the list of agent names from the user selection for this parameter. These values are in Resource.resourceName. Obtain the corresponding Resource.resourceID and Resource.profileID.
Resource Group Names	To report on a specific resource group or groups, obtain the list of resource IDs and profile IDs as follows: Obtain the list of resource group names from the user selection for this parameter. Search the ResourceGroup table to find records for which RG.resourceGroupName contains values found in the list. Join RG and Resource on resourceGroupID and profileID to find the list of agents that belong to the selected resource group or groups. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who are active and agents who are deleted after the report start time.
Skill Names	To report on a specific agent or agents, obtain the list of resource IDs and profile IDs as follows: Obtain the list of agent names from the user selection for this parameter. These values are in Resource.resourceName. Obtain the corresponding Resource.resourceID and Resource.profileID.
Team Names	To report on agents with a specific skill or skills, obtain the list of resource IDs and profile IDs as follows: Obtain the list of skill names from the user selection for this parameter. Search the Skill table to find records for which Skill.skillName contains values found in the list. Join Skill and RSM on skillID and profileID to find resourceSkillMapID. Join RSM and Resource on resourceSkillMapID and profileID to find the list of agents that have the selected skill or skills. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who are active and agents who are deleted after the report start time.

Agent Wrap-Up Data Summary report

The Agent Wrap-Up Data Summary report displays shows detailed information about Wrap-Up data. This report is available with the Agent Wrap-Up feature.

[Table 22: Agent Wrap-Up Data Summary report query design, on page 46](#) shows how the information in the Agent Wrap-Up Data Summary report is obtained or calculated.

[Table 23: Agent Wrap-Up Data Summary report filter parameter, on page 46](#) explains how the Agent Wrap-Up Data Summary report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 22: Agent Wrap-Up Data Summary report query design

Field	Explanation
Wrap-Up Data	Obtained from ACD.callWrapupData.
Total ACD Calls	For the selected Wrap-Up data, count the number of ACD records.
Total Handle Time	For the selected Wrap-Up data, for all ACD records, calculate (ACD.talkTime + ACD.holdTime + ACD.workTime).
Average Handle Time	Total Handle Time / Total ACD Calls.
Max Handle Time	For the selected Wrap-Up data, for all ACD records, find the one with maximum (talkTime + holdTime + workTime).
Total Talk Time	For the selected Wrap-Up data, for all ACD records, determine the total ACD.talkTime.
Average Talk Time	Total Talk Time / Total ACD Calls.
Max Talk Time	For the selected Wrap-Up data, for all ACD records, find the one with the maximum ACD.talkTime.
Total Talk Time as % of Total Handle Time	(Total Talk Time / Total Handle Time) * 100%
Total Work Time	For the selected Wrap-Up data, for all ACD records, determine the total ACD.workTime.
Average Work Time	Total Work Time / Total ACD Calls.
Max Work Time	For the selected Wrap-Up data, for all ACD records, find the one with the maximum ACD.workTime.
Total Work Time as % of Total Handle Time	(Total Work Time / Total Handle Time) * 100%

Table 23: Agent Wrap-Up Data Summary report filter parameter

Filter parameter	Explanation
Wrap-Up Data	To report on a specific Wrap-Up data, obtain the list of data from the user selection for this parameter. Look up these selections in the ACD table, and include the corresponding ACD records.

Application Performance Analysis report

The Application Performance Analysis report shows information about calls received by each Unified CCX or Cisco Unified IP IVR application. It contains one row per call application. The information is stored in the CCD table.

[Table 24: Application Performance Analysis report query design, on page 47](#) shows how the information in the Application Performance Analysis report is obtained or calculated.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 24: Application Performance Analysis report query design

Field	Explanation
Application ID	Obtained from CCD.applicationID.
Application Name	Obtained from CCD.applicationName.
Call Presented	Each application is identified by the combination of CCD.applicationID and CCD.applicationName. For each application, count the number of CCD records to determine the total number of calls presented to the application.
Calls Handled	Each application is identified by the combination of CCD.applicationID and CCD.applicationName. For each application, count the number of CCD records with CCD.contactDisposition = 2 (handled) to determine the total number of calls presented to the application.
Calls Abandoned	Each application is identified by the combination of CCD.applicationID and CCD.applicationName. For each application, count the number of CCD records with CCD.contactDisposition = 1 (abandoned) or 4 (aborted) to determine the total number of calls presented to the application.
Abandon Rate (per hour)	Calculated as follows: Calls Abandoned / number of hours within the report period
Avg Call Duration	Call duration is stored in CCD.connectTime. Average call duration of an application is calculated as the sum of CCD.connectTime for all calls in that application, divided by the number of calls.

Application Summary report

The Application Summary report provides summary call statistics for each Unified CCX or Cisco Unified IP IVR application.

[Table 25: Application Summary report Query Design, on page 48](#) shows how the information in the Application Summary report is obtained or calculated.

[Table 26: Aborted and Rejected Call Detail report filter parameter, on page 49](#) explains how the Application Summary report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 25: Application Summary report Query Design

Field	Explanation
Application Name	Obtained from CCD.applicationName.
Called Number	Obtained from CCD.origCalledNumber.
Calls Presented	The combination of CCD.applicationName and CCD.origCalledNumber uniquely identifies an application. For each application, count the number of CCD records to obtain the number of calls presented to the application.
Flow-In	The combination of CCD.applicationName and CCD.origCalledNumber uniquely identifies an application. For each application, count the number of CCD records in which CCD.contactType is 4 (redirect in).
Flow-Out	The combination of CCD.applicationName and CCD.origCalledNumber uniquely identifies an application. For each application, count the number of CCD records in which CCD.flowout is 1.
Calls Handled	The combination of CCD.applicationName and CCD.origCalledNumber uniquely identifies an application. For each application, count the number of CCD records in which CCD.contactDisposition is 2 (handled).
Avg Speed Answer	This field includes only calls connected to agents. Join CCD, CRD, and ACD on sessionID, sessionSeqNum, profileID, and nodeID. Find ACD records with ACD.talkTime greater than zero (so that RNAs are excluded). To calculate total queue time, add the values stored in CRD.queueTime. To obtain total ring time, add the values stored in ACD.ringTime. To obtain the number of calls connected to agents, count the number of ACD records in the result set from the join. Average speed to answer is calculated as: total queue time / number of calls connected to agents. If number of calls connected to agents is zero for this application, this field is zero.
Avg Talk Time	Join CCD, CRD, and ACD on sessionID, sessionSeqNum, profileID, and nodeID. Find ACD records with ACD.talkTime greater than zero (so that RNAs are excluded). To obtain total talk time, add up the values stored in ACD.talkTime. To obtain the number of calls connected to agents, count the number of ACD records in the result set from the join. Average talk time is calculated as: Total talk time / number of calls connected to agents. If number of calls connected to agents is zero for this application, this field is zero.

Field	Explanation
Avg Work Time	<p>Join CCD, CRD, and ACD on sessionID, sessionSeqNum, profileID, and nodeID. Find ACD records with ACD.talk time greater than zero (so that RNAs are excluded).</p> <p>To obtain total work time, add up the values stored in ACD.workTime.</p> <p>To obtain the number of calls connected to agents, count the number of ACD records in the result set from the join.</p> <p>Average work time is calculated as:</p> <p>Total work time / number of calls connected to agents.</p> <p>If number of calls connected to agents is zero for this application, this field is zero.</p>
Calls Abandoned	<p>The combination of CCD.applicationName and CCD.origCalledNumber uniquely identifies an application.</p> <p>For each application, count the number of CCD records in which CCD.contactDisposition is 1 (abandoned), 4 (aborted), or 5 or greater (rejected).</p>
Avg Abandon Time	<p>The combination of CCD.applicationName and CCD.origCalledNumber uniquely identifies an application.</p> <p>For each application, calculate the sum of the values in CCD.connectTime where the CCD.contactDisposition is 1 (abandoned), 4 (aborted), or 5 or greater (rejected) to obtain the total abandon time.</p> <p>If Calls Abandoned is not zero, this field is calculated as:</p> <p>Total abandon time / Calls Abandoned.</p> <p>If Calls Abandoned is zero, this field is zero.</p>

Table 26: Aborted and Rejected Call Detail report filter parameter

Filter parameter	Explanation
Application Name	To report on a specific application or applications, obtain the list of application names from the user selection for this parameter. Find CCD records for which values stored in CCD.applicationName are found in the selected list.

Call Custom Variables report

The Call Custom Variables report shows information about custom variables that are set by the Set Enterprise Call step in the workflow that the Unified CCX or Cisco Unified IP IVR application associated with a call invoked. This information comes from the CCD table.

[Table 27: Call Custom Variables report query design, on page 50](#) shows how the information in the Call Custom Variables report is obtained or calculated.

[Table 29: Call Custom Variables report filter parameters, on page 51](#) explains how the Call Custom Variables report filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 27: Call Custom Variables report query design

Field	Explanation
Node ID	Obtained from CCD.nodeID
Session ID	Obtained from CCD.sessionID.
Sequence No.	Obtained from CCD.sessionSeqNum.
Start Time	Obtained from CCD.startDateTime.
End Time	Obtained from CCD.endDateTime.
Contact Disposition	Obtained from CCD.contactDisposition.
Agent Name	Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to obtain ACD.resourceID and ACD.profileID. ACD.resourceID contains the resource ID of the agent who handled the call. Join ACD.resourceID with Resource.resourceID, and join ACD.profileID with Resource.profileID to obtain the agent name, which is stored in Resource.resourceName. Blank for ACD calls that were not handled by any agent and for IVR calls.
Application Name	Obtained from CCD.applicationName.
Custom Variable 1	Obtained from CCD.customVariable1.
Custom Variable 2	Obtained from CCD.customVariable2.
Custom Variable 3	Obtained from CCD.customVariable3.
Custom Variable 4	Obtained from CCD.customVariable4.
Custom Variable 5	Obtained from CCD.customVariable5.
Custom Variable 6	Obtained from CCD.customVariable6.
Custom Variable 7	Obtained from CCD.customVariable7.
Custom Variable 8	Obtained from CCD.customVariable8.
Custom Variable 9	Obtained from CCD.customVariable9.
Custom Variable 10	Obtained from CCD.customVariable10.

Called Number Summary Activity report

The Called Number Summary Activity report contains one row per called number. The called number is stored in CCD.origCalledNumber.

Outgoing calls are not included in this report.

[Table 28: Called Number Summary Activity report query design, on page 51](#) shows how the information in the Called Number Summary Activity report is obtained or calculated.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 28: Called Number Summary Activity report query design

Field	Explanation
Called Number	Obtained from CCD.calledNumber
Call Type	Obtained from CCD.destinationType. The value 1 (agent) indicates an IVR call. The value 2 (device) indicates an ACD call. The value 3 (unknown) indicates an outgoing call or a call to an unmonitored device, and is not reported.
Total Calls	For each unique CCD.calledNumber, count the number of CCD records.
Avg Calls (per day)	Total calls divided by the number of days in the report period. The number of days in the report period is calculated as follows. This information is displayed in units of days, rounded up to the next integer. $\text{report end time} - \text{report start time}$ For example, if the report start time and the report end time are on the same day, the number of days is 1.
Avg Call Duration	Duration of a call is obtained from CCD.connectTime. Average call duration of a called number is calculated by the sum of CCD.connectTime of all calls for that called number, divided by the number of calls to that number.

Table 29: Call Custom Variables report filter parameters

Filter parameter	Result
Original Called Number	To report on a specific original called number or numbers, obtain the list of original called numbers from the user selection for this parameter. Find CCD records whose value stored in CCD.origCalledNumber is in the selected list.
Called Number	To report on a specific called number or numbers, obtain the list of called numbers from the user selection for this parameter. Find CCD records whose value stored in CCD.calledNumber is in the selected list.

Filter parameter	Result
Calling Number	To report on a specific calling number or numbers, obtain the list of calling numbers from the user selection for this parameter. Find at CCD records whose value stored in CCD.originatorDN is in the selected list.
Application Name	To report on a specific application name or names, obtain the list of application names from the user selection for this parameter. Find CCD records whose value stored in CCD.applicationName is in the selected list.
Contact Type	To report on a specific contact type or types, obtain the list of contact type names from the user selection for this parameter. The numeric ID is mapped to contact type name as follows: 1—incoming 2—outgoing 3—internal 4—redirect-in 5—transfer-in 6—outbound preview Find CCD records for which the value stored in CCD.contactType is in the selected list.
Originator Type	To report on a specific originator types, obtain the list of originator types from the user selection for this parameter. The numeric ID is mapped to originator type name as follows: 1—agent 2—device 3—unknown Find CCD records for which the value stored in CCD.originatorType is in the selected list.
Destination Type	To report on a specific destination type, obtain the list of destination type from the user selection for this parameter. The numeric ID is mapped to destination type name is as follows: 1—agent 2—device 3—unknown Find at CCD records for which the value stored in CCD.destinationType is in the selected list.
Duration Greater Than or Equal to T seconds	To report on calls with duration greater than or equal to T seconds, obtain the value of T from the user input for this parameter. The call duration is calculated as CCD.endDateTime minus CCD.startDateTime, in number of seconds. Find CCD records with call duration greater than or equal to T.
Duration Less Than or Equal to T seconds	To report on calls with duration less than or equal to T seconds, obtain the value of T from the user input for this parameter. The call duration is calculated as CCD.endDateTime minus CCD.startDateTime, in number of seconds. Find CCD records with call duration less than or equal to T.
Custom Variable 1	Obtain the string from the user input for this parameter. Find CCD records for which the value stored in CCD.customVariable1 matches the user input either partially or wholly.

Filter parameter	Result
Custom Variable 2	Obtain the string from the user input for this parameter. Find CCD records for which the value stored in CCD.customVariable2 matches the user input either partially or wholly.
Custom Variable 3	Obtain the string from the user input for this parameter. Find CCD records for which the value stored in CCD.customVariable3 matches the user input either partially or wholly.
Custom Variable 4	Obtain the string from the user input for this parameter. Find CCD records for which the value stored in CCD.customVariable4 matches the user input either partially or wholly.
Custom Variable 5	Obtain the string from the user input for this parameter. Find CCD records for which the value stored in CCD.customVariable5 matches the user input either partially or wholly.
Custom Variable 6	Obtain the string from the user input for this parameter. Find CCD records for which the value stored in CCD.customVariable6 matches the user input either partially or wholly.
Custom Variable 7	Obtain the string from the user input for this parameter. Find CCD records for which the value stored in CCD.customVariable7 matches the user input either partially or wholly.
Custom Variable 8	Obtain the string from the user input for this parameter. Find CCD records for which the value stored in CCD.customVariable8 matches the user input either partially or wholly.
Custom Variable 9	Obtain the string from the user input for this parameter. Find CCD records for which the value stored in CCD.customVariable9 matches the user input either partially or wholly.
Custom Variable 10	Obtain the string from the user input for this parameter. Find CCD records for which the value stored in CCD.customVariable10 matches the user input either partially or wholly.
Any Custom Variable	Obtain the string from the user input for this parameter. Find CCD records for which the value stored in any of the 10 custom variables matches the user input either partially or wholly. The value of custom variable is stored in CCD.customVariablen, where n = 1 to 10.

Chat Agent Detail report

The Chat Agent Detail report contains detailed information for the chat contacts received by all the chat agents. The report contains one row per chat contact for each of the agents.



Note

Chat Agent Detail report is available in Unified CCX Premium license package.

[Table 30: Chat Agent Detail report, on page 54](#) shows how the information in the Chat Agent Detail report is obtained or calculated.

Table 30: Chat Agent Detail report

Field	Explanation
Agent Name(Agent ID)	<p>For the agents specified, obtain the Resource.resourceID and Resource.profileID as described in Table 7: Agent Call Summary report filter parameters, on page 21. Agent Name is stored in Resource.resourceName.</p> <p>Note When an attribute of an agent changes (for example, extension or resource group), the agent will have multiple entries in the Resource table. In this case, each entry will have a different resource ID, so several resource IDs can belong to one agent, and Resource.resourceID will not uniquely identify an agent. Also, one agent may belong to different application profiles, and will have different Resource.profileID entries. Therefore, the combination of Resource.resourceID and Resource.profileID is not sufficient to uniquely identify an agent. The combination of Resource.resourceName and Resource.resourceLoginID is used to uniquely identify an agent. Resource.resourceName itself is not sufficient to do so because different agents may have the same first and last names, but have different resource login IDs. Resource.resourceLoginID by itself does not uniquely identify an agent because a generic resource login ID (for example, supportagent003) may be used for different agents at different times. The combination of two uniquely identifies an agent.</p>
Chat Start Time	Time at which the chat contact is offered to an agent. It is obtained from the startdatetime field of the TACD table.
Chat End Time	Time at which agent ends the chat. It is obtained from the enddatetime field of the TACD table.
Duration	<p>Chat time period which is calculated as follows:</p> <p>Chat End Time – Chat Start Time</p> <p>Displayed as hh:mm:ss.</p>
Chat Originator	Contactid which uniquely identifies a chat contact. It is obtained from the Contactid field of the TACD table.
Chat Routed CSQ	CSQ through which the chat contact was routed to an agent. It is obtained from the csqname field of the contactservicequeue table.
Chat Skills	Skills associated with an agent for handling a chat contact. This is obtained from the skillname field of the skill table.
Active Time	Talk time for the chat agent. This is obtained from the talk time field of the TACD table.
Accept Time	Time the agent spent in accepting the chat contact. This is obtained from the acceptTime field of the TACD table.
Chat Type	Type of the chat contact. This is obtained from the contactType field of the TCD table.

Chat Agent Summary report

The Chat Agent Summary report provides a summary line per chat agent. It includes the number of chats assigned and handled by an agent, active time, and accept time.



Note Chat Agent Summary report is available in Unified CCX Premium license package.

[Table 31: Chat Agent Summary report](#), on page 55 shows how the information in the Chat Agent Summary report is obtained or calculated.

Table 31: Chat Agent Summary report

Field	Explanation
Agent Name(Agent ID)	<p>For the agents specified, obtain the Resource.resourceID and Resource.profileID as described in Table 7: Agent Call Summary report filter parameters, on page 21. Agent Name is stored in Resource.resourceName.</p> <p>Note When an attribute of an agent changes (for example, extension or resource group), the agent will have multiple entries in the Resource table. In this case, each entry will have a different resource ID, so several resource IDs can belong to one agent, and Resource.resourceID will not uniquely identify an agent. Also, one agent may belong to different application profiles, and will have different Resource.profileID entries. Therefore, the combination of Resource.resourceID and Resource.profileID is not sufficient to uniquely identify an agent. The combination of Resource.resourceName and Resource.resourceLoginID is used to uniquely identify an agent. Resource.resourceName itself is not sufficient to do so because different agents may have the same first and last names, but have different resource login IDs. Resource.resourceLoginID by itself does not uniquely identify an agent because a generic resource login ID (for example, supportagent003) may be used for different agents at different times. The combination of two uniquely identifies an agent.</p>
Total Presented	Number of chats assigned to the agent. It is calculated by counting the number of TextAgentConnectionDetail records (TACDR) for the chat agent after joining with TextContactDetail records (TCDR) based on contactid, contactseqnum, and mediatype, which is 1 (chat_type).
Total Handled	Number of chats handled by the agent. It is calculated by counting the number of TACDR with talk time > 0 for the agent after joining with TCDR based on contactid, contactseqnum and mediatype = 1 (chat_type) and disposition = 2 (handled).
Active Time—Avg	Average talk time for the chat agent. It is calculated by taking the average talk time of all the TACDR for the agent after joining with TCDR based on contactid, contactseqnum, and mediatype = 1 (chat_type)
Active Time—Max	Maximum talk time for the chat agent. It is calculated by taking the maximum talk time of all the TACDR for the agent after joining with TCDR based on contactid, contactseqnum, and mediatype = 1 (chat_type)
Accept Time—Avg	Average time the agent spent in accepting the chat contact. It is calculated by taking the average accept time of all the TACDR for the agent after joining with TCDR based on contactid, contactseqnum, and mediatype = 1 (chat_type).

Field	Explanation
Accept Time—Max	Maximum time the agent spent in accepting the chat contact. It is calculated by taking the maximum accept time of all the TACDR for the agent after joining with TCDR based on contactid, contactseqnum, and mediatype = 1 (chat_type).

Chat Contact Service Queue Activity report

The Chat Contact Service Queue Activity report shows one line for each CSQ that is configured in Unified CCX. A CSQ can be configured based on resource skill.

[Table 32: Chat Contact Service Queue Activity report query design, on page 56](#) shows how the information in the Chat Contact Service Queue Activity report is obtained or calculated.

[Table 33: Chat Contact Service Queue Activity report filter parameter, on page 57](#) explains how the Chat Contact Service Queue Activity report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#)

Table 32: Chat Contact Service Queue Activity report query design

Field	Explanation
CSQ Name	The CSQ.recordID uniquely identifies a CSQ. Obtain this value as described in Table 33: Chat Contact Service Queue Activity report filter parameter, on page 57 . CSQ name is stored in CSQ.csqName.
Chats Presented	Chats Presented is calculated using the sum of Chats Handled and Chats Abandoned.
Avg Queue Time	Calculated as total TCQD.queueTime / Total number of TCQD records with TCQD.queueTime greater than zero.
Max Queue Time	Join TCD and TCQD on contactId, contactseqnum, and nodeID to find TCQD records during the report period. (For these records, the values of the corresponding TCD.startdatetime is within the report period.) For each CSQ, determine the maximum value stored in TCQD.queueTime.
Chats Handled	Join TCQD and TACD on contactId, contactseqnum, qindex, and nodeID with TCQD.disposition is 2 (handled), and TACD.talkTime greater than zero. This process provides the chats handled by agents. For each CSQ, count the number of TCQD records to determine the number of chats handled by the CSQ.
Avg Handle Time	Join TCQD and TACD on contactId, contactseqnum, qindex, and nodeID with TCQD.disposition is 2 (handled), and TACD.talkTime greater than zero. This process provides the chats handled by agents. For each CSQ, calculate the average of TACD.talkTime to determine the average time for chats handled by the CSQ. If Chats Handled is zero, this field is zero.

Field	Explanation
Max Handle Time	Join TCQD and TACD on contactId, contactseqnum, qindex, and nodeID with TCQD.disposition is 2 (handled), and TACD.talkTime greater than zero. This process provides the chats handled by agents. For each CSQ, maximum of TACD.talkTime determine the value of this field. If Chats Handled is zero, this field is zero.
Chats Abandoned	For each CSQ, count the number of TCQD records where TCQD.disposition = 1 to determine the number of chats abandoned from the CSQ.

You can filter the Chat Contact Service Queue Activity report by the following parameter:

Table 33: Chat Contact Service Queue Activity report filter parameter

Filter parameter	Result
All CSQs (default, no filter parameter)	Search the CSQ table to find the distinct CSQ.csqName with CSQ.queueType is equal to 2 and CSQ.dateinactive is NULL. This action determines all the active chat CSQs.
CSQ Names	Obtain the list of CSQ names from the user selection for this parameter. Search the CSQ table to find records for which CSQ.csqName contains values that are in the list. Obtain the corresponding CSQ.recordID.

Chat CSQ Agent Summary report

An agent can handle chat contacts for multiple CSQs. The Chat CSQ Agent Summary report table provides information about chat contacts handled in each CSQ for each agent.

[Table 34: Chat CSQ Agent Summary report query design, on page 57](#) explains how to obtain and calculate the information in the Chat CSQ Agent Summary report.

[Table 35: Chat CSQ Agent Summary report filter parameter, on page 58](#) explains how the Chat CSQ Agent Summary report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 34: Chat CSQ Agent Summary report query design

Field	Explanation
CSQ Name	The CSQ.recordID uniquely identifies a CSQ. Obtain this value as described in Table 35: Chat CSQ Agent Summary report filter parameter, on page 58 . CSQ name is stored in CSQ.csqName.
Agent Name	Chat record tables (TACD and TASD) refer to agents by resource ID. Given Resource.resourceID, search the Resource table for the corresponding Resource.resourceName and Resource.resourceLoginID. These two fields uniquely identify an agent. The agent name is stored in Resource.resourceName.

Field	Explanation
Chat Received	<p>A received chat contact has a TCCD record, a TCQD record for the CSQ that the chat contact was routed to, and a TACD record for the agent who received the chat contact.</p> <p>Join TCCD and TCQD on contactID, contactSeqNum, and nodeID to find the TCQD record for the CSQ to which the chat contact was routed. Join TCQD and TACD on contactID, contactSeqNum, nodeID, and qIndex to find the agent who handled the chat contact. To uniquely identify a CSQ, the CSQ record ID is stored in TCQD.csqrecordid.</p> <p>To uniquely identify an agent, the resource ID is stored in TACD.resourceid.</p> <p>For each CSQ-Agent combination (CSQ is identified by CSQ.recordID, and agent is identified by Resource.resourceName), count the number of TACD records to determine the number of chat contacts handled by the specified CSQ-Agent combination.</p>
Chat Handled	Same calculation as for chat contacts received, but in the search criteria, TACD.talkTime is greater than zero.
Average Active Chat Time	<p>If chat contacts handled is not zero then this field is calculated as Total Talk Time divided by Chat Contacts Handled.</p> <p>If Chat Contacts Handled is zero, this field is zero.</p>
Chat No Answer	<p>Same calculation as for chat contacts Received, but in the search criteria, TACD.talkTime is zero, and TACD.acceptTime is greater than zero.</p> <p>For each CSQ-Agent combination, count the number of TACD records. This result is the number of chat contacts that got no answer.</p>
Average Acceptance Time	<p>If chat contacts Handled is not zero then this field is calculated as Total Accept Time divided by Chat Contacts Handled.</p> <p>If Chat Contacts Handled is zero then this field is zero.</p>

Table 35: Chat CSQ Agent Summary report filter parameter

Field	Explanation
All CSQs (default, no filter parameter)	Search the CSQ table to find CSQ.recordID for CSQs with CSQ.dateInactive set to null or set to a date/time later than the report start time and with CSQ.queueType equal to 2. This action determines the active chat CSQs and CSQs that are deleted after the report start time (they are still active during the report period).
CSQ Names	Obtain the list of CSQ names from the user selection for this parameter. Search the CSQ table to find records for which CSQ.csqname contains values that are in the list. Obtain the corresponding CSQ.recordID.

Chat Traffic Analysis report

The Chat Traffic Analysis report shows information about incoming chat contacts to the Unified CCX system.

Table 36: Chat Traffic Analysis report query design, on page 59 shows how the information in the Chat Traffic Analysis report is obtained or calculated.

If the selected report Start Date and report End Date exceeds the date range available in the database, the report start date and report end date are automatically adjusted to match the date range that is available in the database. For example, if data is available in the database only from start date x to end date y, and if the selected start date is earlier than x and the selected end date is later than y, the report start date and report end date are automatically adjusted to x and y respectively.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 36: Chat Traffic Analysis report query design

Field	Explanation
Date	Date of each day in the report period.
Total Incoming Chat Contacts	For each day, count the number of TCCD records with a unique contactID with the Contact Type field set to the value of 1 (incoming contact).
Avg Chats (per hour)	Calculated as total incoming contacts divided by the number of hours in a day. The first day or the last day of the report period may be a partial day depending on the start time and the end time selected by the user. Any other day within the report period has 24 hours.
Peak Chats (per hour)	Divide each day into 1-hour intervals. The number of incoming chat contacts within each interval is determined by counting the number of TCCD records with a unique contactID in the interval. The peak hour is the interval with the largest number of incoming chat contacts. This field displays the number of chat contacts in the peak hour.
Peak Hour Start Time	Divide each day into 1-hour intervals. The number of incoming chat contacts within each interval is determined by counting the number of TCCD records with a unique contactID in the interval. The peak hour is the interval with the largest number of incoming chat contacts. This field displays the start time of the peak hour.
Peak Hour End Time	Divide each day into 1-hour intervals. The number of incoming chat contacts within each interval is determined by counting the number of TCCD records with a unique contactID in the interval. The peak hour is the interval with the largest number of incoming chat contacts. This field displays the end time of the peak hour.
Avg Chat Duration	The contact duration for a chat contact is calculated as the sum of TACD.talkTime for all the contacts connected to an agent. It is zero for all other contacts. Average contact duration for a day is calculated as the sum of contact durations for all incoming contacts on that day divided by the number of incoming contacts on that day.
Min Chat Duration	The contact duration for a chat contact is calculated as the sum of TACD.talkTime for all the contacts connected to an agent. It is zero for all other contacts. Minimum contact duration for a day is the shortest contact duration of all incoming contacts for that day.

Field	Explanation
Max Chat Duration	The contact duration for a chat contact is calculated as the sum of TACD.talkTime for all the contacts connected to an agent. It is zero for all other contacts. Maximum contact duration for a day is the shortest contact duration of all incoming contacts for that day.

Common Skill Contact Service Queue Activity report (by Interval)

The Common Skill Contact Service Queue Activity report (by Interval) shows summary information about calls presented, calls handled, and calls abandoned for each group of contact service queues (CSQs). (Such a group consists of CSQs that are configured with the same skill or skills and with different competence levels.)

[Table 37: Common Skill Contact Service Queue Activity report \(by Interval\) query design, on page 60](#) shows how the information in the Common Skill Contact Service Queue Activity report (by Interval) is obtained or calculated.

[Table 38: Common Skill Contact Service Queue Activity report \(by Interval\) filter parameters, on page 62](#) explains how the Common Skill Contact Service Queue Activity report (by Interval) filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 37: Common Skill Contact Service Queue Activity report (by Interval) query design

Field	Explanation
Interval Start Time	Beginning of an interval. End-users can divide the report period into 30- or 60-minute intervals. (The default interval length is the entire report period.)
Interval End Time	End of an interval. End-users can divide the report period into 30- or 60-minute intervals. (The default interval length is the entire report period.)
CSQ Name	The combination of CSQ.recordID and CSQ.profileID uniquely identifies a CSQ. Obtain these two values as described in Table 38: Common Skill Contact Service Queue Activity report (by Interval) filter parameters, on page 62 . CSQ name is stored in CSQ.csqName.
Skills (Competence Level)	CSQU.recordID is used to obtain CSQU.skillGroupID. Join CSQU.skillGroupID with SG.skillGroupID to obtain SG.skillID. Join SG.skillID with Skill.skillID to obtain the list of skill names, which is stored in Skill.skillName. Competence level is obtained from SG.competenceLevel.

Field	Explanation
Calls Presented— Total	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (For these records, the values of the corresponding CCD.startDateTime is within the report period.) Additional search criterion: CQD.targetType is 0 (type CSQ).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records to determine the number of calls presented to that CSQ.</p>
Calls Presented— Queue Time Avg	Queue Time is stored in CQD.queueTime. Determine the sum of CQD.queueTime values for all calls presented to this CSQ, then divide by Calls Presented—Total , if calls presented is not zero. If it is zero, this field is set to zero.
Calls Presented— Queue Time Max	Maximum value stored in CQD.queueTime, for all calls presented to this CSQ.
Calls Handled— Total	<p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID with CCD.contactDisposition is 2 (handled), and ACD.talkTime greater than zero. This process provides the calls handled by agents. To obtain CSQ information, join ACD with CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type) and CQD.disposition = 2 (handled).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records to determine the number of calls handled by the CSQ.</p>
Calls Handled— Handle Time Avg	Handle time of a call is calculated as (ACD.talkTime + ACD.holdTime + ACD.workTime). Determine the sum of handle times for all calls handled by this CSQ, then divide by Calls Handled—Total , if calls handled is not zero. If it is zero, this field is set to zero.
Calls Handled— Handle Time Max	Handle time of a call is calculated as (ACD.talkTime + ACD.holdTime + ACD.workTime). This field is set to the maximum value of handle time for all calls handled by this CSQ.
Calls Abandoned— Total	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values that are within the report period.) Additional search criteria are CQD.targetType is 0 (CSQ type) and CQD.disposition is 1 (abandoned).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records to determine the number of calls abandoned from the CSQ.</p>
Calls Abandoned— Queue Time Avg	Queue Time is stored in CQD.queueTime. Determine the sum of CQD.queueTime values for all calls abandoned from this CSQ, then divide by Calls Abandoned—Total , if calls abandoned is not zero. If it is zero, this field is set to zero.
Calls Abandoned— Queue Time Max	Maximum value stored in CQD.queueTime, for all calls abandoned from this CSQ.

Field	Explanation
Service Level— Percentage SL Met	<p>Join CQD and ACD on sessionID, sessionSeqNum, nodeID, profileID, and qIndex. Additional search criteria is CQD.targetType is 0 (CSQ type) and CQD.metServiceLevel is 1.</p> <p>For each CSQ identified by the combination of CQD.targetID and CQD.profileID, determine the number of CQD records, which is the number of Calls Handled Within Service Level.</p> <p>This field is calculated as follows, if Calls Presented—Total is not zero: $(\text{Calls Handled Within Service Level} / \text{Calls Presented}) * 100\%$</p> <p>If Calls Presented—Total is zero, this field is set to zero.</p>
Summary for Skills	Summation of statistics for all CSQs within the same logical CSQ group.

Table 38: Common Skill Contact Service Queue Activity report (by Interval) filter parameters

Filter parameter	Explanation
Interval Length	Options are entire report period (default), 30 minutes, 60 minutes.
CSQ Names	To report on a specific CSQ or CSQs, obtain the list of the CSQ names from the user selection for this parameter. Join CSQ.recordID with CQD.targetID, and join CSQ.profileID with CQD.profileID to obtain the CQD records for the specified CSQs. For these CQD records, CQD.targetType should be 0 (CSQ type). Join CQD and CCD on sessionID, sessionSeqNum, nodeID, and profileID to obtain other information stored in the CCD table.

Contact Service Queue Activity report

The Contact Service Queue Activity report shows one line for each CSQ that is configured in Unified CCX. A CSQ can be configured based on resource group or based on resource skill.

[Table 39: Contact Service Queue Activity report query design, on page 62](#) shows how the information in the Contact Service Queue Activity report is obtained or calculated.

[Table 40: Contact Service Queue Activity report filter parameter, on page 67](#) explains how the Contact Service Queue Activity report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 39: Contact Service Queue Activity report query design

Field	Explanation
CSQ Name	The combination of CSQ.recordID and CSQ.profileID uniquely identifies a CSQ. Obtain these two values as described in Table 40: Contact Service Queue Activity report filter parameter, on page 67 . CSQ name is stored in CSQ.csqName.

Field	Explanation
Call Skills	The combination of CSQ.recordID and CSQ.profileID uniquely identifies a CSQ. Obtain these two values as described in Table 40: Contact Service Queue Activity report filter parameter, on page 67 . Join CSQ.skillGroupID with SG.skillGroupID to obtain SG.skillID. Join SG.skillID with Skill.skillID to obtain the list of skill names, which are stored in Skill.skillName. Multiple skill names are separated by commas.
Calls Presented	Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (For these records, the values of the corresponding CCD.startDateTime is within the report period.) Additional search criterion: CQD.targetType is 0 (type CSQ). The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively. For each CSQ, count the number of CQD records to determine the number of calls presented to that CSQ.
Average Queue Time	Calculated as total queue time / Calls Presented . To obtain total queue time, Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (For these records, the values of the corresponding CCD.startDateTime is within the report period.) Additional search criterion: CQD.targetType is 0 (type CSQ). The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively. For each CSQ, calculate the sum of the values stored in CQD.queueTime.
Max Queue Time	Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (For these records, the values of the corresponding CCD.startDateTime is within the report period.) Additional search criterion: CQD.targetType is 0 (type CSQ). The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively. For each CSQ, determine the maximum value stored in CQD.queueTime.
Calls Handled	Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID with CCD.contactDisposition is 2 (handled), and ACD.talkTime greater than zero. This process provides the calls handled by agents. To obtain CSQ information, join ACD with CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type) and CQD.disposition = 2 (handled). The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively. For each CSQ, count the number of CQD records to determine the number of calls handled by the CSQ.

Field	Explanation
Avg Speed of Answer	<p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID with CCD.contactDisposition is 2 (handled), and ACD.talkTime greater than zero. This process provides the calls handled by agents. To obtain CSQ information, join ACD with CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type) and CQD.disposition = 2 (handled).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, calculate the sum of the values stored in ACD.ringTime to obtain total ring time, and calculate the sum of the values stored in CQD.queueTime to obtain total queue time.</p> <p>If Calls Handled is not zero, the Avg Speed of Answer is calculated as:</p> $\text{total queue time} / \text{Calls Handled}$ <p>Here total queue time includes the total ring time. If Calls Handled is zero, this field is zero.</p>
Avg Handle Time	<p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID with CCD.contactDisposition is 2 (handled), and ACD.talkTime greater than zero. This process provides the calls handled by agents. To obtain CSQ information, join ACD with CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type) and CQD.disposition = 2 (handled).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, calculate the sum of the values stored in ACD.talkTime, ACD.holdTime, and ACD.workTime to obtain the total handle time for all calls handled. Handle time for a call is defined as talk time + hold time + work time.</p> <p>If Calls Handled is not zero, this field is calculated as:</p> $\text{total handle time} / \text{Calls Handled}$ <p>If Calls Handled is zero, this field is zero.</p>
Max Handle Time	<p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID with CCD.contactDisposition is 2 (handled), and ACD.talkTime greater than zero. This process provides the calls handled by agents. To obtain CSQ information, join ACD with CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type) and CQD.disposition = 2 (handled).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, calculate the handle time for each call as follows:</p> $\text{ACD.talkTime} + \text{ACD.holdTime} + \text{ACD.workTime}$ <p>This field shows the maximum handle time for all calls handled by this CSQ.</p>

Field	Explanation
Calls Abandoned	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values that are within the report period.) Additional search criteria are CQD.targetType is 0 (CSQ type) and CQD.disposition is 1 (abandoned).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records to determine the number of calls abandoned from the CSQ.</p>
Avg Time to Abandon	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values that are within the report period.) Additional search criteria are CQD.targetType is 0 (CSQ type) and CQD.disposition is 1 (abandoned).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, calculate the sum of the values stored in CQD.queueTime to obtain total queue time for abandoned calls.</p> <p>If Calls Abandoned is not zero, this field is: total queue time / Calls Abandoned</p> <p>If Calls Abandoned is zero, this field is zero.</p>
Max Time to Abandon	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values that are within the report period.) Additional search criteria are CQD.targetType is 0 (CSQ type) and CQD.disposition is 1 (abandoned).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, find the maximum value stored in CQD.queueTime.</p>
Avg Abandon Per Day	<p>Calculated as Calls Abandoned / number of days during report period.</p> <p>The number of days is calculated as follows. This information is displayed in units of days, rounded up to the next integer.</p> $\text{report end time} - \text{report start time}$ <p>For example, if the report start time and the report end time are on the same day, the number of days is 1.</p>

Field	Explanation
Max Abandon Per Day	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values that are within the report period.) Additional search criteria are CQD.targetType is 0 (CSQ type) and CQD.disposition is 1 (abandoned).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ and each day during the report period, count the number of CQD records to determine the number of calls abandoned from the CSQ. CCD.startDateTime is used to determine on which day a call is abandoned.</p> <p>For each CSQ, find the maximum number of calls abandoned on a particular day during the report period.</p>
Calls Dequeued	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values within the report period.) Additional search criteria are CQD.targetType is 0 (CSQ type), and CQD.disposition is 3 (dequeued).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records to determine the number of calls dequeued from the CSQ.</p>
Avg Time to Dequeue	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values within the report period.) Additional search criteria are CQD.targetType is 0 (CSQ type), and CQD.disposition is 3 (dequeued).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, calculate the sum of the values stored in CQD.queueTime to determine queue time.</p> <p>If Calls Dequeued is not zero, this field is calculated as:</p> $\text{total queue time} / \text{Calls Dequeued}$ <p>If Calls Dequeued is zero, this field is zero.</p>
Max Time to Dequeue	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values within the report period.) Additional search criteria are CQD.targetType is 0 (CSQ type), and CQD.disposition is 3 (dequeued).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, determine the maximum value stored in CQD.queueTime.</p>

Field	Explanation
Calls Handled by Other	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values within the report period.) Additional search criteria are: CQD.targetType is 0 (CSQ type), and CQD.disposition is 4 (handled by script) or 5 (handled by another CSQ).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records to determine the number of calls handled by script or another CSQ.</p>

Table 40: Contact Service Queue Activity report filter parameter

Filter parameter	Explanation
All CSQs (default, no filter parameter)	Search the CSQ table to find CSQ.recordID and CSQ.profileID for CSQs with CSQ.dateInactive set to null or set to a date/time later than the report start time. This action determines the active CSQs and CSQs that are deleted after the report start time (they are still active during the report period).
CSQ Names	Obtain the list of CSQ names from the user selection for this parameter. Search the CSQ table to find records for which CSQ.csqName contains values that are in the list. Obtain the corresponding CSQ.recordID and CSQ.profileID.
CSQ Types	<p>To report on a specific CSQ type or types, obtain the list of CSQ.recordID and CSQ.profileID from the user selection for this parameter as follows:</p> <ul style="list-style-type: none"> • If user selects Resource Group, search the CSQ table for records with CSQ.resourcePoolType = 1 (resource group type). • If user selects Skill Group, search the CSQ table for records with CSQ.resourcePoolType = 2 (skill group type). • If user selects both Resource Group and Skill Group, search the CSQ table to find records for which CSQ.csqName contains values that are in the list. Obtain the corresponding CSQ.recordID and CSQ.profileID.

Contact Service Queue Activity reports (by CSQ and Interval)

The Contact Service Queue Activity report (by CSQ) and the Contact Service Queue Activity report (by Interval) show information about service levels, and about the number and percentage of calls presented, handled, abandoned, and dequeued.

In the Contact Service Queue Activity report (by CSQ), information presented is sorted first by CSQ, then by interval.

In the Contact Service Queue Activity report (by Interval), information presented is sorted first by interval, then by CSQ.

[Table 41: Contact Service Queue Activity reports query design, on page 68](#) shows how the information in the Contact Service Queue Activity reports is obtained or calculated.

[Table 42: Contact Service Queue Activity reports filter parameters, on page 70](#) explains how the Contact Service Queue Activity reports filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 41: Contact Service Queue Activity reports query design

Field	Explanation
CSQ Name	The combination of CSQ.recordID and CSQ.profileID uniquely identifies a CSQ. Obtain these two values as described in Table 41: Contact Service Queue Activity reports query design, on page 68 . CSQ name is stored in CSQ.csqName.
Call Skills	The combination of CSQ.recordID and CSQ.profileID uniquely identifies a CSQ. Obtain these two values as described in Table 42: Contact Service Queue Activity reports filter parameters, on page 70 . Join CSQ.skillGroupID with SG.skillGroupID to get SG.skillID. Join SG.skillID with Skill.skillID to obtain the list of skill names, which is stored in Skill.skillName. Multiple skill names are separated with commas.
Interval Start Time	Beginning of an interval. End-users can divide the report period into 30- or 60-minute intervals. (The default interval length is the entire report period.)
Interval End Time	End of an interval. End-users can divide the report period into 30- or 60-minute intervals. (The default interval length is the entire report period.)
Service Level (sec)	Obtained from CSQU.serviceLevel.
Calls Hand < SL	Join ACD and CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex. Additional search criteria are CQD.targetType is 0 (CSQ type), and CQD.metServiceLevel is 1. For each CSQ identified by the combination of CQD.targetID and CQD.profileID, count the number of CQD records.
Calls Aband < SL	Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to determine CQD records during the report period. (Corresponding CCD records have CCD.startDateTime during the report period.) Additional search criteria are CQD.disposition is 1 (abandoned), and CQD.targetType is 0 (CSQ type). For each CSQ identified by the combination of CQD.targetID and CQD.profileID, count the number of CQD records with CQD.metServiceLevel = 1.
Percentage of Service Level Met— Only Handled	Considers calls that were handled only, regardless of whether they were handled within the service level. This value does not consider calls that were abandoned. This value is calculated as follows: $(\text{number of calls handled within service level} / \text{number of calls handled}) * 100\%$

Field	Explanation
Percentage of Service Level Met— Without Abandon	Does not include information for calls that were abandoned within the service level. This value is calculated as follows: $(\text{number of calls handled within service level} / (\text{number of calls presented} - \text{number of calls abandoned within service level})) * 100\%$
Percentage of Service Level Met— Positive Abandon	Considers calls that were abandoned within the service level as meeting the service level. This value is calculated as follows: $((\text{number of calls handled within service level} + \text{number of calls abandoned within service level}) / \text{number of calls presented}) * 100\%$
Percentage of Service Level Met— Negative Abandon	Considers calls that were abandoned within the service level as not meeting the service level. This value is calculated as follows: $(\text{number of calls handled within service level} / \text{number of calls presented}) * 100\%$
Calls Presented	Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to determine CQD records during the report period. (For these records, the corresponding CCD.startDateTime is during the report period.) The additional search criterion is CQD.targetType is 0 (type CSQ). The combination of CSQ record ID and profile ID uniquely identifies a CSQ. CSQ record ID and profile ID are stored in CQD.targetID and CQD.profileID, respectively. For each CSQ, count the number of CQD records to determine the number of calls presented to that CSQ.
Calls Handled	Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID with CCD.contactDisposition = 2 (handled) and ACD.talkTime greater than zero. This process determines the calls handled by agents. To obtain the CSQ information, join ACD with CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type) and CQD.disposition = 2 (handled). The combination of CSQ record ID and profile ID uniquely identifies a CSQ. CSQ record ID and profile ID are stored in CQD.targetID and CQD.profileID, respectively. For each CSQ, count the number of CQD records to determine the number of calls handled by the CSQ. The percentage is calculated as follows: $(\text{calls handled} / \text{calls presented}) * 100\%$
Calls Abandoned	Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to determine CQD records during the report period. (Corresponding CCD records have CCD.startDateTime during the report period.) Additional search criteria are CQD.disposition is 1 (abandoned), and CQD.targetType is 0 (CSQ type). For each CSQ identified by the combination of CQD.targetID and CQD.profileID, count the number of CQD records. The percentage is calculated as follows: $(\text{calls abandoned} / \text{calls presented}) * 100\%$

Field	Explanation
Calls Dequeued	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to determine CQD records during the report period. (Corresponding CCD records have CCD.startDateTime during the report period.) Additional search criteria are CQD.targetType is 0 (CSQ type), and CQD.disposition is 3 (dequeued via Dequeue step), 4 (call handled by workflow script and therefore dequeued from this CSQ), or 5 (handled by another CSQ and therefore dequeued from this CSQ). For each CSQ identified by the combination of CQD.targetID and CQD.profileID, count the number of CQD records.</p> <p>The percentage is calculated as follows: $(\text{calls dequeued} / \text{calls presented}) * 100\%$</p>

Table 42: Contact Service Queue Activity reports filter parameters

Filter parameter	Explanation
All CSQs (default, no filter)	To report on all agents, obtain the list of resource IDs and profile IDs as follows: Search and display the Resource table for agents who are active (Resource.active = 1) or who are deleted after report start time (Resource.dateInactive is later than report start time, which means that agent is still active during the report period). In this way, the report does not include agents who are deleted before the report start time.
Interval Length	Options are entire report period (default), 30 minutes, 60 minutes.
CSQ Name	To report on a specific CSQ or CSQs, obtain the list of the CSQ names from the user selection for this parameter. Join CSQ.recordID with CQD.targetID, and join CSQ.profileID with CQD.profileID to obtain the CQD records for the specified CSQs. For these CQD records, CQD.targetType should be 0 (CSQ type). Join CQD and CCD on sessionID, sessionSeqNum, nodeID, and profileID to obtain other information stored in the CCD table.

Contact Service Queue Call Distribution Summary report

The Contact Service Queue Call Distribution Summary report shows the number and percentage of calls handled and dequeued in four different time intervals. The time interval lengths can be configured by users.

[Table 43: Contact Service Queue Call Distribution Summary report query design, on page 71](#) shows how the information in the Contact Service Queue Call Distribution Summary report is obtained or calculated.

[Table 44: Contact Service Queue Call Distribution Summary report filter parameters, on page 74](#) explains how the Contact Service Queue Call Distribution Summary report filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 43: Contact Service Queue Call Distribution Summary report query design

Field	Explanation
CSQ Name	The combination of CSQ.recordID and CSQ.profileID uniquely identifies a CSQ. Obtain these two values as described in Table 44: Contact Service Queue Call Distribution Summary report filter parameters, on page 74 . CSQ name is stored in CSQ.csqName.
Call Skills	The combination of CSQ.recordID and CSQ.profileID uniquely identifies a CSQ. Obtain these two values as described in Table 44: Contact Service Queue Call Distribution Summary report filter parameters, on page 74 . Join CSQ.skillGroupID with SG.skillGroupID to obtain SG.skillID. Join SG.skillID with Skill.skillID to obtain the list of skill names, which are stored in Skill.skillName. Multiple skill names are separated by commas.
Calls Handled	Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID with CCD.contactDisposition is 2 (handled), and ACD.talkTime greater than zero. This process provides the calls handled by agents. To obtain CSQ information, join ACD with CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type) and CQD.disposition = 2 (handled). The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively. For each CSQ, count the number of CQD records to determine the number of calls handled by the CSQ.
Total Calls Handled With Queue Time 0–T sec	Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID with CCD.contactDisposition is 2 (handled), and ACD.talkTime greater than zero. This process provides the calls handled by agents. To obtain CSQ information, join ACD with CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type) and CQD.disposition = 2 (handled). The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively. For each CSQ, count the number of CQD records in which the value stored in CQD.queueTime is less than or equal to T seconds.
Percentage Calls Handled With Queue Time 0–T sec	If Calls Handled is not zero, this field is calculated as $\left(\frac{\text{Total Calls Handled with Queue Time in 0–T seconds}}{\text{Calls Handled}} \right) * 100\%$ If Calls Handled is zero, this field is zero.
Total Calls Handled With Queue Time 0–2T sec	Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID with CCD.contactDisposition is 2 (handled), and ACD.talkTime greater than zero. This process provides the calls handled by agents. To obtain CSQ information, join ACD with CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type) and CQD.disposition = 2 (handled). The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively. For each CSQ, count the number of CQD records in which the value stored in CQD.queueTime is less than or equal to 2T seconds.
Percentage Calls Handled With Queue Time 0–2T sec	If Calls Handled is not zero, this field is calculated as: $\left(\frac{\text{Total Calls Handled with Queue Time in 0–2T seconds}}{\text{Calls Handled}} \right) * 100\%$ If Calls Handled is zero, this field is zero.

Field	Explanation
Total Calls Handled With Queue Time 0–3T sec	<p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID with CCD.contactDisposition is 2 (handled), and ACD.talkTime greater than zero. This process provides the calls handled by agents. To obtain CSQ information, join ACD with CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type) and CQD.disposition = 2 (handled).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records in which the value stored in CQD.queueTime is less than or equal to 3T seconds.</p>
Percentage Calls Handled With Queue Time 0–3T sec	<p>If Calls Handled is not zero, this field is calculated as: (Total Calls Handled with Queue Time in 0–3T seconds / Calls Handled) * 100%</p> <p>If Calls Handled is zero, this field is zero.</p>
Total Calls Handled With Queue Time 0–4T sec	<p>Join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID with CCD.contactDisposition is 2 (handled), and ACD.talkTime greater than zero. This process provides the calls handled by agents. To obtain CSQ information, join ACD with CQD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex, with CQD.targetType = 0 (CSQ type) and CQD.disposition = 2 (handled).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records in which the value stored in CQD.queueTime is less than or equal to 4T seconds.</p>
Percentage Calls Handled With Queue Time 0–4T sec	<p>If Calls Handled is not zero, this field is calculated as: (Total Calls Handled with Queue Time in 0–4T seconds / Calls Handled) * 100%</p> <p>If Calls Handled is zero, this field is zero.</p>
Calls Abandoned	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values that are within the report period) Additional search criteria are CQD.targetType is 0 (CSQ type) and CQD.disposition is 1 (abandoned).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records to determine the number of calls abandoned from the CSQ.</p>
Total Calls Abandoned With Queue Time 0–T	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values that are within the report period) Additional search criteria are CQD.targetType is 0 (CSQ type) and CQD.disposition is 1 (abandoned).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records in which the value stored in CQD.queueTime is less than or equal to T seconds.</p>

Field	Explanation
Percentage Calls Abandoned With Queue Time 0–T	<p>If Calls Abandoned is not zero, this field is calculated as: $(\text{Total Calls Abandoned with Queue Time 0–T seconds} / \text{Calls Abandoned}) * 100\%$</p> <p>If Calls Abandoned is zero, this field is zero.</p>
Total Calls Abandoned With Queue Time 0–2T sec	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values that are within the report period) Additional search criteria are CQD.targetType is 0 (CSQ type) and CQD.disposition is 1 (abandoned).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records in which the value stored in CQD.queueTime is less than or equal to 2T seconds.</p>
Percentage Calls Abandoned With Queue Time 0–2T sec	<p>If Calls Abandoned is not zero, this field is calculated as: $(\text{Total Calls Abandoned with Queue Time 0–2T seconds} / \text{Calls Abandoned}) * 100\%$</p> <p>If Calls Abandoned is zero, this field is zero.</p>
Total Calls Abandoned With Queue Time 0–3T sec	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values that are within the report period) Additional search criteria are CQD.targetType is 0 (CSQ type) and CQD.disposition is 1 (abandoned).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records in which the value stored in CQD.queueTime is less than or equal to 3T seconds.</p>
Percentage Calls Abandoned With Queue Time 0–3T sec	<p>If Calls Abandoned is not zero, this field is calculated as: $(\text{Total Calls Abandoned with Queue Time 0–3T seconds} / \text{Calls Abandoned}) * 100\%$</p> <p>If Calls Abandoned is zero, this field is zero.</p>
Total Calls Abandoned With Queue Time 0–4T sec	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (These records have corresponding CCD.startDateTime values that are within the report period) Additional search criteria are CQD.targetType is 0 (CSQ type) and CQD.disposition is 1 (abandoned).</p> <p>The combination of CSQ record ID and profile ID uniquely identifies a CSQ. These values are stored in CQD.targetID and CQD.profileID, respectively.</p> <p>For each CSQ, count the number of CQD records in which the value stored in CQD.queueTime is less than or equal to 4T seconds.</p>
Percentage Calls Abandoned With Queue Time 0–4T sec	<p>If Calls Abandoned is not zero, this field is calculated as: $(\text{Total Calls Abandoned with Queue Time 0–4T seconds} / \text{Calls Abandoned}) * 100\%$</p> <p>If Calls Abandoned is zero, this field is zero.</p>

Table 44: Contact Service Queue Call Distribution Summary report filter parameters

Filter parameter	Explanation
All CSQs (default, no filter parameter)	Search the CSQ table to find CSQ.recordID and CSQ.profileID for CSQs with CSQ.dateInactive set to null or set to a date/time later than the report start time. This action determines the active CSQs and CSQs that are deleted after the report start time (they are still active during the report period).
CSQ Names	Obtain the list of CSQ names from the user selection for this parameter. Search the CSQ table to find records for which CSQ.csqName contains values that are in the list. Obtain the corresponding CSQ.recordID and CSQ.profileID.
Time Interval (sec) T	Obtained from user input for this parameter. Indicates the length of the time interval, in number of seconds.

Contact Service Queue Priority Summary report

The Contact Service Queue Priority Summary report shows the total number of calls presented to each CSQ selected. It also shows the total number of calls by priority and the average number of calls per day, by priority, that were presented to each CSQ.

[Table 45: Contact Service Queue Priority Summary report query design, on page 74](#) shows how the information in the Contact Service Queue Priority Summary report is obtained or calculated.

[Table 46: Contact Service Queue Priority Summary report filter parameter, on page 75](#) explains how the Contact Service Queue Priority Summary report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 45: Contact Service Queue Priority Summary report query design

Field	Explanation
CSQ Name	The combination of CSQ.recordID and CSQ.profileID uniquely identifies a CSQ. Obtain these two values as described in Table 46: Contact Service Queue Priority Summary report filter parameter, on page 75 . CSQ name is stored in CSQ.csqName.
Call Skills	The combination of CSQ.recordID and CSQ.profileID uniquely identifies a CSQ. Obtain these two values as described in Table 46: Contact Service Queue Priority Summary report filter parameter, on page 75 . Join CSQ.skillGroupID with SG.skillGroupID to get SG.skillID. Join SG.skillID with Skill.skillID to get the list of skill names, stored in Skill.skillName. Multiple skill names are separated by commas.
Total Calls Presented	Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (The corresponding CCD records have CCD.startDateTime during the report period). Additional search criterion is CQD.targetType is 0 (CSQ type). For each CSQ, which is uniquely identified by the combination of CQD.targetID and CQD.profileID, count the number of CQD records to determine the number of calls presented to each CSQ.

Field	Explanation
Total Number of Calls by Priority (Priority 1 through Priority 10)	<p>Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (The corresponding CCD records have CCD.startDateTime during the report period.) Join CQD and CRD on sessionID, sessionSeqNum, profileID, nodeID, and qIndex. Additional search criterion is CQD.targetType is 0 (CSQ type).</p> <p>For each CSQ (identified by CQD.targetID and CQD.profileID) and each call priority (identified by CRD.finalPriority), count the number of CQD records to determine the number of calls presented to each CSQ for each call priority.</p>
Average Number of Calls by Priority (Priority 1 through Priority 10)	<p>If the number of days within the report period is not zero, this field is calculated as follows: (Total Calls Presented by Call Priority / number of days within report period) * 100%</p> <p>If the number of days within the report period is zero, this field is zero.</p> <p>Number of days within report period is the maximum value stored in CQD.queueTime for all calls abandoned from this CSQ.</p>

Table 46: Contact Service Queue Priority Summary report filter parameter

Filter parameter	Explanation
All CSQs (default, no filter parameter)	Search the CSQ table to find CSQ.recordID and CSQ.profileID for CSQs with CSQ.dateInactive set to null or set to a date/time later than the report start time. This action determines the active CSQs and CSQs that are deleted after the report start time (they are still active during the report period).
CSQ Name	Obtain the list of CSQ names from the user selection for this parameter. Search the CSQ table to find records for which CSQ.csqName contains values that are in the list. Obtain the corresponding CSQ.recordID and CSQ.profileID.

Contact Service Queue Service Level Priority Summary report

The Contact Service Queue Service Level Priority Summary report contains information about the total number and percentage of calls that are handled within a service level and the number and percentage of calls that are handled within service level for each call priority.

[Table 47: Contact Service Queue Service Level Priority Summary report query design, on page 76](#) shows how the information in the Contact Service Queue Service Level Priority Summary report is obtained or calculated.

[Table 48: Contact Service Queue Service Level Priority Summary report filter parameter, on page 77](#) explains how the Contact Service Queue Service Level Priority Summary report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 47: Contact Service Queue Service Level Priority Summary report query design

Field	Explanation
CSQ Name (Call Skills)	The combination of CSQ.recordID and CSQ.profileID uniquely identifies a CSQ. Obtain these two values as described in Table 48: Contact Service Queue Service Level Priority Summary report filter parameter, on page 77 . CSQ name is stored in CSQ.csqName.
Service Level (sec)	Obtained from CSQ.serviceLevel
Calls Presented	Join CCD and CQD on sessionID, sessionSeqNum, profileID, and nodeID to find CQD records during the report period. (The corresponding CCD records have CCD.startDateTime during the report period.) Additional search criterion is CQD.targetType is 0 (CSQ type). For each CSQ, which is uniquely identified by the combination of CQD.targetID and CQD.profileID, count the number of CQD records to determine the number of calls presented to each CSQ.
Total Service Level Met	Join CCD, CQD, and ACD on sessionID, sessionSeqNum, nodeID, and profileID. Join CQD and ACD also on qIndex. Additional search criteria are: CCD.contactDisposition is 2 (handled), CQD.targetType is 0 (CSQ type), CQD.disposition is 2 (handled), and ACD.talkTime is greater than zero. For each CSQ identified by the combination of CQD.targetID and CQD.profileID, count the number of CQD records whose value in CQD.metServiceLevel is 1. This is the number of calls handled by each CSQ which met the specified service level.
Percent SL Met	If Calls Presented is not zero, this field is calculated as: $(\text{Total Service Level Met} / \text{Calls Presented}) * 100\%$ If Calls Presented is zero, this field is zero.
Number of Calls that Met Service Level for Each Call Priority (Priority 1 through Priority 10)	Join CCD, CQD, and ACD on sessionID, sessionSeqNum, nodeID, and profileID. Join CQD and ACD also on qIndex. Join CRD also on sessionID, sessionSeqNum, nodeID, profileID, and qIndex. The call priority is stored in CRD.finalPriority. Additional search criteria are, CCD.contactDisposition is 2 (handled), CQD.targetType is 0 (CSQ type), CQD.disposition is 2 (handled), and ACD.talkTime is greater than 0. For each CSQ (identified by CQD.targetID and CQD.profileID), and each call priority (identified by CRD.finalPriority), count the number of CQD records for which the value of CQD.metServiceLevel is 1. This total is the number of calls handled by each CSQ for each call priority which met the specified service level.
Percentage of Calls that Met Service Level for Each Call Priority (Priority 1 through Priority 10)	If total calls presented for each call priority is not zero, this field is calculated as follows: $(\text{number of calls that met SL for each call priority} / \text{total calls presented for each call priority}) * 100\%$ If total calls presented for each call priority is zero, this field is zero. Total calls presented for each call priority is calculated as follows: For each CSQ (identified by CQD.targetID and CQD.profileID) and each call priority (identified by CRD.finalPriority), count the number of CQD records. This total is the number of calls handled by each CSQ for each call priority which met the specified service level.

Table 48: Contact Service Queue Service Level Priority Summary report filter parameter

Filter parameter	Explanation
All CSQs (default, no filter parameter)	Search the CSQ table to find CSQ.recordID and CSQ.profileID for CSQs with CSQ.dateInactive set to null or set to a date/time later than the report start time. This action determines the active CSQs and CSQs that are deleted after the report start time (they are still active during the report period).
CSQ Names	Obtain the list of CSQ names from the user selection for this parameter. Search the CSQ table to find records for which CSQ.csqName contains values that are in the list. Obtain the corresponding CSQ.recordID and CSQ.profileID.

CSQ-Agent Summary report

An agent can handle calls for multiple CSQs. The CSQ-Agent Summary report shows, for each agent, information about calls handled in each CSQ.

[Table 49: CSQ-Agent Summary report query design, on page 77](#) shows how the information in the CSQ-Agent Summary report is obtained or calculated.

[Table 50: CSQ-Agent Summary report filter parameter, on page 79](#) explains how the CSQ-Agent Summary report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 49: CSQ-Agent Summary report query design

Field	Explanation
CSQ Name	The combination of CSQ.recordID and CSQ.profileID uniquely identifies a CSQ. Obtain these two values as described in Table 50: CSQ-Agent Summary report filter parameter, on page 79 . CSQ name is stored in CSQ.csqName.
Agent Name	Call record tables (ACD and ASD) refer to agent by resource ID and profile ID. Given Resource.resourceID and Resource.profileID, search the Resource table for corresponding Resource.resourceName and Resource.resourceLoginID. These two fields uniquely identify an agent. The agent name is stored in Resource.resourceName. Note Note: One resourceName/resourceLoginID combination may have multiple resourceID/profileID combinations, because when an agent has a certain attribute changed (for example, extension or resource group), a resource ID is created and the old one is set to Deactivated.
Extension	Given Resource.resourceName and Resource.resourceLoginID, search the Resource table for the corresponding Resource.extension. If an agent extension changed, display the most recent extension assigned to the agent.

Field	Explanation
Calls Handled	<p>A handled call has a CCD record, a CQD record for the CSQ that the call is routed to, and an ACD record for the agent who handles the call. The talk time in ACD should be greater than zero.</p> <p>Join CCD and CQD on sessionID, sessionSeqNum, nodeID, and profileID to find the CQD record for the CSQ to which the call is routed. Join CQD and ACD on sessionID, sessionSeqNum nodeID, profileID, and qIndex to find the agent who handles the call. Additional search criteria are CQD.disposition is 2 (handled), CQD.targetType is 0 (CSQ type), and ACD.talkTime is greater than zero.</p> <p>To uniquely identify a CSQ, the CSQ record ID and profile ID are stored in CQD.targetID and CQD.profileID.</p> <p>To uniquely identify an agent, obtain resource ID and resource login ID as follows: join ACD.resourceID with Resource.resourceID, and join ACD.profileID with Resource.profileID to find Resource.resourceName and Resource.resourceLoginID.</p> <p>For each CSQ-Agent combination (CSQ is identified by CSQ.recordID/CSQ.profileID, and agent is identified by Resource.resourceName/Resource.resourceLoginID), count the number of ACD records to determine the number of calls handled by the specified CSQ-Agent combination.</p>
Talk Time Avg	<p>If Calls Handled is not zero, this field is calculated as Total Talk Time / Calls Handled.</p> <p>If Calls Handled is zero, this field is zero.</p>
Talk Time Total	Same calculation as for Calls Handled , but instead of counting the number of ACD records, calculate the sum of the values stored in ACD.talkTime.
Work Time Avg	<p>If Calls Handled is not zero, this field is calculated as Total Work Time / Calls Handled.</p> <p>If Calls Handled is zero, this field is zero.</p>
Work Time Total	Same calculation as for Calls Handled , but instead of counting the number of ACD records, calculate the sum of the values stored in ACD.workTime.
Total Ring Time	Same calculation as for Calls Handled , but instead of counting the number of ACD records, calculate the sum of the values stored in ACD.ringTime.
Calls On Hold	<p>Same calculation as for Calls Handled. An additional search criterion is ACD.holdTime is greater than zero.</p> <p>For each CSQ-Agent combination, count the number of ACD records. The result is the number of calls put on hold by the specified CSQ-Agent combination.</p>
Hold Time Avg	<p>If Calls on Hold is not zero, this field is calculated as Total Hold Time / Calls on Hold.</p> <p>If Calls on Hold is zero, this field is zero.</p>
Hold Time Total	Same calculation as for Calls on Hold , but instead of counting the number of ACD records, add up the values stored in ACD.holdTime.
RNA	<p>Same calculation as for Calls Handled, but the search criteria should be: ACD.talkTime is zero, and ACD.ringTime is greater than zero.</p> <p>For each CSQ-Agent combination, count the number of ACD records. This result is the number of calls that go to Ring No Answer (RNA).</p>

Table 50: CSQ-Agent Summary report filter parameter

Filter parameter	Explanation
All CSQs (default, no filter parameter)	Search the CSQ table to find CSQ.recordID and CSQ.profileID for CSQs with CSQ.dateInactive set to null or set to a date/time later than the report start time. This action determines the active CSQs and CSQs that are deleted after the report start time (they are still active during the report period).
CSQ Names	Obtain the list of CSQ names from the user selection for this parameter. Search the CSQ table to find records for which CSQ.csqName contains values that are in the list. Obtain the corresponding CSQ.recordID and CSQ.profileID.

Detailed Call by Call CDR report

The Detailed Call by Call CDR report shows most of the information that is contained in the CCD table. This report also includes information from the CRD and the ACD tables. The report contains one row per call leg (a call transfer or redirect initiates a new call leg).

[Table 51: Detailed Call by Call CDR report query design, on page 79](#) shows how the information in the Detailed Call by Call CDR report is obtained or calculated.

[Table 52: Detailed Call by Call CDR report filter parameter, on page 81](#) explains how the Detailed Call by Call CDR report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 51: Detailed Call by Call CDR report query design

Field	Explanation
Node ID	Obtained from CCD.nodeID.
Session ID	Obtained from CCD.sessionID.
Sequence No.	Obtained from CCD.sessionSeqNum.
Start Time	Obtained from CCD.startDateTime.
End Time	Obtained from CCD.endDateTime.
Contact T	Obtained from CCD.contactType.
Contact D	Obtained from CCD.contactDisposition.
Originator T	Obtained from CCD.originatorType.

Field	Explanation
Originator ID	Obtained from CCD.originatorID. If originator type is 1 (agent), CCD.originatorID is a resource ID. join CCD.originatorID with Resource.resourceID, and join CCD.profileID with Resource.profileID to display the agent login ID, which is stored in Resource.resourceLoginID.
Originator DN (DN = directory number)	If CCD.originatorType is Device (2) or Unknown (3), obtained from CCD.originatorDN. If CCD.originatorType is Agent (1), join CCD.originatorID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.extension.
Destination T	Obtained from CCD.destinationType.
Destination ID	Obtained from CCD.destinationID. If destination type is 1 (agent), CCD.destinationID is a resource ID. join CCD.destinationID with Resource.resourceID, and join CCD.profileID with Resource.profileID to display the agent login ID, which is stored in Resource.resourceLoginID.
Destination DN	If CCD.destinationType is Device (2) or Unknown (3), obtained from CCD.destinationDN. If CCD.destinationType is Agent (1), join CCD.destinationID with Resource.resourceID, and join CCD.profileID with Resource.profileID and obtain Resource.extension.
Called Number	Obtained from CCD.calledNumber.
Original Called No.	Obtained from CCD.origCalledNumber.
Application Name	Obtained from CCD.applicationName.
Queue Time	Join CCD and CRD on sessionID, sessionSeqNum, nodeID, and profileID to obtain value stored in CRD.queueTime. Blank for IVR calls.
Talk Time	For ACD calls, join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to obtain the value in ACD.talkTime. For IVR calls, there is no ACD record. Talk time of handled IVR calls (where CCD.contactDisposition set to 2) is calculated as (CCD.endDateTime – CCD.startDateTime). For abandoned IVR calls (where CCD.contactDisposition set to 1), talk time is zero.
Hold Time	For ACD calls, join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to obtain the value in ACD.holdTime. Blank for IVR calls.
Work Time	For ACD calls, join CCD and ACD on sessionID, sessionSeqNum, profileID, and nodeID to obtain the value in ACD.workTime. Blank for IVR calls. sessionID, sessionSeqNum, nodeID, and profileID to obtain value stored in CRD.queueTime.

Table 52: Detailed Call by Call CDR report filter parameter

Filter parameter	Explanation
Original Called Number	To report on a specific original called number or numbers, obtain the list of original called numbers from the user selection for this parameter. Find each CCD record for which the value stored in CCD.origCalledNumber is in the selected list.
Called Number	To report on a specific called number or numbers, obtain the list of called numbers from the user selection for this parameter. Find each CCD record for which the value stored in CCD.calledNumber is in the selected list.
Calling Number	To report on a specific calling number or numbers, obtain the list of calling numbers from the user selection for this parameter. Find each CCD record for which the value stored in CCD.originatorDN is in the selected list.
Application Name	To report on a specific application name or names, obtain the list of application names from the user selection for this parameter. Find each CCD record for which the value stored in CCD.applicationName is in the selected list.
Contact Type	To report on a specific contact type or types, obtain the list of contact type names from the user selection for this parameter. The mapping between numeric ID and contact type name is as follows: 1—incoming 2—outgoing 3—internal 4—redirect-in 5—transfer-in 6—outbound preview Find each CCD record for which the value stored in CCD.contactType is in the selected list.
Originator Type	To report on a specific originator type or types, obtain the list of originator type or types from the user selection for this parameter. The mapping between numeric ID and originator type name is as follows: 1—agent 2—device 3—unknown Find each CCD record for which the value stored in CCD.originatorType is in the selected list.
Destination Type	To report on a specific destination type or types, obtain the list of destination type or types from the user selection for this parameter. The mapping between numeric ID and destination type name is as follows: 1—agent 2—device 3—unknown Find each CCD records for which the value stored in CCD.destinationType is in the selected list.

Filter parameter	Explanation
Duration Greater Than or Equal to T seconds	To report on calls with durations greater than or equal to T seconds, obtain the value of T from the user input for this parameter. Call duration is calculated as CCD.endDateTime minus CCD.startDateTime, in number of seconds. Find CCD records with call duration greater than or equal to T.
Duration Less Than or Equal to T seconds	To report on calls with durations less than or equal to T seconds, obtain the value of T from the user input for this parameter. The call duration is calculated as CCD.endDateTime minus CCD.startDateTime, in number of seconds. Find at CCD records with call duration less than or equal to T.

Detailed Call CSQ Agent report

The Detailed Call, CSQ, Agent report shows detailed call information about the CSQ that a call was routed to and the agent that handled the call.

[Table 53: Detailed Call, CSQ, Agent report query design, on page 82](#) shows how the information in the Detailed Call, CSQ, Agent report is obtained or calculated.

[Table 54: Detailed Call, CSQ, Agent report filter parameters, on page 83](#) explains how the Detailed Call, CSQ, Agent report filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 53: Detailed Call, CSQ, Agent report query design

Field	Explanation
Node ID	Obtained from CCD.nodeID.
Session ID	Obtained from CCD.sessionID.
Sequence No.	Obtained from CCD.sessionSeqNum.
Call Start Time	Obtained from CCD.startDateTime.
Call End Time	Obtained from CCD.endDateTime.
Contact Disp	Obtained from CCD.contactDisposition.
Originator DN (Calling Number)	Obtained from CCD.originatorDN. If originator is an agent (CCD.originatorType = 1), this field shows the extension of the agent, and is determined as follows: join CCD.originatorID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.extension.
Destination DN	Obtained from CCD.destinationDN. If destination is an agent (CCD.destinationType = 1), this field shows the extension of the agent and is determined as follows: join CCD.destinationID with Resource.resourceID, and join CCD.profileID with Resource.profileID to obtain Resource.extension.

Field	Explanation
Called Number	Obtained from CCD.calledNumber.
App. Name	Obtained from CCD.applicationName.
CSQ Names	Join CCD and CQD on sessionID, sessionSeqNum, nodeID, and profileID. Find CQD records with targetType = 0 (CSQ type). The CSQ information is stored in CQD.targetID and CQD.profileID. Join CQD.targetID with CSQ.recordID, and join CQD.profileID with CSQ.profileID. The CSQ name is stored in CSQ.csqName. Multiple CSQ names are separated by commas.
Queue Time	Join CCD and CQD on sessionID, sessionSeqNum, nodeID, and profileID. Queue Time is stored in CQD.queueTime.
Agent Name	Join CCD and ACD on sessionID, sessionSeqNum, nodeID, and profileID to obtain ACD.resourceID and ACD.profileID. Join ACD.resourceID with Resource.resourceID, and join ACD.profileID with Resource.profileID to obtain agent name, which is stored in Resource.resourceName.
Ring Time	Join CCD and ACD on nodeID, sessionID, sessionSeqNum, and profileID. The value is stored in ACD.ringTime.
Talk Time	For ACD calls, join CCD and ACD on nodeID, sessionID, sessionSeqNum, and profileID. The value is stored in ACD.talkTime. For IVR calls, there is no ACD record for the call. If the call is handled (CCD.contactDisposition = 2), this field is calculated as (Call End Time – Call Start Time), and shows the result in hh:mm:ss. Otherwise, this field shows zero.
Work Time	Join CCD and ACD on nodeID, sessionID, sessionSeqNum, and profileID. The value is stored in ACD.workTime.

Table 54: Detailed Call, CSQ, Agent report filter parameters

Filter parameter	Explanation
Called Number	To report on a specific called number or numbers, obtain the list of called numbers from the user selection for this parameter. Find CCD records for which the value stored in CCD.calledNumber is in the selected list.
Calling Number	To report on a specific calling number or numbers, obtain the list of calling numbers from the user selection for this parameter. Find CCD records for which the value stored in CCD.originatorDN is in the selected list.
Application Name	To report on a specific application name or names, obtain the list of application names from the user selection for this parameter. Find CCD records for which the value stored in CCD.applicationName is in the selected list.

Filter parameter	Explanation
Contact Type	<p>To report on a specific contact type or types, obtain the list of contact type names from the user selection for this parameter. The mapping between numeric ID and contact type name is as follows:</p> <ul style="list-style-type: none"> 1—incoming 2—outgoing 3—internal 4—redirect-in 5—transfer-in 6—outbound preview <p>Find CCD records for which the value stored in CCD.contactType is in the selected list.</p>
Originator Type	<p>To report on a specific originator type or types, obtain the list of originator types from the user selection for this parameter. The mapping between numeric ID and originator type name is as follows:</p> <ul style="list-style-type: none"> 1—agent 2—device 3—unknown <p>Find CCD records for which the value stored in CCD.originatorType is in the selected list.</p>
Destination Type	<p>To report on a specific destination type or types, obtain the list of destination types from the user selection for this parameter. The mapping between numeric ID and destination type name is as follows:</p> <ul style="list-style-type: none"> 1—agent 2—device 3—unknown <p>Find CCD records for which the value stored in CCD.destinationType is in the selected list.</p>
Agent Name	<p>To report on a specific agent or agents, find Resource records in which values in resourceName match the user input for this parameter. Join Resource.resourceID with ACD.resourceID, join and Resource.profileID with ACD.profileID to obtain the corresponding ACD records for the specified agents. Join ACD and CCD on sessionID, sessionSeqNum, nodeID, and profileID to obtain other information stored in the CCD table.</p>
CSQ Name	<p>To report on a specific CSQ or CSQs, find for CSQ records in which values in csqName match the user input for this parameter. Join CSQ.recordID with CQD.targetID, and join CSQ.profileID with CQD.profileID to obtain the CQD records for the specified CSQs. For these CQD records, CQD.targetType should be 0 (CSQ type). Join CQD and CCD on sessionID, sessionSeqNum, nodeID, and profileID to obtain other information stored in the CCD table.</p>
Duration Greater Than or Equal to T seconds	<p>To report on calls with durations greater than or equal to T seconds, obtain the value of T from the user input for this parameter. The call duration is calculated as CCD.endDateTime minus CCD.startDateTime, in number of seconds. Find CCD records with call duration greater than or equal to T.</p>

Filter parameter	Explanation
Duration Less Than or Equal to T seconds	To report on calls with durations less than or equal to T seconds, obtain the value of T from the user input for this parameter. The call duration is calculated as CCD.endDateTime minus CCD.startDateTime, in number of seconds. Find CCD records with call duration less than or equal to T.

Outbound Agent Detail Performance report

The Outbound Agent Detail Performance report shows detailed statistics for each agent by campaign. It also shows the total call details and campaign call details. This report is available with the Cisco Unified Outbound Dialer (Cisco Unified OUTD) feature.

[Table 55: Outbound Agent Detail Performance report query design, on page 85](#) shows how the information in the Outbound Agent Detail Performance report is obtained or calculated.

[Table 56: Outbound Agent Detail Performance report filter parameters, on page 86](#) explains how the Outbound Agent Detail Performance report filter parameters obtain data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 55: Outbound Agent Detail Performance report query design

Field	Explanation
Agent Name	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. The agent that dials for the campaign is recorded in ACD.resourceID. Join ACD.resourceID with Resource.resourceID to obtain Resource.resourceName.
Campaign Name	For a given campaignID, look up the campaign name in the Campaign table.
Offered	Calculated as (Accepted + Rejected + Closed)
Accepted	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records for this agent (as identified in ACD.resourceID) where callResult is not 9 (agent reject) or 10 (agent close).
Rejected	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records for this agent (as identified in ACD.resourceID) where callResult = 9 (agent reject).
Closed	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records for this agent (as identified in ACD.resourceID) where callResult = 10 (agent close).
RNA	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records for this agent (as identified in ACD.resourceID) where callResult is not 12 (transfer).

Field	Explanation
Transfer	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records for this agent (as identified in ACD.resourceID) where callResult is not 13 (ring no answer).
Average Talk Time	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records with callResult = 1 (voice) and resourceID for this agent. For these records, calculate the average talk time using ACD.talkTime.
Maximum Talk Time	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records with callResult = 1 (voice) and resourceID for this agent. For these records, obtain the maximum ACD.talkTime.

Table 56: Outbound Agent Detail Performance report filter parameters

Filter parameter	Explanation
Campaign Name	Obtain the list of campaign names from the user selection for this parameter. Look up the corresponding campaignID in the Campaign table, and use these campaignIDs only for report generation.
Agent Names	To report on a specific agent or agents, obtain the list of resource IDs and profile IDs as follows: Obtain the list of agent names from the user selection for this parameter. These values are in Resource.resourceName. Obtain the corresponding Resource.resourceID and Resource.profileID.
Resource Group Names	To report on a specific resource group or groups, obtain the list of resource IDs and profile IDs as follows: Obtain the list of resource group names from the user selection for this parameter. Search the ResourceGroup table to find records for which RG.resourceGroupName contains values found in the list. Join RG and Resource on resourceGroupID and profileID to find the list of agents that belong to the selected resource group or groups. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who are active and agents who are deleted after the report start time.
Skill Names	To report on agents with a specific skill or skills, obtain the list of resource IDs and profile IDs as follows: Obtain the list of skill names from the user selection for this parameter. Search the Skill table to find records for which Skill.skillName contains values found in the list. Join Skill and RSM on skillID and profileID to find resourceSkillMapID. Join RSM and Resource on resourceSkillMapID and profileID to find the list of agents that have the selected skill or skills. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively. This report displays only agents who are active and agents who are deleted after the report start time.
Team Names	To report on a specific team or teams, obtain the list of resource IDs and profile IDs as follows: Obtain the list of team names from the user selection for this parameter. Search the Team table to find records whose Team.teamName contains values found in the list. Join Team.teamID with Resource.assignedTeamID, and Team.profileID with Resource.profileID to find the list of agents who belong to the selected team or teams. Resource ID and profile ID of agents are stored in Resource.resourceID and Resource.profileID, respectively.

Outbound Campaign Summary report

The Outbound Campaign Summary report provides summary statistics for each campaign over a specified time period. This report is available with the Cisco Unified OUTD feature.

[Table 57: Outbound Campaign Summary report query design, on page 87](#) shows how the information in the Outbound Campaign Summary report is obtained or calculated.

[Table 58: Outbound Campaign Summary report filter parameter, on page 89](#) explains how the Outbound Campaign Summary report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 57: Outbound Campaign Summary report query design

Field	Explanation
Campaign Name	For each outbound call, campaignID is recorded in CCDR. Campaign Name is obtained from the Campaign table, given the campaignID. The mapping between campaignName and campaignID is one-to-one.
Total Records	For a given campaignID, total number of DailingList records with a unique dialingListID and that have the specified campaignID. Active and inactive records are included in the calculation. Records are marked inactive when callStatus becomes 3 (closed) or 5 (max calls).
Available	For a given campaignID, total number of DialingList records with a unique dialingListID and that have the specified campaignID. Also, DailingList.callStatus must be one of the following values (it cannot be 3 (closed) or 5 (max calls): 1 = pending 2 = active 4 = callback 6 = retry 7 = unknown
Attempted	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records in which callResult is not 9 (agent skip) or 10 (agent close). This number is the same as Accepted. From this number, deduct duplicate records with the same dialingListID so that a given dialingListID occurs only once in the final result.
Attempted %	(Attempted / Total Records) * 100%
Accepted	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult not equal to 9 (agent reject) or 10 (agent close).

Field	Explanation
Rejected	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult = 9 (agent reject).
Closed	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult = 10 (agent close).
Voice	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult = 1 (voice).
Answering Machine	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult = 3 (answering machine).
Fax/Modem	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult = 2 (fax/modem).
Invalid	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult = 4 (invalid).
Requested Callback	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult = 8 (requested callback).
Customer Not Home	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult = 7 (customer not home).
Wrong Number	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult = 6 (wrong number).
Do Not Call	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult = 5 (do not call).
Busy	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records. Count the number of ACD records with ACD.callResult = 11 (busy).
Average Talk Time	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records with callResult = 1 (voice). For these records, calculate the average talk time using ACD.talkTime.

Field	Explanation
Maximum Talk Time	For a given campaignID, determine from the CCD table the sessionID, sessionSeqNum, profileID, and nodeID values. Use these values to look up the associated ACD records with callResult = 1 (voice). For these records, obtain the maximum ACD.talkTime.

Table 58: Outbound Campaign Summary report filter parameter

Filter parameter	Explanation
Campaign Name	Obtain the list of campaign names from the user selection for this parameter. Look up the corresponding campaignID in the Campaign table, and use these campaignIDs only for report generation.

Priority Summary Activity report

The Priority Summary Activity report contains one row per call priority.

[Table 59: Priority Summary Activity report query design, on page 89](#) shows how the information in the Priority Summary Activity report is obtained or calculated.

[Table 60: Priority Summary Activity report filter parameter, on page 90](#) explains how the Priority Summary Activity report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 59: Priority Summary Activity report query design

Field	Explanation
Call Priority	Obtained from CRD.finalPriority. It is a value from 1 through 10.
Total Calls	Join CCD and CRD on sessionID, sessionSeqNum, nodeID, and profileID to find CRD records during the report period. (Corresponding CCD records have startDateTime during the report period.) For each call priority identified by CRD.finalPriority, count the number of CRD records.
Avg Calls	Total calls divided by the number of days in the report period. The number of days is calculated as follows. This information is displayed in units of days, rounded up to the next integer. $\text{report end time} - \text{report start time}$ For example, if the report start time and the report end time are on the same day, the number of days is 1.
Total Number of Calls (Per Day) with Different Original and Final Priorities	Original call priority is stored in CRD.origPriority and final call priority in CRD.finalPriority. Count the number of CRD records with CRD.finalPriority different than CRD.origPriority in the report period.

Field	Explanation
Average Number of Calls (Per Day) with Different Original and Final Priorities	Total number of calls with different original and final call priorities divided by the number of days in the report period. The number of days is calculated as follows. This information is displayed in units of days, rounded up to the next integer. report end time – report start time For example, if the report start time and the report end time are on the same day, the number of days is 1.
Maximum Difference Between Original and Final Priorities Experienced by All Calls	Original call priority is stored in CRD.origPriority and final call priority in CRD.finalPriority. For a single call, the difference between original and final priorities is calculated as the absolute value of (CRD.finalPriority – CRD.origPriority) This field shows the largest number of all calls in the report period.
Average Difference (Per Call) Between Original and Final Priorities Experienced by All Calls	Original call priority is stored in CRD.origPriority and final call priority in CRD.finalPriority. For a single call, the difference between original and final priorities is calculated as the absolute value of (CRD.finalPriority – CRD.origPriority). This field is calculated as sum of the difference (absolute value) for all calls in the report period, divided by the number of calls.

Table 60: Priority Summary Activity report filter parameter

Filter parameter	Explanation
Call Priority Levels	To report on a specific call priority or priorities, obtain the list of call priorities from the user selection for this parameter. Query the CRD table to include only the selected call priority or priorities.

Remote Monitoring Detail report

The Remote Monitoring Detail report shows information about the agent monitoring activities of supervisors.

[Table 61: Remote Monitoring Detail report query design, on page 90](#) shows how the information in the Remote Monitoring Detail report is obtained or calculated.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 61: Remote Monitoring Detail report query design

Field	Explanation
User ID	Join CCD and RMD on sessionID, sessionSeqNum, profileID, and nodeID to determine RMD records with a CCD.startDateTime value that is within the report period. Join RMD.rmonID with RmonUser.rmonID and join RMD.profileID with RmonUser.profileID. User ID is stored in RmonUser.name.

Field	Explanation
Start Time	Join CCD and RMD on sessionID, sessionSeqNum, profileID, and nodeID to determine RMD records with a CCD.startDateTime value that is within the report period. Start Time is stored in RMD.startMonitoringReqTime.
Original Monitored Party	Join CCD and RMD on sessionID, sessionSeqNum, profileID, and nodeID to obtain RMD records with a CCD.startDateTime value that is within the report period. If RMD.origMonitoredIDType is 1 (agent Type), the value of this field is an agent extension. It is stored in RMD.origMonitoredID. If RMD.origMonitoredIDType is 2 (CSQ Type), this field is a CSQ name. Join RMD.origMonitoredID with CSQ.contactServiceQueueID, and join RMD.profileID with CSQ.profileID to obtain the CSQ name, which is stored in CSQ.csqName.
Monitored Extension(s)	Join CCD and RMD on sessionID, sessionSeqNum, profileID, and nodeID to determine RMD records with a CCD.startDateTime value that is within the report period. Join RMD.sessionID with MRD.sessionID, and join RMD.startMonitoringReqTime with MRD.startMonitoringReqTime to obtain MRD.monitoredRsrcID and MRD.profileID. Join MRD.monitoredRsrcID with Resource.resourceID, and MRD.profileID with Resource.profileID, to get the agent extension, which is stored in Resource.extension. If the session has multiple extensions monitored, there are multiple MRD records, and the values in Resource.extension are separated by commas.
Duration	Join CCD and RMD on sessionID, sessionSeqNum, profileID, and nodeID to determine RMD records with a CCD.startDateTime value that is within the report period. The value of this field is the difference between RMD.startMonitoringReqTime and RMD.endMonitoringTime, in number of seconds.
Wait Time	Join CCD and RMD on sessionID, sessionSeqNum, profileID, and nodeID to determine RMD records with a CCD.startDateTime value that is within the report period. Join RMD.sessionID with MRD.sessionID, and join RMD.startMonitoringReqTime with MRD.startMonitoringReqTime. The value of this field is MRD.startMonitoringCallTime minus MRD.startMonitoringReqTime, in number of seconds. If the supervisor waited on the call but did not monitor it, MRD table will not have a record for this call. In this case, this field is set to the value of Duration .

Field	Explanation
Status	<p>Join CCDR with RMD on sessionID, sessionSeqNum, profileID, and nodeID to determine RMD records with a CCD.startDateTime value that is within the report period. The numeric value of the status is stored in RMD.cause. The textual display is based on the cause as follows:</p> <p>Normal – Monitored: cause = 3</p> <p>Normal – Agent RNA: cause = 100</p> <p>Error – Unable to Stop Monitoring: cause = -9</p> <p>Error – Unable to Monitor New Call: cause = -8</p> <p>Error – Agent Logged Off: cause = -7</p> <p>Error – Network Problem: cause = -6</p> <p>Error – VoIP Server Unable to Communicate: cause = -5</p> <p>Error – Monitoring Not Allowed: cause = -4</p> <p>Error – Agent Not Logged In: cause = -3</p> <p>Error – Invalid Input: cause = -2</p> <p>Error – Other: cause = 0 or -1</p>

Traffic Analysis report

The Traffic Analysis report shows information about incoming calls to the Unified CCX system.

[Table 62: Traffic Analysis report query design, on page 92](#) shows how the information in the Traffic Analysis report is obtained or calculated.

If the selected report Start Date and report End Date exceeds the date range available in the database, the report start date and report end date is automatically adjusted to match the date range available in the database. For example: If data is available in the database only from the start date x and end date y and if the selected start date is earlier than x and selected end date is later than y, then the report start date and report end date is automatically adjusted to x and y respectively.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 62: Traffic Analysis report query design

Field	Explanation
Date	Date of each day in the report period.
Total Incoming Calls	For each day, count the number of CCD records with the unique sessionID with the Contact Type field set to the value of 1 (incoming call).
Avg Calls (per hour)	<p>Calculated as total incoming calls divided by the number of hours in the day.</p> <p>The first day or the last day of the report period may be a partial day, depending on the start time and the end time selected by the user. Any other day within the report period has 24 hours.</p>

Field	Explanation
Peak Calls (per hour)	Divide each day into one-hour intervals. The number of incoming calls within each interval is determined by counting the number of CCD records with unique sessionIDs in the interval. The peak hour is the interval with the largest number of incoming calls. This field displays the number of calls in the peak hour.
Peak Hour Start	Divide each day into one-hour intervals. The number of incoming calls within each interval is determined by counting the number of CCD records with unique sessionIDs in the interval. The peak hour is the interval with the largest number of incoming calls. This field displays the start time of the peak hour.
Peak Hour End	Divide each day into one-hour intervals. The number of incoming calls within each interval is determined by counting the number of CCD records with unique sessionIDs in the interval. The peak hour is the interval with the largest number of incoming calls. This field displays the end time of the peak hour.
Call Duration Avg	A call may have multiple call legs. The call duration for a call is calculated as sum of CCD.connectTime for all the call legs. Average call duration for a day is calculated as the sum of call durations for all incoming calls on that day divided by the number of incoming calls on that day.
Call Duration Min	A call may have multiple call legs. The call duration for a call is calculated as sum of CCD.connectTime for all the call legs. Minimum call duration for a day is the shortest call duration of all incoming calls for that day.
Call Duration Max	A call may have multiple call legs. The call duration for a call is calculated as sum of CCD.connectTime for all the call legs. Maximum call duration for a day is the longest call duration of all incoming calls for that day.

Email Agent Activity report

The Email Agent Activity report shows, for each agent, information about emails handled.

[Table 63: Email Agent Activity report, on page 93](#) shows how the information in the Email Agent Activity report is obtained or calculated.

[Table 64: Email Agent Activity report filter parameter, on page 95](#) explains how the Email Agent Activity report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 63: Email Agent Activity report

Field	Explanation
Agent Name	Resource.resourceName. Join Resource.resourceLoginID, EEMEASD.Agent, and EEMQAD.Agent to obtain the name of the Agent that was presented emails.

Field	Explanation
Date	This is the date of the day interval. This is a sum of EEMEASD.eventStartDateTime, EEMEASD.eventEndDateTime, EEMQAD.getEmailDateTime, and EEMQAD.endEmailDateTime truncated to just the date portion of the DateTime.
Login Time	Sum of email Not Ready, Ready, and Processing times.
Not Ready	Difference between eventStartDateTime and eventEndDateTime in EEMEASD where stateId = 2 (Not Ready) Joined with Resource.resourceName and Date, both determined above.
Ready	Difference between eventStartDateTime and eventEndDateTime in EEMEASD where stateId = 3 (Ready) Joined with Resource.resourceName and Date, both determined above.
Processing	Difference between eventStartDateTime and eventEndDateTime in EEMEASD where stateId = 4 (Processing) Joined with Resource.resourceName and Date, both determined above.
Retrieved	Count of EEMQAD.getEmailDateTime truncated to just the date.
Requeued	Count of EEMQAD.endEmailDateTime truncated to just the date where endTypeFK = 8
Trans Out	Count of EEMQAD.endEmailDateTime truncated to just the date where endTypeFK = 7
Sent	Count of EEMQAD.endEmailDateTime truncated to just the date where endTypeFK = 5
Deleted	Count of EEMQAD.endEmailDateTime truncated to just the date where endTypeFK = 6
Total In Process Time Sent	Join EEMQAD.Agent with Resource.resourceLoginID and total is sum of EEMQAD.inProcessTimeSeconds where endTypeFK = 5 Note This will count all In Process time for each email sent during the selected time period, even any In Process time that occurred before the report start time.
Avg. In Process	Total In Process Time Sent divided by the number Sent for each agent/date (see above Sent row.)
Avg. On Desk	Join EEMQAD.Agent with Resource.resourceLoginID. The total On Desk Time for each Email is the difference between EEMQAD.getEmailDateTime and EEMQAD.endEmailDateTime. These are then summed up by agent and date and the average is computed by dividing by the number of Sent Emails (see above Sent row.)

Table 64: Email Agent Activity report filter parameter

Filter parameter	Explanation
All Agents	To report on all agents, obtain the list of resourceLoginIDs as follows: Search the Resource table for agents who are active (Resource.active is 1).
Agent Names	To report on a specific agent or agents, obtain the list of resourceLoginIDs as follows: Obtain the list of agent names from the user selection for this parameter. These values are in Resource.resourceName. Obtain the corresponding Resource.resourceLoginID.

Email Contact Service Queue Activity report

The Email Contact Service Queue Activity report shows, for each CSQ, information about emails handled.

[Table 65: Email Contact Service Queue Activity report, on page 95](#) shows how the information in the Email Contact Service Queue Activity report is obtained or calculated.

[Table 66: Email Contact Service Queue Activity report filter parameter, on page 96](#) explains how the Email Contact Service Queue Activity report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 65: Email Contact Service Queue Activity report

Field	Explanation
CSQ Name	Join CSQ.csqID and EEMQAD.EEMQueueId, where the name is CSQ.csqName.
Date	This is the date of the day interval. This is a sum of EEMQAD.queueDateTime, and EEMQAD.endEmailDateTime truncated to just the date portion of the DateTime.
Routed In	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 1 grouped by CSQ and date.
Trans In	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 7 grouped by CSQ and date.
Requeued	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 8 grouped by CSQ and date.
Trans Out	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 7 grouped by CSQ and date.
Sent	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 5 grouped by CSQ and date.
Deleted	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 6 grouped by CSQ and date.

Field	Explanation
Total In Process Time Sent	Join EEMQAD.EEMQueueId with CSQ.csqId and total is sum of EEMQAD.inProcessTimeSeconds where endTypeFK = 5. Note This will count all In Process time for each email sent during the selected time period, even any In Process time that occurred before the report start time.
Avg. In Process	Total In Process Time Sent divided by the number Sent for each agent/date (see above Sent row.)
Avg. On Desk	Join EEMQAD.EEMQueueId with CSQ.csqID. The total On Desk Time for each Email is the difference between EEMQAD.getEmailDateTime and EEMQAD.endEmailDateTime. These are then summed up by CSQ and date and the average is computed by dividing by the number of Sent Emails (see above Sent row.)
Avg. Response	Join EEMQAD.EEMQueueId with CSQ.csqId. The total Response Time for each Email is the difference between EEMQAD.queueDateTime and EEMQAD.endEmailDateTime. These are then summed up by CSQ and date and the average is computed by dividing by the number of Sent Emails (see above Sent row.)

Table 66: Email Contact Service Queue Activity report filter parameter

Filter parameter	Explanation
All CSQs	To report on all CSQs, obtain the list of CSQ names as follows: Search the CSQ table for CSQs that are active (CSQ.active is 1).
CSQ Names	To report on a specific CSQ or CSQs, obtain the list of csqIDs as follows: Obtain the list of CSQ names from the user selection for this parameter. These values are in CSQ.csqName. Obtain the corresponding CSQ.csqID.

Email Contact Service Queue Agent Activity report

An agent can handle emails for multiple CSQs. The Email Contact Service Queue Agent Activity report shows, for each agent, information about emails handled in each CSQ.

[Table 67: Email Contact Service Queue Agent Activity report, on page 97](#) shows how the information in the Email Contact Service Queue Agent Activity report is obtained or calculated.

[Table 68: Email Contact Service Queue Agent Activity report filter parameter, on page 97](#) explains how the Email Contact Service Queue Agent Activity report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 67: Email Contact Service Queue Agent Activity report

Field	Explanation
CSQ Name	Join CSQ.csqID and EEMQAD.EEMQueueId, where the name is CSQ.csqName
Date	This is the date of the day interval. This is a sum of EEMQAD.queueDateTime, and EEMQAD.endEmailDateTime truncated to just the date portion of the DateTime.
Agent Name	Resource.resourceName. Join Resource.resourceLoginID and EEMQAD.Agent to obtain the name of the agent that was presented emails.
Routed In	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 1 grouped by CSQ and date.
Trans In	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 7 grouped by CSQ and date.
Requeued	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 8 grouped by CSQ and date.
Trans Out	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 7 grouped by CSQ and date.
Sent	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 5 grouped by CSQ and date.
Deleted	Count of EEMQAD.receivedReasonFK where receivedReasonFK = 6 grouped by CSQ and date.
Total In Process Time Sent	Join EEMQAD.EEMQueueId with CSQ.csqId and total is sum of EEMQAD.inProcessTimeSeconds where endTypeFK = 5. Note This will count all In Process time for each email sent during the selected time period, even any In Process time that occurred before the report start time.
Avg. In Process	Total In Process Time Sent divided by the number Sent for each agent/date (see above Sent row.)
Avg. On Desk	Join EEMQAD.EEMQueueId with CSQ.csqID. The total On Desk Time for each Email is the difference between EEMQAD.getEmailDateTime and EEMQAD.endEmailDateTime. These are then summed up by CSQ and date and the average is computed by dividing by the number of Sent Emails (see above Sent row.)

Table 68: Email Contact Service Queue Agent Activity report filter parameter

Filter parameter	Explanation
All CSQs	To report on all CSQs, obtain the list of CSQ names as follows: Search the CSQ table for CSQs that are active (CSQ.active is 1).
CSQ Names	To report on a specific CSQ or CSQs, obtain the list of csqIDs as follows: Obtain the list of CSQ names from the user selection for this parameter. These values are in CSQ.csqName. Obtain the corresponding CSQ.csqID.

Email Inbox Traffic Analysis report

The Email Inbox Traffic Analysis report shows information about incoming emails to the Unified CCX system.

[Table 69: Email Inbox Traffic Analysis report, on page 98](#) shows how the information in the Email Inbox Traffic Analysis report is obtained or calculated.

[Table 70: Email Inbox Traffic Analysis report filter parameter, on page 98](#) explains how the Email Inbox Traffic Analysis report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 69: Email Inbox Traffic Analysis report

Field	Explanation
Email Address	Obtained from EEMCED.toAddress.
Incoming Email Date	Obtained from EEMCED.receivedDateTime.
Email Count	Count of EEMCED.toAddress where receivedReasonFK = 1 (Routed in).

Table 70: Email Inbox Traffic Analysis report filter parameter

Filter parameter	Explanation
Email Address	Obtain the list of addresses from EEMCED.toAddress.

Email Response Detail report

The Email Response Detail report contains one row per email response sent.

[Table 71: Email Response Detail report, on page 98](#) shows how the information in the Email Response Detail report is obtained or calculated.

[Table 72: Email Response Detail report filter parameter, on page 99](#) explains how the Email Response Detail report filter parameter obtains data.

For information about the database table names and field names that are shown in this section, see the [Conventions used in this chapter, on page 12](#).

Table 71: Email Response Detail report

Field	Explanation
CSQ Name	Join CSQ.csqID and EEMCED.EEMQueueId, where the name is CSQ.csqName.

Field	Explanation
Sent Date	EEMCED.finalDispositionDateTime where finalDispositionTypeFK = 5 (Sent)
Agent Name	Resource.resourceName. Join Resource.resourceLoginID and EEMCED.Agent to obtain the name of the agent that was presented emails.
Date Received	Obtained from EEMCED.receivedDateTime.
Date Retrieved	Join EEMCED.ContactEmailDetailId and EEMQAD.ContactEmailDetailFK. Obtained from EEMQAD.getEmailDateTime.
To Address	Obtained from EEMCED.toAddress.
From Address	Obtained from EEMCED.fromAddress.
Email Subject	Obtained from EEMCED.emailSubject.

Table 72: Email Response Detail report filter parameter

Filter parameter	Explanation
All Agents	To report all agents, obtain the list of resourceLoginIDs as follows: Search the Resource table for agents who are active (Resource.active is 1).
Agent Names	To report on a specific agent or agents, obtain the list of resourceLoginIDs as follows: Obtain the list of agent names from the user selection for this parameter. These values are in Resource.resourceName. Obtain the corresponding Resource.resourceLoginID.
All CSQs	To report on all CSQs, obtain the list of CSQ names as follows: Search the CSQ table for CSQs that are active (CSQ.active is 1).
CSQ Names	To report on a specific CSQ or CSQs, obtain the list of csqIDs as follows: Obtain the list of CSQ names from the user selection for this parameter. These values are in CSQ.csqName. Obtain the corresponding CSQ.csqID.



Writing database records

This chapter explains how call-related detail records and agent state change records are generated for various call flows and scenarios.

The explanations throughout this chapter use the following abbreviations for database records:

- ACDR - AgentConnectionDetail record in the AgentConnectionDetail table
- ASDR - AgentStateDetail record in the AgentStateDetail table
- CCDR - ContactCallDetail record in the ContactCallDetail table
- CQDR - ContactQueueDetail record in the ContactQueueDetail table
- CRDR - ContactRoutingDetail record in the ContactRoutingDetail table
- EEMCEDR - EEMContactEmailDetail record in the EEMContactEmailDetail table
- EEMQADR - EEMQueueAgentDetail record in the EEMQueueAgentDetail table
- EEMEASD - EEMEmailAgentStateDetail record in the EEMEmailAgentStateDetail table
- TACDR - TextAgentConnectionDetail record in the TextAgentConnectionDetail table
- TCDR - TextContactDetail records in the TextContactDetail table
- TASDR - TextAgentStateDetail records in the TextAgentStateDetail table
- TCQDR - TextContactQueueDetail record in the TextContactQueueDetail table

This chapter contains the following topics.

- [Flow of call-related detail records, page 102](#)
- [Call scenarios, page 102](#)
- [Flow of chat-related detail records, page 118](#)
- [Chat scenario, page 118](#)
- [Flow of email-related detail records, page 119](#)
- [Email scenarios, page 120](#)

Flow of call-related detail records

The following table provides an example of the general flow of detail records for incoming ACD calls. This example assumes that the CSQ is configured for auto-work and that the agent is configured for auto-available.

Table 73: General flow of detail records for incoming ICD calls

System activity	Detail record activity
Call reaches CTI Port	Allocate Session Begin CCDR in memory
Call executes first Select Resource step	Begin CRDR and CQDR in memory
System selects agent and rings phone	Begin ACDR in memory, write ASDR for state change to Reserved
Agent answers	Write ASDR (Talking)
Call disconnects	Write CRDR, CQDR(s), ASDR (Work)
Agent leaves Work state	Write ACDR, CCDR, ASDR (Ready)

If the agent does not enter Work state after the call, the system writes the ACDR and the ASDR (Ready) when the call disconnects. If the agent is not configured for auto-available, the ASDR pertains to Not Ready state.

Call scenarios

The following sections describe various call scenarios. Each example assumes that auto-work is disabled for incoming ACD calls and that all agents have auto-available enabled.

- [Basic ACD call scenario - call queues for one CSQ, on page 103](#)
- [Basic ACD call scenario - call queues for two CSQs, on page 104](#)
- [Basic ACD call scenario - wrap up, on page 104](#)
- [Basic agent based routing call scenario, on page 105](#)
- [Transfer to route point scenario, on page 106](#)
- [Conference to agent scenario, on page 107](#)
- [Workflow redirect to route point scenario, on page 108](#)
- [ACD call unanswered scenario, on page 108](#)
- [Agent to agent Non-ACD call scenario, on page 109](#)
- [Agent to agent Non-ACD call transfer scenario, on page 110](#)
- [Agent to agent Non-ACD call conference scenario, on page 110](#)

- [ACD call blind transfer scenario, on page 111](#)
- [Agent places consult call then resumes call scenario, on page 112](#)
- [Agent consults agent then resumes call scenario, on page 113](#)
- [Basic outbound call scenario - call rejected then accepted, on page 115](#)
- [Basic outbound call scenario - call accepted and transferred to other agent, on page 116](#)
- [Basic outbound call scenario - call accepted and transferred to route point, on page 116](#)

Basic ACD call scenario - call queues for one CSQ

In this Basic ACD Call scenario, a call reaches a Unified CCX route point, executes a script, and queues for one CSQ. The system allocates agent A for the call, rings agent A's phone, and agent A answers the call.

[Table 74: Basic ACD call - call-related detail records, on page 103](#) shows the call-related detail records that are generated by this scenario. [Table 75: Basic ACD call - agent state change records, on page 103](#) shows the agent state change records that are generated by this scenario.

Table 74: Basic ACD call - call-related detail records

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR1	100	0	—	—
CRDR1	100	0	1	Overall queue information
CQDR1	100	0	1	Detailed queue information for CSQ1 (targetType = 0 indicates CSQ-based routing)
ACDR1	100	0	1	agent A and original call

Table 75: Basic ACD call - agent state change records

Record	Reason	Remarks
ASDR1	4 (Reserved)	agent A selected for call
ASDR2	5 (Talking)	agent A answers call
ASDR3	3 (Ready)	Call ends

Basic ACD call scenario - call queues for two CSQs

In this Basic ACD Call scenario, a call reaches a Unified CCX route point, executes a script, and queues for two CSQs. The system allocates agent A for the call, rings agent A's phone, and agent A answers the call.

[Table 74: Basic ACD call - call-related detail records, on page 103](#) shows the call-related detail records that are generated by this scenario. [Table 75: Basic ACD call - agent state change records, on page 103](#) shows the agent state change records that are generated by this scenario.

Table 76: Basic ACD call - call-related detail records

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR1	100	0	—	—
CRDR1	100	0	1	Overall queue information
CQDR1	100	0	1	Overall queue information for CSQ1, targetType = 0, targetID = ID of CSQ1
CQDR2	100	0	1	Overall queue information for CSQ2, targetType = 0, targetID = ID of CSQ2
ACDR1	100	0	1	agent A and original call

Basic ACD call scenario - wrap up

In this Basic ACD Call scenario, a call reaches a Unified CCX route point, executes a script, and queues for one CSQ. The system allocates agent A for the call, rings agent A's phone, and agent A answers the call. After completing the call, agent A goes to Work state and chooses a Wrap Up code.

[Table 77: Basic ACD call - wrap up records, on page 104](#) shows the call-related detail records that are generated by this scenario. [Table 78: Basic ACD call - wrap up records, on page 105](#) shows the agent state change records that are generated by this scenario.

Table 77: Basic ACD call - wrap up records

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR1	100	0	—	—
CRDR1	100	0	1	Overall queue information
CQDR1	100	0	1	Detailed queue information for CSQ1 (targetType = 0 indicates CSQ-based routing)

Record	Session ID	Session sequence number	qIndex	Remarks
ACDR1	100	0	1	Agent A and original call with Wrap-Up code

Table 78: Basic ACD call - wrap up records

Record	Reason	Remarks
ASDR1	4 (Reserved)	Agent A selected for call
ASDR2	5 (Talking)	Agent A answers call
ASDR3	6 (Work)	Call ends
ASDR4	3 (Ready)	Agent A goes to Ready state

Basic agent based routing call scenario

Table 79: Basic ACD call - agent state change records

Record	Reason	Remarks
ASDR1	4 (Reserved)	Agent A selected for call
ASDR2	5 (Talking)	Agent A answers call
ASDR3	3 (Ready)	Call ends

In the Basic Agent Based Routing call scenario, a call reaches a Unified CCX route point, executes a script, and selects agent A. The system allocates agent A for the call, rings agent A's phone, and agent A answers the call.

[Table 74: Basic ACD call - call-related detail records, on page 103](#) shows the call-related detail records that are generated by this scenario. [Table 75: Basic ACD call - agent state change records, on page 103](#) shows the agent state change records that are generated by this scenario.

Table 80: Basic agent based routing call - call-related detail records

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR1	100	0	—	—

Record	Session ID	Session sequence number	qIndex	Remarks
CRDR1	100	0	1	Overall queue information
CQDR1	100	0	1	Detailed information for the routing attempt (targetType = 1 indicates agent based routing)
ACDR1	100	0	1	Agent A and original call

Table 81: Basic agent based routing call - agent state change records

Record	Reason	Remarks
ASDR1	4 (Reserved)	Agent A selected for call
ASDR2	5 (Talking)	Agent A answers call
ASDR3	3 (Ready)	Call ends

Transfer to route point scenario

After the basic ACD scenario (see the [Basic ACD call scenario - call queues for one CSQ, on page 103](#)), agent A transfers the call to a Unified CCX route point. The call executes a script, queues for one or more CSQs, and connects to agent B. The server begins a new session and CDR as soon as agent A starts the consult call. The server writes the CDR for the consult call when agent A completes the transfer or when agent A or the script terminates that call.

[Table 82: Transfer to route point - call-related detail records, on page 106](#) shows the call-related detail records that are generated by this scenario.

Table 82: Transfer to route point - call-related detail records

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR1	100	0	—	Transfer field will be 1
CRDR1	100	0	1	Overall queue information for the first segment of the call (before the transfer)
ACDR1	100	0	1	Agent A and original call
CQDR1	100	0	1	Detailed queue information for the CSQ selected by the first route point's script

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR2	101	0	—	Consult call from agent A to route point
CCDR3	100	1	—	Second leg of original call to new route point
CRDR3	100	1	—	Overall queue information for the second segment of the call (after the transfer)
CQDR3	100	1	1	Queue information of second leg of call
ACDR3	100	1	1	Agent B and original call

Conference to agent scenario

After the basic ACD scenario (see the [Basic ACD call scenario - call queues for one CSQ, on page 103](#)), agent A calls another logged-in agent, agent B, and conferences agent B into the original call. The server begins a new session and CCDR as soon as agent A starts the consult call. The server writes the CCDR for the consult call when agent A completes the conference or when agent A or agent B terminates the consult call.



Note

The server does not create a new CCDR or CRDR after the conference is completed.

[Table 83: Conference to agent - call-related detail records, on page 107](#) shows the call-related detail records that are generated by this scenario. An asterisk (*) indicates a record that has the same name as another record but that is for a different agent.

Table 83: Conference to agent - call-related detail records

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR1	100	0	—	Conference field will be 1
CRDR1	100	0	1	Overall queue information
ACDR1	100	0	1	Agent A and original call
CQDR1	100	0	1	Detailed queue information for CSQ1 (targetType = 0 indicates CSQ-based routing)
CCDR2	101	0	—	Consult call from agent A to agent B
ACDR1*	100	0	0	Agent B and original call

Workflow redirect to route point scenario

In the Workflow Redirect to Route Point scenario, an incoming call reaches a Unified CCX route point. That workflow for that route point redirects the call to a second route point.

[Table 84: Workflow redirect to route point - call-related detail records, on page 108](#) shows the call-related detail records that are generated by this scenario.

Table 84: Workflow redirect to route point - call-related detail records

Record	Session ID	Session sequence number	Remarks
CCDR1	100	0	Caller to first route point (redirect field will be 1)
CCDR2	100	1	Caller to second route point

ACD call unanswered scenario

In the ACD Call Unanswered scenario, a call reaches a Unified CCX route point, executes a script, and queues for one or more CSQs. The system allocates agent A for the call, rings agent A's phone, but agent A does not answer the call within the timeout specified in the Select Resource or Connect step. Then the call goes into queue and is presented to agent B, who answers the call.

[Table 85: ACD call unanswered scenario - call-related detail records, on page 108](#) shows the call-related detail records that are generated by this scenario. An asterisk (*) indicates a record that has the same name as another record but that is for a different agent.

[Table 86: ACD call unanswered scenario - agent state change records, on page 109](#) shows the agent state change records that are generated by this scenario.

Table 85: ACD call unanswered scenario - call-related detail records

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR1	100	0	—	—
CRDR1	100	0	1	Overall queue information
CQDR1	100	0	1	Detailed queue information for the CSQ selected by the route point script
ACDR1	100	0	1	Agent A, ring time > 0 and talk time = 0

Record	Session ID	Session sequence number	qIndex	Remarks
ACDR1*	100	0	1	Agent B, talk time > 0

Table 86: ACD call unanswered scenario - agent state change records

Record	Agent	State	Reason Code	Remarks
ASDR1	A	4 (Reserved)	—	Agent A selected for call
ASDR2	A	2 (Not Ready)	32763	Server retrieves call from agent's phone
ASDR3	B	4 (Reserved)	—	Agent B selected for call
ASDR4	B	5 (Talking)	—	Agent B answers call

Agent to agent Non-ACD call scenario

In the agent to agent Non-ACD Call scenario, agent A goes offhook and calls agent B. Agent B answers, the two agents talk for a while, then agent B hangs up.

[Table 87: Agent to agent Non-ACD all - call-related detail records, on page 109](#) shows the call-related detail records that are generated by this scenario. [Table 88: Agent to agent Non ACD call - agent state change records, on page 109](#) shows the agent state change records that are generated by this scenario.

Table 87: Agent to agent Non-ACD all - call-related detail records

Record	Session ID	Session sequence number	Remarks
CCDR1	100	0	Agent A to agent B

Table 88: Agent to agent Non ACD call - agent state change records

Record	Agent	State	Reason Code	Remarks
ASDR1	A	2 (Not Ready)	32762	Agent A goes offhook
ASDR2	B	2 (Not Ready)	32761	Call rings at agent B's phone
ASDR3	B	3 (Ready)	—	Agent B hangs up

Record	Agent	State	Reason Code	Remarks
ASDR4	A	3 (Ready)	—	—

Agent to agent Non-ACD call transfer scenario

In the Agent to agent Non-ACD call transfer scenario, agent A receives a non-ACD call from an unknown party. Agent A places a consult call to agent B, agent B answers the call, and agent A completes the transfer. Agent B then hangs up.

[Table 89: Agent to agent Non ACD call transfer - call-related detail records, on page 110](#) shows the call-related detail records that are generated by this scenario. [Table 90: Agent to agent Non ACD call transfer - agent state change records, on page 110](#) shows the agent state change records that are generated by this scenario.

Table 89: Agent to agent Non ACD call transfer - call-related detail records

Record	Session ID	Session sequence number	Remarks
CCDR1	100	0	Unknown party to agent A (transfer field will be 1)
CCDR2	101	0	Agent A to agent B
CCDR3	100	1	Unknown party to agent B

Table 90: Agent to agent Non ACD call transfer - agent state change records

Record	Agent	State	Reason Code	Remarks
ASDR1	A	2 (Not Ready)	32761	First call rings at agent A's phone
ASDR2	B	2 (Not Ready)	32761	Consult call rings at agent B's phone
ASDR3	A	3 (Ready)	—	Agent A completes transfer
ASDR4	B	3 (Ready)	—	Agent B hangs up

Agent to agent Non-ACD call conference scenario

In the Agent to agent Non-ACD call conference scenario, agent A receives a non-ACD call from an unknown party. Agent A places a consult call to agent B, and agent B answers the call. Then agent A establishes a

conference, and agent A, agent B, and the caller are now in conversation. Agent A hangs up. Then agent B hangs up.

[Table 91: Agent to agent Non-ACD call conference - call-related detail records, on page 111](#) shows the call-related detail records that are generated by this scenario. [Table 92: Agent to agent Non-ACD call conference - agent state change records, on page 111](#) shows the agent state change records that are generated by this scenario.

Table 91: Agent to agent Non-ACD call conference - call-related detail records

Record	Session ID	Session sequence number	Remarks
CCDR1	100	0	Unknown party to agent A (conference field will be 1)
CCDR2	101	0	Agent A to agent B

Table 92: Agent to agent Non-ACD call conference - agent state change records

Record	Agent	State	Reason Code	Remarks
ASDR1	A	2 (Not Ready)	32761	First call rings at agent A's phone
ASDR2	B	2 (Not Ready)	32761	Consult call rings at agent B's phone
ASDR3	A	3 (Ready)	—	Agent A hangs up
ASDR4	B	3 (Ready)	—	Agent B hangs up

ACD call blind transfer scenario

In the ACD Call Blind Transfer scenario, agent A is connected and talking to an incoming ACD call. Agent A puts that call on hold and places a consultative transfer to agent B. Agent A completes the transfer and then agent B answers.

[Table 93: ACD call blind transfer - call-related detail records, on page 111](#) shows the call-related detail records that are generated by this scenario. [Table 94: ACD call blind Transfer - agent state change records, on page 112](#) shows the agent state change records that are generated by this scenario.

Table 93: ACD call blind transfer - call-related detail records

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR1	100	0	—	Original call and agent A (transfer field will be 1)

Record	Session ID	Session sequence number	qIndex	Remarks
CRDR1	100	0	1	Overall queue information
ACDR1	100	0	1	Agent A
CQDR1	100	0	1	Queue information
CCDR2	101	0	—	Agent A and agent B
CCDR3	100	1	—	Original call and agent B
ACDR3	100	1	0	Agent B

Table 94: ACD call blind Transfer - agent state change records

Record	Agent	Reason	Remarks
ASDR1	A	4 (Reserved)	Agent A selected for original call
ASDR2	A	5 (Talking)	Agent A answers
ASDR3	B	4 (Reserved)	Agent A calls agent B, agent B's phone rings
ASDR4	A	3 (Ready)	Agent A completes the transfer
ASDR5	B	5 (Talking)	Agent B answers
ASDR6	B	3 (Ready)	Caller hangs up

Agent places consult call then resumes call scenario

In the Agent Places Consult Call then Resumes Call scenario, agent A is connected to an incoming ACD call. Agent A presses the **Transfer** button on the phone to initiate a consult call with agent B. Agent A receives a dial tone, drops the consult call, and resumes the incoming call.

[Table 95: Agent places consult call then resumes call - call-related detail records, on page 113](#) shows the call-related detail records that are generated by this scenario. [Table 96: Agent places consult call then resumes call - agent state change records, on page 113](#) shows the agent state change records that are generated by this scenario.

Table 95: Agent places consult call then resumes call - call-related detail records

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR1	100	0	—	Original call and agent A
CRDR1	100	0	1	Overall queue information
CQDR1	100	0	1	Detailed queue information for CSQ1 (targetType = 0 indicates CSQ-based routing)
ACDR1	100	0	1	Includes talk time both before and after the canceled consult call, and contains hold time for the duration of the canceled consult call
CCDR2	101	0	—	Agent A, no called party information

Table 96: Agent places consult call then resumes call - agent state change records

Record	Agent	Reason	Remarks
ASDR1	A	4 (Reserved)	Agent A selected for original call
ASDR2	A	5 (Talking)	Agent A answers
ASDR3	A	3 (Ready)	Caller hangs up

Agent consults agent then resumes call scenario

In the Agent Consults Agent then Resumes Call scenario, agent A is connected to an incoming ACD call. Agent A puts that call on hold and initiates a consultative transfer to agent B. Agent B answers, talks to A for some time, then hangs up without agent A completing the transfer. Agent A resumes the original call.

[Table 97: Agent consults agent then resumes call - call-related detail records, on page 113](#) shows the call-related detail records that are generated by this scenario. [Table 98: Agent Consults Agent then Resumes Call - agent state change records, on page 114](#) shows the agent state change records that are generated by this scenario.

Table 97: Agent consults agent then resumes call - call-related detail records

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR1	100	0	—	Original call and agent A
CRDR1	100	0	1	Overall queue information

Record	Session ID	Session sequence number	qIndex	Remarks
CQDR1	100	0	1	Detailed queue information for CSQ1 (targetType = 0 indicates CSQ-based routing)
CCDR2	101	0	—	Agent A to agent B
ACDR1	100	0	1	Includes talk time both before and after the consult call, and contains hold time for the duration of the canceled consult call

Table 98: Agent Consults Agent then Resumes Call - agent state change records

Record	Agent	Reason	Remarks
ASDR1	A	4 (Reserved)	Agent A selected for original call
ASDR2	A	5 (Talking)	Agent A answers
ASDR3	B	4 (Reserved)	Agent A calls agent B, agent B's phone rings
ASDR4	B	5 (Talking)	Agent B answers
ASDR5	B	3 (Ready)	Agent B disconnects from consult call
ASDR6	A	3 (Ready)	Caller disconnects original call

Basic outbound call scenario - call accepted

In this Basic Outbound Call scenario, a call is presented to agent A and the agent accepts the call. Then the system places the call from the agent A to the customer.

[Table 99: Basic outbound call - call-related detail records](#), on page 114 shows the call-related detail records that are generated by this scenario. [Table 100: Basic outbound call - agent state change records](#), on page 115 shows the agent state change records that are generated by this scenario.

Table 99: Basic outbound call - call-related detail records

Record	Session ID	Session sequence number	Remarks
CCDR1	100	0	—
ACDR1	100	0	Call result is 1 (voice)

Table 100: Basic outbound call - agent state change records

Record	Reason	Remarks
ASDR1	4 (Reserved)	Agent A is presented with outbound call
ASDR2	5 (Talking)	Agent A accepts call
ASDR3	3 (Ready)	Call ends

Basic outbound call scenario - call rejected then accepted

In this Basic Outbound Call scenario, a call is presented to agent A and agent A rejects the call. The call is then presented to agent B and agent B accepts the call. Then the system places the call from agent B to the customer.

[Table 101: Basic outbound call - call-related detail records, on page 115](#) shows the call-related detail records that are generated by this scenario. [Table 102: Basic outbound call - agent state change records, on page 115](#) shows the agent state change records that are generated by this scenario.

Table 101: Basic outbound call - call-related detail records

Record	Session ID	Session sequence number	Remarks
CCDR1	100	0	—
ACDR1	100	0	Call result is 9 (reject)
ACDR2	100	0	Call result is 1 (voice)

Table 102: Basic outbound call - agent state change records

Record	Reason	Remarks
ASDR1	4 (Reserved)	Agent A is presented with outbound call
ASDR1	3 (Ready)	Agent A rejects call
ASDR1	4 (Reserved)	Agent B is presented with outbound call
ASDR2	5 (Talking)	Agent B accepts call
ASDR3	3 (Ready)	Call ends

Basic outbound call scenario - call accepted and transferred to other agent

In this Basic Outbound Call scenario, a call is presented to agent A and the agent accepts the call. Then the system places the call from the agent A to the customer. agent A then transfers the call to agent B.

[Table 103: Basic outbound call - call-related detail records, on page 116](#) shows the call-related detail records that are generated by this scenario. [Table 104: Basic outbound call - agent state change records, on page 116](#) shows the agent state change records that are generated by this scenario.

Table 103: Basic outbound call - call-related detail records

Record	Session ID	Session sequence number	Remarks
CCDR1	100	0	—
ACDR1	100	0	Call result is 1 (voice)
CCDR2	200	0	Consult call from agent A to agent B
CCDR3	100	1	Outbound call at agent B
ACDR2	100	1	Call result is 20 (transfer)

Table 104: Basic outbound call - agent state change records

Record	Reason	Remarks
ASDR1	4 (Reserved)	Agent A is presented with outbound call
ASDR2	5 (Talking)	Agent A accepts call
ASDR3	3 (Ready)	Call transfers to agent B
ASDR1	4 (Reserved)	Agent B is presented with outbound call
ASDR2	5 (Talking)	Agent B on outbound call
ASDR3	3 (Ready)	Call ends

Basic outbound call scenario - call accepted and transferred to route point

In this Basic Outbound Call scenario, a call is presented to agent A and the agent accepts the call. Then the system places the call from the agent A to the customer. Agent A then transfers the call to a route point. The

call reaches a Unified CCX route point, executes a script, and queues for one CSQ. The system allocates agent B for the call, rings agent B's phone, and agent B answers the call.

Table 105: Basic outbound call - call-related detail records, on page 117 shows the call-related detail records that are generated by this scenario. Table 106: Basic outbound call - agent state change records, on page 117 shows the agent state change records that are generated by this scenario.

Table 105: Basic outbound call - call-related detail records

Record	Session ID	Session sequence number	qIndex	Remarks
CCDR1	100	0	—	—
ACDR1	100	0	—	Call result is 1 (voice)
CCDR2	200	0	—	Consult call from agent A to route point
CCDR3	100	1	—	Outbound call is queued
CRDR1	100	1	1	Overall queue information
CQDR1	100	1	1	Detailed queue information for CSQ1 (targetType = 0 indicates CSQ-based routing)
ACDR1	100	1	1	Agent B and original call

Table 106: Basic outbound call - agent state change records

Record	Reason	Remarks
ASDR1	4 (Reserved)	Agent A is presented with outbound call
ASDR2	5 (Talking)	Agent A accepts call
ASDR3	3 (Ready)	Call transfers to route point
ASDR1	4 (Reserved)	Agent B selected for call
ASDR2	5 (Talking)	Agent B answers call
ASDR3	3 (Ready)	Call ends

Flow of chat-related detail records

Table 107: General flow of detail records for incoming chat contacts, on page 118 provides an example of the general flow of detail records for incoming chat contacts.

Table 107: General flow of detail records for incoming chat contacts

System activity	Detail record activity
Contact reaches Unified CCX	Begin TCDR in memory
Contact is queued to a CSQ	—
Agent is allocated the contact	Write ASDR (Busy)
Agent answers and contact is dequeued from CSQ	Collect TCQDR in memory
Contact disconnects	Collect TACDR, TCCDR. Write TCCDR, TCDR, TCQDR, TACDR
Agent leaves Work state	Write ASDR (Ready)

If the contact drops before agent is connected, TCQDR is collected and written when the contact disconnects.

Chat scenario

The following section describes a chat scenario.

[Chat contact unanswered scenario, on page 118](#)

Chat contact unanswered scenario

In this scenario, a contact reaches the Unified CCX and queues for one or more CSQs. The system allocates agent A for the contact and offers the contact to the agent, but agent A does not answer the contact within the configured timeout period. Then the call goes into queue and is presented to agent B, who answers the call.

Table 108: Chat contact unanswered scenario - chat-related detail records, on page 118 shows the chat-related detail records that are generated by this scenario.

Table 108: Chat contact unanswered scenario - chat-related detail records

Record	Remarks
Contact is queued to a CSQ	—
Agent is allocated the contact	Write ASDR (Busy)

Record	Remarks
Agent does not accept the contact	Write ASDR (Not Ready)
Contact queued to CSQ	Collect TACDR1
Contact is allocated to a different agent	Write ASDR (Busy)
Agent answers and contact is dequeued from CSQ	Collect TCQDR in memory
Contact disconnects	Collect TACDR2, TCCDE. Write TACDR1, TACDR2, TCDR, TCQDR, TCCDR
Agent leaves Work state	Write ASDR (Ready)

Flow of email-related detail records

Below is an example of the general flow of detail records for incoming emails. This example shows an agent log in, receive an email, send a response, and then log out. This table only contains details relating to Email records.

Table 109: General flow of detail records for incoming ICD emails

System activity	Detail Record Activity
Agent logs in	EEMEASDR created for login with start and end time equal EEMEASDR created for initial Email Not Ready state start
Agent goes Email Ready	EEMEASDR for Email Not Ready updated to include ending time of the state EEMEASDR created for start time of Email Ready
Email reaches CSQ inbox	EEMCEDR created for the Email EEMQADR created for the Email and the CSQ it is initially routed to
System selects agent and assigns the Email	EEMQADR updated to reflect agent and time it was assigned EEMEASDR for Email Ready updated to include ending time of state EEMEASDR created for Email Processing
Agent sends response	EEMQADR updated to include final disposition of the Email EEMCEDR updated to include final disposition of the Email EEMEASDR for Email Processing updated to include ending time of state EEMEASDR created for Email Ready

System activity	Detail Record Activity
Agent goes Email Not Ready	EEMEASDR for Email Ready updated to include ending time of state EEMEASDR created for Email Not Ready
Agent logs out	EEMEASDR updated for Email Not Ready to include ending time of state EEMEASDR created for Email Logout that has an equal start and end time

Email scenarios

The following sections describe various email scenarios.

- [Basic incoming email with a response sent, on page 120](#)
- [Email re-queued, on page 121](#)
- [Email transferred to different CSQ, on page 121](#)

Basic incoming email with a response sent

In this scenario, an email arrives in the Inbox associated with a CSQ and is then moved and assigned to that CSQ. The system allocates agent A for the email, it appears on agent A's desktop, and agent A writes and sends a response.

Table 110: Basic incoming email - email-related detail records

Record	CED ID	QAD sequence number	Remarks
EEMCEDR1	100	-	Email information including incoming and final disposition information
EEMQADR1	100	210	Email information relating to the one appearance in the queue

Table 111: Basic Incoming Email - Email-Related State Change Records

Record	Reason	Remarks
EEMEASDR1	4 (Email Processing)	Agent receives Email
EEMEASDR2	3 (Email Ready)	Agent sent Email

Email re-queued

In this scenario, an email arrives in the Inbox associated with a CSQ and is then moved and assigned to that CSQ. The system allocates agent A for the email and it appears on agent A's desktop. Agent A decides they not to accept any more emails and goes Email Not Ready and re-queues the email. The email is then allocated to agent B and agent B sends a response.

Table 112: Email Re-queued - Email-Related detail records

Record	CED ID	QAD sequence number	Remarks
EEMCEDR1	100	-	Email information including incoming and final disposition information. FinalDispositionTypeFK will be 5 for Sent
EEMQADR1	100	210	Email information relating to the first appearance in the queue. EndTypeFK will be 8 (Re-queued)
EEMQADR2	100	211	Email information relating to the first appearance in the queue. ReceivedReasonFK will be 8 for re-queued and EndTypeFK will be 5 for sent

Table 113: Email re-queued - email-related state change records

Record	Agent	Reason	Remarks
EEMEASDR1	A	4 (Email Processing)	Agent A receives Email
EEMEASDR2	A	2 (Email Not Ready)	Agent A selected Not Ready before re-queuing Email
EEMEASDR3	B	4 (Email Processing)	Agent B receives Email
EEMEASDR4	B	3 (Email Ready)	Agent B sent Email

Email transferred to different CSQ

In this scenario, an email arrives in the Inbox associated with CSQ1 and is then moved and assigned to that CSQ. The system allocates agent A for the email and it appears on agent A's desktop. Agent A decides it does not belong in that CSQ and transfers it to CSQ2. The email is then allocated to agent B and agent B deletes the email.

Table 114: Email transferred to different CSQ - email-related detail records

Record	CED ID	QAD sequence number	CSQ ID	Remarks
EEMCEDR1	100	-	2	Email information including incoming and final disposition information. FinalDispositionTypeFK will be 6 for Deleted. The CSQ ID will initially be 1 but will be updated to 2 when transferred.
EEMQADR1	100	210	1	Email information relating to the first appearance in the queue. EndTypeFK will be 7 (Transferred)
EEMQADR2	100	211	2	Email information relating to the first appearance in the queue. ReceivedReasonFK will be 7 for transferred and EndTypeFK will be 6 for deleted.

Table 115: Email transferred to different CSQ - email-related state change records

Record	Agent	Reason	Remarks
EEMEASDR1	A	4 (Email Processing)	Agent A receives Email
EEMEASDR2	A	2 (Email Ready)	Agent A receives Email
EEMEASDR3	B	4 (Email Processing)	Agent B receives Email
EEMEASDR4	B	3 (Email Ready)	Agent B receives Email



Creating custom reports for Unified CCX

- [Creating custom historical reports, page 123](#)
- [Creating Custom Cisco Unified Intelligence Center Reports, page 135](#)
- [Creating Custom Unified CCX Stock Reports, page 135](#)
- [Comparison between Historical Reporting Client and Cisco Unified Intelligence Center, page 135](#)

Creating custom historical reports

You can create your own Unified CCX historical reports and add them to the Report Type drop-down list on the Unified CCX Historical Reports main window.

When you create a custom report, you follow these general steps:

- 1 Use Crystal Reports, a generally available third-party application, to create and save the report.
- 2 Create an XML report definition file for the report.
- 3 Make sure that the report generates properly.

You must use Crystal Reports Version 11 or 11.5 (Professional or Developer Edition) to create custom historical reports.

This chapter contains these topics:

- [Creating a report, on page 123](#)
- [Create a report definition file, on page 128](#)
- [Update the reports catalog file, on page 132](#)

Creating a report

The following sections describe how to create a custom report:

- [Before you begin, on page 124](#)
- [Create a report using Crystal Reports Version 11, on page 125](#)

Before you begin

Before you create a new report, you need to create a DSN from client machine to Informix Server. To create a DSN to Informix server, HRC must be installed on the client machine where you need to create reports. Follow these steps to create the DSN:

Procedure

-
- Step 1** Go to **Control Panel > Administrative Tools > Data Sources**.
- Step 2** Select the **System DSN** tab. ODBC Data Source Administrator window is displayed.
- Step 3** Click **Add** to create a new dsn.
- Step 4** The Create New Data Source window is displayed. From the list of available data sources, select IBM INFORMIX ODBC DRIVER. Click **Finish**.
- Step 5** The ODBC Driver Setup window is displayed. Enter a unique DSN name. Enter a suitable description. Click **Apply**.
- Step 6** Select the **Environment** tab. Check the **Use Server Database locale** check box. Ensure that the entry for Fetch Buffer size field is 32767. If default entry is other than 32767, then manually change it to 32767. Click **Apply**.
- Step 7** Select the **Connection** tab. In the **Server Name** field, enter the instance name of Informix server of the setup. Follow these naming conventions when creating an instance name:
- Add the letter “i” as a prefix to the instance name, if the host name starts with a number.
 - Enter the instance name after converting all upper case letters to lower case.
 - Replace hyphens with underscore.
 - Append the letters “_uccx” to the instance name.
- For example, if the host name is “851UCCX-Ha-Node1”, enter “i851uccx_ha_node1_uccx” in the server name field.
- In the host name field, enter either host name or IP address of Unified CCX server. In service field, enter 1504, which is the TCP port number. In the **Protocol** field, choose **onsoctcp**. In the **database** field, enter “db_cra” which is the database name that stores historical data. In the **userId** field, enter “uccxhruser” which is the default Historical Reporting user. The password for this user can be set at the **Password Management** page of the Unified CCX Administration web interface. The password management page appears under **tools** menu of appadmin. In the **password** field of **ODBC Driver set up** page, enter the password, which is set at the **Password management page** by the administrator. Click **Apply & Test connection**.
- Step 8** Ensure that the “Test Connection was successful” message is displayed. You can view the newly created DSN in the list of DSNs. Close the window.
- Tip** You can use the same DSN to create any number of reports.
-

Create a report using Crystal Reports Version 11

To create a new report, use Crystal Reports Version 11 or 11.5 (Professional or Developer Edition), a generally available third-party application, to create two versions of the report. The versions will be identical, except that one version will contain charts.




Tip Build the report with charts first and save it with the appropriate name for a report with charts as explained in [Step 12, on page 126](#). Then, delete the charts and save the modified report with the appropriate name for a report without charts as explained in [Step 12, on page 126](#).

For more information about creating reports with Crystal Reports, refer to your Crystal Reports documentation. For information about the tables and records in the Unified CCX database, see Unified CCX Database Schema.

Procedure

- Step 1** Start Crystal Reports and choose **File > New > Standard Report**. The Standard Report Creation Wizard Data window displays.
- Step 2** In the Standard Report Creation Data Wizard window, expand **Create New Connection** and then expand **OLE DB (ADO)**. The OLE DB Provider window displays.
- Step 3** In the OLE DB Provider window, highlight Microsoft OLE DB Provider for ODBC Drivers in the Provider list, click **Next**.
- Step 4** Select the DSN that was created to Informix Database of Unified CCX Server. Click **Next**. The Connection Information window displays.
- Step 5** In the User ID field, enter **uccxhruser**, which is the default UserID to connect to Informix. In the Password field, enter password for the uccxhruser user that is set at the Password Management page of Unified CCX Administration web interface. Ensure that the default database is db_cra.
- Step 6** Click **Next**. The Advanced Information window displays.
- Step 7** Click **Finish**. The Standard Report Creation Wizard displays.
- Step 8** Double-click the **Add Command** button that is displayed under the dsn name that was created for Informix server. The Add Command To Report window displays. Enter the sample query for the report that needs to be created.
 - Tip** Ensure that start date and end date of the query are selected properly so that some sample data will be available to display in the report template after completion of preparation of the custom report.
- Step 9** Click **OK** and then click **Next**.

The sample image below shows a query for stored procedure 'sp_agent_summary'.



- Step 10** The available fields for the report will be displayed in a separate window. The available fields are generated based on the stored procedure that is used to create the report. Select the required fields that need to be displayed in the report and click **Next**. The available fields are the fields that are returned by the stored procedure 'sp_agent_summary'.
- Step 11** For optional settings, follow the instructions provided by the Crystal Reports wizard to complete setting up the report. Refer to your Crystal Reports documentation for more information
- Step 12** Save the report in the following directory under the directory in which you installed the client system. (By default, the client system installs in the Program Files directory.) Replace Language with the name of the appropriate language directory.
 Unified CCX Historical Reports\ Report Templates\Language
 Name the report as follows:
 Category_ReportDisplayName_ReportFormat_Locale.rpt
 Replace Category, ReportDisplayName, ReportFormat, and Locale with appropriate values as explained in [Table 116: File name components](#), on page 126.

Table 116: File name components

Component	Explanation	Valid values
Category	Unified CCX application package with which to associate this report. Users with access to this package will be able to generate this report.	CCR —Unified CCX Enhanced or Unified CCX Premium ICD —Unified CCX Standard IVR —Unified IP IVR EEM —Unified CCX email
ReportFormat	Whether the report includes charts.	Chart —Report includes charts Table —Report does not include charts

Component	Explanation	Valid values
ReportDisplayName	<p>You can use any name. This name will be replaced with the name specified by vFileName in the reports catalog file line that you add for this report.</p> <p>If a name has more than one word, separate each word with an underscore_.</p>	—
Locale	<p>Locale ISO string. Specifies the language in which you created the field names, headings, and other static items in the report. Consists of an ISO language code followed by an underscore () and then an ISO country code.</p>	<p>Languages installed on the Unified CCX Historical Reports client system. For example:</p> <p>en_US—English da_DK—Danish de_DE—German es_ES—Spanish fr_FR—French it_IT—Italian ja_JP—Japanese ko_KR—Korean nl_NL—Dutch pt_BR—Portugese ru_RU—Russian sv_SE—Sweedish zh_CN—Simplified Chinese zh_TW—Traditional Chinese</p> <p>To see the languages installed on the client system, look at the folder names in the Unified CCX Historical Reports\ Report Templates directory.</p>

The following is an example of a report name:

CCR_My_New_Report_Chart_en_us.rpt

In this example:

- Users who have access to the Unified CCX Enhanced application package will be able to generate this report.
- The report will appear as My New Report in the Report Type drop-down list on the Unified CCX Historical Reports main window.
- The report includes one or more charts.
- The report is designed to run on a system with a system locale of English.
- The extension .rpt indicates that this file is a report file.

Now you are ready to create a report definition file as described in the [Create a report definition file](#), on page 128.

Create a report definition file

A report definition file is in XML format and contains information that the Unified CCX Historical Reports client system needs to generate a report.

As the following steps show, when you create a report definition file for a custom report, you begin with an existing Unified CCX Historical Reports definition file. You save the existing file under a new name, and then you modify the new file as needed. You may find it convenient to begin with the `CCR_agent_Summary_en_us.xml` file because this file contains examples of most of the XML tags.

To create a report definition file, follow these steps:

Procedure

- Step 1** Use a Windows text editor to open an existing report definition file. Report definition files are located in the Unified CCX Historical Reports\Report Templates\Language directory under the directory in which you installed the client system. (By default, the client system installs in the Program Files directory.) Language is the name of the directory in which you saved the report as described in the [Creating a report](#), on page 123.
- Step 2** Before you make any changes, choose **File > Save As** to save the file under a new name. Save the file in the directory that contains the original file, and give the new file the following name:
`Category_ReportDisplayName_Locale.xml`
 Replace Category, ReportDisplayName and Locale with the same values that you used when you created the report as described in the [Creating a report](#), on page 123.
- Step 3** Edit the new file by changing the appropriate XML tag attributes or tag values as explained in [Table 117: Report definition XML attributes and tags](#), on page 128. Make sure to surround all XML attribute values with quotation marks.
 There are other values in this file. Do not change these values.

Table 117: Report definition XML attributes and tags

XML tag or attribute	Explanation
Report	Defines the report by describing its SQL command, parameter filters, and sort criteria. Includes these attributes: <ul style="list-style-type: none"> • ReportName • ReportCategory • BasetemplateFile
ReportName	Name of the report as it will appear in the Report Type drop-down list on the Unified CCX Historical Reports main window. For release 3.0(2) and later, you can specify any name for the report.

XML tag or attribute	Explanation
BasetemplateFile	This value should be the same as the value that you specified for ReportDisplayName when you created the report file as explained in the Creating a report, on page 123 .
ReportCategory	<p>Unified CCX application package with which to associate this report. This value should be the same as the value that you specified for Category when you created the report file as explained in the Creating a report, on page 123. Users with access to this package will be able to generate this report.</p> <p>Valid values:</p> <p>"CCR"—Unified CCX Enhanced or Unified CCX Premium</p> <p>"ICD"—Unified CCX Standard</p> <p>"IVR"—Unified IP IVR</p>
ReportDescription	Brief description of the report. This description will appear on the Unified CCX Historical Reports main window when the report is selected from the Report Type drop-down list.
ReportSQLCommand	<p>SQL command (query or stored procedure) upon which the report is based. You can follow this name with any number of parameters. When this report is generated, the Unified CCX Historical Reports client will replace each parameter with its value.</p> <p>Each parameter must follow these conventions:</p> <ul style="list-style-type: none"> • A parameter must begin with a dollar sign (\$) • A parameter may contain only alphabetic characters and underscores (_) <p>At a minimum, the SQL command requires the following parameters:</p> <p>\$StartDate—First date of the date range for which to generate information in the report, as specified by a user</p> <p>\$EndDate—Last date of the date range for which to generate information in the report, as specified by a user</p> <p>\$SortBy—Sort method that a user specifies for the report</p> <p>If the command includes characters that the XML processor might interpret as markup characters, use the standard XML entity references for the characters or use hexadecimal character references. Refer to your XML documentation for more information.</p>
ReportParameterList	Defines each parameter that is specified in the SQL command (see the ReportSQLCommand tag), except for \$StartDate, \$EndDate, and \$SortBy.

XML tag or attribute	Explanation
MutualExclusive	<p>Defines whether the filter parameters specified in the ReportParameterList field are mutually exclusive. If the parameters are mutually exclusive, the filter parameter that appears in the Filter Parameter field on the Unified CCX Historical Reports Detailed Report Settings window will be used in the SQL command when the report generates. Other parameters will be set to their default values as specified by the ParamDefaultValue attribute. If the parameters are not mutually exclusive, all filter parameters that are set will be used in the SQL command when the report generates.</p> <p>Valid values:</p> <p>"True"—Parameters are mutually exclusive</p> <p>"False"—Parameters are not mutually exclusive</p>
SQLParameter	<p>Defines a SQL parameter that is specified in the ReportSQLCommand tag. There must be one SQLParameter tag for each parameter that is defined in the ReportSQLCommand tag, except for \$StartDate, \$EndDate, and \$SortBy. (See the ReportSQLCommand tag for information about the \$StartDate, \$EndDate, and \$SortBy parameters.) Includes these attributes:</p> <ul style="list-style-type: none"> • ParamName • ParamDefaultValue <p>Includes these XML tags:</p> <ul style="list-style-type: none"> • ParamNameText • ParamHelpText • Either DBListToList or TextBox
ParamName	<p>Defines the name of the parameter as specified in the ReportSQLCommand tag. Must match the parameter name exactly, including the leading dollar sign (\$).</p>
ParamDefaultValue	<p>Default value of the parameter specified in the SQLParameter field. Used if a value is not specified when settings are made for the report. Also used if the MutualExclusive attribute is set to true and this parameter does not appear in the Filter Parameter field on the Unified CCX Historical Reports Detailed Report Settings window when the report generates.</p>
ParamNameText	<p>Name of the filter parameter that appears on the Filter Parameter drop-down list on the Unified CCX Historical Reports Detailed Report Settings window.</p>
ParamHelpText	<p>Brief description of the parameter. This description appears as a tool tip when you place the cursor over a filter parameter name in the Filter Parameter field on the Unified CCX Historical Reports Detailed Report Settings window.</p>

XML tag or attribute	Explanation
DBListToList	<p>Specifies that filter parameters can be selected using the Available or the Selected list on the Unified CCX Historical Reports Detailed Report Settings window. Filter parameters in the Available list come from the SQL tag or from the SourceListValues tag. Contains these attributes:</p> <ul style="list-style-type: none"> • GUIComponentName • SingleSelection <p>Contains these tags:</p> <ul style="list-style-type: none"> • Either SQL or SourceListValues • selectedListOperations
GUIComponentName	<p>Defines the name of the parameter selection interface. You must specify a name, but this attribute is reserved for future use.</p>
SingleSelection	<p>Specifies whether the DBListToList tag allows a single selection or multiple selections from a drop-down list of values.</p> <p>Valid values:</p> <p>"1"—DBListToList allows a single selection from a list of values</p> <p>"0"—DBListToList allows multiple selections from a list of values</p>
SQL	<p>Defines the SQL command used to generate values that appear in the Available list on the Unified CCX Historical Reports Detailed Report Settings window.</p>
SourceListValues	<p>Defines values that appear in the Available list on the Unified CCX Historical Reports Detailed Report Settings window. Contains one or more ListOption tags. Refer to the CCR_Priority_Summary_Activity_en_us.xml file for an example of how this tag is used.</p>
selectedListOperations	<p>Specifies the operation that is included with the values in the Selected list on the Unified CCX Historical Reports Detailed Report Settings window when the report is generated. Valid operations are AND and OR.</p> <p>When the report is generated, the value of the SQL parameter containing a DBListToList tag will be Operation Value1, Value2, Value3, . . . , where Operation is AND or OR, and Value1, Value2, Value3, and so on are the values in the Selected list.</p>
TextBox	<p>Specifies that filter parameters can be selected in the Enter Parameter Value field on the Unified CCX Historical Reports Detailed Report Settings window. Contains these attributes:</p> <ul style="list-style-type: none"> • GUIComponentName • Type

XML tag or attribute	Explanation
Type	Specifies whether the value entered in the Enter Parameter Value field is a number or text. Valid values: "INT"—Positive integer value "STRING"—Text value
ReportSortBy	Defines a list of fields by which a user can sort the report. This list will appear in the Sort Report By drop-down list on the Unified CCX Historical Reports Detailed Report Settings window. Contains one or more ListOption tags.
ListOption	Defines a list of options. Contains these attributes: <ul style="list-style-type: none"> OptionsSelected OptionValue
OptionsSelected	Specifies the value that is selected by default from the list of options specified by the ListOption tag. The last ListOption tag with an OptionsSelected value of True will be displayed. ListOption tags are included in SourceListValues and ReportSortBy.
OptionValue	Specifies the value of this list option. This value is used when the SQL command executes.

Step 4 Save the file and exit the editor.

What to Do Next

Now update the Reports Catalog File as described in the [Update the reports catalog file, on page 132](#).

Update the reports catalog file

The reports catalog file is in XML format and maps each report definition file to the associated report name that appears on the Report Type drop-down list. If you create a new report definition file, you must update the reports catalog file.

The reports catalog file is located in the Unified CCX Historical Reports\ Report Templates\Language directory under the directory in which you installed the client system. (By default, the client system installs in the Program Files directory.) Language is the name of the directory in which you saved the report as described in the [Creating a report, on page 123](#).

The reports catalog file is named as follows:

hrcReportCatalog_Locale.xml

For an explanation of Locale, see [Table 116: File name components, on page 126](#).

To update the reports catalog file for a new report definition file, follow these steps:

Procedure

- Step 1** Use a Windows text editor to open the reports catalog file.
- Step 2** Add a line in the reports catalog file for the new report definition file. Enter the line in the following format, and place it immediately before the line `</ReportCatalog>`, which appears at the end of the file. There must be a space before `pFileName` and a space before `vFileName`.

```
<ReportFileName pFileName="Category_ReportDisplayName_Locale.xml" vFileName="ReportName"/>
```

Replace *Category*, *ReportDisplayName* and *Locale* with same values that you used when you created the report and the report definition file. See [Table 116: File name components, on page 126](#) for an explanation of these values.

Replace *ReportName* with the same name that you specified with the `ReportName` XML attribute in the Report Definition file. See the explanation of the `ReportName` attribute in [Table 117: Report definition XML attributes and tags, on page 128](#).

Here is an example of a line in the reports catalog file for a report that will appear on the Report Type drop-down list in US English locals as My New Report:

```
<ReportFileName pFileName="CCR_My_New_Report_en_us.xml" vFileName="My New Report"/>
```

- Step 3** Save the file and exit the editor.

Your new report should appear on the Report Type drop-down list the next time you start the Unified CCX Historical Reports client. If the report does not appear on this list or if the report does not generate properly, see the [Troubleshooting, on page 134](#).

Permissions to the stored procedure

You can create stored procedures using third-party tools such as Squirrel SQL Client and AGS Server Studio. Once the procedure has been created, provide the necessary execution privileges to the **uccxHrUserRole**.



Note The historical reporting client executes the stored procedure under this role. If the permission is not provided, you will not be able to execute the procedures from the client system.

This permission can be provided by executing the following SQL statement using the SQL tool you have used to create the procedure(s).

```
grant execute on <your procedure name> to 'uccxHrUserRole';
```

Viewing stored procedures for existing historical reports

You can view the existing Historical Reporting stored procedures using third-party tools such as Squirrel SQL Client or AGS Server Studio. Use "uccxhruser" as the username to connect to `db_cra` database.

Troubleshooting

The following sections provide information that can help you troubleshoot custom reports:

- [New report does not appear on the Report Type drop-down list, on page 134](#)
- [Generating a custom report fails with Invalid name error, on page 135](#)

New report does not appear on the Report Type drop-down list

After you create a report and create a report definition file, the following files should exist in the Unified CCX Historical Reports\ Report Templates\Language directory under the directory in which you installed the client system. (By default, the client system installs in the Program Files directory.) These files must follow these naming conventions exactly or the report will not generate. For an explanation of Language, Category, ReportName, and Locale, see [Table 116: File name components, on page 126](#).

Category_ReportName_Chart_Locale.rpt

Category_ReportName_Table_Locale.rpt

Category_ReportName_Locale.xml

In addition, an entry for the report should exist in the reports catalog file.

If the report does not appear on the Report Type drop-down list on the Unified CCX Historical Reports main window or if the report does not generate,

- Make sure that the entry for the report in the reports catalog file is in the correct format and that this file is located in the correct directory.
- Make sure that the report files and the XML report definition file have the correct names and are located in the correct directory.

If the report files and the XML report definition file have the correct names and are located in the correct directory but the report does not generate or you receive an error message when you select the report from the Report Type drop-down list, perform the following steps to locate the problem. You perform these steps on the computer on which you are trying to generate the report.

Procedure

-
- Step 1** Edit the `hrcConfig.ini` configuration file and set the `logLevel` parameter to 3. For information about the `hrcConfig.ini` file and how to edit it, refer to *Cisco Unified Contact Center Express Historical Reports User Guide*.
- Step 2** Stop and restart the Unified CCX Historical Reports client so that your change to the `hrcConfig.ini` file takes effect.
- Step 3** Try again to generate the new report.
- Step 4** Open the Historical Reports log file and find the SQL command used to generate the report. Check the command for errors, and make necessary corrections in the XML report definition file. For information about the Historical Reports log file, refer to *Cisco Unified Contact Center Express Historical Reports User Guide*.
-

Generating a custom report fails with Invalid name error

Attempting to generate a scheduled custom report fails with the error “Invalid name” when the showUserNameOnReport parameter is set to 1 in the Historical Reports hrcConfig.ini file. To work around this problem, add the label @\$UserName to the .rpt report file that you create with Crystal Reports. To determine where to place this attribute, look at the definition file for any of the Cisco-provided historical reports.

Creating Custom Cisco Unified Intelligence Center Reports



Note

The procedure for creating the custom stored procedure for Unified Intelligence Center reports is similar to creating custom stored procedures in the Historical Reporting Client (see [Permissions to the stored procedure, on page 133](#)). For more information on Unified Intelligence Center reporting system, see the *Administration Console User Guide for Cisco Unified Intelligence Center*, available here: http://www.cisco.com/en/US/products/ps9755/prod_maintenance_guides_list.html.

Custom Unified CCX reports are created on a standalone Cisco Unified Intelligence Center server with an appropriate license. The version of the standalone Unified Intelligence Center should be the same or older than the Unified Intelligence Center that is embedded in Unified CCX. See *Creating Custom Unified CCX Cisco Unified Intelligence Center Reports*, available here: <https://communities.cisco.com/docs/DOC-31936>.

Creating Custom Unified CCX Stock Reports

Unified CCX is installed with stock report templates that display historical data that has been stored in the Unified CCX database.

To customize the existing Unified CCX stock reports, see *User Guide for the Cisco Unified Intelligence Center Reporting Application*, available here: http://www.cisco.com/en/US/products/ps9755/products_user_guide_list.html.

Comparison between Historical Reporting Client and Cisco Unified Intelligence Center

This section lists out the differences between the Historical Reporting Client and Cisco Unified Intelligence Center.

Table 118: Comparison between Historical Reporting Client and Cisco Unified Intelligence Center

Description	Historical Reporting Client	Unified IC
Client	Thick client, need installation	Web based client

Description	Historical Reporting Client	Unified IC
Auto refresh	No	Yes
Supported format for exporting reports	pdf, xls, and doc	Only xls for grid and jpg for chart
Supported format for scheduled reports	pdf, xls, and doc	Through email – pdf and xls
Remote location	No	Only xls
Support of chart view for scheduled report	Yes	No
Filters	Only one filter can be selected apart from mandatory filters	Only one filter can be selected apart from mandatory filters
Customization of views for stock reports	Need Crystal license to change the views	Can be done using report edit feature
Custom reporting	Need Crystal license	Need stand alone Cisco Unified Intelligence Center with premium license
Perma link	No	Yes
Thresholds	No	Yes
Dynamic sorting of headers	No	Yes
Dashboards	No	Yes
User permissions	No	Fine grained security permissions/roles
Relative Filters	No	Yes
Summary Reports Creation	No	Yes

**Note**

The number of records per report supported by Cisco Unified Intelligence Center is 8000.



Frequently asked questions

This chapter contains frequently asked questions (FAQs) and answers to those questions.

The questions and answers throughout this chapter use the following abbreviations for database records:

- ACDR—AgentConnectionDetail record in the AgentConnectionDetail table
- ASDR—AgentStateDetail record in the AgentStateDetail table
- CCDR—ContactCallDetail record in the ContactCallDetail table
- CQDR—ContactQueueDetail record in the ContactQueueDetail table
- CRDR—ContactRoutingDetail record in the ContactRoutingDetail table

The FAQs in this chapter are arranged in the following sections

- [Abandoned Call Detail Activity report, page 138](#)
- [Agent Call Summary report, page 139](#)
- [Agent Detail report, page 139](#)
- [Agent Login Logout Activity report, page 140](#)
- [Agent Summary report, page 140](#)
- [Application Performance Analysis report, page 141](#)
- [Availability of reporting data, page 141](#)
- [Call Custom Variables report, page 144](#)
- [Common Skill Contact Service Queue Activity report, page 144](#)
- [Contact Service Queue Activity report, page 144](#)
- [Contact Service Queue Activity report \(by CSQ\), page 146](#)
- [Data reconciliation among reports, page 147](#)
- [Detailed Call by Call CCDR report, page 150](#)
- [General, page 151](#)
- [Traffic Analysis report, page 152](#)

Abandoned Call Detail Activity report

Q. How can I correlate multiple abandoned call legs that belong to the same call?

A. Match the call start time on the Abandoned Call Detail Activity Report with the call start time in the Detailed Call by Call CCDR Report. Then, look at the session ID and session sequence number on the Detailed Call by Call CCDR Report. Different call legs that belong to the same call have the same session ID but different session sequence numbers.

Q. Why does the Initial Call Priority field or the Final Call Priority field show n/a for a call?

A. The call was abandoned before it was assigned a priority.

Q. What does it mean when an Agent Name field is blank?

A. The call was abandoned before it was routed to an agent.

Q. What does it mean when an Agent Name field contains a value?

A. The call was routed to an agent, the agent did not answer, and the caller hung up.

Q. Why do the number of abandoned calls shown on the Abandoned Call Detail Activity Report and the number of calls shown on the Contact Service Queue Activity Report not match?

A. These values can differ because a Contact Queue Detail record may mark a call as dequeued while a Contact Call Detail record marks the call as abandoned. For example, consider the following workflow:

```
StartAccept
Prompt
Select Resource
-Connect
-Queue
--Play Prompt (Prompt2)
--Dequeue
--Play Prompt (Prompt3)
End
```

If a call is abandoned during Prompt2 or Prompt3, the Contact Queue Detail record will mark the call as dequeued but not abandoned from any queue. The Contact Call Detail record will mark the call abandoned.

In this case, the Contact Service Queue Activity Report will show the call as dequeued from all CSQs for which the call was routed. The Abandoned Call Detail Activity Report will show the call as abandoned from all from all CSQs for which the call was routed.

Another reason is that the call gets aborted after being in the queue.

Such calls get marked as aborted in the Contact Call Detail record, and as dequeued (if it was dequeued before aborting)/abandoned in Contact Queue Detail record. In this case the CSQ reports will display more abandoned calls than the Abandoned Call Detail Activity Report.

Q. When an agent transfers a call to another agent and the caller abandons the call, why is the call not displayed in the Abandoned Call Detail Activity report?

- A. When an agent transfers a call to another agent and the caller abandons the call before the call is answered by the second agent, the first phase of the call is marked as handled and the abandonment of the second phase is not displayed in the Abandoned Detail Call Activity Report. This information cannot be seen in any other report.

Agent Call Summary report

Q. In the Agent Call Summary Report, are the ACD Transfer-In and ACD Transfer-Out calls included in the Inbound ACD-Total or the Outbound-Total values?

A. These calls are included in the Inbound ACD-Total value.

Q. In the Agent Call Summary Report, why is the total number of inbound calls different than the number calls handled on the CSQ Activity Report (by CSQ)?

A. The number of calls can differ for these reasons:

- The Agent Call Summary Report shows calls that are presented to agents and the CSQ Activity Report shows calls that are presented to CSQs. If there are agents included in the Agent Call Summary Report who do not belong to CSQs in the CSQ Activity Report, the Agent Call Summary Report shows more calls.
- If agent-based routing configured, calls can go to agents directly, without going through a CSQ. In this case, the Agent Call Summary Report shows more calls.
- The Agent Call Summary Report can include transferred ACD calls. For example, assume that a call is queued for CSQ1 and is then handled by Agent1. Agent1 then transfers the call to Agent2 (without going through a CSQ). In this case, one call is shown as handled on the CSQ Activity Report (through CSQ1 by Agent1). The same is shown twice on Agent Call Summary Report: one as handled by Agent1 (through CSQ1), another as handled by Agent2 (not through a CSQ but as a direct transfer from Agent2).

Agent Detail report

Q. Why are the Hold Time and the Work Time fields blank for a call?

A. The call was not an ACD call. (IVR calls include Agent-to-Agent calls and external calls made by an agent.) The Unified CCX database does not record hold time and work time for IVR calls.

Q. Why does the value in the Duration field not equal talk time + hold time + work time?

A. The value in the duration field is calculated as follows:

call end time – call start time

The call start time is when the call rings at the agent extension. The call end time is when the agent leaves Work state. Therefore, the call duration is equal to ring time + talk time + hold time + work time.

Q. How can IVR calls be identified?

A. The Hold Time and the Work Time fields are blank in the Agent Detail Report.

Agent Login Logout Activity report

Q. Why does a less-than sign (<) precede the value in the Login Time field or a greater-than sign (>) precede the value in the Logout Time field?

A. A less-than sign (<) indicates that the agent logged in before the report start time. A greater-than sign (>) indicates that the agent logged out after the report end time.

For example, assume that the report start time was 8:00 a.m. (0800) and the report end time was 6:00 p.m. (1800). If the agent logged in at 7:45 a.m. (0745), the Login Time field will show < 8am (or < 0800). If the agent logged out at 6:30 p.m. (1830), the Logout Time field will show > 6pm (or > 1800).

Agent Summary report

Q. How is the value in the Average Logged-In Time field calculated?

A. This value is calculated as the total logged-in time divided by the number of login sessions.

For example, assume that an agent logs in at 8:00 a.m. (0800), then logs out at 8:30 a.m. (0830), then logs in again at 9:15 a.m. (0915), and then logs out at 10:00 a.m. (1000). In this case, there are two login sessions. The first session lasts 30 minutes and the second session lasts 45 minutes. The average logged-in time is $(30+45)/2 = 37.5$ minutes.

Q. How is Handle Time calculated?

A. Handle time = Talk time + Hold time + Work time.

Q. How is the value in the Idle Time—Avg field calculated?

A. This value is calculated as the total idle time divided by the number of idle sessions.

For example, assume that an agent goes to Not Ready state at 10:00 a.m. (1000), then goes to Ready state at 10:15 a.m. (1015), then goes to Not Ready state at 11:00 a.m. (1100), and then goes to Ready state at 11:05 a.m. (1105). In this case, there are two idle sessions. The first session lasts 15 minutes and the second session lasts 5 minutes. The average idle time is $(15+5)/2 = 10$ minutes.

Q. Why do the values in the Talk Time - Avg and the Talk Time - Max fields in the Agent Summary Report not match the value in the Talk Time field in the Agent State Summary Reports?

A. The talk time information in the Agent Summary Report comes from the talkTime field in the AgentConnectionDetail table. This value is the time that an Agent spent on an incoming ACD call. The talk time information in the Agent State Summary Reports comes from AgentStateDetail table. These

values show the time that an agent spent in the talk state. These values will be different when the agent placed any ACD calls on hold during the reporting period.

- Q.** Does the Agent Summary show information for IVR calls?
- A.** The Agent Summary Report shows information for ACD calls only. The Agent Detail Report shows information for Unified CCX and Unified IP IVR calls.

Application Performance Analysis report

- Q.** What does it mean when the Application ID field contains -1 and the Application Name field is empty?
- A.** The Application ID field will contain -1 and the Application Name field will be empty for Agent-to-Agent calls, IVR calls, Agent-to-Agent transfer/conference consult legs, or any other call that is not placed to a Unified CCX Route Point or associated with an application.
- Q.** Why is the value in the Calls Presented field lower than the total number of calls on the Detailed Call by Call CCDR Report for the same report period?
- A.** The Application Performance Analysis Report counts incoming calls only. The Detailed Call by Call CCDR Report counts incoming calls, outgoing calls (for example, outbound calls made by agents), and internal calls (for example, Agent-to-Agent consult calls).
- Q.** Why does the Application Performance Analysis report show more abandoned calls than the Contact Service Queue Activity Report for the same report period?
- A.** The Contact Service Queue Activity Report includes only abandoned ACD calls. (This report counts an ACD call as abandoned if the caller hangs up while queued for a CSQ or CSQs.) The Application Performance Analysis Report includes abandoned ACD calls and abandoned IVR calls. (This report counts a call as abandoned if the call ends before it is answered by an agent or before it is marked as handled by a workflow.)

Availability of reporting data

- Q.** Is there a report that shows calls per hour per CSQ? For example: 7:00 a.m. to 8:00 a.m., 25 calls, 8:00 a.m. to 9:00 a.m., 35 calls, and 9:00 a.m. to 10:00 a.m., 34 calls.
- A.** The Contact Service Queue Activity Report (by Interval) shows this information. To generate this report for one-hour intervals, set its Interval Length filter parameter to Sixty (60) minute intervals.
- Q.** Is there a way to determine telephone numbers of calling parties?
- A.** The Call ANI fields on the Abandoned Call Detail Activity Report and the Agent Detail Report show this information.

- Q.** How is the following scenario reported? A call is in queue, then is routed to an available agent who does not answer the call, and then is redirected to another agent.
- A.** The Agent Detail Report will show two lines: one for the agent who did not answer the call (ring time is greater than 0; talk time, hold time, and work time are each zero), and one line for the agent who answered the call (talk time is greater than 0).

On the Agent Summary Report, the call appears as presented to the agent who did not answer the call, but not as handled by that agent. The call appears as presented to and handled by the agent who answered the call.

On the CSQ-Agent Summary Report, the call appears as Ring No Answer (RNA) for the first agent.

- Q.** Is there a way to determine the start time and the end time for a call with multiple legs?
- A.** The sessionID fields in the Unified CCX database tables will contain the same value for a particular call. These fields let you identify all database records that relate to the call. The sessionSeqNum fields in the Unified CCX database tables start at 0 and increment by 1 for each leg of a call. These fields let you identify the various legs of a call. (The way in which sessionID and sessionSeqNum values are written to the database depend on the call scenario. For more information and examples, see [Writing database records, on page 101](#))

The start time of a call is stored in the startDateTime field of the CCCR where sessionSeqNum is equal to 0 and where the sessionID value identifies the call. The end time of that call is stored in the endDateTime field of the CCCR with the highest sessionSeqNum and the same sessionID value.

- Q.** Is there a way to report on menu choices?
- A.** You can create a custom report to show menu choices. To do so use the Set Session Info step in a workflow to store in custom variables digits entered by callers. The contents of such custom variables are stored in the customVariable fields in the CCCR. Use the information in the CCCR customVariable fields when you create custom reports.

Here is an example of how you could prepare a report to show information for a menu with three choices (1, 2, and 3):

- 1 For a workflow, define a variable of type session and name it this_session.
- 2 Place a Get Contact Info step at the beginning of the workflow.
- 3 Set the Session attribute to be variable this_session.
- 4 Define a Menu step that has three branches and place a Set Enterprise Call Info step in each branch.
- 5 In the General tab of the Set Enterprise Call Info step, click **Add**.
- 6 In the branch for caller-choice 1, enter **1** in the Value field, and choose **Call.PeripheralVariable1** from the Name drop-down list.
- 7 In the branch for caller-choice 2, enter **2** in the Value field, and choose **Call.PeripheralVariable2** from the Name drop-down list.
- 8 In the branch for caller-choice 3, enter **3** in the Value field, and choose **Call.PeripheralVariable3** from the Name drop-down list.
- 9 Create a custom report that will show the values of the customVariable1, customVariable2, and customVariable3 fields in the CCCR.

If calls are to be transferred between workflows and multiple menu choices can be made for a single session, take care to preserve previously entered menu choices. For example, place a Get Session Info step at the beginning of the workflow. If the `_ccdrVar1` variable is null, there were no previous entries. If it is not null, when you add a new choice, determine a format for associating a menu choice to a sequence number. In this way, you will be able to prepare accurate reports.

- Q.** If a Unified CCX system does not include a license for Unified CCX Historical Reports, is data still written to the Unified CCX databases?
- A.** Yes.
- Q.** Is there reporting on agent service level agreements (SLAs), such as Cisco Agent Desktop queue time threshold (caution, warning) and Agent talk time SLA (caution, warning)?
- A.** No, but the Unified CCX databases store such data. You can create a custom report to show this information.
- Q.** Is there a report that provides information about calls that were transferred by agents to another CSQ?
- A.** The Detailed Call, CSQ, Agent Report provides information about transferred calls. (The session ID remains the same for a transferred call but the session sequence number increments by 1.) This report also shows the agent who handled each call and the CSQ to which the call was routed.
- Q.** After a record contains data, is stored in memory, and is ready to be written to the Unified CCX database, when is it written to the database?
- A.** Call records (CCDR, CRDR, CQDR) are written after each call is completed. Agent state records (ASDR) are written after agents change state. Agent connection records (ACDR) are written when an agent leaves Work state or after the call completes (if the agent does not go to Work state).



Note CCDRs are written after the agent leaves Work state, when applicable. Otherwise they are written after the call ends.

- Q.** Are there summary tables for daily data, which contain the data of a specific day? Are these tables used to create weekly data tables? Are weekly data tables used to create monthly data tables?
- A.** The system stores detailed data. It does not summarize detailed tables to create daily, weekly, or monthly tables.
- Q.** Is there a monthly report that shows statistics for service levels?
- A.** The Contact Service Queue Activity Report (by CSQ or by Interval) shows information about service levels provided to calls handled.
- In the Unified CCX Historical Report client system, schedule the Contact Service Queue Activity Report (by CSQ or by Interval) to run monthly.
- Q.** Can I create custom historical reports?
- A.** Yes. You will need Crystal Reports Version 8.5 or Version 10 (Professional or Developer Edition). (Crystal Reports is not included with Unified CCX.) For more information about creating custom reports, see [Creating custom reports for Unified CCX](#), on page 123

Call Custom Variables report

Q. What are the values in the Custom Variable 1 through the Custom Variable 10 fields?

A. These fields show the meanings of the custom variables that are specified in a workflow.

For example, a workflow may designate variable1 as the menu option that the caller chooses and designate variable2 as the account number that the caller enters. In this case Custom Variable 1 would show the option value (such as 2) that the caller entered, and Custom Variable 2 would show the account number that was entered.

Common Skill Contact Service Queue Activity report

Q. This report is similar to other CSQ reports—why is it useful?

A. This report provides additional information for multiple CSQs that are configured with the same call skill but with different competence levels. An incoming call may be queued for the CSQ with the lowest competence level. If no agent is available for a certain period, the call will be queued for the next higher competence level. The summary line in the report displays the summarized statistics for the group of CSQs configured with common skills. A group of CSQs that is configured in this manner is called a logical CSQ.

Q. Why are the summary for skill totals not adding up properly in the Common Skill Contact Service Queue Activity Report (by Interval)?

A. This report is designed for customers who have logical CSQs configured. A logical CSQ is a group of CSQs configured with the same skill but with different competence levels. When a call comes in to a script that uses the “logical CSQ” approach, it first goes to the CSQ with the lowest skill level. If the wait time exceeds the predefined threshold, the call goes to the next higher skill level. So, the same incoming call can flow within the same group of CSQs. The value on the Calls Presented summary line shows the maximum number of calls presented to all CSQs within the same group rather than the total number of calls presented to all CSQs within the same group. (Calculating the sum could result in counting the same call multiple times because the call could be presented to different CSQs within the same logical group.) For Calls Handled, this reports shows the total number of calls because one call can only be handled by one CSQ. For Calls Abandoned, this report shows the maximum number of all calls abandoned from all CSQs within the same group.

This report is particularly useful for logical CSQs. If you do not have logical CSQs configured, consider using other CSQ reports (Contact Service Queue Activity Report, Contact Service Queue Activity Report by Interval/CSQ).

Contact Service Queue Activity report

- Q.** How are average queue time and maximum queue time calculated?
- A.** The average queue time for a CSQ is calculated as the sum of the queue times for all the calls presented divided by the number of calls presented. The maximum queue time for a CSQ is the longest queue time for a single call among the calls presented.
- The individual queue time for each CSQ is stored in the CQDR table. For example, assume that an incoming call is queued for CSQ1 for 5 minutes. Then it is queued for CSQ2 for 10 minutes. Then it is handled by CSQ1. The queue time recorded for CSQ1 in the CQDR table is 5 minutes, and for CSQ2 is 10 minutes.
- Q.** How are average calls abandoned (in the Calls Abandoned—Avg field) and maximum calls abandoned (in the Calls Abandoned—Max field) calculated?
- A.** Average calls abandoned for a CSQ is an average value per day. It is calculated as the total number of calls abandoned for the CSQ divided by the number of days in the report period. Maximum calls abandoned for a CSQ is calculated by determining the number of calls abandoned for each day in the report period and selecting the largest of these values.
- Q.** In the following scenario, is the call counted as abandoned or as handled? The system receives a call, queues it, and plays a prompt giving the caller the option to press 1 to leave a message. The caller presses 1 and leaves a message.
- A.** By default, the call is counted as abandoned instead of handled because it did not connect to an agent. However, if the workflow is designed to mark a call as handled after a caller leaves a message, the call will be counted as handled.
- Q.** If a workflow gives callers the option to transfer to a voice messaging system, is there a way to track the number of callers that make this transfer and leave a message?
- A.** You can design a workflow to store a caller's key input in one of the custom variables in the ContactCallDetail table. Then you can generate the Call Custom Variable Report and manually count the rows that contain the desired information. Or you can create a custom report to provide this information.
- Q.** Will calls presented always equal calls handled + calls abandoned?
- A.** No. $\text{Calls presented} = \text{calls handled} + \text{calls abandoned} + \text{calls dequeued} + \text{calls handled by others}$. ("Calls handled" refers to calls that were connected to an agent in a particular CSQ. "Calls handled by others" refers to calls that were handled by some workflow in a script, and to calls that were queued for multiple CSQs and then handled one of the other CSQs.)
- Q.** Can the Contact Service Queue Activity Report show hourly data? And can hourly reports be generated automatically for each hour of each day?
- A.** To show hourly data for each day, schedule daily reports for the CSQ Activity Report (by CSQ) or the CSQ Activity Report (by Interval). In the Detail tab, set the interval length to 60 minutes. This setting will provide one report each day, divided into 1-hour intervals.
- Separate hourly reports are not available, but with the interval length set to 60 minutes, a daily report will display 24 intervals, one for each hour of the day.

Contact Service Queue Activity report (by CSQ)

Q. Why does the same CSQ appear twice in this report (and on other CSQ reports)?

A. A CSQ has many attributes, including CSQ name, service level, resource selection criterion, and auto work. Some attributes, such as CSQ name and service level, are displayed in the report. Other attributes are not displayed in the report. However, changing any attribute of the CSQ causes a new line to show in the report. For example, if the service level is changed from 10 to 25, two lines of the same CSQ will show in the report. One line will show the old service level value and one line will show the new service level value. Similarly, if Auto Work is changed from 1 to 0, two lines of the same CSQ will also show in the report. Since the Auto Work setting does not appear in the report, the same CSQ will appear twice.

Q. How do the four Percentage of Service Level Met fields (Only Handled, Without Abandon, Positive Abandon, and Negative Abandon) differ?

A. A handled call is one that is answered by an agent or one that is marked as handled by a workflow. An abandoned call is one that disconnects before an agent answers. Handled and abandoned calls can be divided into these categories: handled within service level, handled after service level, abandoned within service level, and abandoned after service level.

The Percentage of Service Level Met—Only Handled field calculation considers handled calls only. It does not consider abandoned calls. This field shows the percentage of handled calls that were handled within the service level, and is calculated as follows:

$(\text{Number of calls handled within service level} / \text{Number of calls handled}) * 100\%$

The remaining fields differ in how they account for abandoned calls: not counted, meeting service level, or not meeting service level.

The Percentage of Service Level Met—Without Abandon field calculation does not include information for calls that were abandoned within the service level. This field shows the percentage of presented calls (calls routed to a CSQ), not counting abandoned calls, that were handled within the service level. This value is always less than or equal to the value in the Percentage of Service Level Met—Only Handled field, and is calculated as follows:

$(\text{Number of calls handled within service level} / (\text{Number of calls presented} - \text{Number of calls abandoned within service level})) * 100\%$

The Percentage of Service Level Met—Positive Abandon field calculation considers calls abandoned within the service level as meeting the service level. This field shows the percentage of presented calls that were handled or abandoned within the service level, and is calculated as follows:

$((\text{Number of calls handled within service level} + \text{Number of calls abandoned within service level}) / \text{Number of calls presented}) * 100\%$

The Percentage of Service Level Met—Negative Abandon field calculation considers calls abandoned within the service level as not meeting the service level. This field shows the percentage of presented calls that were handled within the service level. This value is less than or equal to the The Percentage of Service Level Met—Positive Abandon field, and is calculated as follows:

$(\text{Number of calls handled within service level} / \text{Number of calls presented}) * 100\%$

Q. How is an abandoned call counted if it was queued for multiple CSQs?

- A.** If a call is queued for multiple CSQs and is then abandoned, it is counted as abandoned from all the CSQs for which it is queued.

For example, assume that a call is queued for CSQ1 and CSQ2 and that the caller hangs up before being routed to an agent. In this case, an abandoned call is counted for CSQ1 and for CSQ2.

- Q.** How is a dequeued call counted if it was queued for multiple CSQs?

- A.** If a call is queued for multiple CSQs, and is handled by one of them, the call is counted as dequeued from each of the other CSQs.

For example, assume that an incoming call is queued for CSQ1, CSQ2, and CSQ3 and that it is handled by an agent from CSQ2. In this case, a dequeued call is counted for CSQ1 and for CSQ3.

- Q.** After the service level for a CSQ is changed, why does the CSQ appear in the report twice, once with the old service level and once with the new service level?

- A.** The Unified CCX database maintains records of old and new service levels. When a new service level is configured, the old record is marked as inactive. The `dateInactive` field in the `ContactServiceQueue` table shows the date and time that the new service level was configured. If the value in the `dateInactive` field is in the report period, the report shows the active (new) and inactive (old) CSQs.

Data reconciliation among reports

-
- Q.** Why does the Detailed Call by Call CDR Report show more handled calls than the CSQ reports?

- A.** The CSQ reports show calls that are handled by agents after the calls are queued for a CSQ. The Detailed Call by Call CDR Report shows those calls and calls that are marked as handled by a workflow script before they are queued for a CSQ.

- Q.** Why does the Application Performance Analysis Report show more calls presented, handled, and abandoned than the CSQ Reports?

- A.** There are two reasons:

- One incoming call can invoke multiple applications because each leg of the call can invoke a different application. The call is counted once for each application.
- Calls that are hung up before being queued for any CSQ may be marked as handled or abandoned (depending on the workflow and on when they hung up). Such calls do not have CRDRs or ACDRs and will not be counted on CSQ reports or agent reports. (These calls will be counted in the Application Performance Analysis Report because the calls entered an application.)

- Q.** Why does the Agent Summary Report show more calls handled than the CSQ reports?

- A.** Conference calls to agents will result in one CRDR having multiple ACDRs. The Agent Summary Report counts the number of ACDRs and the CSQ report count the number of CRDRs.

- Q.** How can conference calls be identified?

A. To identify conference calls, search for ACDRs with the same session ID and sequence number, with different agent IDs, and with talk time greater than 0.

Q. How can calls that were presented to an agent but were not answered be identified?

A. To identify such calls, search for ACDRs with talk time equal to zero. In addition, the CSQ-Agent Summary Report shows the total number of RNAs for each agent and for each CSQ. On the Agent Summary Report, Calls Presented minus Calls Handled is the number of calls that went RNA.

Q. Why is the total number of calls in the Calls Handled field in the Contact Service Queue Activity Report lower than the number in the Calls Handled Field in the Agent Summary Report?

A. The CSQ reports, including the Contact Service Queue Activity Report, report, show activity at the CSQ level. The agent reports, including the Agent Summary Report, shows activity at the agent level.

For handled calls, the Agent Summary Report counts the ACDRs with non-zero talk times (to exclude unanswered calls), and the Contact Service Queue Activity Report counts CQDRs with disposition equal to 2 (handled).

The number of such ACDRs may be larger than the number of such CQDRs for any of the following reasons:

- If you choose all agents for the Agent Summary Report but choose only one CSQ for the Contact Service Queue Activity Report, the Agent Summary Report will report more handled calls.
- There may be conference calls that involve multiple agents. In these cases, one CQDR will have multiple associated ACDRs. An associated ACDR has the same sessionID and sessionSeqNum as the CQDR.
- Agent-to-Agent transfers will result in more ACDRs than CQDRs. If agent A picks up a call from CSQ1, one CQDR and one ACDR are created. When agent A transfers the call to agent B, another ACDR is created, but no CQDR is created.

Q. Why do the Agent Summary Report, Contact Service Queue Activity Report, and Application Performance Analysis Report show different values for calls presented?

A. The Application Performance Analysis Report shows the highest number of calls presented for the following reasons:

- One incoming call can invoke multiple applications because each leg of the call can invoke a different application. The same call is counted once for each application.
- Some calls were terminated before they were queued. Such calls do not have CRDRs (because they were not queued) and are not counted on the Contact Service Queue Activity Report. These calls also do not have ACDRs and are not counted on the Agent Summary Report.

The Agent Summary Report shows more calls presented than the Contact Service Queue Activity Report for either of the following reasons:

- The same call was queued to a certain CSQ but presented to multiple agents within the CSQ (because an agent did not answer). Such calls are counted once for the Contact Service Queue Activity Report but counted once for each agent involved for the Agent Summary Report.
- There were conference calls which involved multiple agents.

- Q.** Why is the number of abandoned calls in the Abandoned Call Detail Activity Report higher than the number of abandoned calls in the Contact Service Queue Activity Report?
- A.** Some calls shown in the Abandoned Call Detail Activity Report were abandoned before they were routed to a CSQ (these calls have a blank Call Routed CSQ field), so they are not counted for any CSQ. The Contact Service Queue Activity Report shows calls that were abandoned while they were queued for a CSQ.
- Q.** Why do the CSQ Activity Report and the Agent Summary Report show different values for the Maximum Handle Time? For example, assume that Agent1 belongs only to CSQ1 and CSQ1 does not include any other agent. Why would the Maximum Handle for Agent1 that appears on the CSQ Activity Report be different than the Maximum Handle for Agent1 that appears on the Agent Summary Report?
- A.** An agent from another CSQ handled the call, conferenced in Agent1, and then dropped out. In addition, Agent1 continued the call for longer than the longest talk time of the any call that the agent handled for CSQ1. In this case, the Maximum Handle Time appears for Agent1 on the Agent Summary Report. It does not appear for CSQ1 on the CSQ Activity Report because Agent1 was conferenced in to the call but the call was initially handled by another CSQ.
- Q.** If a call is queued in CSQ 1 and CSQ 2 and then handled by an agent based routing agent, why does the CSQ Unified CCX Stats real-time report show a value of 1 for Contacts Dequeued for both CSQ1 and CSQ2 but the CSQ Activity Report show a value of 0 for Calls dequeued for both CSQ1 and CSQ2?
- A.** In this scenario, there should be three CQDRs:
- One CQDR for CSQ1, with a disposition of `Handled_by_other` (5) (or of 4 if there is a dequeue step)
 - One CQDR for CSQ2, with a disposition of `Handled_by_other` (5) (or of 4 if there is a dequeue step)
 - One CQDR one for the agent who handled call through agent based routing, with a disposition of `Handled` (2).

The CSQ Activity Report shows dispositions 4 and 5 as `Handled by Other`, so it shows one call as `Handled By Other` for both CSQ1 and CSQ2. `Calls Dequeued` is 0 for both CSQs (disposition 3 is reported as `Dequeued` on the report). The CSQ Unified CCX Stats real-time report counts calls marked as `Handled_by_other` as dequeued calls. On that report, the `Contacts Dequeued` column includes calls that were dequeued and handled by another CSQ, by an agent, or by a script.

- Q.** Why are values for `Calls Dequeued` different on the Contact Service Queue Activity Report (by CSQ or by Interval) and the Contact Service Queue Activity Report?
- A.** On the CSQ Activity Report (by CSQ or by Interval):
- `Calls Dequeued` = calls dequeued via the dequeue step + calls handled by workflow script + calls handled by another CSQ.
- On the CSQ Activity Report:
- `Calls Dequeued` = calls dequeued via dequeue step, calls handled by other = calls handled by workflow script + calls handled by another CSQ.
- Q.** Why does the Talk Time field in the Agent Summary Report show 0 but the Talk Time field Agent Detail Report show another value?

- A.** The Agent Summary Report shows ACD calls only, but Agent Detail Report shows Unified CCX and Cisco Unified IP IVR calls. The calls in question are IVR calls, so they do not appear on Agent Summary Report.
- Q.** What can cause a discrepancy between Unified CCX historical reports and Cisco Agent Desktop reports?
- A.** If agent A performs a consult transfer to agent B for an incoming ACD call, a historical report shows two call legs for both agent A and agent B. The Cisco Agent Desktop reports shows two call legs (one inbound and one outbound) for agent A, but only one call leg for agent B.
- Q.** If an agent uses a unique reason code when going to Not Ready state to make outbound calls, why does the Agent Not Ready Reason Code Summary report show a different duration for that reason code than the Agent Detail report shows for the duration of outbound calls for the agent?
- A.** If the agent does not spend the entire duration of time in Not Ready state with the unique reason code making outbound calls, the sum of the duration of outbound calls will be less than the duration spent in Not Ready state with the unique reason code.

Detailed Call by Call CDR report

- Q.** What are a session ID and a session sequence number?
- A.** A session ID is a unique identification number that the system assigns to a call. This number remains the same for the entire call. The system also assigns a sequence number to each leg of a call. Sequence numbers start at 0 and increment by 1 each time the call is transferred or redirected.
- Q.** Can a call be marked as handled if it is never queued for a CSQ?
- A.** Yes. You can design a workflow to mark such a call as handled.
- Q.** Why are the Hold Time and the Work Time fields blank?
- A.** The call was an IVR call. (IVR calls include Agent-to-Agent calls and external calls made by an agent.) The Unified CCX database does not record hold time and work time for IVR calls.
- Q.** Why does it appear that there duplicate calls on the report?
- A.** The calls in the CDR Report are not duplicates. They are conference calls, which have the same SessionID, Session Sequence Number, but different talk time because different agents participated in the same call. (The Detailed Call, CSQ, Agent Report shows the names of agents who participated in a conference call.)
- Q.** What does it mean when the contact disposition is 3?
- A.** When the system cleans up a call (which may have remained in the system because of missing events) the system writes a CDR with the contact disposition `dont_care` (value = 3).

General

Q. How is the number of days calculated in historical reports?

A. The number of days is calculated by an SQL function that counts the number of calendar days in an integral number of days. Fractions of a day are counted as an entire day. For example, 10 a.m. (1000) on 5/15 to 10 a.m. (1000) on 5/16 is counted as two days. 12:00:00 a.m. (0000) on 5/15 to 11:59:59 p.m. (1159:59) on 5/15 is counted as one day. 12:00:00 a.m. (0000) on 5/15 to 12:00:00 a.m. (0000) on 5/16 is counted as two days.

Q. How can a report on reason codes be generated?

A. Reason codes, when configured, are entered by agents when they explicitly transition to Logout state or to Not Ready state. In these cases, reason codes are stored in the ASDR. The Agent Login Logout Activity Report shows logout reason code information in detail. The Agent Not Ready Reason Code Summary Report shows summary information for the Not Ready reason code. The Agent State Detail Report shows Logout reason code and Not Ready reason code in detail.

Reason codes are not stored in the cases shown in the following table. In these cases, the reasonCode field in the ASDR will contain a value of -1.

Agent state in ASDR	Case
Logout	Agent closes the Cisco Agent Desktop without logging out
Logout	IP Phone Agent server or Cisco Agent Desktop crashes
Logout	Agent logs out when logged in to another computer or phone
Not Ready	Normal agent login
Not Ready	Agent receives an IVR call
Not Ready	Agent goes offhook to place a call
Not Ready	Agent fails to answer an ACD call within the specified timeout period
Not Ready or Logout	Agent's phone goes down
Not Ready or Logout	Supervisor changes the agent's state from the Cisco Supervisor Desktop



Note Not Ready codes are system-wide and cannot be configured to be hidden from certain agents.

Q. What is the database used for Unified CCX?

A. Unified CCX Release 8.0 uses IBM Informix Dynamic Server (IDS) database.

- Q.** Why is the Contact Service Queue Service Level Report, which is available in previous versions of Unified CCX, no longer available in the current version?
- A.** The information that was in this report is distributed among the Contact Service Queue Service Level Priority Summary Report, the Contact Service Queue Activity Report, and the Contact Service Queue Call Distribution Summary Report.
- Q.** Why is the Skill Routing Activity Report, which is available in previous versions of Unified CCX, no longer available in the current version?
- A.** The information that was in this report is available in the Contact Service Queue Activity Report or in the Contact Service Queue Activity Report when filtered to show Skill Groups only.
- Q.** What can cause more than one record to have the same Node ID, Session ID, and Sequence No?
- A.** More than one record can have the same Node ID, Session ID, and Sequence No in the following scenarios:
- A call is conferenced to a CTI route point
 - A call goes RNA to an agent
- Q.** Why some of the filter parameters selected by the client are not taken into consideration while generating the report?
- A.** Normally, the length of each parameter to the report cannot exceed 800 characters. If the length of the filter parameters that are selected is more than this value, the database server automatically truncates the parameter to 800 characters. Due to this, the stored procedure receives only the first 800 characters of the selected filter parameter thus causing the procedure to ignore the remaining characters and thereby providing an impression that a few parameters were ignored.
- Q.** How do I export historical data to my own Data Warehouse?
- A.** Use third-party database administration tools such as SQuirreL SQL Client or AGS Server Studio to export Unified CCX historical data to your own data warehouse. Use “uccxhruser” as the username to connect to db_cra database.

Traffic Analysis report

- Q.** Why is the value in the Total Incoming Calls field in this report different than the value in the Total Incoming Calls field in the Application Performance Analysis Report?
- A.** An incoming call can have multiple call legs. The Traffic Analysis report counts a call with multiple legs as a single call. However, each call leg may invoke a different application, so the Application Performance Analysis Report counts each call leg as a call.
- For example, assume that a call comes into an Auto Attendant and that the caller selects a menu option for Musician Demonstration. The call will have 2 call legs:
- Session ID = 1, sequence number = 0, application = “auto attendant”

Session ID = 1, sequence number = 1, application = "musician demonstration"

This call is counted once for the Traffic Analysis Report. It is counted twice for the Application Performance Analysis Report: once for the "auto attendant" application and once for the "musician demonstration" application.



INDEX

- A**
- Abandoned Call Detail Activity Report [14, 138](#)
 - FAQ [138](#)
 - overview [14](#)
 - query design [14](#)
 - Aborted and Rejected Call Detail Report [15, 17](#)
 - filter parameter [15](#)
 - filter parameters [17](#)
 - overview [15](#)
 - query design [15](#)
 - ACD [12](#)
 - definition [12](#)
 - ACDR [101, 137](#)
 - definition [101, 137](#)
 - Agent Call Summary Report [17, 139](#)
 - FAQ [139](#)
 - overview [17](#)
 - query design [17](#)
 - Agent Detail Report [21](#)
 - filter parameters [21](#)
 - overview [21](#)
 - query design [21](#)
 - Agent Login Logout Activity Report [25, 140](#)
 - FAQ [140](#)
 - filter parameters [25](#)
 - overview [25](#)
 - query design [25](#)
 - Agent Not Ready Reason Code Summary Report [27](#)
 - filter parameter [27](#)
 - overview [27](#)
 - query design [27](#)
 - Agent State Detail Report [31](#)
 - filter parameters [31](#)
 - overview [31](#)
 - query design [31](#)
 - Agent State Summary Report (by Agent) [33](#)
 - filter parameters [33](#)
 - overview [33](#)
 - query design [33](#)
 - Agent State Summary Report (by Interval) [33](#)
 - filter parameters [33](#)
 - Agent State Summary Report (by Interval) *(continued)*
 - overview [33](#)
 - query design [33](#)
 - Agent Summary Report [38, 140](#)
 - FAQ [140](#)
 - filter parameters [38](#)
 - overview [38](#)
 - query design [38](#)
 - Agent Wrap-Up Data Detail Report [43](#)
 - filter parameters [43](#)
 - overview [43](#)
 - query design [43](#)
 - Agent Wrap-up Data Summary Report [45](#)
 - filter parameter [45](#)
 - overview [45](#)
 - query design [45](#)
 - Application Performance Analysis Report [47, 141](#)
 - FAQ [141](#)
 - overview [47](#)
 - query design [47](#)
 - Application Summary Report [47](#)
 - filter parameter [47](#)
 - overview [47](#)
 - query design [47](#)
 - ASD [12](#)
 - definition [12](#)
 - ASDR [101, 137](#)
 - definition [101, 137](#)
- B**
- basic reports [14, 15, 17, 21, 25, 27, 31, 33, 38, 43, 45, 47, 49, 51, 53, 55, 56, 57, 58, 60, 62, 67, 70, 74, 75, 77, 79, 82, 85, 87, 89, 90, 92, 138, 139, 140, 141, 144, 146, 150, 152](#)
 - Abandoned Call Detail Activity Report [14, 138](#)
 - Aborted and Rejected Call Detail Report [15](#)
 - Agent Call Summary Report [17, 139](#)
 - Agent Detail Report [21](#)
 - Agent Login Logout Activity Report [25, 140](#)
 - Agent Not Ready Reason Code Summary Report [27](#)
 - Agent State Detail Report [31](#)

basic reports (*continued*)

- Agent State Summary Report (by Agent) [33](#)
- Agent State Summary Report (by Interval) [33](#)
- Agent Summary Report [38, 140](#)
- Agent Wrap-Up Data Detail Report [43](#)
- Agent Wrap-up Data Summary Report [45](#)
- Application Performance Analysis Report [47, 141](#)
- Application Summary Report [47](#)
- Call Custom Variables Report [49, 144](#)
- Called Number Summary Activity Report [51](#)
- Chat Agent Detail Report [53](#)
- Chat Agent Summary Report [55](#)
- Chat Contact Service Queue Activity Report [56](#)
- Chat CSQ Agent Summary Report [57](#)
- Chat Traffic Analysis Report [58](#)
- Common Skill Contact Service Queue Activity Report (by Interval) [60](#)
- Contact Service Queue Activity Report [62, 144, 146](#)
- Contact Service Queue Activity Report (by CSQ) [67](#)
- Contact Service Queue Activity Report (by Interval) [67](#)
- Contact Service Queue Call Distribution Summary Report [70](#)
- Contact Service Queue Priority Summary Report [74](#)
- Contact Service Queue Service Level Priority Summary Report [75](#)
- CSQ-Agent Summary Report [77](#)
- Detailed Call by Call CCDR Report [79, 150](#)
- Detailed Call, CSQ, Agent Report [82](#)
- Outbound Agent Detail Performance Report [85](#)
- Outbound Campaign Summary Report [87](#)
- Priority Summary Activity Report [89](#)
- Remote Monitoring Detail Report [90](#)
- Traffic Analysis Report [92, 152](#)

CCall Custom Variables Report [49, 51, 144](#)

- FAQ [144](#)
- filter parameters [51](#)
- overview [49](#)
- query design [49](#)

call flow [102](#)

- example [102](#)
- See also call scenario [102](#)

call legs [138](#)

- of same call [138](#)

call presented but unanswered [147](#)

- identifying [147](#)

call scenario [103, 104, 105, 106, 107, 108, 109, 110, 111, 112, 113, 114, 115, 116](#)

- ACD Call Blind Transfer [111](#)
- ACD Call Unanswered [108](#)
- Agent Consults Agent then Resumes Call [113](#)

call scenario (*continued*)

- Agent Places Consult Call then Resumes Call [112](#)
- Agent to Agent Non-ACD Call [109](#)
- Agent to Agent Non-ACD Call Conference [110](#)
- Agent to Agent Non-ACD Call Transfer [110](#)
- Basic ACD Call [103, 104](#)
- Basic Agent Based Routing [105](#)
- Basic Outbound Call [114, 115, 116](#)
- Conference to Agent [107](#)
- Transfer to Route Point [106](#)
- Workflow Redirect to Route Point [108](#)

Called Number Summary Activity Report [51](#)

- overview [51](#)
- query design [51](#)

CCD [12](#)

- definition [12](#)

CCDR [101, 137](#)

- definition [101, 137](#)

Chat Agent Detail Report [53](#)

- overview [53](#)

Chat Agent Summary Report [55](#)

- overview [55](#)
- query design [55](#)

Chat Contact Service Queue Activity Report [56](#)

- filter parameter [56](#)
- overview [56](#)

Chat CSQ Agent Summary Report [57](#)

- filter parameters [57](#)
- overview [57](#)
- query design [57](#)

chat flow [118](#)

- example [118](#)

Chat Traffic Analysis Report [58](#)

- overview [58](#)
- query design [58](#)

Common Skill Contact Service Queue Activity Report [144](#)Common Skill Contact Service Queue Activity Report (by Interval) [60](#)

- filter parameters [60](#)
- overview [60](#)
- query design [60](#)

conference call [147](#)

- identifying [147](#)

Contact Service Queue Activity Report [62, 144](#)

- FAQ [144](#)
- filter parameter [62](#)
- overview [62](#)
- query design [62](#)

Contact Service Queue Activity Report (by CSQ) [67, 146](#)

- FAQ [146](#)
- filter parameters [67](#)
- overview [67](#)
- query design [67](#)

- Contact Service Queue Activity Report (by Interval) [67](#)
 - filter parameters [67](#)
 - overview [67](#)
 - query design [67](#)
 - Contact Service Queue Call Distribution Summary Report [70](#)
 - filter parameters [70](#)
 - overview [70](#)
 - query design [70](#)
 - Contact Service Queue Priority Summary Report [74](#)
 - filter parameter [74](#)
 - overview [74](#)
 - query design [74](#)
 - Contact Service Queue Service Level Priority Summary Report [75, 77](#)
 - filter parameter [75, 77](#)
 - overview [75](#)
 - query design [75, 77](#)
 - CQD [12](#)
 - description [12](#)
 - CQDR [101, 137](#)
 - definition [101, 137](#)
 - CRD [12](#)
 - definition [12](#)
 - CRDR [101, 137](#)
 - definition [101, 137](#)
 - Crystal Reports [123](#)
 - for creating custom reports [123](#)
 - CSQ-Agent Summary Report [77](#)
 - overview [77](#)
 - CSQU [12](#)
 - definition [12](#)
 - custom reports [123, 124, 134, 141](#)
 - creating [123, 141](#)
 - Crystal Reports version required [123](#)
 - requirements before creating [124](#)
 - troubleshooting [134](#)
- D**
- data reconciliation [147](#)
 - among reports [147](#)
 - database [141, 151](#)
 - types [151](#)
 - writing data to [141](#)
 - database tables [12](#)
 - Detailed Call [82](#)
 - CSQ, Agent Report [82](#)
 - filter parameters [82](#)
 - overview [82](#)
 - query design [82](#)
 - Detailed Call by Call CCDR Report [79, 150](#)
 - FAQ [150](#)
 - Detailed Call by Call CCDR Report (*continued*)
 - filter parameter [79](#)
 - overview [79](#)
 - query design [79](#)
- E**
- EEMCEDR [101](#)
 - definition [101](#)
 - EEMEASD [101](#)
 - definition [101](#)
 - EEMQADR [101](#)
 - definition [101](#)
- L**
- legs [138](#)
 - See call legs [138](#)
- M**
- menu choices [141](#)
 - reporting on [141](#)
 - MRD [12](#)
 - definition [12](#)
- N**
- number of days [151](#)
 - calculation in reports [151](#)
- O**
- Outbound Agent Detail Performance Report [85](#)
 - filter parameter [85](#)
 - overview [85](#)
 - query design [85](#)
 - Outbound Campaign Summary Report [87](#)
 - filter parameter [87](#)
 - overview [87](#)
 - query design [87](#)
- P**
- Priority Summary Activity Report [89](#)
 - filter parameter [89](#)

Priority Summary Activity Report (*continued*)

- overview [89](#)
- query design [89](#)

R

- reason codes [151](#)
 - reporting on [151](#)
- Remote Monitoring Detail Report [90](#)
 - overview [90](#)
 - query design [90](#)
- report definition file [128](#)
- reporting data [141](#)
 - availability [141](#)
- reports [123](#)
 - creating custom [123](#)
- reports catalog file [132](#)
- RG [12](#)
 - definition [12](#)
- RMD [12](#)
 - definition [12](#)
- RSM [12](#)
 - definition [12](#)

S

- service level agreements [141](#)
 - reporting on [141](#)
- SG [12](#)
 - definition [12](#)

T

- TACDR [101](#)
 - definition [101](#)
- TASDR [101](#)
 - definition [101](#)
- TCDR [101](#)
 - definition [101](#)
- TCQDR [101](#)
 - definition [101](#)
- Traffic Analysis Report [92, 152](#)
 - FAQ [152](#)
 - overview [92](#)
 - query design [92](#)

W

- workflow [144](#)
 - custom variables in [144](#)