

|   |           |
|---|-----------|
| <b>CHAPTER 1 PREFACE</b> .....                  | <b>1</b>  |
| <b>Why I wrote this book</b> .....              | <b>1</b>  |
| <b>Who this book is for?</b> .....              | <b>1</b>  |
| <b>A brief history of UCCX</b> .....            | <b>2</b>  |
| <b>What is UCCX</b> .....                       | <b>3</b>  |
| <b>Assumptions</b> .....                        | <b>3</b>  |
| <b>Reference Lab</b> .....                      | <b>3</b>  |
| <br>  |           |
| <b>CHAPTER 2 INSTALLATION</b> .....             | <b>5</b>  |
| <b>Preparation</b> .....                        | <b>5</b>  |
| DNS Server .....                                | 5         |
| NTP Server .....                                | 6         |
| Application username/password .....             | 7         |
| Platform username/password.....                 | 8         |
| Security password .....                         | 8         |
| AXL Credential .....                            | 10        |
| CUCM End User as UCCX Admin Candidate .....     | 14        |
| <b>Installation Steps</b> .....                 | <b>16</b> |
| <br>  |           |
| <b>CHAPTER 3 INITIALIZATION</b> .....           | <b>27</b> |
| <b>Log onto UCCX Admin the first time</b> ..... | <b>27</b> |
| <b>AXL Credential</b> .....                     | <b>28</b> |
| <b>License Upload</b> .....                     | <b>29</b> |
| <b>Component Activation</b> .....               | <b>29</b> |
| <b>Datastore Activation</b> .....               | <b>30</b> |
| <b>Cisco Unified CM Configuration</b> .....     | <b>31</b> |
| <b>System Parameter Configuration</b> .....     | <b>34</b> |

|   |           |
|---|-----------|
| Language Configuration .....                        | 34        |
| CUCM user as UCCX Administrator .....               | 34        |
| <b>CHAPTER 4 UCCX TERMINOLOGIES.....</b>            | <b>37</b> |
| Trigger .....                                       | 37        |
| Application .....                                   | 37        |
| Script .....  | 38        |
| Resource.....                                       | 38        |
| Contact Service Queue (CSQ) .....                   | 38        |
| Desktop Suite .....                                 | 39        |
| Cisco Finesse.....                                  | 40        |
| <b>CHAPTER 5 INTELLIGENT CALL DISTRIBUTION.....</b> | <b>43</b> |
| Task List.....                                      | 44        |
| CTI .....   | 44        |
| CTI Port.....                                       | 46        |
| Device Association.....                             | 48        |
| Primary Extension and IPCC Extension.....           | 49        |
| CUCM: Provision Agent Phones .....                  | 49        |
| CUCM: Provision Agent User Accounts .....           | 52        |
| UCCX: Provision Call Control Group .....            | 53        |
| UCCX: Provision Resource (Agent) .....              | 58        |
| Resource Group.....                                 | 59        |
| UCCX: Provision “Contact Service Queue” (CSQ).....  | 60        |

|   |               |
|---|---------------|
| <b>UCCX: Provision Application</b> .....            | <b>62</b>     |
| <b>UCCX: Provision Triggers</b> .....               | <b>64</b>     |
| <b>Provision Agent Desktop</b> .....                | <b>69</b>     |
| Client Configuration Tool .....                     | 70            |
| Install and Log Into Agent Desktop .....            | 71            |
| “User ID, password, and extension is invalid” ..... | 72            |
| “RM JTAPI” association error .....                  | 72            |
| <b>Agent Desktop State</b> .....                    | <b>73</b>     |
| <br><b>CHAPTER 6 SCRIPT 101</b> .....               | <br><b>77</b> |
| <b>Installing Script Editor</b> .....               | <b>77</b>     |
| <b>Launching Script Editor</b> .....                | <b>77</b>     |
| <b>Opening a Script</b> .....                       | <b>78</b>     |
| <b>Palette Pane</b> .....                           | <b>79</b>     |
| <b>Design Pane</b> .....                            | <b>80</b>     |
| <b>Message Pane</b> .....                           | <b>80</b>     |
| <b>Variable Pane</b> .....                          | <b>80</b>     |
| <b>ICD.aef</b> .....                                | <b>81</b>     |
| <br><b>CHAPTER 7 RESOURCE MANAGEMENT</b> .....      | <br><b>85</b> |
| <b>Resource Group</b> .....                         | <b>85</b>     |
| Create Resource Group .....                         | 85            |
| Assign Agents to Resource Group .....               | 86            |
| Create Group-Based CSQ.....                         | 86            |
| <b>Skills</b> .....                                 | <b>89</b>     |
| Create Skills .....                                 | 89            |
| Assign Skill Level to Agents.....                   | 90            |
| Create Skill Based CSQ.....                         | 91            |

|  |            |
|--|------------|
| <b>The “Automatic” Options .....</b>         | <b>93</b>  |
| Automatic Available .....                    | 93         |
| Automatic Work .....                         | 93         |
| Wrap-up Time.....                            | 94         |
| Agent Based Routing Settings .....           | 95         |
| <br>   |            |
| <b>CHAPTER 8 DESKTOP SUITE.....</b>          | <b>97</b>  |
| <br>   |            |
| <b>Cisco Agent Desktop .....</b>             | <b>98</b>  |
| <br>   |            |
| <b>Cisco Supervisor Desktop.....</b>         | <b>99</b>  |
| Give a user Supervisor permission .....      | 100        |
| Assign supervisor to a team .....            | 101        |
| <br>   |            |
| <b>Cisco Desktop Administrator .....</b>     | <b>104</b> |
| Web Portal.....                              | 104        |
| Desktop Work Flow Administrator .....        | 106        |
| <br>   |            |
| <b>CHAPTER 9 IP PHONE AGENT.....</b>         | <b>109</b> |
| <br>   |            |
| <b>Provision Phone Service .....</b>         | <b>109</b> |
| <br>   |            |
| <b>Subscribe to IPPA service.....</b>        | <b>113</b> |
| <br>   |            |
| <b>Agent Logon .....</b>                     | <b>115</b> |
| <br>   |            |
| <b>CHAPTER 10 ENTERPRISE DATA.....</b>       | <b>119</b> |
| <br>   |            |
| <b>Define Data Format .....</b>              | <b>119</b> |
| Fields .....                                 | 119        |
| Layouts .....                                | 120        |
| <br>   |            |
| <b>“Set Enterprise Call Info” Step .....</b> | <b>121</b> |
| <br>   |            |
| <b>Example.....</b>                          | <b>122</b> |
| Define Fields .....                          | 123        |
| Define Layout .....                          | 123        |
| Create a Test Script .....                   | 124        |
| Upload the Script.....                       | 127        |
| Modify the Application.....                  | 127        |
| Test the Application .....                   | 128        |

|   |            |
|---|------------|
| <b>CHAPTER 11 CUSTOMIZATION AND AUTOMATION .....</b>    | <b>131</b> |
| <b>Dial String .....</b>                                | <b>131</b> |
| <b>Phone Book.....</b>                                  | <b>132</b> |
| <b>Reason Codes.....</b>                                | <b>133</b> |
| <b>Wrap-up Data .....</b>                               | <b>134</b> |
| <b>Enterprise Data .....</b>                            | <b>135</b> |
| Data .....  | 135        |
| Call Activity .....                                     | 136        |
| <b>CAD Agent.....</b>                                   | <b>138</b> |
| User Interface .....                                    | 138        |
| Toolbar .....   | 139        |
| Show Data Fields .....                                  | 139        |
| Miscellaneous .....                                     | 140        |
| Browser Setup.....                                      | 140        |
| Remote Access .....                                     | 141        |
| Voice Contact Work Flows.....                           | 142        |
| E-Mail Contact Work Flows .....                         | 143        |
| Agent Management Work Flows.....                        | 144        |
| <b>IP Phone Agent .....</b>                             | <b>145</b> |
| <b>Example 1 – Enable Record Buttons for CAD .....</b>  | <b>145</b> |
| 1. Make a button visible on CAD .....                   | 146        |
| 2. Assign action to the button .....                    | 146        |
| 3. Customize the button icon .....                      | 148        |
| <b>Example 2 – Configure Automatic Recording .....</b>  | <b>150</b> |
| <b>CHAPTER 12 SILENT MONITORING AND RECORDING .....</b> | <b>151</b> |
| <b>Monitoring.....</b>                                  | <b>151</b> |
| How does monitoring work? .....                         | 152        |
| Client-based Monitoring.....                            | 152        |
| Cabling.....  | 153        |
| CUCM Phone Configuration .....                          | 153        |
| Network Card Driver .....                               | 155        |

|   |            |
|---|------------|
| UCCX Settings.....  | 156        |
| Server-based Monitoring.....                              | 157        |
| Switch Port Mirroring.....                                | 158        |
| UCCX Server Configuration .....                           | 159        |
| Client-based vs. Server-based .....                       | 160        |
| IP Phone Agent (IPPA) .....                               | 160        |
| Citrix .....  | 160        |
| Additional Monitor Servers.....                           | 161        |
| Supportability.....                                       | 162        |
| Mix and Match .....                                       | 162        |
| <b>Recording .....</b>                                    | <b>164</b> |
| How does recording work .....                             | 165        |
| Recording Server in Server-Based Environment.....         | 165        |
| Recording Server in Client-Based Environment .....        | 166        |
| <b>Manual Monitoring or Recording.....</b>                | <b>166</b> |
| Monitoring.....   | 166        |
| Manual Recording - Supervisor .....                       | 167        |
| Playback – Supervisor .....                               | 167        |
| Manual Recording – Agent .....                            | 169        |
| <b>Automatic Recording .....</b>                          | <b>170</b> |
| <b>Remote Monitor .....</b>                               | <b>170</b> |
| Create Remote Monitor Application .....                   | 171        |
| Create Trigger.....                                       | 172        |
| Provision Supervisor .....                                | 173        |
| Assign Resources and CSQs to Remote Supervisor .....      | 174        |
| Use Remote Monitor .....                                  | 175        |
| CSQ ID.....   | 175        |
| <b>CHAPTER 13 E-MAIL .....</b>                            | <b>179</b> |
| <b>Server E-Mail .....</b>                                | <b>179</b> |
| <b>Agent E-Mail Overview .....</b>                        | <b>180</b> |
| <b>Agent E-Mail Configuration .....</b>                   | <b>182</b> |
| Mail store configuration (Microsoft Exchange) .....       | 183        |
| Global Settings (CDA Web Portal) .....                    | 183        |
| Create Contact Service Queue (UCCX AppAdmin Portal) ..... | 184        |

|   |            |
|---|------------|
| Contact Service Queue Settings (CDA Web Portal) ..... | 185        |
| <b>CHAPTER 14 WEB CHAT.....</b>                       | <b>187</b> |
| <b>Web Chat Overview .....</b>                        | <b>187</b> |
| <b>Install Cisco SocialMiner Server.....</b>          | <b>187</b> |
| <b>Integrate UCCX with SocialMiner .....</b>          | <b>188</b> |
| <b>Create Web Chat CSQ.....</b>                       | <b>190</b> |
| <b>Create Chat Widget.....</b>                        | <b>191</b> |
| <b>Agent Web Chat Interface .....</b>                 | <b>194</b> |
| CAD Built-In Web Browser.....                         | 194        |
| Standalone Browser .....                              | 195        |
| <b>CHAPTER 15 OUTBOUND DIALER.....</b>                | <b>197</b> |
| <b>Overview .....</b>                                 | <b>197</b> |
| <b>Basic Concepts .....</b>                           | <b>197</b> |
| Campaign.....   | 197        |
| Campaign Types .....                                  | 198        |
| Contact List.....                                     | 198        |
| Area Codes .....                                      | 199        |
| CPA (Call Progress Analysis) .....                    | 199        |
| SIP Gateway.....                                      | 200        |
| Abandoned Calls.....                                  | 202        |
| LPA (Line Per Agent) and LPP (Line Per Port) .....    | 202        |
| Progressive and Predictive .....                      | 203        |
| Progressive.....                                      | 203        |
| Predictive .....                                      | 203        |
| Dialer Types.....                                     | 204        |
| Finesse vs. CAD .....                                 | 204        |
| <b>Preparation.....</b>                               | <b>205</b> |
| Licensing .....                                       | 205        |
| Outbound IVR Ports.....                               | 206        |
| CSQs.....   | 207        |

|  |            |
|--|------------|
| Scripts, Applications and Triggers .....         | 207        |
| <b>Global Configuration .....</b>                | <b>207</b> |
| General Configuration .....                      | 208        |
| Area Codes .....                                 | 208        |
| SIP Gateway Configuration .....                  | 209        |
| <b>General Workflow .....</b>                    | <b>209</b> |
| One-time global configuration .....              | 209        |
| Per campaign configuration .....                 | 210        |
| <b>(Agent Based) Direct Preview Dialer .....</b> | <b>210</b> |
| Preparation.....                                 | 210        |
| Enable “Direct Preview” for CAD .....            | 210        |
| Prepare CSQ .....                                | 211        |
| Campaign-Specific Configuration .....            | 212        |
| Step 1: Create Campaign.....                     | 212        |
| Step 2: Import Contacts .....                    | 213        |
| Test the campaign .....                          | 214        |
| <b>Agent Based Campaign .....</b>                | <b>216</b> |
| Agent Based Progressive Dialer .....             | 216        |
| Agent Based Predictive Dialer .....              | 218        |
| Lines Per Agent .....                            | 219        |
| Maximum Lines Per Agent .....                    | 219        |
| Predictive Correction Pace .....                 | 219        |
| Predictive Gain .....                            | 220        |
| Call Abandon Limit .....                         | 220        |
| <b>IVR Based Campaign .....</b>                  | <b>220</b> |
| IVR Based Progressive Dialer .....               | 220        |
| Number of Dedicated Ports .....                  | 221        |
| Lines Per Port .....                             | 221        |
| Answering Machine Treatment .....                | 221        |
| IVR Based Predictive Dialer .....                | 222        |
| <b>CHAPTER 16 HTTP TRIGGER.....</b>              | <b>225</b> |
| <b>HTTP Trigger Overview .....</b>               | <b>225</b> |
| <b>Create a script .....</b>                     | <b>226</b> |



|  |            |
|--|------------|
| Create an application to use the script.....     | 227        |
| Create a HTTP trigger for the application .....  | 228        |
| Build a web page to “call” the HTTP trigger..... | 230        |
| <b>CHAPTER 17 DATABASE SUBSYSTEM .....</b>       | <b>233</b> |
| Overview of Database Subsystem .....             | 233        |
| Prepare Database Server.....                     | 233        |
| Upload JDBC Driver to UCCX Server .....          | 234        |
| Configure Data Source .....                      | 237        |
| Test Data Source .....                           | 238        |
| Test from UCCX AppAdmin Portal .....             | 238        |
| Test from UCCX Script Editor.....                | 238        |
| <b>CHAPTER 18 REPORTING .....</b>                | <b>241</b> |
| Overview .....                                   | 241        |
| Realtime Report.....                             | 241        |
| Realtime Snapshot .....                          | 242        |
| Configure Real Time Snapshot (UCCX side).....    | 243        |
| Configure Real Time Snapshot (UCCX side).....    | 245        |
| Configure DSN (wallboard side) .....             | 246        |
| Historical Report .....                          | 248        |
| CUIC (Cisco Unified Intelligence Center) .....   | 248        |
| CUIC SMTP Configuration .....                    | 249        |
| Keep the size down .....                         | 250        |
| 3 <sup>rd</sup> -Party Reporting Tool .....      | 250        |
| <b>CHAPTER 19 TROUBLESHOOTING.....</b>           | <b>253</b> |
| Troubleshooting Overview .....                   | 253        |
| Configuration Repository .....                   | 254        |

|  |            |
|--|------------|
| UCCX Database (Informix) .....                   | 254        |
| XML Files.....                                   | 254        |
| Spanlink Directory .....                         | 255        |
| <b>Tools.....</b>                                | <b>255</b> |
| Cisco Unified CCX Serviceability Portal.....     | 255        |
| Tools > Control Center – Network Services .....  | 255        |
| Trace > Configuration.....                       | 257        |
| Trace > Profile .....                            | 258        |
| Real Time Monitoring Tool (RTMT) .....           | 259        |
| CET (Configuration Editing Tool) .....           | 266        |
| LDAP Browser .....                               | 269        |
| NotePad++.....                                   | 273        |
| WinGrep .....                                    | 274        |
| <b>CLI Commands .....</b>                        | <b>278</b> |
| <b>Database Schema .....</b>                     | <b>279</b> |
| <b>General Troubleshooting Procedure .....</b>   | <b>281</b> |
| Get a Problem Statement.....                     | 282        |
| Ask Questions to Clarify Problem Statement ..... | 282        |
| Define Problem Domain .....                      | 283        |
| Narrow the Problem Domain .....                  | 283        |
| Collect and Review Log Files.....                | 286        |
| Propose Solution .....                           | 290        |
| <b>UCCX Logs.....</b>                            | <b>291</b> |
| MIVR logs.....                                   | 291        |
| JTAPI Logs .....                                 | 294        |
| <b>APPENDIX.....</b>                             | <b>297</b> |
| <b>Appendix A. Frequently Used URLs.....</b>     | <b>297</b> |
| UCCX Application Administration.....             | 297        |
| UCCX Serviceability.....                         | 297        |
| Cisco Desktop Administrator Web Portal.....      | 297        |
| UCCX Web Chat Agent Desktop .....                | 297        |
| UCCX Web Chat Supervisor Desktop .....           | 297        |
| Cisco Finesse Administrator .....                | 297        |
| Cisco Finesse Agent and Supervisor Desktop ..... | 297        |

CUIC (Cisco Unified Intelligent Center) Reporting ..... 298