



# Health and Utilization Monitor

## Interface Utilization




**Report Details**

Report Name: Copy Of Monthly 6500 Interface Utilization  
 Generation Time: Fri, May 06 2011, 18:11 BST  
 No. of Devices: 2  
 No. of Interfaces: 10  
 Start Date: Fri, Apr 01 2011, 00:00 BST  
 End Date: Sat, Apr 30 2011, 23:55 BST

**Interface Utilization Summary****Distribution based on Interface Utilization**

Utilization in %	0 - 50	50 - 70	70 - 90	90 - 100
No. of Interfaces	9	0	0	0

**Top 10 Percentage Utilization Details****Interface Utilization Device Details**

Device Name	Interface	Rx Max%	* Rx Avg%	Rx Min%	Tx Max%	* Tx Avg%	Tx Min%
UBS-S-001	Gi6/1	2547206.35	403.49	0.28	251566.59	39.06	0.10
UBS-S-001	Gi1/18	2.02	0.44	0.00	106.91	47.80	0.00
UBS-S-002	Gi6/1	27.88	0.62	0.10	81.26	14.31	0.29
UBS-S-002	Gi5/1	15.45	0.95	0.14	67.92	7.54	0.14
UBS-S-001	Gi5/1	67.41	7.54	0.14	15.90	0.95	0.14
UBS-S-001	Gi1/1	9.89	0.17	0.01	12.45	0.60	0.02
UBS-S-002	Gi1/1	0.09	0.01	0.00	0.65	0.01	0.00
UBS-S-002	Gi1/2	0.04	0.00	0.00	0.06	0.00	0.00
UBS-S-001	Gi1/2	0.04	0.00	0.00	0.04	0.00	0.00
UBS-S-001	Gi8/16	0.00	0.00	0.00	0.00	0.00	0.00

\* - Sorting based on Summation of RX Avg% and TX Avg%

**Bottom 10 Percentage Utilization Details****Interface Utilization Device Details**


Device Name	Interface	Rx Max%	* Rx Avg%	Rx Min%	Tx Max%	* Tx Avg%	Tx Min%
-------------	-----------	---------	-----------	---------	---------	-----------	---------

UBS-S-001	Gi8/16	0.00	0.00	0.00	0.00	0.00	0.00
UBS-S-001	Gi1/2	0.04	0.00	0.00	0.04	0.00	0.00
UBS-S-002	Gi1/2	0.04	0.00	0.00	0.06	0.00	0.00
UBS-S-002	Gi1/1	0.09	0.01	0.00	0.65	0.01	0.00
UBS-S-001	Gi1/1	9.89	0.17	0.01	12.45	0.60	0.02
UBS-S-001	Gi5/1	67.41	7.54	0.14	15.90	0.95	0.14
UBS-S-002	Gi5/1	15.45	0.95	0.14	67.92	7.54	0.14
UBS-S-002	Gi6/1	27.88	0.62	0.10	81.26	14.31	0.29
UBS-S-001	Gi1/18	2.02	0.44	0.00	106.91	47.80	0.00
UBS-S-001	Gi6/1	2547206.35	403.49	0.28	251566.59	39.06	0.10

\* - Sorting based on Summation of RX Avg% and TX Avg%


Device Name: UBS-S-002

Instance Name: Gi1/1




Device Name: UBS-S-002

Instance Name: Gi1/1




Device Name: UBS-S-002

Instance Name: Gi1/2




Device Name: UBS-S-002

Instance Name: Gi1/2




Device Name: UBS-S-002

Instance Name: Gi5/1




Device Name: UBS-S-002

Instance Name: Gi5/1




Device Name: UBS-S-002

Instance Name: Gi6/1




Device Name: UBS-S-002

Instance Name: Gi6/1




Device Name: UBS-S-001

Instance Name: Gi1/1




Device Name: UBS-S-001

Instance Name: Gi1/1




Device Name: UBS-S-001

Instance Name: Gi1/2




Device Name: UBS-S-001

Instance Name: Gi1/2




Device Name: UBS-S-001

Instance Name: Gi5/1




Device Name: UBS-S-001

Instance Name: Gi5/1




Device Name: UBS-S-001

Instance Name: Gi6/1




Device Name: UBS-S-001

Instance Name: Gi6/1




Device Name: UBS-S-001

Instance Name: Gi8/16




Device Name: UBS-S-001

Instance Name: Gi8/16




Device Name: UBS-S-001

Instance Name: Gi1/18



Device Name: UBS-S-001

Instance Name: Gi1/18



Copyright (c) 2007-2009 Cisco Systems, Inc. All rights reserved.