



Cisco-400-351-CCIE Wireless v3.1

Pass Cisco 400-351 CCIE exam with
100% Guarantee

100% REAL EXAM QUESTIONS ANSWERS

Get All PDF with Complete Questions Answers File from

<https://www.braindumps4it.com/braindumps-400-351.html>

100% Exam Passing Guarantee & Money Back Assurance



SAMPLE QUESTIONS

QUESTION: 1

You enabled NAT to make sure that your WLC is publicly reachable . if other NAT parameters are left to default1 which statement is true. ?

- A. The AP WLC discovery fails for APs int local mode using 209.165.200.44
- B. The AP WLC discover succeeds for OEAPsjoning the WLC using 192.168.3.44
- C. The AP WLC discover succeeds for OEAPsJoning the WLC using 192.168.3.44 or 209 165.200.44
- D. The AP WLC discover Fail for APs in local mode using 192.168.3.44

Answer: C

Question: 2

Which two statement about local profiling on a Cisco WLC running AireOS are true? (Choose two)

- A. Profiling is performed on IPV4 and IPV6 client.
- B. When local profiling is enabled , RADIUS profiling is allowed.
- C. Wired clients behind the workgroup bridge are profiled and a policy action is taken
- D. Profiling is performed only on IPV4 clients.
- E. Wired clients behind the workgroup bridge are not profiled and no policy action is taken.

Answer: DE

Question: 3

Refer to the exhibit which syslog logging facility and severity level is enabled on this AP ?

- A. logging trap severity 6, logging syslog facility local7
- B. logging trap severity 3,logging syslog facility sys 10
- C. logging trap severity 5,logging syslog facility local14
- D. logging trap severity 7, logging syslog facility local 7
- E. Logging trap severity 9,logging syslog facility kernel

Answer: D

Question: 4

Which two statements are true when comparing ESMTP and SMTP? (Choose two.)

- A. Only SMTP inspection is provided on the Cisco ASA firewall.
- B. A mail sender identifies itself as only able to support SMTP by issuing an EHLO command to the mail server.
- C. ESMTP mail servers will respond to an EHLO with a list of the additional extensions they support.
- D. SMTP commands must be in upper case, whereas ESMTP can be either lower or upper case.
- E. ESMTP servers can identify the maximum email size they can receive by using the SIZE command.

Answer: C, E

Question: 5

Given the IPV6 address and subnet 2001:adcb:3257:9048::/64,which option list the start and ending IP address of this subnet?

- A. 2001:adcb:3257:9048: ,2001:adcb:3257:9048:0000:0000:0000:ffff B. 2001:adcb:3257:9048:0:0:0:0 .2001:adcb:3257:9048:0000:ffff:ffff:ffff
- C. 2001:adcb:3257:9048:0:0:0:0 ,2001:adcb:3257:9048: ffff'ffff:ffff:ffff
- D. 2001:adcb:3257 9048 0 0 0 0 ,2001adbc: 3257 9048 0000:0000:0000:ffff E. 2001:adcb:3257:9048 :0:0:0:0, 2001:adcb:3257: 9048: 0000:0000:ffff: ffff
- E. 2001:adcb:3257:9048:0::, 2001:adcb:3257:9048:0000:0000:0000:ffff

Answer: C

Question: 6

You have added your active directory server to the cisco ISE and see the status as operational. However when you try to add active directory groups to your authorization policy conditions in the Cisco ISE ,no active Directory groups appear,what is the most likely reason?

- A. The credentials used to join the Cisco ISE to active directory do not have succulent privlleges to query active directory.
- B. You did not add any attribute in the Active Directory join point under the External identify source
- C. You dtd not add any groups in the Active Directory jom potnt under the External identity source
- D. A firewall is blocking tcp port 389 between the cisco ISE and active directory

Answer: C

Question: 7

which two types of interface events are common for cleanAir?(choose two)

- A. Microwave interference
- B. Co-channel interference
- C. Spontaneous interference
- D. Persistent mterference

Answer: CD

Question: 8

Flexconnect APs have already deployed in a branch office for local switching.Currently the WLAN in the large auditorium is proposed to change to high-density design and thus some low data rates are proposed to be disabled while keeping the data rates in other areas under the same Cisco WLC.Which configuration settings must be modified in the Cisco WLC to achieve this configuration ?(choose two)

- A. FlexconnectgroupS
- B. Mobility groups
- C. AP Groups
- D. RF profiles

Answer: CD

Question: 9

Which two AP join process are supported by the cisco 5760 WLC ?(choose Two)

- A. Layer 2 CAPWAP discovery
- B. Remotely stored controller IP address discovery
- C. DNS discovery
- D. Layer 3 CAPWAP discovery

Answer: CD

Question: 10

Prime infrastructure will trigger alarms indicating that the prime infrastructure physical or virtual server is low on disk space as the administrator which three actions can you take to increase disk space immediately upon receiving a major alert (60 percent disk usage)? (choose three)

- A. Change the disk controller RAID
- B. Enable cron job on ade for disk clean up using \$ du-sh
- C. Compacting the PI database using the NCS CLEANUP command
- D. Reduce the storage load on the local disk by setting up and using remote backup repositories
- E. Reduce the length of time you store client association data and related events.
- F. Compacting the PI database using the NCS DATABASE PURGE command

Answer: CDE

Buy Complete Questions Answers File from
100% Exam Passing Guarantee & Money Back Assurance



BRAINDUMPS4IT

Why BrainDumps4IT.com is Better?



- 400-351 Cover Full course Objective
- 771 Question and Answer from Real Exam
- Cisco 400-351 PDF Format Available
- Real Cisco 400-351 Exam Testing Engine
- 400-351 Recommended by Experts
- 400-351 Free Future updates
- Try before buy download 400-351 demo
- 100% Money back Guarantee

<https://www.braindumps4it.com/braindumps-400-351.html>