

Enable MVA service from serviceability page

CM Services						
Service Name	Status	Activation Status	Start Time	Up Time		
<input type="radio"/> Cisco CallManager	Started	Activated	Tue May 14 07:30:35 2013	17 days 04:34:43		
<input type="radio"/> Cisco Messaging Interface	Not Running	Deactivated				
<input type="radio"/> Cisco Unified Mobile Voice Access Service	Started	Activated	Fri May 31 08:28:34 2013	0 days 03:36:44		

Enable end user for Mobile Voice Access

Mobility Information

Enable Mobility

Enable Mobile Voice Access

Maximum Wait Time for Desk Pickup*



Remote Destination Limit*

Remote Destination Profiles


[View Details](#)

Configure MVA number

Mobile Voice Access

 Save  Delete

Status

 Status: Ready

Mobile Voice Access Information

Mobile Voice Access Directory Number*

Mobile Voice Access Partition

Cisco Callmanager service parameter for MVA to true

Inbound Calling Search Space for Remote Destination *	Trunk or Gateway Inbound Calling Search Space	Trunk or Gateway Inbound Calling Search Space
Enable Enterprise Feature Access *	True	False
Dial-via-Office Forward Service Access Number		
Enable Mobile Voice Access *	True	False
Mobile Voice Access Number		
Matching Caller ID with Remote Destination *	Complete Match	Complete Match
Number of Digits for Caller ID Partial Match *	10	10

CSS of Gateway SIP Trunk

Inbound Calls	
Significant Digits*	All
Connected Line ID Presentation*	Default
Connected Name Presentation*	Default
Calling Search Space	VGW_CSS
AAR Calling Search Space	< None >
Prefix DN	

MVA DN partition (Internal_PT) belongs to VGW_CSS partion

Calling Search Space Information	
Name*	VGW_CSS
Description	CSS for SIP trunk.To route calls to Tran Patterns

Route Partitions for this Calling Search Space	
Available Partitions**	3Digits_PT 4Digits_PT Directory URI Info_Dir_PT International_PT
▼ ▲	
Selected Partitions	Internal_PT TranPatt_PT VMPilotNumber_PT

Configure the VXML gateway

```
voice translation-rule 2  
rule 1 /25889997/ /5610/
```

```
voice translation-profile RDP  
translate called 2
```

```
application  
service mva http://10.0.0.101:8080/ccmivr/pages/IVRMainpage.vxml
```

```
dial-peer voice 8 voip  
corlist incoming call-inVoicePT  
description *** FROM PSTN ***  
translation-profile incoming RDP  
service mva  
session protocol sipv2  
incoming called-number 25889997
```

voice-class codec 2
dtmf-relay sip-notify rtp-nte
fax rate disable
fax protocol pass-through g711alaw
no vad

dial-peer voice 27 voip
corlist outgoing call-outVoiceCM
description *** TO CUCM ***
destination-pattern 5610
session protocol sipv2
session target ipv4:10.0.0.101
voice-class codec 1
dtmf-relay sip-notify rtp-nte
fax rate disable
fax protocol pass-through g711alaw
no vad