

BW1400285260705142115493211@63.77.76.232 CSeq: 729686841 BYE Max-Forwards: 69 Content-Length: 0
144597: May 7 14:00:59.417:
//4181492/C79A47D8B532/CCAPI/ccGenerateToneInfo:
Stop Tone On Digit=FALSE, Tone=NULL,
Tone Direction=Sum Network, Params=0x0, Call Id=4181492
144598: May 7 14:00:59.417:
//4181491/C79A47D8B532/CCAPI/cc_api_call_disconnected:
Cause Value=16, Interface=0x405292B0, Call Id=4181491
144599: May 7 14:00:59.417:
//4181491/C79A47D8B532/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=16, Retry Count=0)
144600: May 7 14:00:59.417:
//4181491/C79A47D8B532/CCAPI/ccConferenceDestroy:
Conference Id=0x10C811, Tag=0x0
144601: May 7 14:00:59.417:
//4181491/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C811, Source Interface=0x405292B0, Source Call Id=4181491,
Destination Call Id=4181492, Disposition=0x0, Tag=0x0
144602: May 7 14:00:59.417:
//4181492/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C811, Source Interface=0x405292B0, Source Call Id=4181492,
Destination Call Id=4181491, Disposition=0x0, Tag=0x0
144603: May 7 14:00:59.417:
//4181491/C79A47D8B532/CCAPI/cc_generic_bridge_done:
Conference Id=0x10C811, Source Interface=0x405292B0, Source Call Id=4181492,
Destination Call Id=4181491, Disposition=0x0, Tag=0x0
144604: May 7 14:00:59.417:
//4181491/C79A47D8B532/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0, Disconnect Cause=16)
144605: May 7 14:00:59.417:
//4181491/C79A47D8B532/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
144606: May 7 14:00:59.417:
//4181492/C79A47D8B532/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0, Disconnect Cause=0)
144607: May 7 14:00:59.417:
//4181492/C79A47D8B532/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
144608: May 7 14:00:59.417:
//4181491/C79A47D8B532/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181491,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry Count=0)

```

144609: May 7 14:00:59.417:
//4181491/C79A47D8B532/CCAPI/cc_api_call_disconnect_done:
    Call Disconnect Event Sent
144610: May 7 14:00:59.417: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144611: May 7 14:00:59.417: :cc_free_feature_vsa freeing 140CCFC8
144612: May 7 14:00:59.417: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144613: May 7 14:00:59.417: vsacount in free is 121
144614: May 7 14:00:59.417: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bKm03fq130a8ihrdn641n0cdbhv6is0.1 From:
<sip:8454069105@63.77.76.232;user=phone>;tag=2033997503-1399471228526-
To: "DUTCHESS COUNTY 50 Market"<sip:8454866479
@gw.haight.ocis.globalipcom.com>;tag=E91B7F3C-1FF5 Date: Wed, 07 May
2014 14:00:59 GMT Call-ID: BW1400285260705142115493211@63.77.76.232
Server: Cisco-SIPGateway/IOS-12.x CSeq: 729686841 BYE Reason:
Q.850;cause=16 Content-Length: 0
144615: May 7 14:00:59.417: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:8454069105@172.22.196.3:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK69623022F2 From: <sip:8454069105@
172.22.209.2>;tag=E91B7F04-1D7 To: <sip:8454866479@172.22.196.3>;tag=
223759~6faf4609-af95-42b9-a971-0e80e755aec8-43666341 Date: Wed, 07 May
2014 14:00:37 GMT Call-ID: C79AE400-D52611E3-B538C0D0-28CAE34F@
172.22.209.2 User-Agent: Cisco-SIPGateway/IOS-12.x Max-Forwards: 70
Timestamp: 1399471259 CSeq: 103 BYE Reason: Q.850;cause=16 Content-
Length: 0
144616: May 7 14:00:59.421: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK69623022F2 From: <sip:8454069105@
172.22.209.2>;tag=E91B7F04-1D7 To: <sip:8454866479@172.22.196.3>;tag=
223759~6faf4609-af95-42b9-a971-0e80e755aec8-43666341 Date: Wed, 07 May
2014 14:00:59 GMT Call-ID: C79AE400-D52611E3-B538C0D0-28CAE34F@
172.22.209.2 CSeq: 103 BYE Content-Length: 0
144617: May 7 14:00:59.421:
//4181492/C79A47D8B532/CCAPI/cc_api_call_disconnect_done:
    Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181492,
    Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
144618: May 7 14:00:59.421:
//4181492/C79A47D8B532/CCAPI/cc_api_call_disconnect_done:

```

OCIS-FR-3945-1#Call Disconnect Event Sent
144619: May 7 14:00:59.421: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144620: May 7 14:00:59.421: :cc_free_feature_vsa freeing 140CF488
144621: May 7 14:00:59.421: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144622: May 7 14:00:59.421: vsacount in free is 120
144623: May 7 14:01:00.449: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
BYE sip:8452435710@172.22.209.2:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.196.3:5060;branch=z9hG4bK2042450a37f5c From: <sip:8454862299@
172.22.196.3>;tag=223710~6faf4609-af95-42b9-a971-0e80e755aec8-43666188
To: <sip:8452435710@172.22.209.2>;tag=E91AA208-EF Date: Wed, 07 May
2014 13:59:33 GMT Call-ID: A5E2AD5B-D52611E3-B48FC0D0-28CAE34F@
172.22.209.2 User-Agent: Cisco-CUCM8.5 Max-Forwards: 70 CSeq: 101 BYE
Content-Length: 0
144624: May 7 14:01:00.449:
//4181429/A5E2AD5BB489/CCAPI/ccGenerateToneInfo:
Stop Tone On Digit=FALSE, Tone=NULL,
Tone Direction=Sum Network, Params=0x0, Call Id=4181429
144625: May 7 14:01:00.449:
//4181430/A5E2AD5BB489/CCAPI/cc_api_call_disconnected:
Cause Value=16, Interface=0x405292B0, Call Id=4181430
144626: May 7 14:01:00.449:
//4181430/A5E2AD5BB489/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=16, Retry Count=0)
144627: May 7 14:01:00.449:
//4181429/A5E2AD5BB489/CCAPI/ccConferenceDestroy:
Conference Id=0x10C7F0, Tag=0x0
144628: May 7 14:01:00.449:
//4181429/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C7F0, Source Interface=0x405292B0, Source Call
Id=4181429,
Destination Call Id=4181430, Disposition=0x0, Tag=0x0
144629: May 7 14:01:00.449:
//4181430/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C7F0, Source Interface=0x405292B0, Source Call
Id=4181430,
Destination Call Id=4181429, Disposition=0x0, Tag=0x0
144630: May 7 14:01:00.449:
//4181429/A5E2AD5BB489/CCAPI/cc_generic_bridge_done:
Conference Id=0x10C7F0, Source Interface=0x405292B0, Source Call
Id=4181430,
Destination Call Id=4181429, Disposition=0x0, Tag=0x0
144631: May 7 14:01:00.449:

```

//4181429/A5E2AD5BB489/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
144632: May 7 14:01:00.449:
//4181429/A5E2AD5BB489/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
144633: May 7 14:01:00.449:
//4181430/A5E2AD5BB489/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=16)
144634: May 7 14:01:00.449:
//4181430/A5E2AD5BB489/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
144635: May 7 14:01:00.449:
//4181430/A5E2AD5BB489/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181430,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
144636: May 7 14:01:00.453:
//4181430/A5E2AD5BB489/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
144637: May 7 14:01:00.453: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144638: May 7 14:01:00.453: :cc_free_feature_vsa freeing 140CDA48
144639: May 7 14:01:00.453: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144640: May 7 14:01:00.453: vsacount in free is 119
144641: May 7 14:01:00.453: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:8452435710@172.31.100.49:5271;transport=udp SIP/2.0 Via:
SIP/2.0/UDP 152.187.182.42:5060;branch=z9hG4bK6962312CE From:
"Dutchess County ."<sip:8454862299
@gw.haight.ocis.globalipcom.com>;tag=E91AA210-D0E To: <sip:8452435710@
63.77.76.232;user=phone>;tag=2136510722-1399471171958- Date: Wed, 07
May 2014 13:59:33 GMT Call-ID: BW135931958070514-1310589336@
63.77.76.232 User-Agent: Cisco-SIPGateway/IOS-12.x Max-Forwards: 70
Timestamp: 1399471260 CSeq: 101 BYE Reason: Q.850;cause=16 Content-
Length: 0
144642: May 7 14:01:00.453: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.22.196.3:5060;branch=z9hG4bK2042450a37f5c From: <sip:8454862299@
172.22.196.3>;tag=223710~6faf4609-af95-42b9-a971-0e80e755aec8-43666188
To: <sip:8452435710@172.22.209.2>;tag=E91AA208-EF Date: Wed, 07 May
2014 14:01:00 GMT Call-ID: A5E2AD5B-D52611E3-B48FC0D0-28CAE34F@

```

```

172.22.209.2 Server: Cisco-SIPGateway/IOS-12.x CSeq: 101 BYE Reason:
Q.850;cause=16 Content-Length: 0
144643: May 7 14:01:00.481: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK6962312CE From: "Dutchess County
."<sip:8454862299@gw.haight.ocis.globalipcom.com>;tag=E91AA210-D0E To:
<sip:8452435710@63.77.76.232;user=phone>;tag=2136510722-1399471171958-
Call-ID: BW135931958070514-1310589336@63.77.76.232 Timestamp:
1399471260 CSeq: 101 BYE Content-Length: 0
144644: May 7 14:01:00.481:
//4181429/A5E2AD5BB489/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181429,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
144645: May 7 14:01:00.481:
//4181429/A5E2AD5BB489/CCAPI/cc_api_call_disconnect_done:

OCIS-FR-3945-1#Call Disconnect Event Sent
144646: May 7 14:01:00.481: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144647: May 7 14:01:00.481: :cc_free_feature_vsa freeing 140CF3A8
144648: May 7 14:01:00.481: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144649: May 7 14:01:00.481: vsacount in free is 118
144650: May 7 14:01:01.365: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
INVITE sip:911@172.22.209.2:5060 SIP/2.0 Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204257d04f709 From: "Joe McGrath"
<sip:8454753401@172.22.196.3>;tag=223801~6faf4609-af95-42b9-a971-
0e80e755aec8-43666724 To: <sip:911@172.22.209.2> Date: Wed, 07 May
2014 14:01:01 GMT Call-ID: 4239200-36a13c9d-ac5c-3c416ac@172.22.196.3
Supported: 100rel,timer,resource-priority,replaces Min-SE: 1800 User-
Agent: Cisco-CUCM8.5 Allow: INVITE, OPTIONS, INFO, BYE, CANCEL, ACK,
PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY CSeq: 101 INVITE Expires: 180
Allow-Events: presence, kpml Supported: X-cisco-srtp-fallback
Supported: Geolocation Cisco-Guid: 0069440000-0000065536-0000012747-
0063182508 Session-Expires: 1800 Diversion: <sip:911@
172.22.196.3>;reason=deflection;privacy=off;screen=yes P-Asserted-
Identity: "Joe McGrath" <sip:8454753401@172.22.196.3> Remote-Party-ID:
"Joe McGrath" <sip:8454753401@
172.22.196.3>;party=calling;screen=yes;privacy=off Contact:
<sip:8454753401@172.22.196.3:5060;transport=tcp> Max-Forwards: 70
Content-Type: application/sdp Content-Length: 212 v=0
o=CiscoSystemsCCM-SIP 2000 1 IN IP4 172.22.196.3 s=SIP Call c=IN IP4

```

```

172.22.196.3 t=0 0 m=audio 29948 RTP/AVP 0 101 a=rtpmap:0 PCMU/8000
a=ptime:20 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15
144651: May 7 14:01:01.365:
//4181522/xxxxxxxxxxxx/CCAPI/cc_api_caps_ind:
Call Entry Is Not Found
144652: May 7 14:01:01.365: //-
1/042392000000/CCAPI/cc_api_display_ie_subfields:
cc_api_call_setup_ind_common:
cisco-username=8454753401
----- ccCallInfo IE subfields -----
cisco-ani=8454753401
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=1
dest=911
cisco-desttype=0
cisco-destplan=0
cisco-rdie=74
cisco-rdn=911
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=0
cisco-rdnpi=0
cisco-rdnpi=0
cisco-rdnpi=0
cisco-rdnpi=0
cisco-rdnpi=0
cisco-rdnpi=0
cisco-rdnpi=0
cisco-redirectreason=4 fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

144653: May 7 14:01:01.365: //-
1/042392000000/CCAPI/cc_api_call_setup_ind_common:
Interface=0x405292B0, Call Info(
Calling Number=8454753401,(Calling Name=)(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed),
Called Number=911(TON=Unknown, NPI=Unknown),
Calling Translated=FALSE, Subscriber Type Str=Unknown,
FinalDestinationFlag=TRUE,
Incoming Dial-peer=502, Progress Indication=NULL(0), Calling IE
Present=TRUE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=, CLID
Transparent=FALSE), Call Id=4181522
144654: May 7 14:01:01.365: //-1/042392000000/CCAPI/ccCheckClipClir:
In: Calling Number=8454753401(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
144655: May 7 14:01:01.365: //-1/042392000000/CCAPI/ccCheckClipClir:
Out: Calling Number=8454753401(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
144656: May 7 14:01:01.365: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

```

```

144657: May 7 14:01:01.365: :cc_get_feature_vsa malloc success
144658: May 7 14:01:01.365: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

144659: May 7 14:01:01.365: cc_get_feature_vsa count is 119
144660: May 7 14:01:01.365: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

144661: May 7 14:01:01.365: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335620040,feature_id:2617591
144662: May 7 14:01:01.365:
//4181522/042392000000/CCAPI/cc_api_call_setup_ind_common:
Set Up Event Sent;
Call Info(Calling Number=8454753401(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed),
Called Number=911(TON=Unknown, NPI=Unknown))
144663: May 7 14:01:01.365:
//4181522/042392000000/CCAPI/cc_process_call_setup_ind:
Event=0x40AFF1D8
144664: May 7 14:01:01.365: //-
1/xxxxxxxxxxxxx/CCAPI/cc_setupind_match_search:
Try with the demoted called number 911
144665: May 7 14:01:01.365:
//4181522/042392000000/CCAPI/ccCallSetContext:
Context=0x11A62FD0
144666: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/cc_process_call_setup_ind:
>>>CCAPI handed cid 4181522 with tag 502 to app
"_ManagedAppProcess_Default"
144667: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/ccCallProceeding:
Progress Indication=NULL(0)
144668: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
Destination=, Calling IE Present=TRUE, Mode=0,
Outgoing Dial-peer=500, Params=0x13FCD160, Progress Indication=NULL
(0)
144669: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/ccCheckClipClir:
In: Calling Number=8454753401(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
144670: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/ccCheckClipClir:
Out: Calling Number=8454753401(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
144671: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
Destination Pattern=911, Called Number=911, Digit Strip=FALSE

```



```

144672: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
  Calling Number=8454753401(TON=Unknown, NPI=Unknown, Screening=User,
Passed, Presentation=Allowed),
  Called Number=911(TON=Unknown, NPI=Unknown),
  Redirect Number=911, Display Info=Joe McGrath
  Account Number=8454753401, Final Destination Flag=TRUE,
  Guid=04239200-0001-0000-0000-31CB03C416AC, Outgoing Dial-peer=500
144673: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/cc_api_display_ie_subfields:
ccCallSetupRequest:
cisco-username=8454753401
----- ccCallInfo IE subfields -----
cisco-ani=8454753401
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=1
dest=911
cisco-desttype=0
cisco-destplan=0
cisco-rdie=74
cisco-rdn=911
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=0
cisco-rdnsi=1
cisco-redirectreason=4 fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

144674: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/ccIFCallSetupRequestPrivate:
  Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
  Call Params(Calling Number=8454753401,(Calling Name=Joe McGrath)
(TON=Unknown, NPI=Unknown, Screening=User, Passed,
Presentation=Allowed),
  Called Number=911(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
  Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=500, Call Count On=FALSE,
  Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
144675: May 7 14:01:01.369: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

144676: May 7 14:01:01.369: :cc_get_feature_vsa malloc success
144677: May 7 14:01:01.369: //-

```

```
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

144678: May 7 14:01:01.369: cc_get_feature_vsa count is 120
144679: May 7 14:01:01.369: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

144680: May 7 14:01:01.369: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335617800,feature_id:2617592
144681: May 7 14:01:01.369:
//4181523/042392000000/CCAPI/ccIFCallSetupRequestPrivate:
SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
144682: May 7 14:01:01.369:
//4181523/042392000000/CCAPI/ccCallSetContext:
Context=0x13FCD110
144683: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/ccSaveDialpeerTag:
Outgoing Dial-peer=500
144684: May 7 14:01:01.369:
//4181523/042392000000/CCAPI/cc_api_call_disconnected:
Cause Value=47, Interface=0x405292B0, Call Id=4181523
144685: May 7 14:01:01.369:
//4181523/042392000000/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
144686: May 7 14:01:01.369:
//4181523/042392000000/CCAPI/cc_api_call_disconnected:
Cause Value=47, Interface=0x405292B0, Call Id=4181523
144687: May 7 14:01:01.369:
//4181523/042392000000/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
144688: May 7 14:01:01.369:
//4181522/xxxxxxxxxxxxx/CCAPI/ccCallReleaseResources:
release reserved xcoding resource.
144689: May 7 14:01:01.369:
//4181523/042392000000/CCAPI/ccCallSetAAA_Accounting:
Accounting=1, Call Id=4181523
144690: May 7 14:01:01.369:
//4181523/042392000000/CCAPI/ccCallDisconnect:
Cause Value=47, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=47)
144691: May 7 14:01:01.369:
//4181523/042392000000/CCAPI/ccCallDisconnect:
Cause Value=47, Call Entry(Responded=TRUE, Cause Value=47)
144692: May 7 14:01:01.369:
//4181523/042392000000/CCAPI/cc_api_call_disconnect_done:
Disposition=-11, Interface=0x405292B0, Tag=0x0, Call Id=4181523,
Call Entry(Disconnect Cause=47, Voice Class Cause Code=0, Retry
Count=0)
144693: May 7 14:01:01.369:
//4181523/042392000000/CCAPI/cc_api_call_disconnect_done:
```

```

Call Disconnect Event Sent
144694: May  7 14:01:01.369: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144695: May  7 14:01:01.369: :cc_free_feature_vsa freeing 14011F00
144696: May  7 14:01:01.369: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144697: May  7 14:01:01.369: vsacount in free is 119
144698: May  7 14:01:01.369: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204257d04f709 From: "Joe McGrath"
<sip:8454753401@172.22.196.3>;tag=223801~6faf4609-af95-42b9-a971-
0e80e755aec8-43666724 To: <sip:911@172.22.209.2> Date: Wed, 07 May
2014 14:01:01 GMT Call-ID: 4239200-36a13c9d-ac5c-3c416ac@172.22.196.3
CSeq: 101 INVITE Allow-Events: telephone-event Server: Cisco-
SIPGateway/IOS-12.x Content-Length: 0
144699: May  7 14:01:01.369:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
  Destination=, Calling IE Present=TRUE, Mode=0,
  Outgoing Dial-peer=501, Params=0xl408948C, Progress Indication=NULL
(0)
144700: May  7 14:01:01.369:
//4181522/042392000000/CCAPI/ccCheckClipClir:
  In: Calling Number=8454753401(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
144701: May  7 14:01:01.369:
//4181522/042392000000/CCAPI/ccCheckClipClir:
  Out: Calling Number=8454753401(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
144702: May  7 14:01:01.369:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
  Destination Pattern=911, Called Number=911, Digit Strip=FALSE
144703: May  7 14:01:01.369:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
  Calling Number=8454753401(TON=Unknown, NPI=Unknown, Screening=User,
Passed, Presentation=Allowed),
  Called Number=911(TON=Unknown, NPI=Unknown),
  Redirect Number=911, Display Info=Joe McGrath
  Account Number=8454753401, Final Destination Flag=TRUE,
  Guid=04239200-0001-0000-0000-31CB03C416AC, Outgoing Dial-peer=501
144704: May  7 14:01:01.369:
//4181522/042392000000/CCAPI/cc_api_display_ie_subfields:
  ccCallSetupRequest:
  cisco-username=8454753401
  ----- ccCallInfo IE subfields -----
  cisco-ani=8454753401

```

```
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=1
dest=911
cisco-desttype=0
cisco-destplan=0
cisco-rdie=74
cisco-rdn=911
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=0
cisco-rdnsi=1
cisco-redirectreason=4 fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0
```

```
144705: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/ccIFCallSetupRequestPrivate:
Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
Call Params(Calling Number=8454753401,(Calling Name=Joe McGrath)
(TON=Unknown, NPI=Unknown, Screening=User, Passed,
Presentation=Allowed),
Called Number=911(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=501, Call Count On=FALSE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
144706: May 7 14:01:01.369: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

144707: May 7 14:01:01.369: :cc_get_feature_vsa malloc success
144708: May 7 14:01:01.369: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

144709: May 7 14:01:01.369: cc_get_feature_vsa count is 120
144710: May 7 14:01:01.369: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

144711: May 7 14:01:01.369: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335617800,feature_id:2617593
144712: May 7 14:01:01.369:
//4181524/042392000000/CCAPI/ccIFCallSetupRequestPrivate:
SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
144713: May 7 14:01:01.369:
//4181524/042392000000/CCAPI/ccCallSetContext:
Context=0x1408943C
```

144714: May 7 14:01:01.369:
//4181522/042392000000/CCAPI/ccSaveDialpeerTag:
Outgoing Dial-peer=501
144715: May 7 14:01:01.369:
//4181524/042392000000/CCAPI/cc_api_call_disconnected:
Cause Value=47, Interface=0x405292B0, Call Id=4181524
144716: May 7 14:01:01.369:
//4181524/042392000000/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
144717: May 7 14:01:01.369:
//4181524/042392000000/CCAPI/cc_api_call_disconnected:
Cause Value=47, Interface=0x405292B0, Call Id=4181524
144718: May 7 14:01:01.369:
//4181524/042392000000/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
144719: May 7 14:01:01.369:
//4181522/xxxxxxxxxxxx/CCAPI/ccCallReleaseResources:
release reserved xcoding resource.
144720: May 7 14:01:01.369:
//4181524/042392000000/CCAPI/ccCallSetAAA_Accounting:
Accounting=1, Call Id=4181524
144721: May 7 14:01:01.369:
//4181524/042392000000/CCAPI/ccCallDisconnect:
Cause Value=47, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=47)
144722: May 7 14:01:01.369:
//4181524/042392000000/CCAPI/ccCallDisconnect:
Cause Value=47, Call Entry(Responded=TRUE, Cause Value=47)
144723: May 7 14:01:01.369:
//4181524/042392000000/CCAPI/cc_api_call_disconnect_done:
Disposition=-11, Interface=0x405292B0, Tag=0x0, Call Id=4181524,
Call Entry(Disconnect Cause=47, Voice Class Cause Code=0, Retry
Count=0)
144724: May 7 14:01:01.369:
//4181524/042392000000/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
144725: May 7 14:01:01.369: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144726: May 7 14:01:01.369: :cc_free_feature_vsa freeing 14011F00
144727: May 7 14:01:01.369: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144728: May 7 14:01:01.369: vsacount in free is 119
144729: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
Destination=, Calling IE Present=TRUE, Mode=0,
Outgoing Dial-peer=102, Params=0x40FAFB04, Progress Indication=NULL
(0)

```

144730: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccCheckClipClir:
  In: Calling Number=8454753401(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
144731: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccCheckClipClir:
  Out: Calling Number=8454753401(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
144732: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
  Destination Pattern=9T, Called Number=11, Digit Strip=FALSE
144733: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
  Calling Number=8454753401(TON=Unknown, NPI=Unknown, Screening=User,
Passed, Presentation=Allowed),
  Called Number=11(TON=Unknown, NPI=Unknown),
  Redirect Number=911, Display Info=Joe McGrath
  Account Number=8454753401, Final Destination Flag=TRUE,
  Guid=04239200-0001-0000-0000-31CB03C416AC, Outgoing Dial-peer=102
144734: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/cc_api_display_ie_subfields:
  ccCallSetupRequest:
  cisco-username=8454753401
  ----- ccCallInfo IE subfields -----
  cisco-ani=8454753401
  cisco-anitype=0
  cisco-aniplan=0
  cisco-anipi=0
  cisco-anisi=1
  dest=11
  cisco-desttype=0
  cisco-destplan=0
  cisco-rdie=74
  cisco-rdn=911
  cisco-lastrdn=
  cisco-rdntype=0
  cisco-rdnplan=0
  cisco-rdnpi=0
  cisco-rdnsi=1
  cisco-redirectreason=4   fwd_final_type =0
  final_redirectNumber =
  hunt_group_timeout =0

144735: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccIFCallSetupRequestPrivate:
  Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
  Call Params(Calling Number=8454753401,(Calling Name=Joe McGrath)
(TON=Unknown, NPI=Unknown, Screening=User, Passed,
Presentation=Allowed),

```

```

    Called Number=11(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
    Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=102, Call Count On=FALSE,
    Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
144736: May 7 14:01:01.373: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

144737: May 7 14:01:01.373: :cc_get_feature_vsa malloc success
144738: May 7 14:01:01.373: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

144739: May 7 14:01:01.373: cc_get_feature_vsa count is 120
144740: May 7 14:01:01.373: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

144741: May 7 14:01:01.373: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335617800,feature_id:2617594
144742: May 7 14:01:01.373:
//4181525/042392000000/CCAPI/ccIFCallSetupRequestPrivate:
    SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
144743: May 7 14:01:01.373:
//4181525/042392000000/CCAPI/ccCallSetContext:
    Context=0x40FAFAB4
144744: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccSaveDialpeerTag:
    Outgoing Dial-peer=102
144745: May 7 14:01:01.373:
//4181525/042392000000/CCAPI/cc_api_call_disconnected:
    Cause Value=47, Interface=0x405292B0, Call Id=4181525
144746: May 7 14:01:01.373:
//4181525/042392000000/CCAPI/cc_api_call_disconnected:
    Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
144747: May 7 14:01:01.373:
//4181525/042392000000/CCAPI/cc_api_call_disconnected:
    Cause Value=47, Interface=0x405292B0, Call Id=4181525
144748: May 7 14:01:01.373:
//4181525/042392000000/CCAPI/cc_api_call_disconnected:
    Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
144749: May 7 14:01:01.373:
//4181522/xxxxxxxxxxxxx/CCAPI/ccCallReleaseResources:
    release reserved xcoding resource.
144750: May 7 14:01:01.373:
//4181525/042392000000/CCAPI/ccCallSetAAA_Accounting:
    Accounting=1, Call Id=4181525
144751: May 7 14:01:01.373:
//4181525/042392000000/CCAPI/ccCallDisconnect:
    Cause Value=47, Tag=0x0, Call Entry(Previous Disconnect Cause=0,

```

```

Disconnect Cause=47)
144752: May 7 14:01:01.373:
//4181525/042392000000/CCAPI/ccCallDisconnect:
Cause Value=47, Call Entry(Responded=TRUE, Cause Value=47)
144753: May 7 14:01:01.373:
//4181525/042392000000/CCAPI/cc_api_call_disconnect_done:
Disposition=-11, Interface=0x405292B0, Tag=0x0, Call Id=4181525,
Call Entry(Disconnect Cause=47, Voice Class Cause Code=0, Retry
Count=0)
144754: May 7 14:01:01.373:
//4181525/042392000000/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
144755: May 7 14:01:01.373: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144756: May 7 14:01:01.373: :cc_free_feature_vsa freeing 14011F00
144757: May 7 14:01:01.373: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144758: May 7 14:01:01.373: vsacount in free is 119
144759: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
Destination=, Calling IE Present=TRUE, Mode=0,
Outgoing Dial-peer=302, Params=0x22F19E8, Progress Indication=NULL
(0)
144760: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccCheckClipClir:
In: Calling Number=8454753401(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
144761: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccCheckClipClir:
Out: Calling Number=8454753401(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
144762: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
Destination Pattern=9T, Called Number=11, Digit Strip=FALSE
144763: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccCallSetupRequest:
Calling Number=8454753401(TON=Unknown, NPI=Unknown, Screening=User,
Passed, Presentation=Allowed),
Called Number=11(TON=Unknown, NPI=Unknown),
Redirect Number=911, Display Info=Joe McGrath
Account Number=8454753401, Final Destination Flag=TRUE,
Guid=04239200-0001-0000-0000-31CB03C416AC, Outgoing Dial-peer=302
144764: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/cc_api_display_ie_subfields:
ccCallSetupRequest:
cisco-username=8454753401
----- ccCallInfo IE subfields -----

```



```
cisco-ani=8454753401
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=1
dest=11
cisco-desttype=0
cisco-destplan=0
cisco-rdie=74
cisco-rdn=911
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=0
cisco-rdnsi=1
cisco-redirectreason=4 fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0
```

```
144765: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccIFCallSetupRequestPrivate:
Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
Call Params(Calling Number=8454753401,(Calling Name=Joe McGrath)
(TON=Unknown, NPI=Unknown, Screening=User, Passed,
Presentation=Allowed),
Called Number=11(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=302, Call Count On=FALSE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
```

```
144766: May 7 14:01:01.373: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:
```

```
144767: May 7 14:01:01.373: :cc_get_feature_vsa malloc success
```

```
144768: May 7 14:01:01.373: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:
```

```
144769: May 7 14:01:01.373: cc_get_feature_vsa count is 120
```

```
144770: May 7 14:01:01.373: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:
```

```
144771: May 7 14:01:01.373: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335617800,feature_id:2617595
```

```
144772: May 7 14:01:01.373:
//4181526/042392000000/CCAPI/ccIFCallSetupRequestPrivate:
SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
```

```
144773: May 7 14:01:01.373:
//4181526/042392000000/CCAPI/ccCallSetContext:
```

Context=0x22F1998
144774: May 7 14:01:01.373:
//4181522/042392000000/CCAPI/ccSaveDialpeerTag:
Outgoing Dial-peer=302
144775: May 7 14:01:01.373:
//4181526/042392000000/CCAPI/cc_api_call_proceeding:
Interface=0x405292B0, Progress Indication=NULL(0)
144776: May 7 14:01:01.373: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:11@172.31.101.17:5077 SIP/2.0 Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK69623225F9 From: "Joe McGrath"
<sip:8454753401@152.187.182.42>;tag=E91BFF38-414 To: <sip:11@
172.31.101.17> Date: Wed, 07 May 2014 14:01:01 GMT Call-ID: DB2AD518-
D52611E3-B580C0D0-28CAE34F@152.187.182.42 Supported:
100rel,timer,resource-priority,replaces,sdp-anat Min-SE: 1800 Cisco-
Guid: 0069440000-0000065536-0000012747-0063182508 User-Agent: Cisco-
SIPGateway/IOS-12.x Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK,
UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER CSeq: 101 INVITE
Timestamp: 1399471261 Contact: <sip:8454753401@152.187.182.42:5060>
Expires: 180 Allow-Events: telephone-event Max-Forwards: 69 P-
Asserted-Identity: "Joe McGrath" <sip:8454753401@152.187.182.42>
Diversion: <sip:911@
152.187.182.42>;privacy=off;reason=deflection;screen=yes Content-Type:
application/sdp Content-Disposition: session;handling=required
Content-Length: 197 v=0 o=CiscoSystemsSIP-GW-UserAgent 3459 3522 IN
IP4 152.187.182.42 s=SIP Call c=IN IP4 152.187.182.42 t=0 0 m=audio
28724 RTP/AVP 0 c=IN IP4 152.187.182.42 a=rtpmap:0 PCMU/8000
a=ptime:20
144777: May 7 14:01:01.441: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK69623225F9 From: "Joe McGrath"
<sip:8454753401@152.187.182.42>;tag=E91BFF38-414 To: <sip:11@
172.31.101.17> Call-ID: DB2AD518-D52611E3-B580C0D0-28CAE34F@
152.187.182.42 CSeq: 101 INVITE Timestamp: 1399471261
144778: May 7 14:01:01.541: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 180 Ringing Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK69623225F9 From: "Joe McGrath"
<sip:8454753401@152.187.182.42>;tag=E91BFF38-414 To: <sip:11@
172.31.101.17>;tag=2052821055-1399471261479 Call-ID: DB2AD518-
D52611E3-B580C0D0-28CAE34F@152.187.182.42 CSeq: 101 INVITE Timestamp:
1399471261 Supported: Contact: <sip:11@
172.31.101.17:5077;transport=udp> Allow:
ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY,UPDATE Content-
Length: 0

144779: May 7 14:01:01.541:
//4181526/042392000000/CCAPI/cc_api_call_alert:
Interface=0x405292B0, Progress Indication=NULL(0), Signal
Indication=SIGNAL RINGBACK(1)
144780: May 7 14:01:01.541:
//4181526/042392000000/CCAPI/cc_api_call_alert:
Call Entry(Retry Count=0, Responded=TRUE)
144781: May 7 14:01:01.541: //4181522/042392000000/CCAPI/ccCallAlert:
Progress Indication=NULL(0), Signal Indication=SIGNAL RINGBACK(1)
144782: May 7 14:01:01.541: //4181522/042392000000/CCAPI/ccCallAlert:
Call Entry(Responded=TRUE, Alert Sent=TRUE)
144783: May 7 14:01:01.541: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 180 Ringing Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204257d04f709 From: "Joe McGrath"
<sip:8454753401@172.22.196.3>;tag=223801~6faf4609-af95-42b9-a971-
0e80e755aec8-43666724 To: <sip:911@172.22.209.2>;tag=E91BFFE0-1D50
Date: Wed, 07 May 2014 14:01:01 GMT Call-ID: 4239200-36a13c9d-ac5c-
3c416ac@172.22.196.3 CSeq: 101 INVITE Require: 100rel RSeq: 8350
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER,
SUBSCRIBE, NOTIFY, INFO, REGISTER Allow-Events: telephone-event
Remote-Party-ID: <sip:11@
172.22.209.2>;party=called;screen=no;privacy=off Contact: <sip:11@
172.22.209.2:5060;transport=tcp> Server: Cisco-SIPGateway/IOS-12.x
Content-Length: 0
144784: May 7 14:01:01.541: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
PRACK sip:11@172.22.209.2:5060;transport=tcp SIP/2.0 Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204266df61f69 From: "Joe McGrath"
<sip:8454753401@172.22.196.3>;tag=223801~6faf4609-af95-42b9-a971-
0e80e755aec8-43666724 To: <sip:911@172.22.209.2>;tag=E91BFFE0-1D50
Date: Wed, 07 May 2014 14:01:01 GMT Call-ID: 4239200-36a13c9d-ac5c-
3c416ac@172.22.196.3 CSeq: 102 PRACK RSeq: 8350 101 INVITE Allow-
Events: presence, kpml Max-Forwards: 70 Content-Length: 0
144785: May 7 14:01:01.541: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204266df61f69 From: "Joe McGrath"
<sip:8454753401@172.22.196.3>;tag=223801~6faf4609-af95-42b9-a971-
0e80e755aec8-43666724 To: <sip:911@172.22.209.2>;tag=E91BFFE0-1D50
Date: Wed, 07 May 2014 14:01:01 GMT Call-ID: 4239200-36a13c9d-ac5c-
3c416ac@172.22.196.3 Server: Cisco-SIPGateway/IOS-12.x CSeq: 102 PRACK
Content-Length: 0
144786: May 7 14:01:01.545: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:

INVITE sip:84831008@172.22.209.2:5060 SIP/2.0 Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204274d4e5bae From: "Cindy Murphy"
<sip:8454753930@172.22.196.3>;tag=223802~6faf4609-af95-42b9-a971-
0e80e755aec8-43666404 To: <sip:84831008@172.22.209.2> Date: Wed, 07
May 2014 14:01:01 GMT Call-ID: 4239200-36a13c9d-ac5d-3c416ac@
172.22.196.3 Supported: 100rel,timer,resource-priority,replaces Min-
SE: 1800 User-Agent: Cisco-CUCM8.5 Allow: INVITE, OPTIONS, INFO, BYE,
CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY CSeq: 101 INVITE
Expires: 180 Allow-Events: presence, kpml Supported: X-cisco-srtp-
fallback Supported: Geolocation Cisco-Guid: 0069440000-0000065536-
0000012748-0063182508 Session-Expires: 1800 P-Asserted-Identity:
"Cindy Murphy" <sip:8454753930@172.22.196.3> Remote-Party-ID: "Cindy
Murphy" <sip:8454753930@
172.22.196.3>;party=calling;screen=yes;privacy=off Contact:
<sip:8454753930@172.22.196.3:5060;transport=tcp> Max-Forwards: 70
Content-Type: application/sdp Content-Length: 212 OCIS-FR-3945-1#ACK
sip:911@172.22.209.2:5060;transport=tcp SIP/2.0 Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK2042872578b19 From: "Joe McGrath"
<sip:8454753401@172.22.196.3>;tag=223801~6faf4609-af95-42b9-a971-
0e80e755aec8-43666724 To: <sip:911@172.22.209.2>;tag=E91BFFE0-1D50
Date: Wed, 07 May 2014 14:01:01 GMT Call-ID: 4239200-36a13c9d-ac5c-
3c416ac@172.22.196.3 Max-Forwards: 70 CSeq: 101 ACK Allow-Events:
presence, kpml Content-Length: 0
OCIS-FR-3945-1#
144854: May 7 14:01:03.261: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
BYE sip:8454862130@152.187.182.42:5060 SIP/2.0 Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bK4iird5108gfh4c3sb0flcdb9vgpt3.1 From:
<sip:8452422080@63.77.76.232;user=phone>;tag=1494686019-1399471157747-
To: "Dutchess County ."<sip:8454862130
@gw.haight.ocis.globalipcom.com>;tag=E91A6A94-2525 Call-ID:
BW135917747070514-394970308@63.77.76.232 CSeq: 729651451 BYE Max-
Forwards: 69 Content-Length: 0
144855: May 7 14:01:03.261:
//4181421/9D6A18B8B477/CCAPI/ccGenerateToneInfo:
Stop Tone On Digit=FALSE, Tone=NULL,
Tone Direction=Sum Network, Params=0x0, Call Id=4181421
144856: May 7 14:01:03.261:
//4181420/9D6A18B8B477/CCAPI/cc_api_call_disconnected:
Cause Value=16, Interface=0x405292B0, Call Id=4181420
144857: May 7 14:01:03.261:
//4181420/9D6A18B8B477/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=16, Retry Count=0)
144858: May 7 14:01:03.261:
//4181420/9D6A18B8B477/CCAPI/ccConferenceDestroy:
Conference Id=0x10C7E6, Tag=0x0
144859: May 7 14:01:03.261:
//4181420/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:

Conference Id=0x10C7E6, Source Interface=0x405292B0, Source Call Id=4181420,
 Destination Call Id=4181421, Disposition=0x0, Tag=0x0
 144860: May 7 14:01:03.261:
 //4181421/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
 Conference Id=0x10C7E6, Source Interface=0x405292B0, Source Call Id=4181421,
 Destination Call Id=4181420, Disposition=0x0, Tag=0x0
 144861: May 7 14:01:03.261:
 //4181420/9D6A18B8B477/CCAPI/cc_generic_bridge_done:
 Conference Id=0x10C7E6, Source Interface=0x405292B0, Source Call Id=4181421,
 Destination Call Id=4181420, Disposition=0x0, Tag=0x0
 144862: May 7 14:01:03.261:
 //4181420/9D6A18B8B477/CCAPI/ccCallDisconnect:
 Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0, Disconnect Cause=16)
 144863: May 7 14:01:03.261:
 //4181420/9D6A18B8B477/CCAPI/ccCallDisconnect:
 Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
 144864: May 7 14:01:03.261:
 //4181421/9D6A18B8B477/CCAPI/ccCallDisconnect:
 Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0, Disconnect Cause=0)
 144865: May 7 14:01:03.261:
 //4181421/9D6A18B8B477/CCAPI/ccCallDisconnect:
 Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
 144866: May 7 14:01:03.265:
 //4181420/9D6A18B8B477/CCAPI/cc_api_call_disconnect_done:
 Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181420,
 Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry Count=0)
 144867: May 7 14:01:03.265:
 //4181420/9D6A18B8B477/CCAPI/cc_api_call_disconnect_done:
 Call Disconnect Event Sent
 144868: May 7 14:01:03.265: //-
 1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

 144869: May 7 14:01:03.265: :cc_free_feature_vsa freeing 140CD888
 144870: May 7 14:01:03.265: //-
 1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

 144871: May 7 14:01:03.265: vsacount in free is 121
 144872: May 7 14:01:03.265: //-
 1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
 Sent:
 SIP/2.0 200 OK Via: SIP/2.0/UDP
 172.31.100.49:5271;branch=z9hG4bK4iird5108gfh4c3sb0f1cdb9vgpt3.1 From:
 <sip:8452422080@63.77.76.232;user=phone>;tag=1494686019-1399471157747-

To: "Dutchess County ."<sip:8454862130@gw.haight.ocis.globalipcom.com>;tag=E91A6A94-2525 Date: Wed, 07 May 2014 14:01:03 GMT Call-ID: BW135917747070514-394970308@63.77.76.232 Server: Cisco-SIPGateway/IOS-12.x CSeq: 729651451 BYE Reason: Q.850;cause=16 Content-Length: 0
144873: May 7 14:01:03.265: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:8454862130@172.22.196.3:5060 SIP/2.0 Via: SIP/2.0/UDP 172.22.209.2:5060;branch=z9hG4bK69623515F0 From: <sip:8452422080@172.22.209.2>;tag=E91A6A88-734 To: <sip:8454862130@172.22.196.3>;tag=223702~6faf4609-af95-42b9-a971-0e80e755aec8-43666166 Date: Wed, 07 May 2014 13:59:17 GMT Call-ID: 9D6AB4E0-D52611E3-B47DC0D0-28CAE34F@172.22.209.2 User-Agent: Cisco-SIPGateway/IOS-12.x Max-Forwards: 70 Timestamp: 1399471263 CSeq: 103 BYE Reason: Q.850;cause=16 Content-Length: 0
144874: May 7 14:01:03.265: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP 172.22.209.2:5060;branch=z9hG4bK69623515F0 From: <sip:8452422080@172.22.209.2>;tag=E91A6A88-734 To: <sip:8454862130@172.22.196.3>;tag=223702~6faf4609-af95-42b9-a971-0e80e755aec8-43666166 Date: Wed, 07 May 2014 14:01:03 GMT Call-ID: 9D6AB4E0-D52611E3-B47DC0D0-28CAE34F@172.22.209.2 CSeq: 103 BYE Content-Length: 0
144875: May 7 14:01:03.265:
//4181421/9D6A18B8B477/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181421,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry Count=0)
144876: May 7 14:01:03.265:
//4181421/9D6A18B8B477/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
144877: May 7 14:01:03.265: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144878: May 7 14:01:03.265: :cc_free_feature_vsa freeing 140CDDC8
144879: May 7 14:01:03.265: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144880: May 7 14:01:03.265: vsacount in free is 120
144881: May 7 14:01:03.269:
//4181502/xxxxxxxxxxxx/CCAPI/ccCallModify:
Nominator=0x800, Params=0x1C374E0, Call Id=4181502
144882: May 7 14:01:03.269:
//4181502/xxxxxxxxxxxx/CCAPI/cc_api_call_modify_done:
Result=0, Interface=0x13A300EC, Call Id=4181502
144883: May 7 14:01:03.269:
//4181503/xxxxxxxxxxxx/CCAPI/ccCallModify:

Nominator=0x1000000, Params=0x1C37548, Call Id=4181503
 144884: May 7 14:01:03.269:
 //4181502/xxxxxxxxxxxxx/CCAPI/ccCallModifyExtended:
 Nominator=0x1C37188, Params=0x1C37158, Call Id=4181502
 144885: May 7 14:01:03.269:
 //4181503/xxxxxxxxxxxxx/CCAPI/ccConferenceDestroy:
 Conference Id=0x10C815, Tag=0x0
 144886: May 7 14:01:03.269:
 //4181503/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
 Conference Id=0x10C815, Source Interface=0x1395EBE0, Source Call
 Id=4181503,
 Destination Call Id=4181502, Disposition=0x0, Tag=0x0
 144887: May 7 14:01:03.269:
 //4181502/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
 Conference Id=0x10C815, Source Interface=0x13A300EC, Source Call
 Id=4181502,
 Destination Call Id=4181503, Disposition=0x0, Tag=0x0
 144888: May 7 14:01:03.269:
 //4181503/xxxxxxxxxxxxx/CCAPI/cc_generic_bridge_done:
 Conference Id=0x10C815, Source Interface=0x13A300EC, Source Call
 Id=4181502,
 Destination Call Id=4181503, Disposition=0x0, Tag=0x0
 144889: May 7 14:01:03.269: //-
 1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
 Received:
 BYE sip:4520148@172.22.209.2:5060;transport=tcp SIP/2.0 Via:
 SIP/2.0/TCP 172.22.196.3:5060;branch=z9hG4bK204295c87cf05 From: "Rob
 Fontaine" <sip:8454862600@172.22.196.3>;tag=223771~6faf4609-af95-42b9-
 a971-0e80e755aec8-43666362 To: <sip:84520148@
 172.22.209.2>;tag=E91BAC0C-200F Date: Wed, 07 May 2014 14:00:36 GMT
 Call-ID: f53cdf80-36a13c84-ac55-3c416ac@172.22.196.3 User-Agent:
 Cisco-CUCM8.5 Max-Forwards: 70 P-Asserted-Identity: "Rob Fontaine"
 <sip:8454862600@172.22.196.3> CSeq: 103 BYE Content-Length: 0
 144890: May 7 14:01:03.269:
 //4181505/F53CDF800000/CCAPI/ccGenerateToneInfo:
 Stop Tone On Digit=FALSE, Tone=NULL,
 Tone Direction=Sum Network, Params=0x0, Call Id=4181505
 144891: May 7 14:01:03.269:
 //4181504/F53CDF800000/CCAPI/cc_api_call_disconnected:
 Cause Value=16, Interface=0x405292B0, Call Id=4181504
 144892: May 7 14:01:03.269:
 //4181504/F53CDF800000/CCAPI/cc_api_call_disconnected:
 Call Entry(Responded=TRUE, Cause Value=16, Retry Count=0)
 144893: May 7 14:01:03.269:
 //4181504/F53CDF800000/CCAPI/ccConferenceDestroy:
 Conference Id=0x10C818, Tag=0x0
 144894: May 7 14:01:03.269:
 //4181504/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
 Conference Id=0x10C818, Source Interface=0x405292B0, Source Call

```

Id=4181504,
  Destination Call Id=4181505, Disposition=0x0, Tag=0x0
144895: May 7 14:01:03.269:
//4181505/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
  Conference Id=0x10C818, Source Interface=0x405292B0, Source Call
Id=4181505,
  Destination Call Id=4181504, Disposition=0x0, Tag=0x0
144896: May 7 14:01:03.269:
//4181504/F53CDF800000/CCAPI/cc_generic_bridge_done:
  Conference Id=0x10C818, Source Interface=0x405292B0, Source Call
Id=4181505,
  Destination Call Id=4181504, Disposition=0x0, Tag=0x0
144897: May 7 14:01:03.269:
//4181510/xxxxxxxxxxxxx/CCAPI/ccCallModify:
  Nominator=0x800, Params=0x1C374E0, Call Id=4181510
144898: May 7 14:01:03.269:
//4181504/F53CDF800000/CCAPI/ccCallDisconnect:
  Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=16)
144899: May 7 14:01:03.269:
//4181504/F53CDF800000/CCAPI/ccCallDisconnect:
  Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
144900: May 7 14:01:03.269:
//4181505/F53CDF800000/CCAPI/ccCallDisconnect:
  Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
144901: May 7 14:01:03.269:
//4181505/F53CDF800000/CCAPI/ccCallDisconnect:
  Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
144902: May 7 14:01:03.269:
//4181510/xxxxxxxxxxxxx/CCAPI/cc_api_call_modify_done:
  Result=0, Interface=0x13A300EC, Call Id=4181510
144903: May 7 14:01:03.273:
//4181504/F53CDF800000/CCAPI/cc_api_call_disconnect_done:
  Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181504,
  Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
144904: May 7 14:01:03.273:
//4181504/F53CDF800000/CCAPI/cc_api_call_disconnect_done:
  Call Disconnect Event Sent
144905: May 7 14:01:03.273: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144906: May 7 14:01:03.273: :cc_free_feature_vsa freeing 14010220
144907: May 7 14:01:03.273: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144908: May 7 14:01:03.273: vsacount in free is 119
144909: May 7 14:01:03.273: //-

```



```

1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204295c87cf05 From: "Rob Fontaine"
<sip:8454862600@172.22.196.3>;tag=223771~6faf4609-af95-42b9-a971-
0e80e755aec8-43666362 To: <sip:84520148@172.22.209.2>;tag=E91BAC0C-
200F Date: Wed, 07 May 2014 14:01:03 GMT Call-ID: f53cdf80-36a13c84-
ac55-3c416ac@172.22.196.3 Server: Cisco-SIPGateway/IOS-12.x CSeq: 103
BYE Reason: Q.850;cause=16 Content-Length: 0
144910: May 7 14:01:03.273: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:4520148@172.31.100.49:5271;transport=udp SIP/2.0 Via:
SIP/2.0/UDP 152.187.182.42:5060;branch=z9hG4bK6962362218 From: "Rob
Fontaine" <sip:8454862600@152.187.182.42>;tag=E91BA000-91F To:
<sip:4520148@172.31.100.49>;tag=1793601220-1399471240059 Date: Wed, 07
May 2014 14:00:36 GMT Call-ID: CCA35776-D52611E3-B553C0D0-28CAE34F@
152.187.182.42 User-Agent: Cisco-SIPGateway/IOS-12.x Max-Forwards: 70
P-Asserted-Identity: "Rob Fontaine" <sip:8454862600@152.187.182.42>
Timestamp: 1399471263 CSeq: 102 BYE Reason: Q.850;cause=16 Content-
Length: 0
144911: May 7 14:01:03.273:
//4181502/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
Cause Value=0, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
144912: May 7 14:01:03.273:
//4181502/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
Cause Value=0, Call Entry(Responded=TRUE, Cause Value=0)
144913: May 7 14:01:03.273:
//4181510/xxxxxxxxxxxxx/CCAPI/ccCallModifyExtended:
Nominator=0x1C37188, Params=0x1C37158, Call Id=4181510
144914: May 7 14:01:03.273:
//4181503/xxxxxxxxxxxxx/CCAPI/ccConferenceDestroy:
Conference Id=0x10C819, Tag=0x0
144915: May 7 14:01:03.273:
//4181503/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C819, Source Interface=0x1395EBE0, Source Call
Id=4181503,
Destination Call Id=4181510, Disposition=0x0, Tag=0x0
144916: May 7 14:01:03.273:
//4181510/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C819, Source Interface=0x13A300EC, Source Call
Id=4181510,
Destination Call Id=4181503, Disposition=0x0, Tag=0x0
144917: May 7 14:01:03.273:
//4181503/xxxxxxxxxxxxx/CCAPI/cc_generic_bridge_done:
Conference Id=0x10C819, Source Interface=0x13A300EC, Source Call
Id=4181510,
Destination Call Id=4181503, Disposition=0x0, Tag=0x0

```

```

144918: May 7 14:01:03.273:
//4181502/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x13A300EC, Tag=0x0, Call Id=4181502,
Call Entry(Disconnect Cause=0, Voice Class Cause Code=0, Retry
Count=0)
144919: May 7 14:01:03.273:
//4181502/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
144920: May 7 14:01:03.273: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144921: May 7 14:01:03.273: :cc_free_feature_vsa freeing 1400FA40
144922: May 7 14:01:03.273: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144923: May 7 14:01:03.273: vsacount in free is 118
144924: May 7 14:01:03.273:
//4181510/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
Cause Value=0, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
144925: May 7 14:01:03.273:
//4181510/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
Cause Value=0, Call Entry(Responded=TRUE, Cause Value=0)
144926: May 7 14:01:03.273:
//4181510/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x13A300EC, Tag=0x0, Call Id=4181510,
Call Entry(Disconnect Cause=0, Voice Class Cause Code=0, Retry
Count=0)
144927: May 7 14:01:03.273:
//4181510/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
144928: May 7 14:01:03.273: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144929: May 7 14:01:03.273: :cc_free_feature_vsa freeing 1400EEEE
144930: May 7 14:01:03.273: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144931: May 7 14:01:03.273: vsacount in free is 117
144932: May 7 14:01:03.277:
//4181503/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
Cause Value=0, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
144933: May 7 14:01:03.277:
//4181503/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
Cause Value=0, Call Entry(Responded=TRUE, Cause Value=0)
144934: May 7 14:01:03.277:
//4181503/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x1395EBE0, Tag=0x0, Call Id=4181503,

```

Call Entry(Disconnect Cause=0, Voice Class Cause Code=0, Retry Count=0)
 144935: May 7 14:01:03.277:
 //4181503/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
 Call Disconnect Event Sent
 144936: May 7 14:01:03.277: //-
 1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

 144937: May 7 14:01:03.277: :cc_free_feature_vsa freeing 1400E9A0
 144938: May 7 14:01:03.277: //-
 1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

 144939: May 7 14:01:03.277: vsacount in free is 116
 144940: May 7 14:01:03.305: //-
 1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
 Received:
 SIP/2.0 200 OK Via: SIP/2.0/UDP
 152.187.182.42:5060;branch=z9hG4bK6962362218 From: "Rob Fontaine"
 <sip:8454862600@152.187.182.42>;tag=E91BA000-91F To: <sip:4520148@
 172.31.100.49>;tag=1793601220-1399471240059 Call-ID: CCA35776-
 D52611E3-B553C0D0-28CAE34F@152.187.182.42 Timestamp: 1399471263 CSeq:
 102 BYE Content-Length: 0
 144941: May 7 14:01:03.305:
 //4181505/F53CDF800000/CCAPI/cc_api_call_disconnect_done:
 Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181505,
 Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
 Count=0)
 144942: May 7 14:01:03.305:
 //4181505/F53CDF800000/CCAPI/cc_api_call_disconnect_done:
 Call Disconnect Event Sent
 144943: May 7 14:01:03.305: //-
 1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

 144944: May 7 14:01:03.305: :cc_free_feature_vsa freeing 14011AA0
 144945: May 7 14:01:03.305: //-
 1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

 144946: May 7 14:01:03.305: vsacount in free is 115
 144947: May 7 14:01:03.749: //-
 1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
 Received:
 BYE sip:8454895857@172.22.209.2:5060 SIP/2.0 Via: SIP/2.0/UDP
 172.22.196.3:5060;branch=z9hG4bK2042a3a8bf61a From: <sip:8454863100@
 172.22.196.3>;tag=223716~6faf4609-af95-42b9-a971-0e80e755aec8-43666203
 To: <sip:8454895857@172.22.209.2>;tag=E91AC7FC-0 Date: Wed, 07 May
 2014 13:59:47 GMT Call-ID: ABAD3950-D52611E3-B49DC0D0-28CAE34F@
 172.22.209.2 User-Agent: Cisco-CUCM8.5 Max-Forwards: 70 CSeq: 101 BYE
 Content-Length: 0
 144948: May 7 14:01:03.749:

//4181433/ABAC9D28B497/CCAPI/ccGenerateToneInfo:
Stop Tone On Digit=FALSE, Tone=NULL,
Tone Direction=Sum Network, Params=0x0, Call Id=4181433
144949: May 7 14:01:03.749:
//4181434/ABAC9D28B497/CCAPI/cc_api_call_disconnected:
Cause Value=16, Interface=0x405292B0, Call Id=4181434
144950: May 7 14:01:03.749:
//4181434/ABAC9D28B497/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=16, Retry Count=0)
144951: May 7 14:01:03.749:
//4181433/ABAC9D28B497/CCAPI/ccConferenceDestroy:
Conference Id=0x10C7F2, Tag=0x0
144952: May 7 14:01:03.749:
//4181433/xxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C7F2, Source Interface=0x405292B0, Source Call
Id=4181433,
Destination Call Id=4181434, Disposition=0x0, Tag=0x0
144953: May 7 14:01:03.749:
//4181434/xxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C7F2, Source Interface=0x405292B0, Source Call
Id=4181434,
Destination Call Id=4181433, Disposition=0x0, Tag=0x0
144954: May 7 14:01:03.749:
//4181433/ABAC9D28B497/CCAPI/cc_generic_bridge_done:
Conference Id=0x10C7F2, Source Interface=0x405292B0, Source Call
Id=4181434,
Destination Call Id=4181433, Disposition=0x0, Tag=0x0
144955: May 7 14:01:03.749:
//4181433/ABAC9D28B497/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
144956: May 7 14:01:03.749:
//4181433/ABAC9D28B497/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
144957: May 7 14:01:03.749:
//4181434/ABAC9D28B497/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=16)
144958: May 7 14:01:03.749:
//4181434/ABAC9D28B497/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
144959: May 7 14:01:03.749:
//4181434/ABAC9D28B497/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181434,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
144960: May 7 14:01:03.749:
//4181434/ABAC9D28B497/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent

144961: May 7 14:01:03.749: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144962: May 7 14:01:03.749: :cc_free_feature_vsa freeing 140CFE28
144963: May 7 14:01:03.749: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144964: May 7 14:01:03.749: vsacount in free is 114
144965: May 7 14:01:03.749: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:8454895857@172.31.100.49:5271;transport=udp SIP/2.0 Via:
SIP/2.0/UDP 152.187.182.42:5060;branch=z9hG4bK6962371C8B From:
"Dutchess County ."<sip:8454863100
@gw.haight.ocis.globalipcom.com>;tag=E91AC804-1EED To: <sip:8454895857
@63.77.76.232;user=phone>;tag=177138428-1399471181671- Date: Wed, 07
May 2014 13:59:47 GMT Call-ID: BW135941671070514212009586@63.77.76.232
User-Agent: Cisco-SIPGateway/IOS-12.x Max-Forwards: 70 Timestamp:
1399471263 CSeq: 101 BYE Reason: Q.850;cause=16 Content-Length: 0
144966: May 7 14:01:03.749: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.22.196.3:5060;branch=z9hG4bK2042a3a8bf61a From: <sip:8454863100@
172.22.196.3>;tag=223716~6faf4609-af95-42b9-a971-0e80e755aec8-43666203
To: <sip:8454895857@172.22.209.2>;tag=E91AC7FC-0 Date: Wed, 07 May
2014 14:01:03 GMT Call-ID: ABAD3950-D52611E3-B49DC0D0-28CAE34F@
172.22.209.2 Server: Cisco-SIPGateway/IOS-12.x CSeq: 101 BYE Reason:
Q.850;cause=16 Content-Length: 0
144967: May 7 14:01:03.781: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK6962371C8B From: "Dutchess County
."<sip:8454863100@gw.haight.ocis.globalipcom.com>;tag=E91AC804-1EED
To: <sip:8454895857@63.77.76.232;user=phone>;tag=177138428-
1399471181671- Call-ID: BW135941671070514212009586@63.77.76.232
Timestamp: 1399471263 CSeq: 101 BYE Content-Length: 0
144968: May 7 14:01:03.781:
//4181433/ABAC9D28B497/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181433,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
144969: May 7 14:01:03.781:
//4181433/ABAC9D28B497/CCAPI/cc_api_call_disconnect_done:

OCIS-FR-3945-1#Call Disconnect Event Sent
144970: May 7 14:01:03.781: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144971: May 7 14:01:03.781: :cc_free_feature_vsa freeing 140CF808
144972: May 7 14:01:03.781: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144973: May 7 14:01:03.781: vsacount in free is 113
144974: May 7 14:01:04.173: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
BYE sip:8455058668@172.22.209.2:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.196.3:5060;branch=z9hG4bK2042b5a8b1a9 From: <sip:8454863311@
172.22.196.3>;tag=223631~6faf4609-af95-42b9-a971-0e80e755aec8-43665965
To: <sip:8455058668@172.22.209.2>;tag=E91979E8-858 Date: Wed, 07 May
2014 13:58:20 GMT Call-ID: 78B34977-D52611E3-B3AFC0D0-28CAE34F@
172.22.209.2 User-Agent: Cisco-CUCM8.5 Max-Forwards: 70 CSeq: 101 BYE
Content-Length: 0
144975: May 7 14:01:04.173:
//4181336/78B2AD4FB3A9/CCAPI/ccGenerateToneInfo:
Stop Tone On Digit=FALSE, Tone=NULL,
Tone Direction=Sum Network, Params=0x0, Call Id=4181336
144976: May 7 14:01:04.173:
//4181337/78B2AD4FB3A9/CCAPI/cc_api_call_disconnected:
Cause Value=16, Interface=0x405292B0, Call Id=4181337
144977: May 7 14:01:04.173:
//4181337/78B2AD4FB3A9/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=16, Retry Count=0)
144978: May 7 14:01:04.173:
//4181336/78B2AD4FB3A9/CCAPI/ccConferenceDestroy:
Conference Id=0x10C7BB, Tag=0x0
144979: May 7 14:01:04.173:
//4181336/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C7BB, Source Interface=0x405292B0, Source Call
Id=4181336,
Destination Call Id=4181337, Disposition=0x0, Tag=0x0
144980: May 7 14:01:04.173:
//4181337/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C7BB, Source Interface=0x405292B0, Source Call
Id=4181337,
Destination Call Id=4181336, Disposition=0x0, Tag=0x0
144981: May 7 14:01:04.173:
//4181336/78B2AD4FB3A9/CCAPI/cc_generic_bridge_done:
Conference Id=0x10C7BB, Source Interface=0x405292B0, Source Call
Id=4181337,
Destination Call Id=4181336, Disposition=0x0, Tag=0x0
144982: May 7 14:01:04.177:
//4181336/78B2AD4FB3A9/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
144983: May 7 14:01:04.177:

```

//4181336/78B2AD4FB3A9/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
144984: May 7 14:01:04.177:
//4181337/78B2AD4FB3A9/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=16)
144985: May 7 14:01:04.177:
//4181337/78B2AD4FB3A9/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
144986: May 7 14:01:04.177:
//4181337/78B2AD4FB3A9/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181337,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
144987: May 7 14:01:04.177:
//4181337/78B2AD4FB3A9/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
144988: May 7 14:01:04.177: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144989: May 7 14:01:04.177: :cc_free_feature_vsa freeing 14010E60
144990: May 7 14:01:04.177: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144991: May 7 14:01:04.177: vsacount in free is 112
144992: May 7 14:01:04.177: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:8455058668@172.31.100.49:5271;transport=udp SIP/2.0 Via:
SIP/2.0/UDP 152.187.182.42:5060;branch=z9hG4bK6962380 From: "Dutchess
County ."<sip:8454863311@gw.haight.ocis.globalipcom.com>;tag=E91979F0-
2058 To: <sip:8455058668@63.77.76.232;user=phone>;tag=1994930106-
1399471096146- Date: Wed, 07 May 2014 13:58:21 GMT Call-ID:
BW1358161460705142016578159@63.77.76.232 User-Agent: Cisco-
SIPGateway/IOS-12.x Max-Forwards: 70 Timestamp: 1399471264 CSeq: 101
BYE Reason: Q.850;cause=16 Content-Length: 0
144993: May 7 14:01:04.177: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.22.196.3:5060;branch=z9hG4bK2042b5a8b1a9 From: <sip:8454863311@
172.22.196.3>;tag=223631~6faf4609-af95-42b9-a971-0e80e755aec8-43665965
To: <sip:8455058668@172.22.209.2>;tag=E91979E8-858 Date: Wed, 07 May
2014 14:01:04 GMT Call-ID: 78B34977-D52611E3-B3AFC0D0-28CAE34F@
172.22.209.2 Server: Cisco-SIPGateway/IOS-12.x CSeq: 101 BYE Reason:
Q.850;cause=16 Content-Length: 0
144994: May 7 14:01:04.205: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:

```

SIP/2.0 200 OK Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK6962380 From: "Dutchess County
."<sip:8454863311@gw.haight.ocis.globalipcom.com>;tag=E91979F0-2058
To: <sip:8455058668@63.77.76.232;user=phone>;tag=1994930106-
1399471096146- Call-ID: BW1358161460705142016578159@63.77.76.232
Timestamp: 1399471264 CSeq: 101 BYE Content-Length: 0
144995: May 7 14:01:04.205:
//4181336/78B2AD4FB3A9/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181336,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
144996: May 7 14:01:04.205:
//4181336/78B2AD4FB3A9/CCAPI/cc_api_call_disconnect_done:

OCIS-FR-3945-1#Call Disconnect Event Sent
144997: May 7 14:01:04.205: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

144998: May 7 14:01:04.205: :cc_free_feature_vsa freeing 1400F960
144999: May 7 14:01:04.205: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145000: May 7 14:01:04.205: vsacount in free is 111
145001: May 7 14:01:05.257: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 183 Session Progress Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK6962331BD9 From: "Cindy Murphy"
<sip:8454753930@152.187.182.42>;tag=E91BFFE8-77C To: <sip:4831008@
172.31.100.49>;tag=439743219-1399471265237 Call-ID: DB45AF89-D52611E3-
B586C0D0-28CAE34F@152.187.182.42 CSeq: 101 INVITE Timestamp:
1399471261 Supported: Contact: <sip:4831008@
172.31.100.49:5271;transport=udp> Session: Media Allow:
ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY Content-Type:
application/sdp Content-Length: 284 v=0 o=BroadWorks 805242 1 IN IP4
172.31.100.164 s=- c=IN IP4 172.31.100.164 t=0 0 a=sgn: 0 a=cdsc: 1
image udptl t38 a=cpar: a=T38FaxVersion:0 a=cpar:
a=T38FaxUdpEC:t38UDPRedundancy m=audio 25828 RTP/AVP 0 101
a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=ptime:20
145002: May 7 14:01:05.257:
//4181528/042392000000/CCAPI/cc_api_caps_ind:
Destination Interface=0x0, Destination Call Id=-1, Source Call Id=
4181528,
Caps(Codec=0x1, Fax Rate=0x2, Vad=0x2,
Modem=0x0, Codec Bytes=20, Signal Type=2)
145003: May 7 14:01:05.257:
//4181528/042392000000/CCAPI/cc_api_caps_ind:
Caps(Playout Mode=1, Playout Initial=60(ms), Playout Min=40(ms),
Playout Max=1000(ms), Fax Nom=300(ms))

145004: May 7 14:01:05.257:
//4181527/042392000000/CCAPI/cc_api_caps_ack:
Destination Interface=0x0, Destination Call Id=-1, Source Call Id=4181527,
Caps(Codec=g711ulaw(0x1), Fax Rate=FAX_RATE_14400(0x80), Vad=OFF(0x1),
Modem=OFF(0x0), Codec Bytes=160, Signal Type=2, Seq Num Start=1)
145005: May 7 14:01:05.257:
//4181528/042392000000/CCAPI/cc_api_event_indication:
Event=156, Call Id=4181528
145006: May 7 14:01:05.257:
//4181528/042392000000/CCAPI/cc_api_event_indication:
Event Is Sent To Conferenced SPI(s) Directly
145007: May 7 14:01:05.257:
//4181528/042392000000/CCAPI/cc_api_call_cut_progress:
Interface=0x405292B0, Progress Indication=INBAND(8), Signal Indication= SIGNAL RINGBACK(1),
Cause Value=0
145008: May 7 14:01:05.257:
//4181528/042392000000/CCAPI/cc_api_call_cut_progress:
Call Entry(Responded=TRUE)
145009: May 7 14:01:05.257:
//4181527/042392000000/CCAPI/ccCallCutProgress:
Progress Indication=INBAND(8), Signal Indication= SIGNAL RINGBACK(1), Cause Value=0
Voice Call Send Alert=FALSE, Call Entry(Alert Sent=FALSE)
145010: May 7 14:01:05.257:
//4181527/042392000000/CCAPI/ccCallCutProgress:
Call Entry(Responded=TRUE)
145011: May 7 14:01:05.257:
//4181527/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:
(confID=0x1239C430, callID1=0x3FCE17, callID2=0x3FCE18, tag=0x0)
145012: May 7 14:01:05.257:
//4181527/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:
(confID=0x1239C430, callID1=0x3FCE17, gcid=DB451362-D52611E3-B583C0D0-28CAE34F, tag=0x0)
145013: May 7 14:01:05.257:
//4181528/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:
(confID=0x1239C430, callID2=0x3FCE18, gcid=DB451362-D52611E3-B583C0D0-28CAE34F, tag=0x0)
145014: May 7 14:01:05.261:
//4181527/042392000000/CCAPI/ccConferenceCreate:
Conference Id=0x1239C430, Call Id1=4181527, Call Id2=4181528, Tag=0x0
145015: May 7 14:01:05.261:
//4181527/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:

145016: May 7 14:01:05.261: ccConferenceCreate: ret1=0, codecMask1=1, bytes1=160, negot1=1, dtmf1=6

```

        ret2=0, codecMask2=1, bytes2=160, negot2=1, dtmf2=
6,
        tx_dynamic_pt1=0, rx_dynamic_pt1=0, codec_model=0,
params_bitmap1 =0
        tx_dynamic_pt2=0, rx_dynamic_pt2=0, codec_mode2=0,
params_bitmap2 =0
145017: May  7 14:01:05.261:
//4181527/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
    delay media to slow start case, codec negotiation is not done
145018: May  7 14:01:05.261:
//4181527/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

145019: May  7 14:01:05.261: cc_api_get_xcode_stream : 4534
145020: May  7 14:01:05.261:
//4181527/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
    Conference Id=0x10C81F, Source Interface=0x405292B0, Source Call
Id=4181527,
    Destination Call Id=4181528, Disposition=0x0, Tag=0x0
145021: May  7 14:01:05.261:
//4181528/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

145022: May  7 14:01:05.261: cc_api_get_xcode_stream : 4534
145023: May  7 14:01:05.261:
//4181528/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
    Conference Id=0x10C81F, Source Interface=0x405292B0, Source Call
Id=4181528,
    Destination Call Id=4181527, Disposition=0x0, Tag=0x0
145024: May  7 14:01:05.261:
//4181527/042392000000/CCAPI/cc_generic_bridge_done:
    Conference Id=0x10C81F, Source Interface=0x405292B0, Source Call
Id=4181528,
    Destination Call Id=4181527, Disposition=0x0, Tag=0x0
145025: May  7 14:01:05.261:
//4181527/042392000000/CCAPI/ccConferenceCreate:
    Call Entry(Conference Id=0x10C81F, Destination Call Id=4181528)
145026: May  7 14:01:05.261:
//4181528/042392000000/CCAPI/ccConferenceCreate:
    Call Entry(Conference Id=0x10C81F, Destination Call Id=4181527)
145027: May  7 14:01:05.261:
//4181527/042392000000/CCAPI/cc_process_notify_bridge_done:
    Conference Id=0x10C81F, Call Id1=4181527, Call Id2=4181528
145028: May  7 14:01:05.261: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 183 Session Progress Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204274d4e5bae From: "Cindy Murphy"
<sip:8454753930@172.22.196.3>;tag=223802~6faf4609-af95-42b9-a971-
0e80e755aec8-43666404 To: <sip:84831008@172.22.209.2>;tag=E91C0E68-1F6
Date: Wed, 07 May 2014 14:01:01 GMT Call-ID: 4239200-36a13c9d-ac5d-

```

3c416ac@172.22.196.3 CSeq: 101 INVITE Require: 100rel RSeq: 4746
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER,
SUBSCRIBE, NOTIFY, INFO, REGISTER Allow-Events: telephone-event
Remote-Party-ID: <sip:4831008@
172.22.209.2>;party=called;screen=yes;privacy=off Contact:
<sip:84831008@172.22.209.2:5060;transport=tcp> Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-12.x Content-Type: application/sdp
Content-Disposition: session;handling=required Content-Length: 247 v=
0 o=CiscoSystemsSIP-GW-UserAgent 4130 1165 IN IP4 172.22.209.2 s=SIP
Call c=IN IP4 172.22.209.2 t=0 0 m=audio 19676 RTP/AVP 0 101 c=IN IP4
172.22.209.2 a=rtpmap:0 PCMU/8000 a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16 a=ptime:20
145029: May 7 14:01:05.261: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
PRACK sip:84831008@172.22.209.2:5060;transport=tcp SIP/2.0 Via:
SIP/2.0/TCP 172.22.196.3:5060;branch=z9hG4bK2042c27bb0f25 From: "Cindy
Murphy" <sip:8454753930@172.22.196.3>;tag=223802~6faf4609-af95-42b9-
a971-0e80e755aec8-43666404 To: <sip:84831008@
172.22.209.2>;tag=E91C0E68-1F6 Date: Wed, 07 May 2014 14:01:01 GMT
Call-ID: 4239200-36a13c9d-ac5d-3c416ac@172.22.196.3 CSeq: 102 PRACK
RAck: 4746 101 INVITE Allow-Events: presence, kpml Max-Forwards: 70
Content-Length: 0
145030: May 7 14:01:05.261: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK2042c27bb0f25 From: "Cindy Murphy"
<sip:8454753930@172.22.196.3>;tag=223802~6faf4609-af95-42b9-a971-
0e80e755aec8-43666404 To: <sip:84831008@172.22.209.2>;tag=E91C0E68-1F6
Date: Wed, 07 May 2014 14:01:05 GMT Call-ID: 4239200-36a13c9d-ac5d-
3c416ac@172.22.196.3 Server: Cisco-SIPGateway/IOS-12.x CSeq: 102 PRACK
Content-Length: 0
145031: May 7 14:01:05.337: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK6962331BD9 From: "Cindy Murphy"
<sip:8454753930@152.187.182.42>;tag=E91BFFE8-77C To: <sip:4831008@
172.31.100.49>;tag=439743219-1399471265237 Call-ID: DB45AF89-D52611E3-
B586C0D0-28CAE34F@152.187.182.42 CSeq: 101 INVITE Timestamp:
1399471261 Supported: Contact: <sip:4831008@
172.31.100.49:5271;transport=udp> Allow:
ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY Accept:
application/media_control+xml,application/sdp Content-Type:
application/sdp Content-Length: 284 v=0 o=BroadWorks 805242 1 IN IP4
172.31.100.164 s=- c=IN IP4 172.31.100.164 t=0 0 a=sn: 0 a=cdsc: 1
image udptl t38 a=cpar: a=T38FaxVersion:0 a=cpar:
a=T38FaxUdpEC:t38UDPRedundancy m=audio 25828 RTP/AVP 0 101

a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=ptime:20
145032: May 7 14:01:05.337:
//4181528/042392000000/CCAPI/cc_api_call_connected:
Interface=0x405292B0, Data Bitmask=0x1, Progress Indication=NULL
(0),
Connection Handle=0
145033: May 7 14:01:05.337:
//4181528/042392000000/CCAPI/cc_api_call_connected:
Call Entry(Connected=TRUE, Responded=TRUE, Retry Count=0)
145034: May 7 14:01:05.337:
//4181527/042392000000/CCAPI/ccCallConnect:
Progress Indication=NULL(0), Data Bitmask=0x1
145035: May 7 14:01:05.337:
//4181527/042392000000/CCAPI/ccCallConnect:
Call Entry(Connected=TRUE, Responded=TRUE)
145036: May 7 14:01:05.337: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204274d4e5bae From: "Cindy Murphy"
<sip:8454753930@172.22.196.3>;tag=223802~6faf4609-af95-42b9-a971-
0e80e755aec8-43666404 To: <sip:84831008@172.22.209.2>;tag=E91C0E68-1F6
Date: Wed, 07 May 2014 14:01:05 GMT Call-ID: 4239200-36a13c9d-ac5d-
3c416ac@172.22.196.3 CSeq: 101 INVITE Allow: INVITE, OPTIONS, BYE,
CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event Remote-Party-ID: <sip:4831008@
172.22.209.2>;party=called;screen=no;privacy=off Contact: <sip:4831008
@172.22.209.2:5060;transport=tcp> Supported: replaces Supported: sdp-
anat Server: Cisco-SIPGateway/IOS-12.x Content-Type: application/sdp
Content-Disposition: session;handling=required Content-Length: 247 v=
0 o=CiscoSystemsSIP-GW-UserAgent 4130 1165 IN IP4 172.22.209.2 s=SIP
Call c=IN IP4 172.22.209.2 t=0 0 m=audio 19676 RTP/AVP 0 101 c=IN IP4
172.22.209.2 a=rtpmap:0 PCMU/8000 a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16 a=ptime:20
145037: May 7 14:01:05.337: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
ACK sip:4831008@172.31.100.49:5271;transport=udp SIP/2.0 Via:
SIP/2.0/UDP 152.187.182.42:5060;branch=z9hG4bK69623922C9 From: "Cindy
Murphy" <sip:8454753930@152.187.182.42>;tag=E91BFFE8-77C To:
<sip:4831008@172.31.100.49>;tag=439743219-1399471265237 Date: Wed, 07
May 2014 14:01:01 GMT Call-ID: DB45AF89-D52611E3-B586C0D0-28CAE34F@
152.187.182.42 Max-Forwards: 70 CSeq: 101 ACK Allow-Events: telephone-
event Content-Length: 0
145038: May 7 14:01:05.337: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
ACK sip:4831008@172.22.209.2:5060;transport=tcp SIP/2.0 Via:
SIP/2.0/TCP 172.22.196.3:5060;branch=z9hG4bK2042d3f74f687 From: "Cindy

Murphy" <sip:8454753930@172.22.196.3>;tag=223802~6faf4609-af95-42b9-a971-0e80e755aec8-43666404 To: <sip:84831008@172.22.209.2>;tag=E91C0E68-1F6 Date: Wed, 07 May 2014 14:01:01 GMT Call-ID: 4239200-36a13c9d-ac5d-3c416ac@172.22.196.3 Max-Forwards: 70 CSeq: 101 ACK Allow-Events: presence, kpml Content-Length: 0 145039: May 7 14:01:05.469: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
INVITE sip:8454863242@152.187.182.42:5060 SIP/2.0 Via: SIP/2.0/UDP 172.31.100.49:5271;branch=z9hG4bKbpuplp0028s00cftd0d1.1 From: <sip:8454069105@63.77.76.232;user=phone>;tag=1168249348-1399471265449-To: "Dutchess County ."<sip:8454863242@gw.haight.ocis.globalipcom.com> Call-ID: BW1401054490705141630420494@63.77.76.232 CSeq: 729705301 INVITE Contact: <sip:8454069105@172.31.100.49:5271;transport=udp> Allow: ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY Accept: application/media_control+xml,application/sdp,multipart/mixed Supported: Max-Forwards: 69 Content-Type: application/sdp Content-Length: 206 v=0 o=BroadWorks 805883 1 IN IP4 172.31.100.164 s=- c=IN IP4 172.31.100.164 t=0 0 m=audio 11926 RTP/AVP 18 0 8 101 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=ptime:20 a=fmtp:18 annexb=no 145040: May 7 14:01:05.473:
//4181529/xxxxxxxxxxxxx/CCAPI/cc_api_caps_ind:
Call Entry Is Not Found
145041: May 7 14:01:05.473: //-
1/DD9BD4A1B587/CCAPI/cc_api_display_ie_subfields:
cc_api_call_setup_ind_common:
cisco-username=8454069105
----- ccCallInfo IE subfields -----
cisco-ani=8454069105
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=0
dest=8454863242
cisco-desttype=0
cisco-destplan=0
cisco-rdie=FFFFFFFF
cisco-rdn=
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=-1
cisco-rdnsi=-1
cisco-redirectreason=-1 fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

145042: May 7 14:01:05.473: //-
1/DD9BD4A1B587/CCAPI/cc_api_call_setup_ind_common:

```

Interface=0x405292B0, Call Info(
  Calling Number=8454069105,(Calling Name=)(TON=Unknown, NPI=Unknown,
  Screening=Not Screened, Presentation=Allowed),
  Called Number=8454863242(TON=Unknown, NPI=Unknown),
  Calling Translated=FALSE, Subscriber Type Str=Unknown,
  FinalDestinationFlag=TRUE,
  Incoming Dial-peer=101, Progress Indication=NULL(0), Calling IE
  Present=TRUE,
  Source Trkgrp Route Label=, Target Trkgrp Route Label=, CLID
  Transparent=FALSE), Call Id=4181529
145043: May 7 14:01:05.473: //-1/DD9BD4A1B587/CCAPI/ccCheckClipClir:
  In: Calling Number=8454069105(TON=Unknown, NPI=Unknown,
  Screening=Not Screened, Presentation=Allowed)
145044: May 7 14:01:05.473: //-1/DD9BD4A1B587/CCAPI/ccCheckClipClir:
  Out: Calling Number=8454069105(TON=Unknown, NPI=Unknown,
  Screening=Not Screened, Presentation=Allowed)
145045: May 7 14:01:05.473: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145046: May 7 14:01:05.473: :cc_get_feature_vsa malloc success
145047: May 7 14:01:05.473: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145048: May 7 14:01:05.473: cc_get_feature_vsa count is 112
145049: May 7 14:01:05.473: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145050: May 7 14:01:05.473: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335608168,feature_id:2617598
145051: May 7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/cc_api_call_setup_ind_common:
  Set Up Event Sent;
  Call Info(Calling Number=8454069105(TON=Unknown, NPI=Unknown,
  Screening=Not Screened, Presentation=Allowed),
  Called Number=8454863242(TON=Unknown, NPI=Unknown))
145052: May 7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/cc_process_call_setup_ind:
  Event=0x40AFF1D8
145053: May 7 14:01:05.473: //-
1/xxxxxxxxxxxxx/CCAPI/cc_setupind_match_search:
  Try with the demoted called number 8454863242
145054: May 7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/ccCallSetContext:
  Context=0x2087700
145055: May 7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/cc_process_call_setup_ind:
  >>>>CCAPI handed cid 4181529 with tag 101 to app
  "_ManagedAppProcess_Default"
145056: May 7 14:01:05.473:

```

```

//4181529/DD9BD4A1B587/CCAPI/ccCallProceeding:
  Progress Indication=NULL(0)
145057: May  7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/ccCallSetupRequest:
  Destination=, Calling IE Present=TRUE, Mode=0,
  Outgoing Dial-peer=202, Params=0x24F8B60, Progress Indication=NULL
(0)
145058: May  7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/ccCheckClipClir:
  In: Calling Number=8454069105(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)
145059: May  7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/ccCheckClipClir:
  Out: Calling Number=8454069105(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)
145060: May  7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/ccCallSetupRequest:
  Destination Pattern=845....., Called Number=8454863242, Digit
Strip=FALSE
145061: May  7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/ccCallSetupRequest:
  Calling Number=8454069105(TON=Unknown, NPI=Unknown, Screening=Not
Screened, Presentation=Allowed),
  Called Number=8454863242(TON=Unknown, NPI=Unknown),
  Redirect Number=, Display Info=
  Account Number=8454069105, Final Destination Flag=TRUE,
  Guid=DD9BD4A1-D526-11E3-B587-C0D028CAE34F, Outgoing Dial-peer=202
145062: May  7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/cc_api_display_ie_subfields:
  ccCallSetupRequest:
  cisco-username=8454069105
  ----- ccCallInfo IE subfields -----
  cisco-ani=8454069105
  cisco-anitype=0
  cisco-aniplan=0
  cisco-anipi=0
  cisco-anisi=0
  dest=8454863242
  cisco-desttype=0
  cisco-destplan=0
  cisco-rdie=FFFFFFFF
  cisco-rdn=
  cisco-lastrdn=
  cisco-rdntype=0
  cisco-rdnplan=0
  cisco-rdnpi=-1
  cisco-rdnsi=-1
  cisco-redirectreason=-1   fwd_final_type =0
  final_redirectNumber =

```

```

hunt_group_timeout =0

145063: May 7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/ccIFCallSetupRequestPrivate:
  Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
  Call Params(Calling Number=8454069105,(Calling Name=)(TON=Unknown,
NPI=Unknown, Screening=Not Screened, Presentation=Allowed),
  Called Number=8454863242(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
  Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=202, Call Count On=FALSE,
  Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
145064: May 7 14:01:05.473: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145065: May 7 14:01:05.473: :cc_get_feature_vsa malloc success
145066: May 7 14:01:05.473: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145067: May 7 14:01:05.473: cc_get_feature_vsa count is 113
145068: May 7 14:01:05.473: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145069: May 7 14:01:05.473: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335613544,feature_id:2617599
145070: May 7 14:01:05.473:
//4181530/DD9BD4A1B587/CCAPI/ccIFCallSetupRequestPrivate:
  SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
145071: May 7 14:01:05.473:
//4181530/DD9BD4A1B587/CCAPI/ccCallSetContext:
  Context=0x24F8B10
145072: May 7 14:01:05.473:
//4181529/DD9BD4A1B587/CCAPI/ccSaveDialpeerTag:
  Outgoing Dial-peer=202
145073: May 7 14:01:05.473:
//4181530/DD9BD4A1B587/CCAPI/cc_api_call_proceeding:
  Interface=0x405292B0, Progress Indication=NULL(0)
145074: May 7 14:01:05.473: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bKbpu1p0028s00cftd0d1.1 From:
<sip:8454069105@63.77.76.232;user=phone>;tag=1168249348-1399471265449-
To: "Dutchess County ."<sip:8454863242@gw.haight.ocis.globalipcom.com>
Date: Wed, 07 May 2014 14:01:05 GMT Call-ID:
BW1401054490705141630420494@63.77.76.232 CSeq: 729705301 INVITE Allow-
Events: telephone-event Server: Cisco-SIPGateway/IOS-12.x Content-
Length: 0

```


145075: May 7 14:01:05.473: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:8454863242@172.22.196.3:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK69623A1B6F Remote-Party-ID:
<sip:8454069105@172.22.209.2>;party=calling;screen=no;privacy=off
From: <sip:8454069105@172.22.209.2>;tag=E91C0F3C-6BC To:
<sip:8454863242@172.22.196.3> Date: Wed, 07 May 2014 14:01:05 GMT
Call-ID: DD9C7161-D52611E3-B58DC0D0-28CAE34F@172.22.209.2 Supported:
100rel,timer,resource-priority,replaces,sdp-anat Min-SE: 1800 Cisco-
Guid: 3717977249-3576041955-3045572816-0684385103 User-Agent: Cisco-
SIPGateway/IOS-12.x Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK,
UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER CSeq: 101 INVITE
Timestamp: 1399471265 Contact: <sip:8454069105@172.22.209.2:5060>
Expires: 180 Allow-Events: telephone-event Max-Forwards: 68 Content-
Type: application/sdp Content-Disposition: session;handling=required
Content-Length: 246 v=0 o=CiscoSystemsSIP-GW-UserAgent 537 9156 IN
IP4 172.22.209.2 s=SIP Call c=IN IP4 172.22.209.2 t=0 0 m=audio 32454
RTP/AVP 0 101 c=IN IP4 172.22.209.2 a=rtpmap:0 PCMU/8000 a=rtpmap:101
telephone-event/8000 a=fmtp:101 0-15 a=ptime:20
145076: May 7 14:01:05.477: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK69623A1B6F From: <sip:8454069105@
172.22.209.2>;tag=E91C0F3C-6BC To: <sip:8454863242@172.22.196.3> Date:
Wed, 07 May 2014 14:01:05 GMT Call-ID: DD9C7161-D52611E3-B58DC0D0-
28CAE34F@172.22.209.2 CSeq: 101 INVITE Allow-Events: presence Content-
Length: 0
145077: May 7 14:01:05.513: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 180 Ringing Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK69623A1B6F From: <sip:8454069105@
172.22.209.2>;tag=E91C0F3C-6BC To: <sip:8454863242@172.22.196.3>;tag=
223809~6faf4609-af95-42b9-a971-0e80e755aec8-43667386 Date: Wed, 07 May
2014 14:01:05 GMT Call-ID: DD9C7161-D52611E3-B58DC0D0-28CAE34F@
172.22.209.2 CSeq: 101 INVITE Require: 100rel RSeq: 1713793049 Allow:
INVITE, OPTIONS, INFO, BYE, CANCEL, ACK, PRACK, UPDATE, REFER,
SUBSCRIBE, NOTIFY Allow-Events: presence Supported: X-cisco-srtp-
fallback Supported: Geolocation P-Asserted-Identity: "DSS-Actg FAX-
3242" <sip:8454863242@172.22.196.3> Remote-Party-ID: "DSS-Actg FAX-
3242" <sip:8454863242@
172.22.196.3>;party=called;screen=yes;privacy=off Contact:
<sip:8454863242@172.22.196.3:5060> Content-Length: 0
145078: May 7 14:01:05.513:
//4181530/DD9BD4A1B587/CCAPI/cc_api_call_alert:
Interface=0x405292B0, Progress Indication=NULL(0), Signal
Indication=SIGNAL RINGBACK(1)

145079: May 7 14:01:05.513:
//4181530/DD9BD4A1B587/CCAPI/cc_api_call_alert:
Call Entry(Retry Count=0, Responded=TRUE)
145080: May 7 14:01:05.517: //4181529/DD9BD4A1B587/CCAPI/ccCallAlert:
Progress Indication=NULL(0), Signal Indication=SIGNAL RINGBACK(1)
145081: May 7 14:01:05.517: //4181529/DD9BD4A1B587/CCAPI/ccCallAlert:
Call Entry(Responded=TRUE, Alert Sent=TRUE)
145082: May 7 14:01:05.517: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
PRACK sip:8454863242@172.22.196.3:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK69623BB1 From: <sip:8454069105@
172.22.209.2>;tag=E91C0F3C-6BC To: <sip:8454863242@172.22.196.3>;tag=
223809~6faf4609-af95-42b9-a971-0e80e755aec8-43667386 Date: Wed, 07 May
2014 14:01:05 GMT Call-ID: DD9C7161-D52611E3-B58DC0D0-28CAE34F@
172.22.209.2 CSeq: 102 PRACK RACK: 1713793049 101 INVITE Allow-Events:
telephone-event Max-Forwards: 70 Content-Length: 0
145083: May 7 14:01:05.517: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 180 Ringing Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bKbpup1p0028s00cftd0d1.1 From:
<sip:8454069105@63.77.76.232;user=phone>;tag=1168249348-1399471265449-
To: "Dutchess County ."<sip:8454863242
@gw.haight.ocis.globalipcom.com>;tag=E91C0F68-32D Date: Wed, 07 May
2014 14:01:05 GMT Call-ID: BW1401054490705141630420494@63.77.76.232
CSeq: 729705301 INVITE Allow: INVITE, OPTIONS, BYE, CANCEL, ACK,
PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER Allow-Events:
telephone-event Remote-P
OCIS-FR-3945-1#arty-ID: "DSS-Actg FAX-3242" <sip:8454863242@
152.187.182.42>;party=called;screen=no;privacy=off Contact:
<sip:8454863242@152.187.182.42:5060> Server: Cisco-SIPGateway/IOS-12.x
Content-Length: 0
145084: May 7 14:01:05.517: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK69623BB1 From: <sip:8454069105@
172.22.209.2>;tag=E91C0F3C-6BC To: <sip:8454863242@172.22.196.3>;tag=
223809~6faf4609-af95-42b9-a971-0e80e755aec8-43667386 Date: Wed, 07 May
2014 14:01:05 GMT Call-ID: DD9C7161-D52611E3-B58DC0D0-28CAE34F@
172.22.209.2 CSeq: 102 PRACK Content-Length: 0
145085: May 7 14:01:06.153: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
INVITE sip:84538898@172.22.209.2:5060 SIP/2.0 Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK2042e4eb163da From: "Maximus"
<sip:8454863335@172.22.196.3>;tag=223810~6faf4609-af95-42b9-a971-
0e80e755aec8-43666679 To: <sip:84538898@172.22.209.2> Date: Wed, 07

```

May 2014 14:01:06 GMT Call-ID: 71e8280-36a13ca2-ac5e-3c416ac@
172.22.196.3 Supported: 100rel,timer,resource-priority,replaces Min-
SE: 1800 User-Agent: Cisco-CUCM8.5 Allow: INVITE, OPTIONS, INFO, BYE,
CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY CSeq: 101 INVITE
Expires: 180 Allow-Events: presence, kpml Supported: X-cisco-srtp-
fallback Supported: Geolocation Cisco-Guid: 0119440000-0000065536-
0000012749-0063182508 Session-Expires: 1800 P-Asserted-Identity:
"Maximus" <sip:8454863335@172.22.196.3> Remote-Party-ID: "Maximus"
<sip:8454863335@172.22.196.3>;party=calling;screen=yes;privacy=off
Contact: <sip:8454863335@172.22.196.3:5060;transport=tcp> Max-
Forwards: 70 Content-Type: application/sdp Content-Length: 212 v=0
o=CiscoSystemsCCM-SIP 2000 1 IN IP4 172.22.196.3 s=SIP Call c=IN IP4
172.22.196.3 t=0 0 m=audio 29956 RTP/AVP 0 101 a=rtpmap:0 PCMU/8000
a=ptime:20 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15
145086: May 7 14:01:06.157:
//4181531/xxxxxxxxxxxxx/CCAPI/cc_api_caps_ind:
Call Entry Is Not Found
145087: May 7 14:01:06.157: //-
1/071E82800000/CCAPI/cc_api_display_ie_subfields:
cc_api_call_setup_ind_common:
cisco-username=8454863335
----- ccCallInfo IE subfields -----
cisco-ani=8454863335
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=1
dest=84538898
cisco-desttype=0
cisco-destplan=0
cisco-rdie=FFFFFFFF
cisco-rdn=
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=-1
cisco-rdnsi=-1
cisco-redirectreason=-1 fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

145088: May 7 14:01:06.157: //-
1/071E82800000/CCAPI/cc_api_call_setup_ind_common:
Interface=0x405292B0, Call Info(
Calling Number=8454863335,(Calling Name=)(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed),
Called Number=84538898(TON=Unknown, NPI=Unknown),
Calling Translated=FALSE, Subscriber Type Str=Unknown,
FinalDestinationFlag=TRUE,

```

```

Incoming Dial-peer=200, Progress Indication=NULL(0), Calling IE
Present=TRUE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=, CLID
Transparent=FALSE), Call Id=4181531
145089: May 7 14:01:06.157: //-1/071E82800000/CCAPI/ccCheckClipClir:
In: Calling Number=8454863335(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145090: May 7 14:01:06.157: //-1/071E82800000/CCAPI/ccCheckClipClir:
Out: Calling Number=8454863335(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145091: May 7 14:01:06.157: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145092: May 7 14:01:06.157: :cc_get_feature_vsa malloc success
145093: May 7 14:01:06.157: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145094: May 7 14:01:06.157: cc_get_feature_vsa count is 114
145095: May 7 14:01:06.157: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145096: May 7 14:01:06.157: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335616680,feature_id:2617600
145097: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/cc_api_call_setup_ind_common:
Set Up Event Sent;
Call Info(Calling Number=8454863335(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed),
Called Number=84538898(TON=Unknown, NPI=Unknown))
145098: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/cc_process_call_setup_ind:
Event=0x40AFF1D8
145099: May 7 14:01:06.157: //-
1/xxxxxxxxxxxx/CCAPI/cc_setupind_match_search:
Try with the demoted called number 84538898
145100: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/ccCallSetContext:
Context=0x11CF1850
145101: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/cc_process_call_setup_ind:
>>>>CCAPI handed cid 4181531 with tag 200 to app
"_ManagedAppProcess_Default"
145102: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/ccCallProceeding:
Progress Indication=NULL(0)
145103: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/ccCallSetupRequest:
Destination=, Calling IE Present=TRUE, Mode=0,
Outgoing Dial-peer=100, Params=0x14085B74, Progress Indication=NULL

```

```

(0)
145104: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/ccCheckClipClir:
  In: Calling Number=8454863335(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145105: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/ccCheckClipClir:
  Out: Calling Number=8454863335(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145106: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/ccCallSetupRequest:
  Destination Pattern=8T, Called Number=4538898, Digit Strip=FALSE
145107: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/ccCallSetupRequest:
  Calling Number=8454863335(TON=Unknown, NPI=Unknown, Screening=User,
Passed, Presentation=Allowed),
  Called Number=4538898(TON=Unknown, NPI=Unknown),
  Redirect Number=, Display Info=Maximus
  Account Number=8454863335, Final Destination Flag=TRUE,
  Guid=071E8280-0001-0000-0000-31CD03C416AC, Outgoing Dial-peer=100
145108: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/cc_api_display_ie_subfields:
  ccCallSetupRequest:
  cisco-username=8454863335
  ----- ccCallInfo IE subfields -----
  cisco-ani=8454863335
  cisco-anitype=0
  cisco-aniplan=0
  cisco-anipi=0
  cisco-anisi=1
  dest=4538898
  cisco-desttype=0
  cisco-destplan=0
  cisco-rdie=FFFFFFFF
  cisco-rdn=
  cisco-lastrdn=
  cisco-rdntype=0
  cisco-rdnplan=0
  cisco-rdnpi=-1
  cisco-rdnsi=-1
  cisco-redirectreason=-1   fwd_final_type =0
  final_redirectNumber =
  hunt_group_timeout =0

145109: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/ccIFCallSetupRequestPrivate:
  Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
  Call Params(Calling Number=8454863335,(Calling Name=Maximus)
(TON=Unknown, NPI=Unknown, Screening=User, Passed,

```

```

Presentation=Allowed),
  Called Number=4538898(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
  Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=100, Call Count On=FALSE,
  Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
145110: May 7 14:01:06.157: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145111: May 7 14:01:06.157: :cc_get_feature_vsa malloc success
145112: May 7 14:01:06.157: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145113: May 7 14:01:06.157: cc_get_feature_vsa count is 115
145114: May 7 14:01:06.157: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145115: May 7 14:01:06.157: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335604136,feature_id:2617601
145116: May 7 14:01:06.157:
//4181532/071E82800000/CCAPI/ccIFCallSetupRequestPrivate:
  SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
145117: May 7 14:01:06.157:
//4181532/071E82800000/CCAPI/ccCallSetContext:
  Context=0x14085B24
145118: May 7 14:01:06.157:
//4181531/071E82800000/CCAPI/ccSaveDialpeerTag:
  Outgoing Dial-peer=100
145119: May 7 14:01:06.157:
//4181532/071E82800000/CCAPI/cc_api_call_proceeding:
  Interface=0x405292B0, Progress Indication=NULL(0)
145120: May 7 14:01:06.157: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:4538898@172.31.100.49:5271 SIP/2.0 Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK69623C1526 From: "Maximus"
<sip:8454863335@152.187.182.42>;tag=E91C11E8-42 To: <sip:4538898@
172.31.100.49> Date: Wed, 07 May 2014 14:01:06 GMT Call-ID: DE04D065-
D52611E3-B593C0D0-28CAE34F@152.187.182.42 Supported:
100rel,timer,resource-priority,replaces,sdp-anat Min-SE: 1800 Cisco-
Guid: 0119440000-0000065536-0000012749-0063182508 User-Agent: Cisco-
SIPGateway/IOS-12.x Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK,
UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER CSeq: 101 INVITE
Timestamp: 1399471266 Contact: <sip:8454863335@152.187.182.42:5060>
Expires: 180 Allow-Events: telephone-event Max-Forwards: 69 Session-
Expires: 1800 P-Asserted-Identity: "Maximus" <sip:8454863335@
152.187.182.42> Content-Type: application/sdp Content-Disposition:
session;handling=required Content-Length: 253 v=0 o=CiscoSystemsSIP-

```

GW-UserAgent 3301 5984 IN IP4 152.187.182.42 s=SIP Call c=IN IP4
 152.187.182.42 t=0 0 m=audio 29142 RTP/AVP 0 101 c=IN IP4
 152.187.182.42 a=rtpmap:0 PCMU/8000 a=rtpmap:101 telephone-event/8000
 a=fmtp:101 0-15 a=ptime:20
 145121: May 7 14:01:06.161: //-
 1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
 Sent:
 SIP/2.0 100 Trying Via: SIP/2.0/TCP
 172.22.196.3:5060;branch=z9hG4bK2042e4eb163da From: "Maximus"
 <sip:8454863335@172.22.196.3>;tag=223810~6faf4609-af95-42b9-a971-
 0e80e755aec8-43666679 To: <sip:84538898@172.22.209.2> Date: Wed, 07
 May 2014 14:01:06 GMT Call-ID: 71e8280-36a13ca2-ac5e-3c416ac@
 172.22.196.3 CSeq: 101 INVITE Allow-Events: telephone-event Server:
 Cisco-SIPGateway/IOS-12.x Content-Length: 0
 145122: May 7 14:01:06.169: //-
 1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
 Received:
 SIP/2.0 100 Trying Via: SIP/2.0/UDP
 152.187.182.42:5060;branch=z9hG4bK69623C1526 From: "Maximus"
 <sip:8454863335@152.187.182.42>;tag=E91C11E8-42 To: <sip:4538898@
 172.31.100.49> Call-ID: DE04D065-D52611E3-B593C0D0-28CAE34F@
 152.187.182.42 CSeq: 101 INVITE Timestamp: 1399471266
 145123: May 7 14:01:06.369: //-
 1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
 Received:
 UPDATE sip:8454735110@172.22.209.2:5060 SIP/2.0 Via: SIP/2.0/UDP
 172.22.196.3:5060;branch=z9hG4bK2042f7b7228a From: <sip:8454863023@
 172.22.196.3>;tag=223782~6faf4609-af95-42b9-a971-0e80e755aec8-43666386
 To: "DUTCHESS COUNTY ." <sip:8454735110@172.22.209.2>;tag=E91BC48C-3F
 Date: Wed, 07 May 2014 14:00:46 GMT Call-ID: D236F59F-D52611E3-
 B56AC0D0-28CAE34F@172.22.209.2 User-Agent: Cisco-CUCM8.5 Max-Forwards:
 70 Supported: 100rel,timer,resource-priority,replaces Allow: INVITE,
 OPTIONS, INFO, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE,
 NOTIFY CSeq: 101 UPDATE Supported: X-cisco-srtp-fallback Supported:
 Geolocation P-Asserted-Identity: "DCFS Child Protective Svcs"
 <sip:8454866355@172.22.196.3> Remote-Party-ID: "DCFS Child Protective
 Svcs" <sip:8454866355@
 172.22.196.3>;party=calling;screen=yes;privacy=off Contact:
 <sip:8454735110@172.22.196.3:5060> Content-Length: 0
 145124: May 7 14:01:06.369:
 //4181516/D2365977B564/CCAPI/cc_api_call_notify:
 Data Bitmask=0x7, Interface=0x405292B0, Call Id=4181516
 145125: May 7 14:01:06.369:
 //4181516/D2365977B564/CCAPI/cc_api_get_ccm_detected:
 CallInfo(ccm detected=FALSE)
 145126: May 7 14:01:06.369:
 //4181515/D2365977B564/CCAPI/ccCallNotify:
 Data Bitmask=0x7, Call Id=4181515
 145127: May 7 14:01:06.369: //-

```

1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.22.196.3:5060;branch=z9hG4bK2042f7b7228a From: <sip:8454863023@
172.22.196.3>;tag=223782~6faf4609-af95-42b9-a971-0e80e755aec8-43666386
To: "DUTCHESS COUNTY ." <sip:8454735110@172.22.209.2>;tag=E91BC48C-3F
Date: Wed, 07 May 2014 14:01:06 GMT Call-ID: D236F59F-D52611E3-
B56AC0D0-28CAE34F@172.22.209.2 Server: Cisco-SIPGateway/IOS-12.x CSeq:
101 UPDATE Allow-Events: telephone-event Contact: <sip:8454866355@
172.22.209.2:5060> Content-Length: 0
145128: May 7 14:01:06.469: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
INVITE sip:8454863290@152.187.182.42:5060 SIP/2.0 Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bK9kvmr1028rglcrno7n0.1 From:
<sip:8456253609@63.77.76.232;user=phone>;tag=313625157-1399471266448-
To: "Dutchess County ."<sip:8454863290@gw.haight.ocis.globalipcom.com>
Call-ID: BW140106448070514-1098103082@63.77.76.232 CSeq: 729705801
INVITE Contact: <sip:8456253609@172.31.100.49:5271;transport=udp>
Allow: ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY Accept:
application/media_control+xml,application/sdp,multipart/mixed
Supported: Max-Forwards: 69 Content-Type: application/sdp Content-
Length: 206 v=0 o=BroadWorks 806033 1 IN IP4 172.31.100.164 s=- c=IN
IP4 172.31.100.164 t=0 0 m=audio 13032 RTP/AVP 18 0 8 101 a=rtpmap:101
telephone-event/8000 a=fmtp:101 0-15 a=ptime:20 a=fmtp:18 annexb=no
145129: May 7 14:01:06.469:
//4181533/xxxxxxxxxxxxx/CCAPI/cc_api_caps_ind:
Call Entry Is Not Found
145130: May 7 14:01:06.469: //-
1/DE346BB9B594/CCAPI/cc_api_display_ie_subfields:
cc_api_call_setup_ind_common:
cisco-username=8456253609
----- ccCallInfo IE subfields -----
cisco-ani=8456253609
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=0
dest=8454863290
cisco-desttype=0
cisco-destplan=0
cisco-rdie=FFFFFFFF
cisco-rdn=
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=-1
cisco-rdnsi=-1
cisco-redirectreason=-1 fwd_final_type =0

```



```

final_redirectNumber =
hunt_group_timeout =0

145131: May 7 14:01:06.469: //-
1/DE346BB9B594/CCAPI/cc_api_call_setup_ind_common:
    Interface=0x405292B0, Call Info(
        Calling Number=8456253609,(Calling Name=)(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed),
        Called Number=8454863290(TON=Unknown, NPI=Unknown),
        Calling Translated=FALSE, Subscriber Type Str=Unknown,
FinalDestinationFlag=TRUE,
        Incoming Dial-peer=101, Progress Indication=NULL(0), Calling IE
Present=TRUE,
        Source Trkgrp Route Label=, Target Trkgrp Route Label=, CLID
Transparent=FALSE), Call Id=4181533
145132: May 7 14:01:06.469: //-1/DE346BB9B594/CCAPI/ccCheckClipClir:
    In: Calling Number=8456253609(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)
145133: May 7 14:01:06.469: //-1/DE346BB9B594/CCAPI/ccCheckClipClir:
    Out: Calling Number=8456253609(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)
145134: May 7 14:01:06.469: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145135: May 7 14:01:06.469: :cc_get_feature_vsa malloc success
145136: May 7 14:01:06.469: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145137: May 7 14:01:06.469: cc_get_feature_vsa count is 116
145138: May 7 14:01:06.469: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145139: May 7 14:01:06.469: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335605480,feature_id:2617602
145140: May 7 14:01:06.469:
//4181533/DE346BB9B594/CCAPI/cc_api_call_setup_ind_common:
    Set Up Event Sent;
    Call Info(Calling Number=8456253609(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed),
        Called Number=8454863290(TON=Unknown, NPI=Unknown))
145141: May 7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/cc_process_call_setup_ind:
    Event=0x40AFF1D8
145142: May 7 14:01:06.473: //-
1/xxxxxxxxxxxxx/CCAPI/cc_setupind_match_search:
    Try with the demoted called number 8454863290
145143: May 7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/ccCallSetContext:
    Context=0x25EDE9C

```

```

145144: May 7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/cc_process_call_setup_ind:
>>>>CCAPI handed cid 4181533 with tag 101 to app
"_ManagedAppProcess_Default"
145145: May 7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/ccCallProceeding:
Progress Indication=NULL(0)
145146: May 7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/ccCallSetupRequest:
Destination=, Calling IE Present=TRUE, Mode=0,
Outgoing Dial-peer=202, Params=0x22E0F78, Progress Indication=NULL
(0)
145147: May 7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/ccCheckClipClir:
In: Calling Number=8456253609(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)
145148: May 7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/ccCheckClipClir:
Out: Calling Number=8456253609(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)
145149: May 7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/ccCallSetupRequest:
Destination Pattern=845....., Called Number=8454863290, Digit
Strip=FALSE
145150: May 7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/ccCallSetupRequest:
Calling Number=8456253609(TON=Unknown, NPI=Unknown, Screening=Not
Screened, Presentation=Allowed),
Called Number=8454863290(TON=Unknown, NPI=Unknown),
Redirect Number=, Display Info=
Account Number=8456253609, Final Destination Flag=TRUE,
Guid=DE346BB9-D526-11E3-B594-C0D028CAE34F, Outgoing Dial-peer=202
145151: May 7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/cc_api_display_ie_subfields:
ccCallSetupRequest:
cisco-username=8456253609
----- ccCallInfo IE subfields -----
cisco-ani=8456253609
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=0
dest=8454863290
cisco-desttype=0
cisco-destplan=0
cisco-rdie=FFFFFFFF
cisco-rdn=
cisco-lastrdn=
cisco-rdntype=0

```

```

cisco-rdnplan=0
cisco-rdnpi=-1
cisco-rdnsi=-1
cisco-redirectreason=-1   fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

145152: May  7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/ccIFCallSetupRequestPrivate:
  Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
  Call Params(Calling Number=8456253609,(Calling Name=)(TON=Unknown,
NPI=Unknown, Screening=Not Screened, Presentation=Allowed),
  Called Number=8454863290(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
  Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=202, Call Count On=FALSE,
  Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
145153: May  7 14:01:06.473: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145154: May  7 14:01:06.473: :cc_get_feature_vsa malloc success
145155: May  7 14:01:06.473: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145156: May  7 14:01:06.473: cc_get_feature_vsa count is 117
145157: May  7 14:01:06.473: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145158: May  7 14:01:06.473: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335608392,feature_id:2617603
145159: May  7 14:01:06.473:
//4181534/DE346BB9B594/CCAPI/ccIFCallSetupRequestPrivate:
  SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
145160: May  7 14:01:06.473:
//4181534/DE346BB9B594/CCAPI/ccCallSetContext:
  Context=0x22E0F28
145161: May  7 14:01:06.473:
//4181533/DE346BB9B594/CCAPI/ccSaveDialpeerTag:
  Outgoing Dial-peer=202
145162: May  7 14:01:06.473:
//4181534/DE346BB9B594/CCAPI/cc_api_call_proceeding:
  Interface=0x405292B0, Progress Indication=NULL(0)
145163: May  7 14:01:06.473: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bKm9kvmr1028rglcrno7n0.1 From:
<sip:8456253609@63.77.76.232;user=phone>;tag=313625157-1399471266448-

```

To: "Dutchess County ." <sip:8454863290@gw.haight.ocis.globalipcom.com>
Date: Wed, 07 May 2014 14:01:06 GMT Call-ID: BW140106448070514-1098103082@63.77.76.232 CSeq: 729705801 INVITE Allow-Events: telephone-event Server: Cisco-SIPGateway/IOS-12.x Content-Length: 0
145164: May 7 14:01:06.473: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:8454863290@172.22.196.3:5060 SIP/2.0 Via: SIP/2.0/UDP 172.22.209.2:5060;branch=z9hG4bK69623D93A Remote-Party-ID: <sip:8456253609@172.22.209.2>;party=calling;screen=no;privacy=off From: <sip:8456253609@172.22.209.2>;tag=E91C1324-1AFB To: <sip:8454863290@172.22.196.3> Date: Wed, 07 May 2014 14:01:06 GMT Call-ID: DE3507E1-D52611E3-B59AC0D0-28CAE34F@172.22.209.2 Supported: 100rel,timer,resource-priority,replaces,sdp-anat Min-SE: 180 Cisco-Guid: 3727977401-3576041955-3046424784-0684385103 User-Agent: Cisco-SIPGateway/IOS-12.x Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER CSeq: 101 INVITE Timestamp: 1399471266 Contact: <sip:8456253609@172.22.209.2:5060> Expires: 180 Allow-Events: telephone-event Max-Forwards: 68 Content-Type: application/sdp Content-Disposition: session;handling=required Content-Length: 247 v=0 o=CiscoSystemsSIP-GW-UserAgent 5878 7920 IN IP4 172.22.209.2 s=SIP Call c=IN IP4 172.22.209.2 t=0 0 m=audio 31180 RTP/AVP 0 101 c=IN IP4 172.22.209.2 a=rtpmap:0 PCMU/8000 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=ptime:20
145165: May 7 14:01:06.477: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying Via: SIP/2.0/UDP 172.22.209.2:5060;branch=z9hG4bK69623D93A From: <sip:8456253609@172.22.209.2>;tag=E91C1324-1AFB To: <sip:8454863290@172.22.196.3> Date: Wed, 07 May 2014 14:01:06 GMT Call-ID: DE3507E1-D52611E3-B59AC0D0-28CAE34F@172.22.209.2 CSeq: 101 INVITE Allow-Events: presence Content-Length: 0
145166: May 7 14:01:06.481: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 180 Ringing Via: SIP/2.0/UDP 172.22.209.2:5060;branch=z9hG4bK69623D93A From: <sip:8456253609@172.22.209.2>;tag=E91C1324-1AFB To: <sip:8454863290@172.22.196.3>;tag=223811~6faf4609-af95-42b9-a971-0e80e755aec8-43667560 Date: Wed, 07 May 2014 14:01:06 GMT Call-ID: DE3507E1-D52611E3-B59AC0D0-28CAE34F@172.22.209.2 CSeq: 101 INVITE Require: 100rel RSeq: 1233986363 Allow: INVITE, OPTIONS, INFO, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY Allow-Events: presence Supported: X-cisco-srtp-fallback Supported: Geolocation P-Asserted-Identity: "Queen Murray" <sip:8454863290@172.22.196.3> Remote-Party-ID: "Queen Murray" <sip:8454863290@172.22.196.3>;party=called;screen=yes;privacy=off Contact: <sip:8454863290@172.22.196.3:5060> Content-Length: 0
145167: May 7 14:01:06.481:

//4181534/DE346BB9B594/CCAPI/cc_api_call_alert:
Interface=0x405292B0, Progress Indication=NULL(0), Signal
Indication=SIGNAL RINGBACK(1)
145168: May 7 14:01:06.481:
//4181534/DE346BB9B594/CCAPI/cc_api_call_alert:
Call Entry(Retry Count=0, Responded=TRUE)
145169: May 7 14:01:06.481: //4181533/DE346BB9B594/CCAPI/ccCallAlert:
Progress Indication=NULL(0), Signal Indication=SIGNAL RINGBACK(1)
145170: May 7 14:01:06.481: //4181533/DE346BB9B594/CCAPI/ccCallAlert:
Call Entry(Responded=TRUE, Alert Sent=TRUE)
145171: May 7 14:01:06.481: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
PRACK sip:8454863290@172.22.196.3:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK69623E9FD From: <sip:8456253609@
172.22.209.2>;tag=E91C1324-1AFB To: <sip:8454863290@172.22.196.3>;tag=
223811~6faf4609-af95-42b9-a971-0e80e755aec8-43667560 Date: Wed, 07 May
2014 14:01:06 GMT Call-ID: DE3507E1-D52611E3-B59AC0D0-28CAE34F@
172.22.209.2 CSeq: 102 PRACK RACK: 1233986363 101 INVITE Allow-Events:
telephone-event Max-Forwards: 70 Content-Length: 0
145172: May 7 14:01:06.481: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 180 Ringing Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bK9kvml1028rglcrno7n0.1 From:
<sip:8456253609@63.77.76.232;user=phone>;tag=313625157-1399471266448-
To: "Dutchess County ."<sip:8454863290
@gw.haight.ocis.globalipcom.com>;tag=E91C132C-1E17 Date: Wed, 07 May
2014 14:01:06 GMT Call-ID: BW140106448070514-1098103082@63.77.76.232
CSeq: 729705801 INVITE Allow: INVITE, OPTIONS, BYE, CANCEL, ACK,
PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER Allow-Events:
telephone-event Remote-Party-ID: "Queen Murray" <sip:8454863290@
152.187.182.42>;party=called;screen=no;privacy=off Contact:
<sip:8454863290@152.187.182.42:5060> Server: Cisco-SIPGateway/IOS-12.x
Content-Length: 0
145173: May 7 14:01:06.481: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK69623E9FD From: <sip:8456253609@
172.22.209.2>;tag=E91C1324-1AFB To: <sip:8454863290@172.22.196.3>;tag=
223811~6faf4609-af95-42b9-a971-0e80e755aec8-43667560 Date: Wed, 07 May
2014 14:01:06 GMT Call-ID: DE3507E1-D52611E3-B59AC0D0-28CAE34F@
172.22.209.2 CSeq: 102 PRACK Content-Length: 0
145174: May 7 14:01:06.961: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
BYE sip:911@172.22.209.2:5060;transport=tcp SIP/2.0 Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204306d0d6edf From: "Joe McGrath"

<sip:8454753401@172.22.196.3>;tag=223801~6faf4609-af95-42b9-a971-0e80e755aec8-43666724 To: <sip:911@172.22.209.2>;tag=E91BFFE0-1D50
Date: Wed, 07 May 2014 14:01:01 GMT Call-ID: 4239200-36a13c9d-ac5c-3c416ac@172.22.196.3 User-Agent: Cisco-CUCM8.5 Max-Forwards: 70 P-Asserted-Identity: "Joe McGrath" <sip:8454753401@172.22.196.3> CSeq: 103
BYE Content-Length: 0
145175: May 7 14:01:06.961:
//4181526/042392000000/CCAPI/ccGenerateToneInfo:
Stop Tone On Digit=FALSE, Tone=NULL,
Tone Direction=Sum Network, Params=0x0, Call Id=4181526
145176: May 7 14:01:06.961:
//4181522/042392000000/CCAPI/cc_api_call_disconnected:
Cause Value=16, Interface=0x405292B0, Call Id=4181522
145177: May 7 14:01:06.961:
//4181522/042392000000/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=16, Retry Count=0)
145178: May 7 14:01:06.961:
//4181522/042392000000/CCAPI/ccConferenceDestroy:
Conference Id=0x10C81E, Tag=0x0
145179: May 7 14:01:06.961:
//4181522/xxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C81E, Source Interface=0x405292B0, Source Call Id=4181522,
Destination Call Id=4181526, Disposition=0x0, Tag=0x0
145180: May 7 14:01:06.961:
//4181526/xxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C81E, Source Interface=0x405292B0, Source Call Id=4181526,
Destination Call Id=4181522, Disposition=0x0, Tag=0x0
145181: May 7 14:01:06.961:
//4181522/042392000000/CCAPI/cc_generic_bridge_done:
Conference Id=0x10C81E, Source Interface=0x405292B0, Source Call Id=4181526,
Destination Call Id=4181522, Disposition=0x0, Tag=0x0
145182: May 7 14:01:06.961:
//4181522/042392000000/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0, Disconnect Cause=16)
145183: May 7 14:01:06.961:
//4181522/042392000000/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
145184: May 7 14:01:06.961:
//4181526/042392000000/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0, Disconnect Cause=0)
145185: May 7 14:01:06.961:
//4181526/042392000000/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
145186: May 7 14:01:06.961:

```

//4181522/042392000000/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181522,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
145187: May 7 14:01:06.961:
//4181522/042392000000/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
145188: May 7 14:01:06.961: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145189: May 7 14:01:06.961: :cc_free_feature_vsa freeing 140127C0
145190: May 7 14:01:06.961: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145191: May 7 14:01:06.961: vsacount in free is 116
145192: May 7 14:01:06.961: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204306d0d6edf From: "Joe McGrath"
<sip:8454753401@172.22.196.3>;tag=223801~6faf4609-af95-42b9-a971-
0e80e755aec8-43666724 To: <sip:911@172.22.209.2>;tag=E91BFFE0-1D50
Date: Wed, 07 May 2014 14:01:06 GMT Call-ID: 4239200-36a13c9d-ac5c-
3c416ac@172.22.196.3 Server: Cisco-SIPGateway/IOS-12.x CSeq: 103 BYE
Reason: Q.850;cause=16 Content-Length: 0
145193: May 7 14:01:06.961: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:11@172.31.101.17:5077;transport=udp SIP/2.0 Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK69623F18B7 From: "Joe McGrath"
<sip:8454753401@152.187.182.42>;tag=E91BFF38-414 To: <sip:11@
172.31.101.17>;tag=2052821055-1399471261479 Date: Wed, 07 May 2014
14:01:01 GMT Call-ID: DB2AD518-D52611E3-B580C0D0-28CAE34F@
152.187.182.42 User-Agent: Cisco-SIPGateway/IOS-12.x Max-Forwards: 70
P-Asserted-Identity: "Joe McGrath" <sip:8454753401@152.187.182.42>
Timestamp: 1399471266 CSeq: 102 BYE Reason: Q.850;cause=16 Content-
Length: 0
145194: May 7 14:01:07.073: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:

OCIS-FR-3945-1#
145197: May 7 14:01:07.073: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145198: May 7 14:01:07.073: :cc_free_feature_vsa freeing 14011F00
145199: May 7 14:01:07.073: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

```

145200: May 7 14:01:07.073: vsaccount in free is 115
145201: May 7 14:01:07.505: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
BYE sip:8458965298@172.22.209.2:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.196.3:5060;branch=z9hG4bK204317590d264 From: <sip:8454863000@
172.22.196.3>;tag=223746~6faf4609-af95-42b9-a971-0e80e755aec8-43666286
To: <sip:8458965298@172.22.209.2>;tag=E91B5EE8-7E1 Date: Wed, 07 May
2014 14:00:20 GMT Call-ID: C2B49EA6-D52611E3-B50EC0D0-28CAE34F@
172.22.209.2 User-Agent: Cisco-CUCM8.5 Max-Forwards: 70 CSeq: 102 BYE
Content-Length: 0
145202: May 7 14:01:07.505:
//4181479/C2B401E5B508/CCAPI/ccGenerateToneInfo:
Stop Tone On Digit=FALSE, Tone=NULL,
Tone Direction=Sum Network, Params=0x0, Call Id=4181479
145203: May 7 14:01:07.505:
//4181480/C2B401E5B508/CCAPI/cc_api_call_disconnected:
Cause Value=16, Interface=0x405292B0, Call Id=4181480
145204: May 7 14:01:07.505:
//4181480/C2B401E5B508/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=16, Retry Count=0)
145205: May 7 14:01:07.505:
//4181479/C2B401E5B508/CCAPI/ccConferenceDestroy:
Conference Id=0x10C80A, Tag=0x0
145206: May 7 14:01:07.505:
//4181479/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C80A, Source Interface=0x405292B0, Source Call
Id=4181479,
Destination Call Id=4181480, Disposition=0x0, Tag=0x0
145207: May 7 14:01:07.505:
//4181480/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C80A, Source Interface=0x405292B0, Source Call
Id=4181480,
Destination Call Id=4181479, Disposition=0x0, Tag=0x0
145208: May 7 14:01:07.505:
//4181479/C2B401E5B508/CCAPI/cc_generic_bridge_done:
Conference Id=0x10C80A, Source Interface=0x405292B0, Source Call
Id=4181480,
Destination Call Id=4181479, Disposition=0x0, Tag=0x0
145209: May 7 14:01:07.505:
//4181479/C2B401E5B508/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
145210: May 7 14:01:07.505:
//4181479/C2B401E5B508/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
145211: May 7 14:01:07.505:
//4181480/C2B401E5B508/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,

Disconnect Cause=16)
 145212: May 7 14:01:07.505:
 //4181480/C2B401E5B508/CCAPI/ccCallDisconnect:
 Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
 145213: May 7 14:01:07.505:
 //4181480/C2B401E5B508/CCAPI/cc_api_call_disconnect_done:
 Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181480,
 Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
 Count=0)
 145214: May 7 14:01:07.505:
 //4181480/C2B401E5B508/CCAPI/cc_api_call_disconnect_done:
 Call Disconnect Event Sent
 145215: May 7 14:01:07.505: //-
 1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

 145216: May 7 14:01:07.505: :cc_free_feature_vsa freeing 140CD268
 145217: May 7 14:01:07.505: //-
 1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

 145218: May 7 14:01:07.505: vsacount in free is 114
 145219: May 7 14:01:07.505: //-
 1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
 Sent:
 BYE sip:8458965298@172.31.100.49:5271;transport=udp SIP/2.0 Via:
 SIP/2.0/UDP 152.187.182.42:5060;branch=z9hG4bK6962402EF From:
 "Dutchess County ."<sip:8454863000
 @gw.haight.ocis.globalipcom.com>;tag=E91B5EF8-884 To: <sip:8458965298@
 63.77.76.232;user=phone>;tag=1284480862-1399471220307- Date: Wed, 07
 May 2014 14:00:20 GMT Call-ID: BW140020307070514150095121@63.77.76.232
 User-Agent: Cisco-SIPGateway/IOS-12.x Max-Forwards: 70 Timestamp:
 1399471267 CSeq: 101 BYE Reason: Q.850;cause=16 Content-Length: 0
 145220: May 7 14:01:07.505: //-
 1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
 Sent:
 SIP/2.0 200 OK Via: SIP/2.0/UDP
 172.22.196.3:5060;branch=z9hG4bK204317590d264 From: <sip:8454863000@
 172.22.196.3>;tag=223746~6faf4609-af95-42b9-a971-0e80e755aec8-43666286
 To: <sip:8458965298@172.22.209.2>;tag=E91B5EE8-7E1 Date: Wed, 07 May
 2014 14:01:07 GMT Call-ID: C2B49EA6-D52611E3-B50EC0D0-28CAE34F@
 172.22.209.2 Server: Cisco-SIPGateway/IOS-12.x CSeq: 102 BYE Reason:
 Q.850;cause=16 Content-Length: 0
 145221: May 7 14:01:07.533: //-
 1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
 Received:
 SIP/2.0 200 OK Via: SIP/2.0/UDP
 152.187.182.42:5060;branch=z9hG4bK6962402EF From: "Dutchess County
 ."<sip:8454863000@gw.haight.ocis.globalipcom.com>;tag=E91B5EF8-884 To:
 <sip:8458965298@63.77.76.232;user=phone>;tag=1284480862-1399471220307-
 Call-ID: BW140020307070514150095121@63.77.76.232 Timestamp: 1399471267

```

CSeq: 101 BYE Content-Length: 0
145222: May 7 14:01:07.533:
//4181479/C2B401E5B508/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181479,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
145223: May 7 14:01:07.533:
//4181479/C2B401E5B508/CCAPI/cc_api_call_disconnect_done:

OCIS-FR-3945-1#Call Disconnect Event Sent
145224: May 7 14:01:07.533: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145225: May 7 14:01:07.533: :cc_free_feature_vsa freeing 140D0C28
145226: May 7 14:01:07.533: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145227: May 7 14:01:07.533: vsacount in free is 113
145228: May 7 14:01:08.397: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 183 Session Progress Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK69623C1526 From: "Maximus"
<sip:8454863335@152.187.182.42>;tag=E91C11E8-42 To: <sip:4538898@
172.31.100.49>;tag=1732895610-1399471268375 Call-ID: DE04D065-
D52611E3-B593C0D0-28CAE34F@152.187.182.42 CSeq: 101 INVITE Timestamp:
1399471266 Supported: Contact: <sip:4538898@
172.31.100.49:5271;transport=udp> Session: Media Allow:
ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY Content-Type:
application/sdp Content-Length: 284 v=0 o=BroadWorks 805985 1 IN IP4
172.31.100.164 s=- c=IN IP4 172.31.100.164 t=0 0 a=sn: 0 a=cdsc: 1
image udptl t38 a=cpar: a=T38FaxVersion:0 a=cpar:
a=T38FaxUdpEC:t38UDPRedundancy m=audio 11548 RTP/AVP 0 101
a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=ptime:20
145229: May 7 14:01:08.397:
//4181532/071E82800000/CCAPI/cc_api_caps_ind:
Destination Interface=0x0, Destination Call Id=-1, Source Call Id=
4181532,
Caps(Codec=0x1, Fax Rate=0x2, Vad=0x2,
Modem=0x0, Codec Bytes=20, Signal Type=2)
145230: May 7 14:01:08.397:
//4181532/071E82800000/CCAPI/cc_api_caps_ind:
Caps(Playout Mode=1, Playout Initial=60(ms), Playout Min=40(ms),
Playout Max=1000(ms), Fax Nom=300(ms))
145231: May 7 14:01:08.397:
//4181531/071E82800000/CCAPI/cc_api_caps_ack:
Destination Interface=0x0, Destination Call Id=-1, Source Call Id=
4181531,
Caps(Codec=g711ulaw(0x1), Fax Rate=FAX_RATE_14400(0x80), Vad=OFF

```

```

(0x1),
  Modem=OFF(0x0), Codec Bytes=160, Signal Type=2, Seq Num Start=1)
145232: May  7 14:01:08.397:
//4181532/071E82800000/CCAPI/cc_api_event_indication:
  Event=156, Call Id=4181532
145233: May  7 14:01:08.397:
//4181532/071E82800000/CCAPI/cc_api_event_indication:
  Event Is Sent To Conferenced SPI(s) Directly
145234: May  7 14:01:08.397:
//4181532/071E82800000/CCAPI/cc_api_call_cut_progress:
  Interface=0x405292B0, Progress Indication=INBAND(8), Signal
Indication=SIGNAL RINGBACK(1),
  Cause Value=0
145235: May  7 14:01:08.397:
//4181532/071E82800000/CCAPI/cc_api_call_cut_progress:
  Call Entry(Responded=TRUE)
145236: May  7 14:01:08.397:
//4181531/071E82800000/CCAPI/ccCallCutProgress:
  Progress Indication=INBAND(8), Signal Indication=SIGNAL RINGBACK
(1), Cause Value=0
  Voice Call Send Alert=FALSE, Call Entry(Alert Sent=FALSE)
145237: May  7 14:01:08.397:
//4181531/071E82800000/CCAPI/ccCallCutProgress:
  Call Entry(Responded=TRUE)
145238: May  7 14:01:08.397:
//4181531/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:
  (confID=0x140F5C54, callID1=0x3FCE1B, callID2=0x3FCE1C, tag=0x0)
145239: May  7 14:01:08.397:
//4181531/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:
  (confID=0x140F5C54, callID1=0x3FCE1B, gcid=DE04D065-D52611E3-
B590C0D0-28CAE34F, tag=0x0)
145240: May  7 14:01:08.397:
//4181532/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:
  (confID=0x140F5C54, callID2=0x3FCE1C, gcid=DE04D065-D52611E3-
B590C0D0-28CAE34F, tag=0x0)
145241: May  7 14:01:08.397:
//4181531/071E82800000/CCAPI/ccConferenceCreate:
  Conference Id=0x140F5C54, Call Id1=4181531, Call Id2=4181532, Tag=
0x0
145242: May  7 14:01:08.397:
//4181531/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:

145243: May  7 14:01:08.397: ccConferenceCreate: ret1=0, codecMask1=1,
bytes1=160, negot1=1, dtmf1=6
                                ret2=0, codecMask2=1, bytes2=160, negot2=1, dtmf2=
6,
                                tx_dynamic_pt1=0, rx_dynamic_pt1=0, codec_model=0,
params_bitmap1 =0
                                tx_dynamic_pt2=0, rx_dynamic_pt2=0, codec_mode2=0,

```

```

params_bitmap2 =0
145244: May 7 14:01:08.397:
//4181531/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
    delay media to slow start case, codec negotiation is not done
145245: May 7 14:01:08.397:
//4181531/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

145246: May 7 14:01:08.397: cc_api_get_xcode_stream : 4534
145247: May 7 14:01:08.397:
//4181531/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
    Conference Id=0x10C820, Source Interface=0x405292B0, Source Call
    Id=4181531,
    Destination Call Id=4181532, Disposition=0x0, Tag=0x0
145248: May 7 14:01:08.397:
//4181532/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

145249: May 7 14:01:08.397: cc_api_get_xcode_stream : 4534
145250: May 7 14:01:08.397:
//4181532/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
    Conference Id=0x10C820, Source Interface=0x405292B0, Source Call
    Id=4181532,
    Destination Call Id=4181531, Disposition=0x0, Tag=0x0
145251: May 7 14:01:08.397:
//4181531/071E82800000/CCAPI/cc_generic_bridge_done:
    Conference Id=0x10C820, Source Interface=0x405292B0, Source Call
    Id=4181532,
    Destination Call Id=4181531, Disposition=0x0, Tag=0x0
145252: May 7 14:01:08.397:
//4181531/071E82800000/CCAPI/ccConferenceCreate:
    Call Entry(Conference Id=0x10C820, Destination Call Id=4181532)
145253: May 7 14:01:08.397:
//4181532/071E82800000/CCAPI/ccConferenceCreate:
    Call Entry(Conference Id=0x10C820, Destination Call Id=4181531)
145254: May 7 14:01:08.401:
//4181531/071E82800000/CCAPI/cc_process_notify_bridge_done:
    Conference Id=0x10C820, Call Id1=4181531, Call Id2=4181532
145255: May 7 14:01:08.401: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 183 Session Progress Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK2042e4eb163da From: "Maximus"
<sip:8454863335@172.22.196.3>;tag=223810~6faf4609-af95-42b9-a971-
0e80e755aec8-43666679 To: <sip:84538898@172.22.209.2>;tag=E91C1AAC-0
Date: Wed, 07 May 2014 14:01:06 GMT Call-ID: 71e8280-36a13ca2-ac5e-
3c416ac@172.22.196.3 CSeq: 101 INVITE Require: 100rel RSeq: 1832
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER,
SUBSCRIBE, NOTIFY, INFO, REGISTER Allow-Events: telephone-event
Remote-Party-ID: <sip:4538898@
172.22.209.2>;party=called;screen=yes;privacy=off Contact:

```

<sip:84538898@172.22.209.2:5060;transport=tcp> Supported: sdp-anat
Server: Cisco-SIPGateway/IOS-12.x Content-Type: application/sdp
Content-Disposition: session;handling=required Content-Length: 247 v=
0 o=CiscoSystemsSIP-GW-UserAgent 3371 3712 IN IP4 172.22.209.2 s=SIP
Call c=IN IP4 172.22.209.2 t=0 0 m=audio 29666 RTP/AVP 0 101 c=IN IP4
172.22.209.2 a=rtpmap:0 PCMU/8000 a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16 a=ptime:20
145256: May 7 14:01:08.401: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
PRACK sip:84538898@172.22.209.2:5060;transport=tcp SIP/2.0 Via:
SIP/2.0/TCP 172.22.196.3:5060;branch=z9hG4bK204321a863958 From:
"Maximus" <sip:8454863335@172.22.196.3>;tag=223810~6faf4609-af95-42b9-
a971-0e80e755aec8-43666679 To: <sip:84538898@
172.22.209.2>;tag=E91C1AAC-0 Date: Wed, 07 May 2014 14:01:06 GMT Call-
ID: 71e8280-36a13ca2-ac5e-3c416ac@172.22.196.3 CSeq: 102 PRACK RACK:
1832 101 INVITE Allow-Events: presence, kpml Max-Forwards: 70 Content-
Length: 0
145257: May 7 14:01:08.401: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204321a863958 From: "Maximus"
<sip:8454863335@172.22.196.3>;tag=223810~6faf4609-af95-42b9-a971-
0e80e755aec8-43666679 To: <sip:84538898@172.22.209.2>;tag=E91C1AAC-0
Date: Wed, 07 May 2014 14:01:08 GMT Call-ID: 71e8280-36a13ca2-ac5e-
3c416ac@172.22.196.3 Server: Cisco-SIPGateway/IOS-12.x CSeq: 102 PRACK
Content-Length: 0
145258: May 7 14:01:08.837: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK69623A1B6F From: <sip:8454069105@
172.22.209.2>;tag=E91C0F3C-6BC To: <sip:8454863242@172.22.196.3>;tag=
223809~6faf4609-af95-42b9-a971-0e80e755aec8-43667386 Date: Wed, 07 May
2014 14:01:05 GMT Call-ID: DD9C7161-D52611E3-B58DC0D0-28CAE34F@
172.22.209.2 CSeq: 101 INVITE Allow: INVITE, OPTIONS, INFO, BYE,
CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY Allow-Events:
presence, kpml Supported: replaces Supported: X-cisco-srtp-fallback
Supported: Geolocation Session-Expires: 1800;refresher=uas Require:
timer P-Asserted-Identity: <sip:8454863242@172.22.196.3> Remote-Party-
ID: <sip:8454863242@172.22.196.3>;party=called;screen=yes;privacy=off
Contact: <sip:8454863242@172.22.196.3:5060> Content-Type:
application/sdp Content-Length: 212 v=0 o=CiscoSystemsCCM-SIP 2000 1
IN IP4 172.22.196.3 s=SIP Call c=IN IP4 172.22.196.2 t=0 0 m=audio
28192 RTP/AVP 0 101 a=rtpmap:0 PCMU/8000 a=ptime:20 a=rtpmap:101
telephone-event/8000 a=fmtp:101 0-15
145259: May 7 14:01:08.837:
//4181530/DD9BD4A1B587/CCAPI/cc_api_caps_ind:

```

Destination Interface=0x0, Destination Call Id=-1, Source Call Id=
4181530,
Caps(Codec=0x1, Fax Rate=0x2, Vad=0x2,
Modem=0x0, Codec Bytes=20, Signal Type=2)
145260: May 7 14:01:08.837:
//4181530/DD9BD4A1B587/CCAPI/cc_api_caps_ind:
Caps(Playout Mode=1, Playout Initial=60(ms), Playout Min=40(ms),
Playout Max=1000(ms), Fax Nom=300(ms))
145261: May 7 14:01:08.837:
//4181529/DD9BD4A1B587/CCAPI/cc_api_caps_ack:
Destination Interface=0x0, Destination Call Id=4181530, Source Call
Id=4181529,
Caps(Codec=g711ulaw(0x1), Fax Rate=FAX_RATE_VOICE(0x2), Vad=OFF
(0x1),
Modem=OFF(0x0), Codec Bytes=20, Signal Type=2, Seq Num Start=1)
145262: May 7 14:01:08.837:
//4181530/DD9BD4A1B587/CCAPI/cc_api_event_indication:
Event=156, Call Id=4181530
145263: May 7 14:01:08.837:
//4181530/DD9BD4A1B587/CCAPI/cc_api_event_indication:
Event Is Sent To Conferenced SPI(s) Directly
145264: May 7 14:01:08.837:
//4181530/DD9BD4A1B587/CCAPI/cc_api_call_connected:
Interface=0x405292B0, Data Bitmask=0x80000001, Progress
Indication=NULL(0),
Connection Handle=0
145265: May 7 14:01:08.837:
//4181530/DD9BD4A1B587/CCAPI/cc_api_call_connected:
Call Entry(Connected=TRUE, Responded=TRUE, Retry Count=0)
145266: May 7 14:01:08.837:
//4181529/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:
(confID=0x2414A30, callID1=0x3FCE19, callID2=0x3FCE1A, tag=0x0)
145267: May 7 14:01:08.837:
//4181529/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:
(confID=0x2414A30, callID1=0x3FCE19, gcid=DD9C7161-D52611E3-
B58AC0D0-28CAE34F, tag=0x0)
145268: May 7 14:01:08.837:
//4181530/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:
(confID=0x2414A30, callID2=0x3FCE1A, gcid=DD9C7161-D52611E3-
B58AC0D0-28CAE34F, tag=0x0)
145269: May 7 14:01:08.837:
//4181529/DD9BD4A1B587/CCAPI/ccConferenceCreate:
Conference Id=0x2414A30, Call Id1=4181529, Call Id2=4181530, Tag=
0x0
145270: May 7 14:01:08.837:
//4181529/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:

145271: May 7 14:01:08.837: ccConferenceCreate: ret1=0, codecMask1=1,
bytes1=160, negot1=1, dtmf1=6

```

```

        ret2=0, codecMask2=1, bytes2=160, negot2=1, dtmf2=
6,
        tx_dynamic_pt1=0, rx_dynamic_pt1=0, codec_model=0,
params_bitmap1 =0
        tx_dynamic_pt2=0, rx_dynamic_pt2=0, codec_mode2=0,
params_bitmap2 =0
145272: May  7 14:01:08.837:
//4181529/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
    delay media to slow start case, codec negotiation is not done
145273: May  7 14:01:08.837:
//4181529/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

145274: May  7 14:01:08.837: cc_api_get_xcode_stream : 4534
145275: May  7 14:01:08.837:
//4181529/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
    Conference Id=0x10C821, Source Interface=0x405292B0, Source Call
Id=4181529,
    Destination Call Id=4181530, Disposition=0x0, Tag=0x0
145276: May  7 14:01:08.837:
//4181530/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

145277: May  7 14:01:08.837: cc_api_get_xcode_stream : 4534
145278: May  7 14:01:08.837:
//4181530/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
    Conference Id=0x10C821, Source Interface=0x405292B0, Source Call
Id=4181530,
    Destination Call Id=4181529, Disposition=0x0, Tag=0x0
145279: May  7 14:01:08.837:
//4181529/DD9BD4A1B587/CCAPI/cc_generic_bridge_done:
    Conference Id=0x10C821, Source Interface=0x405292B0, Source Call
Id=4181530,
    Destination Call Id=4181529, Disposition=0x0, Tag=0x0
145280: May  7 14:01:08.841:
//4181529/DD9BD4A1B587/CCAPI/ccConferenceCreate:
    Call Entry(Conference Id=0x10C821, Destination Call Id=4181530)
145281: May  7 14:01:08.841:
//4181530/DD9BD4A1B587/CCAPI/ccConferenceCreate:
    Call Entry(Conference Id=0x10C821, Destination Call Id=4181529)
145282: May  7 14:01:08.841:
//4181529/DD9BD4A1B587/CCAPI/cc_process_notify_bridge_done:
    Conference Id=0x10C821, Call Id1=4181529, Call Id2=4181530
145283: May  7 14:01:08.841: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
ACK sip:8454863242@172.22.196.3:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK69624167A From: <sip:8454069105@
172.22.209.2>;tag=E91C0F3C-6BC To: <sip:8454863242@172.22.196.3>;tag=
223809~6faf4609-af95-42b9-a971-0e80e755aec8-43667386 Date: Wed, 07 May
2014 14:01:05 GMT Call-ID: DD9C7161-D52611E3-B58DC0D0-28CAE34F@

```

172.22.209.2 Max-Forwards: 70 CSeq: 101 ACK Allow-Events: telephone-
event Content-Length: 0
145284: May 7 14:01:08.841:
//4181529/DD9BD4A1B587/CCAPI/ccCallConnect:
Progress Indication=NULL(0), Data Bitmask=0x80000001
145285: May 7 14:01:08.841:
//4181529/DD9BD4A1B587/CCAPI/ccCallConnect:
Call Entry(Connected=TRUE, Responed=TRUE)
145286: May 7 14:01:08.841: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bKbpuplp0028s00cftd0d1.1 From:
<sip:8454069105@63.77.76.232;user=phone>;tag=1168249348-1399471265449-
To: "Dutchess County ."<sip:8454863242
@gw.haight.ocis.globalipcom.com>;tag=E91C0F68-32D Date: Wed, 07 May
2014 14:01:05 GMT Call-ID: BW1401054490705141630420494@63.77.76.232
CSeq: 729705301 INVITE Allow: INVITE, OPTIONS, BYE, CANCEL, ACK,
PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER Allow-Events:
telephone-event Remote-Party-ID: <sip:8454863242@
152.187.182.42>;party=called;screen=no;privacy=off Contact:
<sip:8454863242@152.187.182.42:5060> Supported: replaces Supported:
sdp-anat Server: Cisco-SIPGateway/IOS-12.x Session-Expires:
1800;refresher=uas Supported: timer Content-Type: application/sdp
Content-Disposition: session;handling=required Content-Length: 253 v=
0 o=CiscoSystemsSIP-GW-UserAgent 1982 2736 IN IP4 152.187.182.42 s=SIP
Call c=IN IP4 152.187.182.42 t=0 0 m=audio 31954 RTP/AVP 0 101 c=IN
IP4 152.187.182.42 a=rtpmap:0 PCMU/8000 a=rtpmap:101 telephone-
event/8000 a=fmtp:101 0-16 a=ptime:20
OCIS-FR-3945-1#
145287: May 7 14:01:09.005: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
ACK sip:8454863242@152.187.182.42:5060 SIP/2.0 Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bKmiehkp00ag6hten820a1.1 From:
<sip:8454069105@63.77.76.232;user=phone>;tag=1168249348-1399471265449-
To: "Dutchess County ."<sip:8454863242
@gw.haight.ocis.globalipcom.com>;tag=E91C0F68-32D Call-ID:
BW1401054490705141630420494@63.77.76.232 CSeq: 729705301 ACK Contact:
<sip:8454069105@172.31.100.49:5271;transport=udp> Max-Forwards: 69
Content-Length: 0
145288: May 7 14:01:09.409: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
INVITE sip:82984350@172.22.209.2:5060 SIP/2.0 Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK20433e042fd From: "Alison Sterling"
<sip:8454863080@172.22.196.3>;tag=223814~6faf4609-af95-42b9-a971-
0e80e755aec8-43667243 To: <sip:82984350@172.22.209.2> Date: Wed, 07
May 2014 14:01:09 GMT Call-ID: 8e84600-36a13ca5-ac5f-3c416ac@


```

172.22.196.3 Supported: 100rel,timer,resource-priority,replaces Min-
SE: 1800 User-Agent: Cisco-CUCM8.5 Allow: INVITE, OPTIONS, INFO, BYE,
CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY CSeq: 101 INVITE
Expires: 180 Allow-Events: presence, kpml Supported: X-cisco-srtp-
fallback Supported: Geolocation Cisco-Guid: 0149440000-0000065536-
0000012750-0063182508 Session-Expires: 1800 P-Asserted-Identity:
"Alison Sterling" <sip:8454863080@172.22.196.3> Remote-Party-ID:
"Alison Sterling" <sip:8454863080@
172.22.196.3>;party=calling;screen=yes;privacy=off Contact:
<sip:8454863080@172.22.196.3:5060;transport=tcp> Max-Forwards: 70
Content-Type: application/sdp Content-Length: 212 v=0
o=CiscoSystemsCCM-SIP 2000 1 IN IP4 172.22.196.3 s=SIP Call c=IN IP4
172.22.196.3 t=0 0 m=audio 29960 RTP/AVP 0 101 a=rtpmap:0 PCMU/8000
a=ptime:20 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15
145289: May 7 14:01:09.413:
//4181535/xxxxxxxxxxxx/CCAPI/cc_api_caps_ind:
Call Entry Is Not Found
145290: May 7 14:01:09.413: //-
1/08E846000000/CCAPI/cc_api_display_ie_subfields:
cc_api_call_setup_ind_common:
cisco-username=8454863080
----- ccCallInfo IE subfields -----
cisco-ani=8454863080
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=1
dest=82984350
cisco-desttype=0
cisco-destplan=0
cisco-rdie=FFFFFFFF
cisco-rdn=
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=-1
cisco-rdnsi=-1
cisco-redirectreason=-1 fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

145291: May 7 14:01:09.413: //-
1/08E846000000/CCAPI/cc_api_call_setup_ind_common:
Interface=0x405292B0, Call Info(
Calling Number=8454863080,(Calling Name=)(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed),
Called Number=82984350(TON=Unknown, NPI=Unknown),
Calling Translated=FALSE, Subscriber Type Str=Unknown,
FinalDestinationFlag=TRUE,

```

```

Incoming Dial-peer=200, Progress Indication=NULL(0), Calling IE
Present=TRUE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=, CLID
Transparent=FALSE), Call Id=4181535
145292: May 7 14:01:09.413: //-1/08E846000000/CCAPI/ccCheckClipClir:
In: Calling Number=8454863080(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145293: May 7 14:01:09.413: //-1/08E846000000/CCAPI/ccCheckClipClir:
Out: Calling Number=8454863080(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145294: May 7 14:01:09.413: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145295: May 7 14:01:09.413: :cc_get_feature_vsa malloc success
145296: May 7 14:01:09.413: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145297: May 7 14:01:09.413: cc_get_feature_vsa count is 114
145298: May 7 14:01:09.413: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145299: May 7 14:01:09.413: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335617800,feature_id:2617604
145300: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/cc_api_call_setup_ind_common:
Set Up Event Sent;
Call Info(Calling Number=8454863080(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed),
Called Number=82984350(TON=Unknown, NPI=Unknown))
145301: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/cc_process_call_setup_ind:
Event=0x40AFF1D8
145302: May 7 14:01:09.413: //-
1/xxxxxxxxxxxxx/CCAPI/cc_setupind_match_search:
Try with the demoted called number 82984350
145303: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/ccCallSetContext:
Context=0x14163244
145304: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/cc_process_call_setup_ind:
>>>>CCAPI handed cid 4181535 with tag 200 to app
"_ManagedAppProcess_Default"
145305: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/ccCallProceeding:
Progress Indication=NULL(0)
145306: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/ccCallSetupRequest:
Destination=, Calling IE Present=TRUE, Mode=0,
Outgoing Dial-peer=100, Params=0x11CA7E78, Progress Indication=NULL

```

```

(0)
145307: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/ccCheckClipClir:
  In: Calling Number=8454863080(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145308: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/ccCheckClipClir:
  Out: Calling Number=8454863080(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145309: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/ccCallSetupRequest:
  Destination Pattern=8T, Called Number=2984350, Digit Strip=FALSE
145310: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/ccCallSetupRequest:
  Calling Number=8454863080(TON=Unknown, NPI=Unknown, Screening=User,
Passed, Presentation=Allowed),
  Called Number=2984350(TON=Unknown, NPI=Unknown),
  Redirect Number=, Display Info=Alison Sterling
  Account Number=8454863080, Final Destination Flag=TRUE,
  Guid=08E84600-0001-0000-0000-31CE03C416AC, Outgoing Dial-peer=100
145311: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/cc_api_display_ie_subfields:
  ccCallSetupRequest:
  cisco-username=8454863080
  ----- ccCallInfo IE subfields -----
  cisco-ani=8454863080
  cisco-anitype=0
  cisco-aniplan=0
  cisco-anipi=0
  cisco-anisi=1
  dest=2984350
  cisco-desttype=0
  cisco-destplan=0
  cisco-rdie=FFFFFFFF
  cisco-rdn=
  cisco-lastrdn=
  cisco-rdntype=0
  cisco-rdnplan=0
  cisco-rdnpi=-1
  cisco-rdnsi=-1
  cisco-redirectreason=-1 fwd_final_type =0
  final_redirectNumber =
  hunt_group_timeout =0

145312: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/ccIFCallSetupRequestPrivate:
  Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
  Call Params(Calling Number=8454863080,(Calling Name=Alison
Sterling)(TON=Unknown, NPI=Unknown, Screening=User, Passed,

```

```

Presentation=Allowed),
  Called Number=2984350(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
  Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=100, Call Count On=FALSE,
  Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
145313: May 7 14:01:09.413: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145314: May 7 14:01:09.413: :cc_get_feature_vsa malloc success
145315: May 7 14:01:09.413: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145316: May 7 14:01:09.413: cc_get_feature_vsa count is 115
145317: May 7 14:01:09.413: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145318: May 7 14:01:09.413: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335620040,feature_id:2617605
145319: May 7 14:01:09.413:
//4181536/08E846000000/CCAPI/ccIFCallSetupRequestPrivate:
  SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
145320: May 7 14:01:09.413:
//4181536/08E846000000/CCAPI/ccCallSetContext:
  Context=0x11CA7E28
145321: May 7 14:01:09.413:
//4181535/08E846000000/CCAPI/ccSaveDialpeerTag:
  Outgoing Dial-peer=100
145322: May 7 14:01:09.413:
//4181536/08E846000000/CCAPI/cc_api_call_proceeding:
  Interface=0x405292B0, Progress Indication=NULL(0)
145323: May 7 14:01:09.413: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:2984350@172.31.100.49:5271 SIP/2.0 Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK6962421EE2 From: "Alison Sterling"
<sip:8454863080@152.187.182.42>;tag=E91C1EA0-F64 To: <sip:2984350@
172.31.100.49> Date: Wed, 07 May 2014 14:01:09 GMT Call-ID: DFF5A3D9-
D52611E3-B5A0C0D0-28CAE34F@152.187.182.42 Supported:
100rel,timer,resource-priority,replaces,sdp-anat Min-SE: 1800 Cisco-
Guid: 0149440000-0000065536-0000012750-0063182508 User-Agent: Cisco-
SIPGateway/IOS-12.x Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK,
UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER CSeq: 101 INVITE
Timestamp: 1399471269 Contact: <sip:8454863080@152.187.182.42:5060>
Expires: 180 Allow-Events: telephone-event Max-Forwards: 69 Session-
Expires: 1800 P-Asserted-Identity: "Alison Sterling" <sip:8454863080@
152.187.182.42> Content-Type: application/sdp Content-Disposition:
session;handling=required Content-Length: 251 v=0 o=CiscoSystemsSIP-

```

GW-UserAgent 950 904 IN IP4 152.187.182.42 s=SIP Call c=IN IP4
152.187.182.42 t=0 0 m=audio 25912 RTP/AVP 0 101 c=IN IP4
152.187.182.42 a=rtpmap:0 PCMU/8000 a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-15 a=ptime:20
145324: May 7 14:01:09.413: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK20433e042fd From: "Alison Sterling"
<sip:8454863080@172.22.196.3>;tag=223814~6faf4609-af95-42b9-a971-
0e80e755aec8-43667243 To: <sip:82984350@172.22.209.2> Date: Wed, 07
May 2014 14:01:09 GMT Call-ID: 8e84600-36a13ca5-ac5f-3c416ac@
172.22.196.3 CSeq: 101 INVITE Allow-Events: telephone-event Server:
Cisco-SIPGateway/IOS-12.x Content-Length: 0
145325: May 7 14:01:09.425: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:

OCIS-FR-3945-1#SIP/2.0 100 Trying Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK6962421EE2 From: "Alison Sterling"
<sip:8454863080@152.187.182.42>;tag=E91C1EA0-F64 To: <sip:2984350@
172.31.100.49> Call-ID: DFF5A3D9-D52611E3-B5A0C0D0-28CAE34F@
152.187.182.42 CSeq: 101 INVITE Timestamp: 1399471269
145326: May 7 14:01:10.993: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:

INVITE sip:911@172.22.209.2:5060 SIP/2.0 Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK2043448c6fe0e From: "Joe McGrath"
<sip:8454753318@172.22.196.3>;tag=223816~6faf4609-af95-42b9-a971-
0e80e755aec8-43667759 To: <sip:911@172.22.209.2> Date: Wed, 07 May
2014 14:01:10 GMT Call-ID: 980dc80-36a13ca6-ac60-3c416ac@172.22.196.3
Supported: 100rel,timer,resource-priority,replaces Min-SE: 1800 User-
Agent: Cisco-CUCM8.5 Allow: INVITE, OPTIONS, INFO, BYE, CANCEL, ACK,
PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY CSeq: 101 INVITE Expires: 180
Allow-Events: presence, kpml Supported: X-cisco-srtp-fallback
Supported: Geolocation Cisco-Guid: 0159440000-0000065536-0000012751-
0063182508 Session-Expires: 1800 Diversion: <sip:911@
172.22.196.3>;reason=deflection;privacy=off;screen=yes P-Asserted-
Identity: "Joe McGrath" <sip:8454753318@172.22.196.3> Remote-Party-ID:
"Joe McGrath" <sip:8454753318@
172.22.196.3>;party=calling;screen=yes;privacy=off Contact:
<sip:8454753318@172.22.196.3:5060;transport=tcp> Max-Forwards: 70
Content-Type: application/sdp Content-Length: 212 v=0
o=CiscoSystemsCCM-SIP 2000 1 IN IP4 172.22.196.3 s=SIP Call c=IN IP4
172.22.196.2 t=0 0 m=audio 28196 RTP/AVP 0 101 a=rtpmap:0 PCMU/8000
a=ptime:20 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15
145327: May 7 14:01:10.993:
//4181537/xxxxxxxxxxxxx/CCAPI/cc_api_caps_ind:
Call Entry Is Not Found

```

145328: May 7 14:01:10.993: //-
1/0980DC800000/CCAPI/cc_api_display_ie_subfields:
  cc_api_call_setup_ind_common:
    cisco-username=8454753318
    ----- ccCallInfo IE subfields -----
    cisco-ani=8454753318
    cisco-anitype=0
    cisco-aniplan=0
    cisco-anipi=0
    cisco-anisi=1
    dest=911
    cisco-desttype=0
    cisco-destplan=0
    cisco-rdie=74
    cisco-rdn=911
    cisco-lastrdn=
    cisco-rdntype=0
    cisco-rdnplan=0
    cisco-rdnpi=0
    cisco-rdnpi=0
    cisco-rdnpi=0
    cisco-rdnpi=1
    cisco-redirectreason=4 fwd_final_type =0
    final_redirectNumber =
    hunt_group_timeout =0

145329: May 7 14:01:10.993: //-
1/0980DC800000/CCAPI/cc_api_call_setup_ind_common:
  Interface=0x405292B0, Call Info(
    Calling Number=8454753318,(Calling Name=)(TON=Unknown, NPI=Unknown,
    Screening=User, Passed, Presentation=Allowed),
    Called Number=911(TON=Unknown, NPI=Unknown),
    Calling Translated=FALSE, Subscriber Type Str=Unknown,
    FinalDestinationFlag=TRUE,
    Incoming Dial-peer=502, Progress Indication=NULL(0), Calling IE
    Present=TRUE,
    Source Trkgrp Route Label=, Target Trkgrp Route Label=, CLID
    Transparent=FALSE), Call Id=4181537
145330: May 7 14:01:10.993: //-1/0980DC800000/CCAPI/ccCheckClipClir:
  In: Calling Number=8454753318(TON=Unknown, NPI=Unknown,
    Screening=User, Passed, Presentation=Allowed)
145331: May 7 14:01:10.993: //-1/0980DC800000/CCAPI/ccCheckClipClir:
  Out: Calling Number=8454753318(TON=Unknown, NPI=Unknown,
    Screening=User, Passed, Presentation=Allowed)
145332: May 7 14:01:10.993: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145333: May 7 14:01:10.993: :cc_get_feature_vsa malloc success
145334: May 7 14:01:10.993: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

```

```

145335: May 7 14:01:10.993: cc_get_feature_vsa count is 116
145336: May 7 14:01:10.993: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145337: May 7 14:01:10.993: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335610408,feature_id:2617606
145338: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/cc_api_call_setup_ind_common:
Set Up Event Sent;
Call Info(Calling Number=8454753318(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed),
Called Number=911(TON=Unknown, NPI=Unknown))
145339: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/cc_process_call_setup_ind:
Event=0x40AFF1D8
145340: May 7 14:01:10.993: //-
1/xxxxxxxxxxxxx/CCAPI/cc_setupind_match_search:
Try with the demoted called number 911
145341: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/ccCallSetContext:
Context=0x1E2B7C8
145342: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/cc_process_call_setup_ind:
>>>CCAPI handed cid 4181537 with tag 502 to app
"_ManagedAppProcess_Default"
145343: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/ccCallProceeding:
Progress Indication=NULL(0)
145344: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
Destination=, Calling IE Present=TRUE, Mode=0,
Outgoing Dial-peer=500, Params=0x40FAD4F4, Progress Indication=NULL
(0)
145345: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/ccCheckClipClir:
In: Calling Number=8454753318(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145346: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/ccCheckClipClir:
Out: Calling Number=8454753318(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145347: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
Destination Pattern=911, Called Number=911, Digit Strip=FALSE
145348: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
Calling Number=8454753318(TON=Unknown, NPI=Unknown, Screening=User,
Passed, Presentation=Allowed),
Called Number=911(TON=Unknown, NPI=Unknown),

```

```

Redirect Number=911, Display Info=Joe McGrath
Account Number=8454753318, Final Destination Flag=TRUE,
Guid=0980DC80-0001-0000-0000-31CF03C416AC, Outgoing Dial-peer=500
145349: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/cc_api_display_ie_subfields:
ccCallSetupRequest:
cisco-username=8454753318
----- ccCallInfo IE subfields -----
cisco-ani=8454753318
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=1
dest=911
cisco-desttype=0
cisco-destplan=0
cisco-rdie=74
cisco-rdn=911
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=0
cisco-rdnsi=1
cisco-redirectreason=4 fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

145350: May 7 14:01:10.993:
//4181537/0980DC800000/CCAPI/ccIFCallSetupRequestPrivate:
Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
Call Params(Calling Number=8454753318,(Calling Name=Joe McGrath)
(TON=Unknown, NPI=Unknown, Screening=User, Passed,
Presentation=Allowed),
Called Number=911(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=500, Call Count On=FALSE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
145351: May 7 14:01:10.993: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145352: May 7 14:01:10.993: :cc_get_feature_vsa malloc success
145353: May 7 14:01:10.993: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145354: May 7 14:01:10.993: cc_get_feature_vsa count is 117
145355: May 7 14:01:10.993: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

```


145356: May 7 14:01:10.993: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335609736,feature_id:2617607
145357: May 7 14:01:10.997:
//4181538/0980DC800000/CCAPI/ccIFCallSetupRequestPrivate:
SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
145358: May 7 14:01:10.997:
//4181538/0980DC800000/CCAPI/ccCallSetContext:
Context=0x40FAD4A4
145359: May 7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccSaveDialpeerTag:
Outgoing Dial-peer=500
145360: May 7 14:01:10.997:
//4181538/0980DC800000/CCAPI/cc_api_call_disconnected:
Cause Value=47, Interface=0x405292B0, Call Id=4181538
145361: May 7 14:01:10.997:
//4181538/0980DC800000/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
145362: May 7 14:01:10.997:
//4181538/0980DC800000/CCAPI/cc_api_call_disconnected:
Cause Value=47, Interface=0x405292B0, Call Id=4181538
145363: May 7 14:01:10.997:
//4181538/0980DC800000/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
145364: May 7 14:01:10.997:
//4181537/xxxxxxxxxxxx/CCAPI/ccCallReleaseResources:
release reserved xcoding resource.
145365: May 7 14:01:10.997:
//4181538/0980DC800000/CCAPI/ccCallSetAAA_Accounting:
Accounting=1, Call Id=4181538
145366: May 7 14:01:10.997:
//4181538/0980DC800000/CCAPI/ccCallDisconnect:
Cause Value=47, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=47)
145367: May 7 14:01:10.997:
//4181538/0980DC800000/CCAPI/ccCallDisconnect:
Cause Value=47, Call Entry(Responded=TRUE, Cause Value=47)
145368: May 7 14:01:10.997:
//4181538/0980DC800000/CCAPI/cc_api_call_disconnect_done:
Disposition=-11, Interface=0x405292B0, Tag=0x0, Call Id=4181538,
Call Entry(Disconnect Cause=47, Voice Class Cause Code=0, Retry
Count=0)
145369: May 7 14:01:10.997:
//4181538/0980DC800000/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
145370: May 7 14:01:10.997: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145371: May 7 14:01:10.997: :cc_free_feature_vsa freeing 1400FF80

```

145372: May 7 14:01:10.997: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145373: May 7 14:01:10.997: vsaccount in free is 116
145374: May 7 14:01:10.997: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK2043448c6fe0e From: "Joe McGrath"
<sip:8454753318@172.22.196.3>;tag=223816~6faf4609-af95-42b9-a971-
0e80e755aec8-43667759 To: <sip:911@172.22.209.2> Date: Wed, 07 May
2014 14:01:10 GMT Call-ID: 980dc80-36a13ca6-ac60-3c416ac@172.22.196.3
CSeq: 101 INVITE Allow-Events: telephone-event Server: Cisco-
SIPGateway/IOS-12.x Content-Length: 0
145375: May 7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
    Destination=, Calling IE Present=TRUE, Mode=0,
    Outgoing Dial-peer=501, Params=0x13FE01E0, Progress Indication=NULL
(0)
145376: May 7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccCheckClipClir:
    In: Calling Number=8454753318(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145377: May 7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccCheckClipClir:
    Out: Calling Number=8454753318(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145378: May 7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
    Destination Pattern=911, Called Number=911, Digit Strip=FALSE
145379: May 7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
    Calling Number=8454753318(TON=Unknown, NPI=Unknown, Screening=User,
Passed, Presentation=Allowed),
    Called Number=911(TON=Unknown, NPI=Unknown),
    Redirect Number=911, Display Info=Joe McGrath
    Account Number=8454753318, Final Destination Flag=TRUE,
    Guid=0980DC80-0001-0000-0000-31CF03C416AC, Outgoing Dial-peer=501
145380: May 7 14:01:10.997:
//4181537/0980DC800000/CCAPI/cc_api_display_ie_subfields:
    ccCallSetupRequest:
    cisco-username=8454753318
    ----- ccCallInfo IE subfields -----
    cisco-ani=8454753318
    cisco-anitype=0
    cisco-aniplan=0
    cisco-anipi=0
    cisco-anisi=1
    dest=911

```

```

cisco-desttype=0
cisco-destplan=0
cisco-rdie=74
cisco-rdn=911
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=0
cisco-rdnsi=1
cisco-redirectreason=4    fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

145381: May  7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccIFCallSetupRequestPrivate:
  Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
  Call Params(Calling Number=8454753318,(Calling Name=Joe McGrath)
(TON=Unknown, NPI=Unknown, Screening=User, Passed,
Presentation=Allowed),
  Called Number=911(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
  Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=501, Call Count On=FALSE,
  Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
145382: May  7 14:01:10.997: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145383: May  7 14:01:10.997: :cc_get_feature_vsa malloc success
145384: May  7 14:01:10.997: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145385: May  7 14:01:10.997: cc_get_feature_vsa count is 117
145386: May  7 14:01:10.997: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145387: May  7 14:01:10.997: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335609736,feature_id:2617608
145388: May  7 14:01:10.997:
//4181539/0980DC800000/CCAPI/ccIFCallSetupRequestPrivate:
  SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
145389: May  7 14:01:10.997:
//4181539/0980DC800000/CCAPI/ccCallSetContext:
  Context=0x13FE0190
145390: May  7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccSaveDialpeerTag:
  Outgoing Dial-peer=501
145391: May  7 14:01:10.997:
//4181539/0980DC800000/CCAPI/cc_api_call_disconnected:

```

```

Cause Value=47, Interface=0x405292B0, Call Id=4181539
145392: May 7 14:01:10.997:
//4181539/0980DC800000/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
145393: May 7 14:01:10.997:
//4181539/0980DC800000/CCAPI/cc_api_call_disconnected:
Cause Value=47, Interface=0x405292B0, Call Id=4181539
145394: May 7 14:01:10.997:
//4181539/0980DC800000/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
145395: May 7 14:01:10.997:
//4181537/xxxxxxxxxxxx/CCAPI/ccCallReleaseResources:
release reserved xcoding resource.
145396: May 7 14:01:10.997:
//4181539/0980DC800000/CCAPI/ccCallSetAAA_Accounting:
Accounting=1, Call Id=4181539
145397: May 7 14:01:10.997:
//4181539/0980DC800000/CCAPI/ccCallDisconnect:
Cause Value=47, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=47)
145398: May 7 14:01:10.997:
//4181539/0980DC800000/CCAPI/ccCallDisconnect:
Cause Value=47, Call Entry(Responded=TRUE, Cause Value=47)
145399: May 7 14:01:10.997:
//4181539/0980DC800000/CCAPI/cc_api_call_disconnect_done:
Disposition=-11, Interface=0x405292B0, Tag=0x0, Call Id=4181539,
Call Entry(Disconnect Cause=47, Voice Class Cause Code=0, Retry
Count=0)
145400: May 7 14:01:10.997:
//4181539/0980DC800000/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
145401: May 7 14:01:10.997: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145402: May 7 14:01:10.997: :cc_free_feature_vsa freeing 1400FF80
145403: May 7 14:01:10.997: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145404: May 7 14:01:10.997: vsacount in free is 116
145405: May 7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
Destination=, Calling IE Present=TRUE, Mode=0,
Outgoing Dial-peer=102, Params=0x1415D36C, Progress Indication=NULL
(0)
145406: May 7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccCheckClipClir:
In: Calling Number=8454753318(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145407: May 7 14:01:10.997:

```

```

//4181537/0980DC800000/CCAPI/ccCheckClipClir:
  Out: Calling Number=8454753318(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145408: May  7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
  Destination Pattern=9T, Called Number=11, Digit Strip=FALSE
145409: May  7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
  Calling Number=8454753318(TON=Unknown, NPI=Unknown, Screening=User,
Passed, Presentation=Allowed),
  Called Number=11(TON=Unknown, NPI=Unknown),
  Redirect Number=911, Display Info=Joe McGrath
  Account Number=8454753318, Final Destination Flag=TRUE,
  Guid=0980DC80-0001-0000-0000-31CF03C416AC, Outgoing Dial-peer=102
145410: May  7 14:01:10.997:
//4181537/0980DC800000/CCAPI/cc_api_display_ie_subfields:
ccCallSetupRequest:
cisco-username=8454753318
----- ccCallInfo IE subfields -----
cisco-ani=8454753318
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=1
dest=11
cisco-desttype=0
cisco-destplan=0
cisco-rdie=74
cisco-rdn=911
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=0
cisco-rdnsi=1
cisco-redirectreason=4   fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

145411: May  7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccIFCallSetupRequestPrivate:
  Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
  Call Params(Calling Number=8454753318,(Calling Name=Joe McGrath)
(TON=Unknown, NPI=Unknown, Screening=User, Passed,
Presentation=Allowed),
  Called Number=11(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
  Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=102, Call Count On=FALSE,
  Source Trkgrp Route Label=, Target Trkgrp Route Label=,

```

```

tg_label_flag=0, Application Call Id=)
145412: May 7 14:01:10.997: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145413: May 7 14:01:10.997: :cc_get_feature_vsa malloc success
145414: May 7 14:01:10.997: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145415: May 7 14:01:10.997: cc_get_feature_vsa count is 117
145416: May 7 14:01:10.997: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145417: May 7 14:01:10.997: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335609736,feature_id:2617609
145418: May 7 14:01:10.997:
//4181540/0980DC800000/CCAPI/ccIFCallSetupRequestPrivate:
SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
145419: May 7 14:01:10.997:
//4181540/0980DC800000/CCAPI/ccCallSetContext:
Context=0x1415D31C
145420: May 7 14:01:10.997:
//4181537/0980DC800000/CCAPI/ccSaveDialpeerTag:
Outgoing Dial-peer=102
145421: May 7 14:01:10.997:
//4181540/0980DC800000/CCAPI/cc_api_call_disconnected:
Cause Value=47, Interface=0x405292B0, Call Id=4181540
145422: May 7 14:01:10.997:
//4181540/0980DC800000/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
145423: May 7 14:01:10.997:
//4181540/0980DC800000/CCAPI/cc_api_call_disconnected:
Cause Value=47, Interface=0x405292B0, Call Id=4181540
145424: May 7 14:01:10.997:
//4181540/0980DC800000/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=47, Retry Count=0)
145425: May 7 14:01:10.997:
//4181537/xxxxxxxxxxxxx/CCAPI/ccCallReleaseResources:
release reserved xcoding resource.
145426: May 7 14:01:10.997:
//4181540/0980DC800000/CCAPI/ccCallSetAAA_Accounting:
Accounting=1, Call Id=4181540
145427: May 7 14:01:10.997:
//4181540/0980DC800000/CCAPI/ccCallDisconnect:
Cause Value=47, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=47)
145428: May 7 14:01:10.997:
//4181540/0980DC800000/CCAPI/ccCallDisconnect:
Cause Value=47, Call Entry(Responded=TRUE, Cause Value=47)
145429: May 7 14:01:10.997:

```

```

//4181540/0980DC800000/CCAPI/cc_api_call_disconnect_done:
Disposition=-11, Interface=0x405292B0, Tag=0x0, Call Id=4181540,
Call Entry(Disconnect Cause=47, Voice Class Cause Code=0, Retry
Count=0)
145430: May 7 14:01:10.997:
//4181540/0980DC800000/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
145431: May 7 14:01:10.997: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145432: May 7 14:01:10.997: :cc_free_feature_vsa freeing 1400FF80
145433: May 7 14:01:10.997: //-
1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145434: May 7 14:01:10.997: vsacount in free is 116
145435: May 7 14:01:11.001:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
Destination=, Calling IE Present=TRUE, Mode=0,
Outgoing Dial-peer=302, Params=0x11A6EE70, Progress Indication=NULL
(0)
145436: May 7 14:01:11.001:
//4181537/0980DC800000/CCAPI/ccCheckClipClir:
In: Calling Number=8454753318(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145437: May 7 14:01:11.001:
//4181537/0980DC800000/CCAPI/ccCheckClipClir:
Out: Calling Number=8454753318(TON=Unknown, NPI=Unknown,
Screening=User, Passed, Presentation=Allowed)
145438: May 7 14:01:11.001:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
Destination Pattern=9T, Called Number=11, Digit Strip=FALSE
145439: May 7 14:01:11.001:
//4181537/0980DC800000/CCAPI/ccCallSetupRequest:
Calling Number=8454753318(TON=Unknown, NPI=Unknown, Screening=User,
Passed, Presentation=Allowed),
Called Number=11(TON=Unknown, NPI=Unknown),
Redirect Number=911, Display Info=Joe McGrath
Account Number=8454753318, Final Destination Flag=TRUE,
Guid=0980DC80-0001-0000-0000-31CF03C416AC, Outgoing Dial-peer=302
145440: May 7 14:01:11.001:
//4181537/0980DC800000/CCAPI/cc_api_display_ie_subfields:
ccCallSetupRequest:
cisco-username=8454753318
----- ccCallInfo IE subfields -----
cisco-ani=8454753318
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=1

```

```

dest=11
cisco-desttype=0
cisco-destplan=0
cisco-rdie=74
cisco-rdn=911
cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=0
cisco-rdnsi=1
cisco-redirectreason=4   fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

145441: May  7 14:01:11.001:
//4181537/0980DC800000/CCAPI/ccIFCallSetupRequestPrivate:
  Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
  Call Params(Calling Number=8454753318,(Calling Name=Joe McGrath)
(TON=Unknown, NPI=Unknown, Screening=User, Passed,
Presentation=Allowed),
  Called Number=11(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
  Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=302, Call Count On=FALSE,
  Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
145442: May  7 14:01:11.001: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145443: May  7 14:01:11.001: :cc_get_feature_vsa malloc success
145444: May  7 14:01:11.001: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145445: May  7 14:01:11.001: cc_get_feature_vsa count is 117
145446: May  7 14:01:11.001: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145447: May  7 14:01:11.001: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335609736,feature_id:2617610
145448: May  7 14:01:11.001:
//4181541/0980DC800000/CCAPI/ccIFCallSetupRequestPrivate:
  SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
145449: May  7 14:01:11.001:
//4181541/0980DC800000/CCAPI/ccCallSetContext:
  Context=0x11A6EE20
145450: May  7 14:01:11.001:
//4181537/0980DC800000/CCAPI/ccSaveDialpeerTag:
  Outgoing Dial-peer=302
145451: May  7 14:01:11.001:

```



```

//4181541/0980DC800000/CCAPI/cc_api_call_proceeding:
  Interface=0x405292B0, Progress Indication=NULL(0)
145452: May  7 14:01:11.001: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:11@172.31.101.17:5077 SIP/2.0 Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK696243BD1 From: "Joe McGrath"
<sip:8454753318@152.187.182.42>;tag=E91C24D4-0 To: <sip:11@
172.31.101.17> Date: Wed, 07 May 2014 14:01:11 GMT Call-ID: E0E7F3D4-
D52611E3-B5A9C0D0-28CAE34F@152.187.182.42 Supported:
100rel,timer,resource-priority,replaces,sdp-anat Min-SE: 1800 Cisco-
Guid: 0159440000-0000065536-0000012751-0063182508 User-Agent: Cisco-
SIPGateway/IOS-12.x Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK,
UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER CSeq: 101 INVITE
Timestamp: 1399471271 Contact: <sip:8454753318@152.187.182.42:5060>
Expires: 180 Allow-Events: telephone-event Max-Forwards: 69 P-
Asserted-Identity: "Joe McGrath" <sip:8454753318@152.187.182.42>
Diversion: <sip:911@
152.187.182.42>;privacy=off;reason=deflection;screen=yes Content-Type:
application/sdp Content-Disposition: session;handling=required
Content-Length: 197 v=0 o=CiscoSystemsSIP-GW-UserAgent 6435 4123 IN
IP4 152.187.182.42 s=SIP Call c=IN IP4 152.187.182.42 t=0 0 m=audio
25948 RTP/AVP 0 c=IN IP4 152.187.182.42 a=rtpmap:0 PCMU/8000
a=ptime:20
145453: May  7 14:01:11.069: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK696243BD1 From: "Joe McGrath"
<sip:8454753318@152.187.182.42>;tag=E91C24D4-0 To: <sip:11@
172.31.101.17> Call-ID: E0E7F3D4-D52611E3-B5A9C0D0-28CAE34F@
152.187.182.42 CSeq: 101 INVITE Timestamp: 1399471271
145454: May  7 14:01:11.109: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
BYE sip:8454862120@152.187.182.42:5060 SIP/2.0 Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bK48un283018801dje7471cdb9vo8q0.1 From:
<sip:8454966100@63.77.76.232;user=phone>;tag=74071993-1399471151204-
To: "Dutchess County ."<sip:8454862120
@gw.haight.ocis.globalipcom.com>;tag=E91A5108-1683 Call-ID:
BW135911204070514-587421764@63.77.76.232 CSeq: 729648180 BYE Max-
Forwards: 69 Content-Length: 0
145455: May  7 14:01:11.109:
//4181407/99839092B457/CCAPI/ccGenerateToneInfo:
  Stop Tone On Digit=FALSE, Tone=NULL,
  Tone Direction=Sum Network, Params=0x0, Call Id=4181407
145456: May  7 14:01:11.109:
//4181406/99839092B457/CCAPI/cc_api_call_disconnected:
  Cause Value=16, Interface=0x405292B0, Call Id=4181406

```

145457: May 7 14:01:11.109:
//4181406/99839092B457/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=16, Retry Count=0)
145458: May 7 14:01:11.109:
//4181406/99839092B457/CCAPI/ccConferenceDestroy:
Conference Id=0x10C7DE, Tag=0x0
145459: May 7 14:01:11.109:
//4181406/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C7DE, Source Interface=0x405292B0, Source Call
Id=4181406,
Destination Call Id=4181407, Disposition=0x0, Tag=0x0
145460: May 7 14:01:11.109:
//4181407/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C7DE, Source Interface=0x405292B0, Source Call
Id=4181407,
Destination Call Id=4181406, Disposition=0x0, Tag=0x0
145461: May 7 14:01:11.109:
//4181406/99839092B457/CCAPI/cc_generic_bridge_done:
Conference Id=0x10C7DE, Source Interface=0x405292B0, Source Call
Id=4181407,
Destination Call Id=4181406, Disposition=0x0, Tag=0x0
145462: May 7 14:01:11.109:
//4181406/99839092B457/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=16)
145463: May 7 14:01:11.109:
//4181406/99839092B457/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
145464: May 7 14:01:11.109:
//4181407/99839092B457/CCAPI/ccCallDisconnect:
Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
145465: May 7 14:01:11.109:
//4181407/99839092B457/CCAPI/ccCallDisconnect:
Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
145466: May 7 14:01:11.109:
//4181406/99839092B457/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181406,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
145467: May 7 14:01:11.109:
//4181406/99839092B457/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
145468: May 7 14:01:11.109: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145469: May 7 14:01:11.109: :cc_free_feature_vsa freeing 140CF028
145470: May 7 14:01:11.109: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145471: May 7 14:01:11.109: vsaccount in free is 116
145472: May 7 14:01:11.109: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bK48un28301880ldje7471cdb9vo8q0.1 From:
<sip:8454966100@63.77.76.232;user=phone>;tag=74071993-1399471151204-
To: "Dutchess County ."<sip:8454862120
@gw.haight.ocis.globalipcom.com>;tag=E91A5108-1683 Date: Wed, 07 May
2014 14:01:11 GMT Call-ID: BW135911204070514-587421764@63.77.76.232
Server: Cisco-SIPGateway/IOS-12.x CSeq: 729648180 BYE Reason:
Q.850;cause=16 Content-Length: 0
145473: May 7 14:01:11.109: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:8454862120@172.22.196.3:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK6962449B3 From: <sip:8454966100@
172.22.209.2>;tag=E91A50F8-1C4D To: <sip:8454862120@172.22.196.3>;tag=
223689~6faf4609-af95-42b9-a971-0e80e755aec8-43666149 Date: Wed, 07 May
2014 13:59:11 GMT Call-ID: 99842CBA-D52611E3-B45DC0D0-28CAE34F@
172.22.209.2 User-Agent: Cisco-SIPGateway/IOS-12.x Max-Forwards: 70
Timestamp: 1399471271 CSeq: 103 BYE Reason: Q.850;cause=16 Content-
Length: 0
145474: May 7 14:01:11.113: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK6962449B3 From: <sip:8454966100@
172.22.209.2>;tag=E91A50F8-1C4D To: <sip:8454862120@172.22.196.3>;tag=
223689~6faf4609-af95-42b9-a971-0e80e755aec8-43666149 Date: Wed, 07 May
2014 14:01:11 GMT Call-ID: 99842CBA-D52611E3-B45DC0D0-28CAE34F@
172.22.209.2 CSeq: 103 BYE Content-Length: 0
145475: May 7 14:01:11.113:
//4181407/99839092B457/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181407,
Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
145476: May 7 14:01:11.113:
//4181407/99839092B457/CCAPI/cc_api_call_disconnect_done:
OCIS-FR-3945-1#SIP/2.0 200 OK Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK20435a2ff210 From: "Joe McGrath"
<sip:8454753318@172.22.196.3>;tag=223816~6faf4609-af95-42b9-a971-
0e80e755aec8-43667759 To: <sip:911@172.22.209.2>;tag=E91C2580-20F0
Date: Wed, 07 May 2014 14:01:11 GMT Call-ID: 980dc80-36a13ca6-ac60-
3c416ac@172.22.196.3 Server: Cisco-SIPGateway/IOS-12.x CSeq: 102 PRACK
Content-Length: 0
145489: May 7 14:01:11.325: //-

```
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK696243BD1 From: "Joe McGrath"
<sip:8454753318@152.187.182.42>;tag=E91C24D4-0 To: <sip:11@
172.31.101.17>;tag=1012458596-1399471271106 Call-ID: E0E7F3D4-
D52611E3-B5A9C0D0-28CAE34F@152.187.182.42 CSeq: 101 INVITE Timestamp:
1399471271 Allow:
ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY,UPDATE
Supported: Accept: application/media_control+xml,application/sdp
Contact: <sip:11@172.31.101.17:5077;transport=udp> Content-Type:
application/sdp Content-Length: 146 v=0 o=BroadWorks 806701 1 IN IP4
172.31.101.132 s=- t=0 0 m=audio 19160 RTP/AVP 0 c=IN IP4
172.31.101.132 a=rtpmap:0 PCMU/8000 a=ptime:20
145490: May 7 14:01:11.325:
//4181541/0980DC800000/CCAPI/cc_api_caps_ind:
Destination Interface=0x0, Destination Call Id=-1, Source Call Id=
4181541,
Caps(Codec=0x1, Fax Rate=0x2, Vad=0x2,
Modem=0x0, Codec Bytes=20, Signal Type=2)
145491: May 7 14:01:11.325:
//4181541/0980DC800000/CCAPI/cc_api_caps_ind:
Caps(Playout Mode=1, Playout Initial=60(ms), Playout Min=40(ms),
Playout Max=1000(ms), Fax Nom=300(ms))
145492: May 7 14:01:11.325:
//4181537/0980DC800000/CCAPI/cc_api_caps_ack:
Destination Interface=0x0, Destination Call Id=4181541, Source Call
Id=4181537,
Caps(Codec=g711ulaw(0x1), Fax Rate=FAX_RATE_VOICE(0x2), Vad=ON
(0x2),
Modem=OFF(0x0), Codec Bytes=160, Signal Type=2, Seq Num Start=1)
145493: May 7 14:01:11.325:
//4181541/0980DC800000/CCAPI/cc_api_event_indication:
Event=156, Call Id=4181541
145494: May 7 14:01:11.325:
//4181541/0980DC800000/CCAPI/cc_api_event_indication:
Event Is Sent To Conferenced SPI(s) Directly
145495: May 7 14:01:11.325:
//4181541/0980DC800000/CCAPI/cc_api_call_connected:
Interface=0x405292B0, Data Bitmask=0x1, Progress Indication=NULL
(0),
Connection Handle=0
145496: May 7 14:01:11.325:
//4181541/0980DC800000/CCAPI/cc_api_call_connected:
Call Entry(Connected=TRUE, Responded=TRUE, Retry Count=0)
145497: May 7 14:01:11.325:
//4181537/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
(confID=0x1239C628, callID1=0x3FCE21, callID2=0x3FCE25, tag=0x0)
145498: May 7 14:01:11.325:
```

```

//4181537/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
  (confID=0x1239C628, callID1=0x3FCE21, gcid=E0E6B97F-D52611E3-
B5A3C0D0-28CAE34F, tag=0x0)
145499: May 7 14:01:11.325:
//4181541/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
  (confID=0x1239C628, callID2=0x3FCE25, gcid=E0E6B97F-D52611E3-
B5A3C0D0-28CAE34F, tag=0x0)
145500: May 7 14:01:11.325:
//4181537/0980DC800000/CCAPI/ccConferenceCreate:
  Conference Id=0x1239C628, Call Id1=4181537, Call Id2=4181541, Tag=
0x0
145501: May 7 14:01:11.325:
//4181537/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:

145502: May 7 14:01:11.325: ccConferenceCreate: ret1=0, codecMask1=1,
bytes1=160, negot1=1, dtmf1=0
                                ret2=0, codecMask2=1, bytes2=160, negot2=1, dtmf2=
0,
                                tx_dynamic_pt1=0, rx_dynamic_pt1=0, codec_model=0,
params_bitmap1 =0
                                tx_dynamic_pt2=0, rx_dynamic_pt2=0, codec_mode2=0,
params_bitmap2 =0
145503: May 7 14:01:11.325:
//4181537/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
  delay media to slow start case, codec negotiation is not done
145504: May 7 14:01:11.325:
//4181537/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

145505: May 7 14:01:11.325: cc_api_get_xcode_stream : 4534
145506: May 7 14:01:11.325:
//4181537/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
  Conference Id=0x10C822, Source Interface=0x405292B0, Source Call
Id=4181537,
  Destination Call Id=4181541, Disposition=0x0, Tag=0x0
145507: May 7 14:01:11.325:
//4181541/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

145508: May 7 14:01:11.325: cc_api_get_xcode_stream : 4534
145509: May 7 14:01:11.325:
//4181541/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
  Conference Id=0x10C822, Source Interface=0x405292B0, Source Call
Id=4181541,
  Destination Call Id=4181537, Disposition=0x0, Tag=0x0
145510: May 7 14:01:11.325:
//4181537/0980DC800000/CCAPI/cc_generic_bridge_done:
  Conference Id=0x10C822, Source Interface=0x405292B0, Source Call
Id=4181541,
  Destination Call Id=4181537, Disposition=0x0, Tag=0x0
145511: May 7 14:01:11.325:

```

```

//4181537/0980DC800000/CCAPI/ccConferenceCreate:
  Call Entry(Conference Id=0x10C822, Destination Call Id=4181541)
145512: May 7 14:01:11.325:
//4181541/0980DC800000/CCAPI/ccConferenceCreate:
  Call Entry(Conference Id=0x10C822, Destination Call Id=4181537)
145513: May 7 14:01:11.325:
//4181537/0980DC800000/CCAPI/cc_process_notify_bridge_done:
  Conference Id=0x10C822, Call Id1=4181537, Call Id2=4181541
145514: May 7 14:01:11.325: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
ACK sip:11@172.31.101.17:5077;transport=udp SIP/2.0 Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK6962451087 From: "Joe McGrath"
<sip:8454753318@152.187.182.42>;tag=E91C24D4-0 To: <sip:11@
172.31.101.17>;tag=1012458596-1399471271106 Date: Wed, 07 May 2014
14:01:11 GMT Call-ID: E0E7F3D4-D52611E3-B5A9C0D0-28CAE34F@
152.187.182.42 Max-Forwards: 70 CSeq: 101 ACK Allow-Events: telephone-
event Content-Length: 0
145515: May 7 14:01:11.325:
//4181537/0980DC800000/CCAPI/ccCallConnect:
  Progress Indication=NULL(0), Data Bitmask=0x1
145516: May 7 14:01:11.325:
//4181537/0980DC800000/CCAPI/ccCallConnect:
  Call Entry(Connected=TRUE, Responded=TRUE)
145517: May 7 14:01:11.325: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK2043448c6fe0e From: "Joe McGrath"
<sip:8454753318@172.22.196.3>;tag=223816~6faf4609-af95-42b9-a971-
0e80e755aec8-43667759 To: <sip:911@172.22.209.2>;tag=E91C2580-20F0
Date: Wed, 07 May 2014 14:01:11 GMT Call-ID: 980dc80-36a13ca6-ac60-
3c416ac@172.22.196.3 CSeq: 101 INVITE Allow: INVITE, OPTIONS, BYE,
CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event Remote-Party-ID: <sip:11@
172.22.209.2>;party=called;screen=no;privacy=off Contact: <sip:911@
172.22.209.2:5060;transport=tcp> Supported: replaces Supported: sdp-
anat Server: Cisco-SIPGateway/IOS-12.x Content-Type: application/sdp
Content-Disposition: session;handling=required Content-Length: 191 v=
0 o=CiscoSystemsSIP-GW-UserAgent 4231 4332 IN IP4 172.22.209.2 s=SIP
Call c=IN IP4 172.22.209.2 t=0 0 m=audio 22662 RTP/AVP 0 c=IN IP4
172.22.209.2 a=rtpmap:0 PCMU/8000 a=ptime:20
145518: May 7 14:01:11.329: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
ACK sip:911@172.22.209.2:5060;transport=tcp SIP/2.0 Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK20436df45ed9 From: "Joe McGrath"
<sip:8454753318@172.22.196.3>;tag=223816~6faf4609-af95-42b9-a971-
0e80e755aec8-43667759 To: <sip:911@172.22.209.2>;tag=E91C2580-20F0

```

Date: Wed, 07 May 2014 14:01:10 GMT Call-ID: 980dc80-36a13ca6-ac60-3c416ac@172.22.196.3 Max-Forwards: 70 CSeq: 101 ACK Allow-Events: presence, kpml Content-Length: 0
145519: May 7 14:01:11.673: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 183 Session Progress Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK6962421EE2 From: "Alison Sterling" <sip:8454863080@152.187.182.42>;tag=E91C1EA0-F64 To: <sip:2984350@172.31.100.49>;tag=1832957563-1399471271645 Call-ID: DFF5A3D9-D52611E3-B5A0C0D0-28CAE34F@152.187.182.42 CSeq: 101 INVITE Timestamp: 1399471269 Supported: Contact: <sip:2984350@172.31.100.49:5271;transport=udp> Session: Media Allow: ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY Content-Type: application/sdp Content-Length: 284 v=0 o=BroadWorks 806474 1 IN IP4 172.31.100.164 s=- c=IN IP4 172.31.100.164 t=0 0 a=sn: 0 a=cdsc: 1 image udptl t38 a=cpar: a=T38FaxVersion:0 a=cpar: a=T38FaxUdpEC:t38UDPRedundancy m=audio 11232 RTP/AVP 0 101 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=ptime:20
145520: May 7 14:01:11.673:
//4181536/08E846000000/CCAPI/cc_api_caps_ind:
Destination Interface=0x0, Destination Call Id=-1, Source Call Id=4181536,
Caps(Codec=0x1, Fax Rate=0x2, Vad=0x2,
Modem=0x0, Codec Bytes=20, Signal Type=2)
145521: May 7 14:01:11.673:
//4181536/08E846000000/CCAPI/cc_api_caps_ind:
Caps(Playout Mode=1, Playout Initial=60(ms), Playout Min=40(ms),
Playout Max=1000(ms), Fax Nom=300(ms))
145522: May 7 14:01:11.673:
//4181535/08E846000000/CCAPI/cc_api_caps_ack:
Destination Interface=0x0, Destination Call Id=-1, Source Call Id=4181535,
Caps(Codec=g711ulaw(0x1), Fax Rate=FAX_RATE_14400(0x80), Vad=OFF(0x1),
Modem=OFF(0x0), Codec Bytes=160, Signal Type=2, Seq Num Start=1)
145523: May 7 14:01:11.673:
//4181536/08E846000000/CCAPI/cc_api_event_indication:
Event=156, Call Id=4181536
145524: May 7 14:01:11.673:
//4181536/08E846000000/CCAPI/cc_api_event_indication:
Event Is Sent To Conferenced SPI(s) Directly
145525: May 7 14:01:11.673:
//4181536/08E846000000/CCAPI/cc_api_call_cut_progress:
Interface=0x405292B0, Progress Indication=INBAND(8), Signal Indication=SIGNAL RINGBACK(1),
Cause Value=0
145526: May 7 14:01:11.673:
//4181536/08E846000000/CCAPI/cc_api_call_cut_progress:

```

    Call Entry(Responded=TRUE)
145527: May  7 14:01:11.673:
//4181535/08E846000000/CCAPI/ccCallCutProgress:
    Progress Indication=INBAND(8), Signal Indication=SIGNAL RINGBACK
(1), Cause Value=0
    Voice Call Send Alert=FALSE, Call Entry(Alert Sent=FALSE)
145528: May  7 14:01:11.673:
//4181535/08E846000000/CCAPI/ccCallCutProgress:
    Call Entry(Responded=TRUE)
145529: May  7 14:01:11.673:
//4181535/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
    (confID=0x1E744A0, callID1=0x3FCE1F, callID2=0x3FCE20, tag=0x0)
145530: May  7 14:01:11.673:
//4181535/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
    (confID=0x1E744A0, callID1=0x3FCE1F, gcid=DF507B1-D52611E3-
B59DC0D0-28CAE34F, tag=0x0)
145531: May  7 14:01:11.673:
//4181536/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
    (confID=0x1E744A0, callID2=0x3FCE20, gcid=DF507B1-D52611E3-
B59DC0D0-28CAE34F, tag=0x0)
145532: May  7 14:01:11.673:
//4181535/08E846000000/CCAPI/ccConferenceCreate:
    Conference Id=0x1E744A0, Call Id1=4181535, Call Id2=4181536, Tag=
0x0
145533: May  7 14:01:11.673:
//4181535/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:

145534: May  7 14:01:11.673: ccConferenceCreate: ret1=0, codecMask1=1,
bytes1=160, negot1=1, dtmf1=6
                                ret2=0, codecMask2=1, bytes2=160, negot2=1, dtmf2=
6,
                                tx_dynamic_pt1=0, rx_dynamic_pt1=0, codec_model=0,
params_bitmap1 =0
                                tx_dynamic_pt2=0, rx_dynamic_pt2=0, codec_mode2=0,
params_bitmap2 =0
145535: May  7 14:01:11.673:
//4181535/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
    delay media to slow start case, codec negotiation is not done
145536: May  7 14:01:11.673:
//4181535/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

145537: May  7 14:01:11.673: cc_api_get_xcode_stream : 4534
145538: May  7 14:01:11.673:
//4181535/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
    Conference Id=0x10C823, Source Interface=0x405292B0, Source Call
Id=4181535,
    Destination Call Id=4181536, Disposition=0x0, Tag=0x0
145539: May  7 14:01:11.673:
//4181536/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

```


145540: May 7 14:01:11.673: cc_api_get_xcode_stream : 4534
145541: May 7 14:01:11.673:
//4181536/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
Conference Id=0x10C823, Source Interface=0x405292B0, Source Call
Id=4181536,
Destination Call Id=4181535, Disposition=0x0, Tag=0x0
145542: May 7 14:01:11.673:
//4181535/08E846000000/CCAPI/cc_generic_bridge_done:
Conference Id=0x10C823, Source Interface=0x405292B0, Source Call
Id=4181536,
Destination Call Id=4181535, Disposition=0x0, Tag=0x0
145543: May 7 14:01:11.673:
//4181535/08E846000000/CCAPI/ccConferenceCreate:
Call Entry(Conference Id=0x10C823, Destination Call Id=4181536)
145544: May 7 14:01:11.673:
//4181536/08E846000000/CCAPI/ccConferenceCreate:
Call Entry(Conference Id=0x10C823, Destination Call Id=4181535)
145545: May 7 14:01:11.673:
//4181535/08E846000000/CCAPI/cc_process_notify_bridge_done:
Conference Id=0x10C823, Call Id1=4181535, Call Id2=4181536
145546: May 7 14:01:11.673: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 183 Session Progress Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK20433e042fd From: "Alison Sterling"
<sip:8454863080@172.22.196.3>;tag=223814~6faf4609-af95-42b9-a971-
0e80e755aec8-43667243 To: <sip:82984350@172.22.209.2>;tag=E91C2774-5F1
Date: Wed, 07 May 2014 14:01:09 GMT Call-ID: 8e84600-36a13ca5-ac5f-
3c416ac@172.22.196.3 CSeq: 101 INVITE Require: 100rel RSeq: 204 Allow:
INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE,
NOTIFY, INFO, REGISTER Allow-Events: telephone-event Remote-Party-ID:
<sip:2984350@172.22.209.2>;party=called;screen=yes;privacy=off
Contact: <sip:82984350@172.22.209.2:5060;transport=tcp> Supported:
sdp-anat Server: Cisco-SIPGateway/IOS-12.x Content-Type:
application/sdp Content-Disposition: session;handling=required
Content-Length: 247 v=0 o=CiscoSystemsSIP-GW-UserAgent 6973 4736 IN
IP4 172.22.209.2 s=SIP Call c=IN IP4 172.22.209.2 t=0 0 m=audio 32058
RTP/AVP 0 101 c=IN IP4 172.22.209.2 a=rtpmap:0 PCMU/8000 a=rtpmap:101
telephone-event/8000 a=fmtp:101 0-16 a=ptime:20
145547: May 7 14:01:11.677: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
PRACK sip:82984350@172.22.209.2:5060;transport=tcp SIP/2.0 Via:
SIP/2.0/TCP 172.22.196.3:5060;branch=z9hG4bK204371eac6143 From:
"Alison Sterling" <sip:8454863080@172.22.196.3>;tag=223814~6faf4609-
af95-42b9-a971-0e80e755aec8-43667243 To: <sip:82984350@
172.22.209.2>;tag=E91C2774-5F1 Date: Wed, 07 May 2014 14:01:09 GMT
Call-ID: 8e84600-36a13ca5-ac5f-3c416ac@172.22.196.3 CSeq: 102 PRACK

RACK: 204 101 INVITE Allow-Events: presence, kpml Max-Forwards: 70
Content-Length: 0
145548: May 7 14:01:11.677: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:

OCIS-FR-3945-1#SIP/2.0 200 OK Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK204371eac6143 From: "Alison Sterling"
<sip:8454863080@172.22.196.3>;tag=223814~6faf4609-af95-42b9-a971-
0e80e755aec8-43667243 To: <sip:82984350@172.22.209.2>;tag=E91C2774-5F1
Date: Wed, 07 May 2014 14:01:11 GMT Call-ID: 8e84600-36a13ca5-ac5f-
3c416ac@172.22.196.3 Server: Cisco-SIPGateway/IOS-12.x CSeq: 102 PRACK
Content-Length: 0

145549: May 7 14:01:12.325: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:

SIP/2.0 200 OK Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK6962421EE2 From: "Alison Sterling"
<sip:8454863080@152.187.182.42>;tag=E91C1EA0-F64 To: <sip:2984350@
172.31.100.49>;tag=1832957563-1399471271645 Call-ID: DFF5A3D9-
D52611E3-B5A0C0D0-28CAE34F@152.187.182.42 CSeq: 101 INVITE Timestamp:
1399471269 Supported: Contact: <sip:2984350@
172.31.100.49:5271;transport=udp> Allow:
ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY Accept:
application/media_control+xml,application/sdp Content-Type:
application/sdp Content-Length: 284 v=0 o=BroadWorks 806474 1 IN IP4
172.31.100.164 s=- c=IN IP4 172.31.100.164 t=0 0 a=sn: 0 a=cdsc: 1
image udptl t38 a=cpar: a=T38FaxVersion:0 a=cpar:
a=T38FaxUdpEC:t38UDPRedundancy m=audio 11232 RTP/AVP 0 101
a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=ptime:20

145550: May 7 14:01:12.325:
//4181536/08E846000000/CCAPI/cc_api_call_connected:
Interface=0x405292B0, Data Bitmask=0x1, Progress Indication=NULL
(0),
Connection Handle=0

145551: May 7 14:01:12.325:
//4181536/08E846000000/CCAPI/cc_api_call_connected:
Call Entry(Connected=TRUE, Responded=TRUE, Retry Count=0)

145552: May 7 14:01:12.325:
//4181535/08E846000000/CCAPI/ccCallConnect:
Progress Indication=NULL(0), Data Bitmask=0x1

145553: May 7 14:01:12.325:
//4181535/08E846000000/CCAPI/ccCallConnect:
Call Entry(Connected=TRUE, Responded=TRUE)

145554: May 7 14:01:12.325: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:

SIP/2.0 200 OK Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK20433e042fd From: "Alison Sterling"

<sip:8454863080@172.22.196.3>;tag=223814~6faf4609-af95-42b9-a971-0e80e755aec8-43667243 To: <sip:82984350@172.22.209.2>;tag=E91C2774-5F1 Date: Wed, 07 May 2014 14:01:11 GMT Call-ID: 8e84600-36a13ca5-ac5f-3c416ac@172.22.196.3 CSeq: 101 INVITE Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER Allow-Events: telephone-event Remote-Party-ID: <sip:2984350@172.22.209.2>;party=called;screen=no;privacy=off Contact: <sip:2984350@172.22.209.2:5060;transport=tcp> Supported: replaces Supported: sdp-anat Server: Cisco-SIPGateway/IOS-12.x Content-Type: application/sdp Content-Disposition: session;handling=required Content-Length: 247 v=0 o=CiscoSystemsSIP-GW-UserAgent 6973 4736 IN IP4 172.22.209.2 s=SIP Call c=IN IP4 172.22.209.2 t=0 0 m=audio 32058 RTP/AVP 0 101 c=IN IP4 172.22.209.2 a=rtpmap:0 PCMU/8000 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-16 a=ptime:20 145555: May 7 14:01:12.325: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
ACK sip:2984350@172.31.100.49:5271;transport=udp SIP/2.0 Via: SIP/2.0/UDP 152.187.182.42:5060;branch=z9hG4bK696246108 From: "Alison Sterling" <sip:8454863080@152.187.182.42>;tag=E91C1EA0-F64 To: <sip:2984350@172.31.100.49>;tag=1832957563-1399471271645 Date: Wed, 07 May 2014 14:01:09 GMT Call-ID: DFF5A3D9-D52611E3-B5A0C0D0-28CAE34F@152.187.182.42 Max-Forwards: 70 CSeq: 101 ACK Allow-Events: telephone-event Content-Length: 0 145556: May 7 14:01:12.325: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
OCIS-FR-3945-1#ACK sip:2984350@172.22.209.2:5060;transport=tcp SIP/2.0 Via: SIP/2.0/TCP 172.22.196.3:5060;branch=z9hG4bK204385df418c4 From: "Alison Sterling" <sip:8454863080@172.22.196.3>;tag=223814~6faf4609-af95-42b9-a971-0e80e755aec8-43667243 To: <sip:82984350@172.22.209.2>;tag=E91C2774-5F1 Date: Wed, 07 May 2014 14:01:09 GMT Call-ID: 8e84600-36a13ca5-ac5f-3c416ac@172.22.196.3 Max-Forwards: 70 CSeq: 101 ACK Allow-Events: presence, kpml Content-Length: 0 145557: May 7 14:01:13.305: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
OPTIONS sip:152.187.182.42:5060 SIP/2.0 Via: SIP/2.0/UDP 172.31.101.17:5077;branch=z9hG4bK6bfgl43088k1t27qklg1 Call-ID: e2b08d1b49cee876836cb9a0b237437e000k3e0@172.31.101.17 To: sip:ping@c999000658-pcs-n0004-1 From: <sip:ping@172.31.101.17>;tag=53cfb4bfed648aa6d77cd30ce08ae40e000k3e0 Max-Forwards: 70 CSeq: 14876 OPTIONS Route: <sip:152.187.182.42:5060;lr> 145558: May 7 14:01:13.309: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/UDP 172.31.101.17:5077;branch=z9hG4bK6bfgl43088k1t27qklg1 From: <sip:ping@

172.31.101.17>;tag=53cfb4bfed648aa6d77cd30ce08ae40e000k3e0 To:
sip:ping@c999000658-pcs-n0004-1;tag=E91C2DD8-1194 Date: Wed, 07 May
2014 14:01:13 GMT Call-ID: e2b08d1b49cee876836cb9a0b237437e000k3e0@
172.31.101.17 Server: Cisco-SIPGateway/IOS-12.x CSeq: 14876 OPTIONS
Supported: 100rel,resource-priority,replaces,sdp-anat Allow: INVITE,
OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY,
INFO, REGISTER Allow-Events: telephone-event Accept: application/sdp
Content-Type: application/sdp Content-Length: 455 v=0
o=CiscoSystemsSIP-GW-UserAgent 3834 0 IN IP4 152.187.182.42 s=SIP Call
c=IN IP4 152.187.182.42 t=0 0 m=audio 0 RTP/AVP 18 0 8 9 4 2 15 c=IN
IP4 152.187.182.42 m=image 0 udptl t38 c=IN IP4 152.187.182.42
a=T38FaxVersion:0 a=T38MaxBitRate:9600 a=T38FaxFillBitRemoval:0
a=T38FaxTranscodingMMR:0 a=T38FaxTranscodingJBIG:0
a=T38FaxRateManagement:transferredTCF a=T38FaxMaxBuffer:200
a=T38FaxMaxDatagram:180 a=T38FaxUdpEC:t38UDPRedundancy
145559: May 7 14:01:13.365:
//4181468/xxxxxxxxxxxxx/CCAPI/ccCallModify:
Nominator=0x800, Params=0x1C374E0, Call Id=4181468
145560: May 7 14:01:13.365:
//4181468/xxxxxxxxxxxxx/CCAPI/cc_api_call_modify_done:
Result=0, Interface=0x13A300EC, Call Id=4181468
145561: May 7 14:01:13.365:
//4181450/xxxxxxxxxxxxx/CCAPI/ccConferenceDestroy:
Conference Id=0x10C802, Tag=0x0
145562: May 7 14:01:13.365:
//4181450/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C802, Source Interface=0x1395EBE0, Source Call
Id=4181450,
Destination Call Id=4181468, Disposition=0x0, Tag=0x0
145563: May 7 14:01:13.365:
//4181468/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
Conference Id=0x10C802, Source Interface=0x13A300EC, Source Call
Id=4181468,
Destination Call Id=4181450, Disposition=0x0, Tag=0x0
145564: May 7 14:01:13.365:
//4181450/xxxxxxxxxxxxx/CCAPI/cc_generic_bridge_done:
Conference Id=0x10C802, Source Interface=0x13A300EC, Source Call
Id=4181468,
Destination Call Id=4181450, Disposition=0x0, Tag=0x0
145565: May 7 14:01:13.365:
//4181468/xxxxxxxxxxxxx/CCAPI/ccCallModifyExtended:
Nominator=0x1C37188, Params=0x1C37158, Call Id=4181468
145566: May 7 14:01:13.365:
//4181468/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
Cause Value=0, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
145567: May 7 14:01:13.365:
//4181468/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
Cause Value=0, Call Entry(Responded=TRUE, Cause Value=0)

```

145568: May 7 14:01:13.365:
//4181468/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
Disposition=0, Interface=0x13A300EC, Tag=0x0, Call Id=4181468,
Call Entry(Disconnect Cause=0, Voice Class Cause Code=0, Retry
Count=0)
145569: May 7 14:01:13.365:
//4181468/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
Call Disconnect Event Sent
145570: May 7 14:01:13.365: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145571: May 7 14:01:13.365: :cc_free_feature_vsa freeing 140D01A8
145572: May 7 14:01:13.365: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145573: May 7 14:01:13.365: vsacount in free is 114
145574: May 7 14:01:13.365:
//4181449/xxxxxxxxxxxxx/CCAPI/ccCallModify:
Nominator=0x800, Params=0x1C374E0, Call Id=4181449
145575: May 7 14:01:13.365:
//4181449/xxxxxxxxxxxxx/CCAPI/cc_api_call_modify_done:
Result=0, Interface=0x13A300EC, Call Id=4181449
145576: May 7 14:01:13.365:
//4181449/xxxxxxxxxxxxx/CCAPI/ccCallModifyExtended:
Nominator=0x1C37188, Params=0x1C37158, Call Id=4181449
145577: May 7 14:01:13.369: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
BYE sip:8452268661@172.22.209.2:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.196.3:5060;branch=z9hG4bK204395db9d12c From: <sip:8454863080@
172.22.196.3>;tag=223727~6faf4609-af95-42b9-a971-0e80e755aec8-43666227
To: <sip:8452268661@172.22.209.2>;tag=E91AE934-D73 Date: Wed, 07 May
2014 13:59:55 GMT Call-ID: B0BED653-D52611E3-B4BBC0D0-28CAE34F@
172.22.209.2 User-Agent: Cisco-CUCM8.5 Max-Forwards: 70 CSeq: 102 BYE
Content-Length: 0
145578: May 7 14:01:13.369:
//4181444/B0BE3A2BB4B5/CCAPI/ccGenerateToneInfo:
Stop Tone On Digit=FALSE, Tone=NULL,
Tone Direction=Sum Network, Params=0x0, Call Id=4181444
145579: May 7 14:01:13.369:
//4181445/B0BE3A2BB4B5/CCAPI/cc_api_call_disconnected:
Cause Value=16, Interface=0x405292B0, Call Id=4181445
145580: May 7 14:01:13.369:
//4181445/B0BE3A2BB4B5/CCAPI/cc_api_call_disconnected:
Call Entry(Responded=TRUE, Cause Value=16, Retry Count=0)
145581: May 7 14:01:13.369:
//4181444/B0BE3A2BB4B5/CCAPI/ccConferenceDestroy:
Conference Id=0x10C7FA, Tag=0x0
145582: May 7 14:01:13.369:

```

```

//4181444/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
  Conference Id=0x10C7FA, Source Interface=0x405292B0, Source Call
Id=4181444,
  Destination Call Id=4181445, Disposition=0x0, Tag=0x0
145583: May 7 14:01:13.369:
//4181445/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
  Conference Id=0x10C7FA, Source Interface=0x405292B0, Source Call
Id=4181445,
  Destination Call Id=4181444, Disposition=0x0, Tag=0x0
145584: May 7 14:01:13.369:
//4181444/B0BE3A2BB4B5/CCAPI/cc_generic_bridge_done:
  Conference Id=0x10C7FA, Source Interface=0x405292B0, Source Call
Id=4181445,
  Destination Call Id=4181444, Disposition=0x0, Tag=0x0
145585: May 7 14:01:13.369:
//4181444/B0BE3A2BB4B5/CCAPI/ccCallDisconnect:
  Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=0)
145586: May 7 14:01:13.369:
//4181444/B0BE3A2BB4B5/CCAPI/ccCallDisconnect:
  Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
145587: May 7 14:01:13.369:
//4181445/B0BE3A2BB4B5/CCAPI/ccCallDisconnect:
  Cause Value=16, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
Disconnect Cause=16)
145588: May 7 14:01:13.369:
//4181445/B0BE3A2BB4B5/CCAPI/ccCallDisconnect:
  Cause Value=16, Call Entry(Responded=TRUE, Cause Value=16)
145589: May 7 14:01:13.369:
//4181445/B0BE3A2BB4B5/CCAPI/cc_api_call_disconnect_done:
  Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181445,
  Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry
Count=0)
145590: May 7 14:01:13.369:
//4181445/B0BE3A2BB4B5/CCAPI/cc_api_call_disconnect_done:
  Call Disconnect Event Sent
145591: May 7 14:01:13.369: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145592: May 7 14:01:13.369: :cc_free_feature_vsa freeing 140D1168
145593: May 7 14:01:13.369: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145594: May 7 14:01:13.369: vsacount in free is 113
145595: May 7 14:01:13.369: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
BYE sip:8452268661@172.31.100.49:5271;transport=udp SIP/2.0 Via:
SIP/2.0/UDP 152.187.182.42:5060;branch=z9hG4bK69624710AD From:

```

"Dutchess County ."<sip:8454863080@gw.haight.ocis.globalipcom.com>;tag=E91AE93C-1F0B To: <sip:8452268661@63.77.76.232;user=phone>;tag=329759009-1399471190176- Date: Wed, 07 May 2014 13:59:55 GMT Call-ID: BW135950176070514939056614@63.77.76.232 User-Agent: Cisco-SIPGateway/IOS-12.x Max-Forwards: 70 Timestamp: 1399471273 CSeq: 101 BYE Reason: Q.850;cause=16 Content-Length: 0 145596: May 7 14:01:13.369: //- 1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg: Sent: SIP/2.0 200 OK Via: SIP/2.0/UDP 172.22.196.3:5060;branch=z9hG4bK204395db9d12c From: <sip:8454863080@172.22.196.3>;tag=223727~6faf4609-af95-42b9-a971-0e80e755aec8-43666227 To: <sip:8452268661@172.22.209.2>;tag=E91AE934-D73 Date: Wed, 07 May 2014 14:01:13 GMT Call-ID: B0BED653-D52611E3-B4BBC0D0-28CAE34F@172.22.209.2 Server: Cisco-SIPGateway/IOS-12.x CSeq: 102 BYE Reason: Q.850;cause=16 Content-Length: 0 145597: May 7 14:01:13.409: //- 1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg: Received: SIP/2.0 200 OK Via: SIP/2.0/UDP 152.187.182.42:5060;branch=z9hG4bK69624710AD From: "Dutchess County ."<sip:8454863080@gw.haight.ocis.globalipcom.com>;tag=E91AE93C-1F0B To: <sip:8452268661@63.77.76.232;user=phone>;tag=329759009-1399471190176- Call-ID: BW135950176070514939056614@63.77.76.232 Timestamp: 1399471273 CSeq: 101 BYE Content-Length: 0 145598: May 7 14:01:13.409: //4181444/B0BE3A2BB4B5/CCAPI/cc_api_call_disconnect_done: Disposition=0, Interface=0x405292B0, Tag=0x0, Call Id=4181444, Call Entry(Disconnect Cause=16, Voice Class Cause Code=0, Retry Count=0) 145599: May 7 14:01:13.409: //4181444/B0BE3A2BB4B5/CCAPI/cc_api_call_disconnect_done: Call Disconnect Event Sent 145600: May 7 14:01:13.409: //- 1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa: 145601: May 7 14:01:13.409: :cc_free_feature_vsa freeing 140D0368 145602: May 7 14:01:13.409: //- 1/xxxxxxxxxxxx/CCAPI/cc_free_feature_vsa: 145603: May 7 14:01:13.409: vsacount in free is 112 145604: May 7 14:01:13.565: //4181450/xxxxxxxxxxxx/CCAPI/ccCallModify: Nominator=0x1000000, Params=0x1C37548, Call Id=4181450 145605: May 7 14:01:13.565: //4181450/xxxxxxxxxxxx/CCAPI/ccConferenceDestroy: Conference Id=0x10C7F9, Tag=0x0 145606: May 7 14:01:13.565: //4181450/xxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:

```

    Conference Id=0x10C7F9, Source Interface=0x1395EBE0, Source Call
    Id=4181450,
    Destination Call Id=4181449, Disposition=0x0, Tag=0x0
145607: May  7 14:01:13.565:
//4181449/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_drop_done:
    Conference Id=0x10C7F9, Source Interface=0x13A300EC, Source Call
    Id=4181449,
    Destination Call Id=4181450, Disposition=0x0, Tag=0x0
145608: May  7 14:01:13.565:
//4181450/xxxxxxxxxxxxx/CCAPI/cc_generic_bridge_done:
    Conference Id=0x10C7F9, Source Interface=0x13A300EC, Source Call
    Id=4181449,
    Destination Call Id=4181450, Disposition=0x0, Tag=0x0
145609: May  7 14:01:13.565:
//4181449/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
    Cause Value=0, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
    Disconnect Cause=0)
145610: May  7 14:01:13.565:
//4181449/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
    Cause Value=0, Call Entry(Responded=TRUE, Cause Value=0)
145611: May  7 14:01:13.565:
//4181449/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
    Disposition=0, Interface=0x13A300EC, Tag=0x0, Call Id=4181449,
    Call Entry(Disconnect Cause=0, Voice Class Cause Code=0, Retry
    Count=0)
145612: May  7 14:01:13.565:
//4181449/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
    Call Disconnect Event Sent
145613: May  7 14:01:13.565: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145614: May  7 14:01:13.565: :cc_free_feature_vsa freeing 140D0B48
145615: May  7 14:01:13.565: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145616: May  7 14:01:13.565: vsacount in free is 111
145617: May  7 14:01:13.565:
//4181450/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
    Cause Value=0, Tag=0x0, Call Entry(Previous Disconnect Cause=0,
    Disconnect Cause=0)
145618: May  7 14:01:13.565:
//4181450/xxxxxxxxxxxxx/CCAPI/ccCallDisconnect:
    Cause Value=0, Call Entry(Responded=TRUE, Cause Value=0)
145619: May  7 14:01:13.565:
//4181450/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
    Disposition=0, Interface=0x1395EBE0, Tag=0x0, Call Id=4181450,
    Call Entry(Disconnect Cause=0, Voice Class Cause Code=0, Retry
    Count=0)
145620: May  7 14:01:13.565:

```



```

//4181450/xxxxxxxxxxxxx/CCAPI/cc_api_call_disconnect_done:
  Call Disconnect Event Sent
145621: May 7 14:01:13.565: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145622: May 7 14:01:13.565: :cc_free_feature_vsa freeing 140CEAE8
145623: May 7 14:01:13.565: //-
1/xxxxxxxxxxxxx/CCAPI/cc_free_feature_vsa:

145624: May 7 14:01:13.565: vsacount in free is 110
145625: May 7 14:01:13.881: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
INVITE sip:8454862676@152.187.182.42:5060 SIP/2.0 Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bK05in2f308gfhkdf2i140.1 From:
"Dutchess County ."<sip:8454863685@63.77.76.232;user=phone>;tag=
1176741609-1399471273836- To: "DUTCHESS COUNTY 50
Market"<sip:8454862676@gw.haight.ocis.globalipcom.com> Call-ID:
BW140113836070514228367644@63.77.76.232 CSeq: 729709495 INVITE
Contact: <sip:8454863685@172.31.100.49:5271;transport=udp> Allow:
ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY,UPDATE Accept:
application/media_control+xml,application/sdp,multipart/mixed
Supported: Max-Forwards: 69 Content-Type: application/sdp Content-
Disposition: session;handling=required Content-Length: 171 v=0
o=BroadWorks 807042 1 IN IP4 172.31.100.164 s=- c=IN IP4
172.31.100.164 t=0 0 m=audio 25466 RTP/AVP 0 c=IN IP4 172.31.100.164
a=rtpmap:0 PCMU/8000 a=ptime:20
145626: May 7 14:01:13.885:
//4181543/xxxxxxxxxxxxx/CCAPI/cc_api_caps_ind:
  Call Entry Is Not Found
145627: May 7 14:01:13.885: //-
1/E29F663EB5AB/CCAPI/cc_api_display_ie_subfields:
  cc_api_call_setup_ind_common:
  cisco-username=8454863685
  ----- ccCallInfo IE subfields -----
  cisco-ani=8454863685
  cisco-anitype=0
  cisco-aniplan=0
  cisco-anipi=0
  cisco-anisi=0
  dest=8454862676
  cisco-desttype=0
  cisco-destplan=0
  cisco-rdie=FFFFFFFF
  cisco-rdn=
  cisco-lastrdn=
  cisco-rdntype=0
  cisco-rdnplan=0
  cisco-rdnpi=-1

```

```

cisco-rdnsi=-1
cisco-redirectreason=-1 fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

145628: May 7 14:01:13.885: //-
1/E29F663EB5AB/CCAPI/cc_api_call_setup_ind_common:
Interface=0x405292B0, Call Info(
Calling Number=8454863685,(Calling Name=)(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed),
Called Number=8454862676(TON=Unknown, NPI=Unknown),
Calling Translated=FALSE, Subscriber Type Str=Unknown,
FinalDestinationFlag=TRUE,
Incoming Dial-peer=101, Progress Indication=NULL(0), Calling IE
Present=TRUE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=, CLID
Transparent=FALSE), Call Id=4181543
145629: May 7 14:01:13.885: //-1/E29F663EB5AB/CCAPI/ccCheckClipClir:
In: Calling Number=8454863685(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)
145630: May 7 14:01:13.885: //-1/E29F663EB5AB/CCAPI/ccCheckClipClir:
Out: Calling Number=8454863685(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)
145631: May 7 14:01:13.885: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145632: May 7 14:01:13.885: :cc_get_feature_vsa malloc success
145633: May 7 14:01:13.885: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145634: May 7 14:01:13.885: cc_get_feature_vsa count is 111
145635: May 7 14:01:13.885: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145636: May 7 14:01:13.885: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335604584,feature_id:2617611
145637: May 7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/cc_api_call_setup_ind_common:
Set Up Event Sent;
Call Info(Calling Number=8454863685(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed),
Called Number=8454862676(TON=Unknown, NPI=Unknown))
145638: May 7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/cc_process_call_setup_ind:
Event=0x40AFC9B8
145639: May 7 14:01:13.885: //-
1/xxxxxxxxxxxxx/CCAPI/cc_setupind_match_search:
Try with the demoted called number 8454862676
145640: May 7 14:01:13.885:

```

```

//4181543/E29F663EB5AB/CCAPI/ccCallSetContext:
Context=0x25EB88C
145641: May 7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/cc_process_call_setup_ind:
>>>>CCAPI handed cid 4181543 with tag 101 to app
"_ManagedAppProcess_Default"
145642: May 7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/ccCallProceeding:
Progress Indication=NULL(0)
145643: May 7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/ccCallSetupRequest:
Destination=, Calling IE Present=TRUE, Mode=0,
Outgoing Dial-peer=202, Params=0x11A67C40, Progress Indication=NULL
(0)
145644: May 7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/ccCheckClipClir:
In: Calling Number=8454863685(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)
145645: May 7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/ccCheckClipClir:
Out: Calling Number=8454863685(TON=Unknown, NPI=Unknown,
Screening=Not Screened, Presentation=Allowed)
145646: May 7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/ccCallSetupRequest:
Destination Pattern=845....., Called Number=8454862676, Digit
Strip=FALSE
145647: May 7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/ccCallSetupRequest:
Calling Number=8454863685(TON=Unknown, NPI=Unknown, Screening=Not
Screened, Presentation=Allowed),
Called Number=8454862676(TON=Unknown, NPI=Unknown),
Redirect Number=, Display Info=Dutchess County .
Account Number=8454863685, Final Destination Flag=TRUE,
Guid=E29F663E-D526-11E3-B5AB-C0D028CAE34F, Outgoing Dial-peer=202
145648: May 7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/cc_api_display_ie_subfields:
ccCallSetupRequest:
cisco-username=8454863685
----- ccCallInfo IE subfields -----
cisco-ani=8454863685
cisco-anitype=0
cisco-aniplan=0
cisco-anipi=0
cisco-anisi=0
dest=8454862676
cisco-desttype=0
cisco-destplan=0
cisco-rdie=FFFFFFFF
cisco-rdn=

```

```

cisco-lastrdn=
cisco-rdntype=0
cisco-rdnplan=0
cisco-rdnpi=-1
cisco-rdnsi=-1
cisco-redirectreason=-1   fwd_final_type =0
final_redirectNumber =
hunt_group_timeout =0

145649: May  7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/ccIFCallSetupRequestPrivate:
  Interface=0x405292B0, Interface Type=3, Destination=, Mode=0x0,
  Call Params(Calling Number=8454863685,(Calling Name=Dutchess County
  .)(TON=Unknown,NPI=Unknown,Screening=Not Screened,
  Presentation=Allowed),
  Called Number=8454862676(TON=Unknown,NPI=Unknown), Calling
  Translated=FALSE,
  Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
  Dial-peer=202, Call Count On=FALSE,
  Source Trkgrp Route Label=, Target Trkgrp Route Label=,
  tg_label_flag=0, Application Call Id=)
145650: May  7 14:01:13.885: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145651: May  7 14:01:13.885: :cc_get_feature_vsa malloc success
145652: May  7 14:01:13.885: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145653: May  7 14:01:13.885: cc_get_feature_vsa count is 112
145654: May  7 14:01:13.885: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145655: May  7 14:01:13.885: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335603688,feature_id:2617612
145656: May  7 14:01:13.885:
//4181544/E29F663EB5AB/CCAPI/ccIFCallSetupRequestPrivate:
  SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
145657: May  7 14:01:13.885:
//4181544/E29F663EB5AB/CCAPI/ccCallSetContext:
  Context=0x11A67BF0
145658: May  7 14:01:13.885:
//4181543/E29F663EB5AB/CCAPI/ccSaveDialpeerTag:
  Outgoing Dial-peer=202
145659: May  7 14:01:13.885:
//4181544/E29F663EB5AB/CCAPI/cc_api_call_proceeding:
  Interface=0x405292B0, Progress Indication=NULL(0)
145660: May  7 14:01:13.889: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:

```

SIP/2.0 100 Trying Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bK05in2f308gfhkdf2i140.1 From:
"Dutchess County ." <sip:8454863685@63.77.76.232;user=phone>;tag=
1176741609-1399471273836- To: "DUTCHESS COUNTY 50
Market" <sip:8454862676@gw.haight.ocis.globalipcom.com> Date: Wed, 07
May 2014 14:01:13 GMT Call-ID: BW140113836070514228367644@63.77.76.232
CSeq: 729709495 INVITE Allow-Events: telephone-event Server: Cisco-
SIPGateway/IOS-12.x Content-Length: 0
145661: May 7 14:01:13.889: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
INVITE sip:8454862676@172.22.196.3:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK696248733 Remote-Party-ID: "Dutchess
County ." <sip:8454863685@
172.22.209.2>;party=calling;screen=no;privacy=off From: "Dutchess
County ." <sip:8454863685@172.22.209.2>;tag=E91C3018-1471 To:
<sip:8454862676@172.22.196.3> Date: Wed, 07 May 2014 14:01:13 GMT
Call-ID: E2A00266-D52611E3-B5B1C0D0-28CAE34F@172.22.209.2 Supported:
100rel,timer,resource-priority,replaces,sdp-anat Min-SE: 1800 Cisco-
Guid: 3802097214-3576041955-3047932112-0684385103 User-Agent: Cisco-
SIPGateway/IOS-12.x Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK,
UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER CSeq: 101 INVITE
Timestamp: 1399471273 Contact: <sip:8454863685@172.22.209.2:5060>
Expires: 180 Allow-Events: telephone-event Max-Forwards: 68 Content-
Type: application/sdp Content-Disposition: session;handling=required
Content-Length: 247 v=0 o=CiscoSystemsSIP-GW-UserAgent 5652 9825 IN
IP4 172.22.209.2 s=SIP Call c=IN IP4 172.22.209.2 t=0 0 m=audio 18148
RTP/AVP 0 101 c=IN IP4 172.22.209.2 a=rtpmap:0 PCMU/8000 a=rtpmap:101
telephone-event/8000 a=fmtp:101 0-15 a=ptime:20
145662: May 7 14:01:13.889: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 100 Trying Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK696248733 From: "Dutchess County ."
<sip:8454863685@172.22.209.2>;tag=E91C3018-1471 To: <sip:8454862676@
172.22.196.3> Date: Wed, 07 May 2014 14:01:13 GMT Call-ID: E2A00266-
D52611E3-B5B1C0D0-28CAE34F@172.22.209.2 CSeq: 101 INVITE Allow-Events:
presence Content-Length: 0
145663: May 7 14:01:13.953: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 180 Ringing Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK696248733 From: "Dutchess County ."
<sip:8454863685@172.22.209.2>;tag=E91C3018-1471 To: <sip:8454862676@
172.22.196.3>;tag=223820~6faf4609-af95-42b9-a971-0e80e755aec8-43667827
Date: Wed, 07 May 2014 14:01:13 GMT Call-ID: E2A00266-D52611E3-
B5B1C0D0-28CAE34F@172.22.209.2 CSeq: 101 INVITE Require: 100rel RSeq:
427202619 Allow: INVITE, OPTIONS, INFO, BYE, CANCEL, ACK, PRACK,
UPDATE, REFER, SUBSCRIBE, NOTIFY Allow-Events: presence Supported: X-

```

cisco-srtp-fallback Supported: Geolocation P-Asserted-Identity: "Prob
FAX" <sip:8454862676@172.22.196.3> Remote-Party-ID: "Prob FAX"
<sip:8454862676@172.22.196.3>;party=called;screen=no;privacy=off
Contact: <sip:8454862676@172.22.196.3:5060>;
+sip.instance="<urn:uuid:00000000-0000-0000-0000-40f4ecef5845>";
+u.sip!devicename.ccm.cisco.com="ATA40F4ECEF5845";+u.sip!
model.ccm.cisco.com="550" Content-Length: 0
145664: May 7 14:01:13.953:
//4181544/E29F663EB5AB/CCAPI/cc_api_call_alert:
Interface=0x405292B0, Progress Indication=NULL(0), Signal
Indication=SIGNAL RINGBACK(1)
145665: May 7 14:01:13.953:
//4181544/E29F663EB5AB/CCAPI/cc_api_call_alert:
Call Entry(Retry Count=0, Responded=TRUE)
145666: May 7 14:01:13.953: //4181543/E29F663EB5AB/CCAPI/ccCallAlert:
Progress Indication=NULL(0), Signal Indication=SIGNAL RINGBACK(1)
145667: May 7 14:01:13.953: //4181543/E29F663EB5AB/CCAPI/ccCallAlert:
Call Entry(Responded=TRUE, Alert Sent=TRUE)
145668: May 7 14:01:13.953: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
PRACK sip:8454862676@172.22.196.3:5060 SIP/2.0 Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK6962491B5C From: "Dutchess County ."
<sip:8454863685@172.22.209.2>;tag=E91C3018-1471 To: <sip:8454862676@
172.22.196.3>;tag=223820~6faf4609-af95-42b9-a971-0e80e755aec8-43667827
Date: Wed, 07 May 2014 14:01:13 GMT Call-ID: E2A00266-D52611E3-
B5B1C0D0-28CAE34F@172.22.209.2 CSeq: 102 PRACK RACK: 427202619 101
INVITE Allow-Events: telephone-event Max-Forwards: 70 Content-Length:
0
145669: May 7 14:01:13.953: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 180 Ringing Via: SIP/2.0/UDP
172.31.100.49:5271;branch=z9hG4bK05in2f308gfhkdf2i140.1 From:
"Dutchess County ."<sip:8454863685@63.77.76.232;user=phone>;tag=
1176741609-1399471273836- To: "DUTCHESS COUNTY 50
Market"<sip:8454862676@gw.haight.ocis.globalipcom.com>;tag=E91C305C-
8F5 Date: Wed, 07 May 2014 14:01:13 GMT Call-ID:
BW140113836070514228367644@63.77.76.232 CSeq: 729709495 INVITE Allow:
INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE,
NOTIFY, INFO, REGISTER Allow-Events:
OCIS-FR-3945-1# telephone-event Remote-Party-ID: "Prob FAX"
<sip:8454862676@152.187.182.42>;party=called;screen=no;privacy=off
Contact: <sip:8454862676@152.187.182.42:5060> Server: Cisco-
SIPGateway/IOS-12.x Content-Length: 0
145670: May 7 14:01:13.953: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP

```

172.22.209.2:5060;branch=z9hG4bK6962491B5C From: "Dutchess County ."
<sip:8454863685@172.22.209.2>;tag=E91C3018-1471 To: <sip:8454862676@
172.22.196.3>;tag=223820~6faf4609-af95-42b9-a971-0e80e755aec8-43667827
Date: Wed, 07 May 2014 14:01:13 GMT Call-ID: E2A00266-D52611E3-
B5B1C0D0-28CAE34F@172.22.209.2 CSeq: 102 PRACK Content-Length: 0
145671: May 7 14:01:14.857: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP
152.187.182.42:5060;branch=z9hG4bK69623C1526 From: "Maximus"
<sip:8454863335@152.187.182.42>;tag=E91C11E8-42 To: <sip:4538898@
172.31.100.49>;tag=1732895610-1399471268375 Call-ID: DE04D065-
D52611E3-B593C0D0-28CAE34F@152.187.182.42 CSeq: 101 INVITE Timestamp:
1399471266 Supported: Contact: <sip:4538898@
172.31.100.49:5271;transport=udp> Allow:
ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY Accept:
application/media_control+xml,application/sdp Content-Type:
application/sdp Content-Length: 284 v=0 o=BroadWorks 805985 1 IN IP4
172.31.100.164 s=- c=IN IP4 172.31.100.164 t=0 0 a=sn: 0 a=cdsc: 1
image udptl t38 a=cpar: a=T38FaxVersion:0 a=cpar:
a=T38FaxUdpEC:t38UDPRedundancy m=audio 11548 RTP/AVP 0 101
a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15 a=ptime:20
145672: May 7 14:01:14.857:
//4181532/071E82800000/CCAPI/cc_api_call_connected:
Interface=0x405292B0, Data Bitmask=0x1, Progress Indication=NULL
(0),
Connection Handle=0
145673: May 7 14:01:14.857:
//4181532/071E82800000/CCAPI/cc_api_call_connected:
Call Entry(Connected=TRUE, Responded=TRUE, Retry Count=0)
145674: May 7 14:01:14.857:
//4181531/071E82800000/CCAPI/ccCallConnect:
Progress Indication=NULL(0), Data Bitmask=0x1
145675: May 7 14:01:14.857:
//4181531/071E82800000/CCAPI/ccCallConnect:
Call Entry(Connected=TRUE, Responded=TRUE)
145676: May 7 14:01:14.857: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK Via: SIP/2.0/TCP
172.22.196.3:5060;branch=z9hG4bK2042e4eb163da From: "Maximus"
<sip:8454863335@172.22.196.3>;tag=223810~6faf4609-af95-42b9-a971-
0e80e755aec8-43666679 To: <sip:84538898@172.22.209.2>;tag=E91C1AAC-0
Date: Wed, 07 May 2014 14:01:08 GMT Call-ID: 71e8280-36a13ca2-ac5e-
3c416ac@172.22.196.3 CSeq: 101 INVITE Allow: INVITE, OPTIONS, BYE,
CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event Remote-Party-ID: <sip:4538898@
172.22.209.2>;party=called;screen=no;privacy=off Contact: <sip:4538898
@172.22.209.2:5060;transport=tcp> Supported: replaces Supported: sdp-

```

anat Server: Cisco-SIPGateway/IOS-12.x Content-Type: application/sdp
Content-Disposition: session;handling=required Content-Length: 247 v=
0 o=CiscoSystemsSIP-GW-UserAgent 3371 3712 IN IP4 172.22.209.2 s=SIP
Call c=IN IP4 172.22.209.2 t=0 0 m=audio 29666 RTP/AVP 0 101 c=IN IP4
172.22.209.2 a=rtpmap:0 PCMU/8000 a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16 a=ptime:20
145677: May 7 14:01:14.857: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Sent:
ACK sip:4538898@172.31.100.49:5271;transport=udp SIP/2.0 Via:
SIP/2.0/UDP 152.187.182.42:5060;branch=z9hG4bK69624A24EC From:
"Maximus" <sip:8454863335@152.187.182.42>;tag=E91C11E8-42 To:
<sip:4538898@172.31.100.49>;tag=1732895610-1399471268375 Date: Wed, 07
May 2014 14:01:06 GMT Call-ID: DE04D065-D52611E3-B593C0D0-28CAE34F@
152.187.182.42 Max-Forwards: 70 CSeq: 101 ACK Allow-Events: telephone-
event Content-Length: 0
145678: May 7 14:01:14.857: //-
1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:

OCIS-FR-3945-1#ACK sip:4538898@172.22.209.2:5060;transport=tcp SIP/2.0
Via: SIP/2.0/TCP 172.22.196.3:5060;branch=z9hG4bK2043b3448fbdc From:
"Maximus" <sip:8454863335@172.22.196.3>;tag=223810~6faf4609-af95-42b9-
a971-0e80e755aec8-43666679 To: <sip:84538898@
172.22.209.2>;tag=E91C1AAC-0 Date: Wed, 07 May 2014 14:01:06 GMT Call-
ID: 71e8280-36a13ca2-ac5e-3c416ac@172.22.196.3 Max-Forwards: 70 CSeq:
101 ACK Allow-Events: presence, kpml Content-Length: 0
145679: May 7 14:01:16.289: //-
1/xxxxxxxxxxxx/CCAPI/ccIFCallSetupRequestPrivate:
Interface=0x13A300EC, Interface Type=9, Destination=0.0.0.0, Mode=
0x0,
Call Params(Calling Number=(, Calling Name=(TON=Unknown,
NPI=Unknown, Screening=Not Screened, Presentation=Allowed),
Called Number=(TON=Unknown, NPI=Unknown), Calling Translated=FALSE,
Subscriber Type Str=(, FinalDestinationFlag=FALSE, Outgoing Dial-
peer=0, Call Count On=FALSE,
Source Trkgrp Route Label=(, Target Trkgrp Route Label=(,
tg_label_flag=0, Application Call Id=)
145680: May 7 14:01:16.289: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145681: May 7 14:01:16.289: :cc_get_feature_vsa malloc success
145682: May 7 14:01:16.289: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145683: May 7 14:01:16.293: cc_get_feature_vsa count is 113
145684: May 7 14:01:16.293: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

```



```

145685: May 7 14:01:16.293: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335614664,feature_id:2617613
145686: May 7 14:01:16.293:
//4181545/xxxxxxxxxxxx/CCAPI/ccIFCallSetupRequestPrivate:
SPI Call Setup Request Is Success; Interface Type=9, FlowMode=1
145687: May 7 14:01:16.293:
//4181545/xxxxxxxxxxxx/CCAPI/ccCallSetContext:
Context=0x1FC2C00
145688: May 7 14:01:16.293: //-
1/xxxxxxxxxxxx/CCAPI/ccIFCallSetupRequestPrivate:
Interface=0x1395EBE0, Interface Type=25, Destination=, Mode=0x0,
Call Params(Calling Number=,(Calling Name=)(TON=Unknown,
NPI=Unknown, Screening=Not Screened, Presentation=Allowed),
Called Number=(TON=Unknown, NPI=Unknown), Calling Translated=FALSE,
Subscriber Type Str=, FinalDestinationFlag=FALSE, Outgoing Dial-
peer=0, Call Count On=FALSE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
145689: May 7 14:01:16.293: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145690: May 7 14:01:16.293: :cc_get_feature_vsa malloc success
145691: May 7 14:01:16.293: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145692: May 7 14:01:16.293: cc_get_feature_vsa count is 114
145693: May 7 14:01:16.293: //-
1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145694: May 7 14:01:16.293: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335616904,feature_id:2617614
145695: May 7 14:01:16.293:
//4181546/xxxxxxxxxxxx/CCAPI/cc_api_call_connected:
Interface=0x1395EBE0, Data Bitmask=0x0, Progress Indication=NULL
(0),
Connection Handle=0
145696: May 7 14:01:16.293:
//4181546/xxxxxxxxxxxx/CCAPI/cc_api_call_connected:
Call Entry(Connected=TRUE, Responded=TRUE, Retry Count=0)
145697: May 7 14:01:16.293:
//4181546/xxxxxxxxxxxx/CCAPI/ccIFCallSetupRequestPrivate:
SPI Call Setup Request Is Success; Interface Type=25, FlowMode=1
145698: May 7 14:01:16.293:
//4181546/xxxxxxxxxxxx/CCAPI/ccCallSetContext:
Context=0x1FC3100
145699: May 7 14:01:16.293:
//4181545/xxxxxxxxxxxx/CCAPI/cc_api_call_connected:
Interface=0x13A300EC, Data Bitmask=0x0, Progress Indication=NULL
(0),

```

```

Connection Handle=0
145700: May 7 14:01:16.293:
//4181545/xxxxxxxxxxxxx/CCAPI/cc_api_call_connected:
Call Entry(Connected=TRUE, Responded=TRUE, Retry Count=0)
145701: May 7 14:01:16.293:
//4181546/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
(confID=0x1C37160, callID1=0x3FCE2A, callID2=0x3FCE29, tag=0x0)
145702: May 7 14:01:16.293:
//4181546/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
(confID=0x1C37160, callID1=0x3FCE2A, gcid=0-0-0-0, tag=0x0)
145703: May 7 14:01:16.293:
//4181545/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
(confID=0x1C37160, callID2=0x3FCE29, gcid=0-0-0-0, tag=0x0)
145704: May 7 14:01:16.293:
//4181546/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
Conference Id=0x1C37160, Call Id1=4181546, Call Id2=4181545, Tag=
0x0
145705: May 7 14:01:16.293:
//4181546/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
Conference Id=0x10C824, Source Interface=0x1395EBE0, Source Call
Id=4181546,
Destination Call Id=4181545, Disposition=0x0, Tag=0x0
145706: May 7 14:01:16.293:
//4181545/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
Conference Id=0x10C824, Source Interface=0x13A300EC, Source Call
Id=4181545,
Destination Call Id=4181546, Disposition=0x0, Tag=0x0
145707: May 7 14:01:16.293:
//4181546/xxxxxxxxxxxxx/CCAPI/cc_generic_bridge_done:
Conference Id=0x10C824, Source Interface=0x13A300EC, Source Call
Id=4181545,
Destination Call Id=4181546, Disposition=0x0, Tag=0x0
145708: May 7 14:01:16.293:
//4181546/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
Call Entry(Conference Id=0x10C824, Destination Call Id=4181545)
145709: May 7 14:01:16.293:
//4181545/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
Call Entry(Conference Id=0x10C824, Destination Call Id=4181546)
145710: May 7 14:01:16.293:
//4181545/xxxxxxxxxxxxx/CCAPI/ccCallModify:
Nominator=0x0, Params=0x1C36C28, Call Id=4181545
145711: May 7 14:01:16.293:
//4181545/xxxxxxxxxxxxx/CCAPI/ccCallModify:
Nominator=0x18E00, Params=0x1C36C08, Call Id=4181545
145712: May 7 14:01:16.293: //-
1/xxxxxxxxxxxxx/CCAPI/ccIFCallSetupRequestPrivate:
Interface=0x13A300EC, Interface Type=9, Destination=0.0.0.0, Mode=
0x0,
Call Params(Calling Number=,(Calling Name=)(TON=Unknown,

```

```

NPI=Unknown, Screening=Not Screened, Presentation=Allowed),
  Called Number=(TON=Unknown, NPI=Unknown), Calling Translated=FALSE,
  Subscriber Type Str=, FinalDestinationFlag=FALSE, Outgoing Dial-
peer=0, Call Count On=FALSE,
  Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)
145713: May 7 14:01:16.293: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145714: May 7 14:01:16.293: :cc_get_feature_vsa malloc success
145715: May 7 14:01:16.293: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145716: May 7 14:01:16.293: cc_get_feature_vsa count is 115
145717: May 7 14:01:16.293: //-
1/xxxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:

145718: May 7 14:01:16.293: :FEATURE_VSA attributes are:
feature_name:0,feature_time:335601448,feature_id:2617615
145719: May 7 14:01:16.293:
//4181547/xxxxxxxxxxxxx/CCAPI/ccIFCallSetupRequestPrivate:
  SPI Call Setup Request Is Success; Interface Type=9, FlowMode=1
145720: May 7 14:01:16.293:
//4181547/xxxxxxxxxxxxx/CCAPI/ccCallSetContext:
  Context=0x1FC20E0
145721: May 7 14:01:16.293:
//4181546/xxxxxxxxxxxxx/CCAPI/cc_process_notify_bridge_done:
  Conference Id=0x10C824, Call Id1=4181546, Call Id2=4181545
145722: May 7 14:01:16.293:
//4181545/xxxxxxxxxxxxx/CCAPI/cc_api_call_modify_done:
  Result=0, Interface=0x13A300EC, Call Id=4181545
145723: May 7 14:01:16.293:
//4181545/xxxxxxxxxxxxx/CCAPI/cc_api_call_modify_done:
  Result=0, Interface=0x13A300EC, Call Id=4181545
145724: May 7 14:01:16.293:
//4181547/xxxxxxxxxxxxx/CCAPI/cc_api_call_connected:
  Interface=0x13A300EC, Data Bitmask=0x0, Progress Indication=NULL
(0),
  Connection Handle=0
145725: May 7 14:01:16.293:
//4181547/xxxxxxxxxxxxx/CCAPI/cc_api_call_connected:
  Call Entry(Connected=TRUE, Responded=TRUE, Retry Count=0)
145726: May 7 14:01:16.293: //-
1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:
Received:
SIP/2.0 200 OK Via: SIP/2.0/UDP
172.22.209.2:5060;branch=z9hG4bK696248733 From: "Dutchess County ."
<sip:8454863685@172.22.209.2>;tag=E91C3018-1471 To: <sip:8454862676@
172.22.196.3>;tag=223820~6faf4609-af95-42b9-a971-0e80e755aec8-43667827

```

Date: Wed, 07 May 2014 14:01:13 GMT Call-ID: E2A00266-D52611E3-B5B1C0D0-28CAE34F@172.22.209.2 CSeq: 101 INVITE Allow: INVITE, OPTIONS, INFO, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY Allow-Events: presence, kpml Supported: replaces Supported: X-cisco-srtp-fallback Supported: Geolocation Session-Expires: 1800;refresher=uas Require: timer P-Asserted-Identity: "Prob FAX" <sip:8454862676@172.22.196.3> Remote-Party-ID: "Prob FAX" <sip:8454862676@172.22.196.3>;party=called;screen=no;privacy=off Contact: <sip:8454862676@172.22.196.3:5060>;+sip.instance="<urn:uuid:00000000-0000-0000-0000-40f4ecef5845>";+u.sip!devicename.ccm.cisco.com="ATA40F4ECEF5845";+u.sip!model.ccm.cisco.com="550" Content-Type: application/sdp Content-Length: 212 v=0 o=CiscoSystemsCCM-SIP 2000 1 IN IP4 172.22.196.3 s=SIP Call c=IN IP4 172.22.209.2 t=0 0 m=audio 24778 RTP/AVP 0 101 a=rtpmap:0 PCMU/8000 a=ptime:20 a=rtpmap:101 telephone-event/8000 a=fmtp:101 0-15

145727: May 7 14:01:16.293:
//4181544/E29F663EB5AB/CCAPI/cc_api_caps_ind:
Destination Interface=0x0, Destination Call Id=-1, Source Call Id=4181544,
Caps(Codec=0x1, Fax Rate=0x2, Vad=0x2,
Modem=0x0, Codec Bytes=20, Signal Type=2)

145728: May 7 14:01:16.293:
//4181544/E29F663EB5AB/CCAPI/cc_api_caps_ind:
Caps(Playout Mode=1, Playout Initial=60(ms), Playout Min=40(ms),
Playout Max=1000(ms), Fax Nom=300(ms))

145729: May 7 14:01:16.293:
//4181543/E29F663EB5AB/CCAPI/cc_api_caps_ack:
Destination Interface=0x0, Destination Call Id=4181544, Source Call Id=4181543,
Caps(Codec=g711ulaw(0x1), Fax Rate=FAX_RATE_VOICE(0x2), Vad=OFF(0x1),
Modem=OFF(0x0), Codec Bytes=160, Signal Type=2, Seq Num Start=1)

145730: May 7 14:01:16.293:
//4181544/E29F663EB5AB/CCAPI/cc_api_event_indication:
Event=156, Call Id=4181544

145731: May 7 14:01:16.293:
//4181544/E29F663EB5AB/CCAPI/cc_api_event_indication:
Event Is Sent To Conferenced SPI(s) Directly

145732: May 7 14:01:16.293:
//4181544/E29F663EB5AB/CCAPI/cc_api_call_connected:
Interface=0x405292B0, Data Bitmask=0x80000001, Progress Indication=NULL(0),
Connection Handle=0

145733: May 7 14:01:16.293:
//4181544/E29F663EB5AB/CCAPI/cc_api_call_connected:
Call Entry(Connected=TRUE, Responded=TRUE, Retry Count=0)

145734: May 7 14:01:16.293:
//4181543/xxxxxxxxxxxx/CCAPI/ccConferenceCreate:

```

    (confID=0x1239C598, callID1=0x3FCE27, callID2=0x3FCE28, tag=0x0)
145735: May  7 14:01:16.293:
//4181543/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
    (confID=0x1239C598, callID1=0x3FCE27, gcid=E2A00266-D52611E3-
B5AEC0D0-28CAE34F, tag=0x0)
145736: May  7 14:01:16.293:
//4181544/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
    (confID=0x1239C598, callID2=0x3FCE28, gcid=E2A00266-D52611E3-
B5AEC0D0-28CAE34F, tag=0x0)
145737: May  7 14:01:16.297:
//4181543/E29F663EB5AB/CCAPI/ccConferenceCreate:
    Conference Id=0x1239C598, Call Id1=4181543, Call Id2=4181544, Tag=
0x0
145738: May  7 14:01:16.297:
//4181543/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:

145739: May  7 14:01:16.297: ccConferenceCreate: ret1=0, codecMask1=1,
bytes1=160, negot1=1, dtmf1=6
                                ret2=0, codecMask2=1, bytes2=160, negot2=1, dtmf2=
6,
                                tx_dynamic_pt1=0, rx_dynamic_pt1=0, codec_model=0,
params_bitmap1 =0
                                tx_dynamic_pt2=0, rx_dynamic_pt2=0, codec_mode2=0,
params_bitmap2 =0
145740: May  7 14:01:16.297:
//4181543/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:
    delay media to slow start case, codec negotiation is not done
145741: May  7 14:01:16.297:
//4181543/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

145742: May  7 14:01:16.297: cc_api_get_xcode_stream : 4534
145743: May  7 14:01:16.297:
//4181543/xxxxxxxxxxxxx/CCAPI/cc_api_bridge_done:
    Conference Id=0x10C825, Source Interface=0x405292B0, Source Call
Id=4181543,
    Destination Call Id=4181544, Disposition=0x0, Tag=0x0
145744: May  7 14:01:16.297:
//4181544/xxxxxxxxxxxxx/CCAPI/cc_api_get_xcode_stream:

```