

===== PuTTY log 2014.05.02 16:11:54  
=====

login as: pwalker  
Sent username "pwalker"  
pwalker@172.22.209.2's password:

OCIS-FR-3945-1#debug ccsip calls  
SIP Call statistics tracing is enabled  
OCIS-FR-3945-1#debug ccsip error  
SIP Call error tracing is enabled  
OCIS-FR-3945-1#term monitor  
OCIS-FR-3945-1#  
020896: May 2 20:12:34.824:  
//4091538/C71524568EF3/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x26A9D68  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454835000  
Called Number : 8454863000  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

020897: May 2 20:12:34.824:  
//4091538/C71524568EF3/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 30112  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14592  
Orig Destn IP Address:Port (Media): [ - ]:0

020898: May 2 20:12:34.824:  
//4091538/C71524568EF3/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

020899: May 2 20:12:34.824: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
020900: May 2 20:12:34.824: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

020901: May 2 20:12:34.824:  
//4091539/C71524568EF3/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x26B4348  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454866370  
Called Number : 8454863000  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

OCIS-FR-3945-1#  
020902: May 2 20:12:34.824:  
//4091539/C71524568EF3/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 25784  
Destn IP Address (Media): 172.22.97.3  
Destn IP Port (Media): 25916  
Orig Destn IP Address:Port (Media): [ - ]:0

020903: May 2 20:12:34.824:  
//4091539/C71524568EF3/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

OCIS-FR-3945-1#  
020904: May 2 20:12:36.599:  
//4091594/0B3852000000/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notices  
SIP: Attribute mid, level 1 instance 1 not found.

020905: May 2 20:12:36.599:  
//4091594/0B3852000000/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FFDFC8  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454863404  
Called Number : 4303811  
Source IP Address (Sig ) : 152.187.182.42

Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

020906: May 2 20:12:36.599:  
//4091594/0B3852000000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 19330  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14462  
Orig Destn IP Address:Port (Media): [ - ]:0

020907: May 2 20:12:36.603:  
//4091593/0B3852000000/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x1203C308  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : YES  
Calling Number : 8454863404  
Called Number : 84303811  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:35658  
Destination Name : 172.22.196.3

OCIS-FR-3945-1#  
020908: May 2 20:12:36.603:  
//4091593/0B3852000000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 28944  
Destn IP Address (Media): 172.22.196.2  
Destn IP Port (Media): 25764  
Orig Destn IP Address:Port (Media): [ - ]:0

OCIS-FR-3945-1#

SIP: (4091622) Attribute mid, level 1 instance 1 not found.  
020909: May 2 20:12:39.543:  
//4091622/F1D8D0B08FD3/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
020910: May 2 20:12:39.543:  
//4091622/F1D8D0B08FD3/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
020911: May 2 20:12:39.543:  
//4091622/F1D8D0B08FD3/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
SIP: (4091623) Group (a= group line) attribute, level 65535 instance 1  
not found.  
020912: May 2 20:12:39.551:  
//4091622/F1D8D0B08FD3/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg  
020913: May 2 20:12:39.551: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
020914: May 2 20:12:39.551: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list  
020915: May 2 20:12:39.599: //-  
1/xxxxxxxxxxxx/SIP/Error/get\_content\_length: Could not get Content-  
length  
020916: May 2 20:12:39.599:  
//4091624/F1E15B788FDA/SIP/Error/sipSPICheckReliableProvStringtag:  
Unable to access supported header values  
020917: May 2 20:12:39.599: //-  
1/xxxxxxxxxxxx/SIP/Error/rtpAvpCodec\_to\_voipCodec: Unexpected RTP  
PayloadType :255 in SDP Body  
020918: May 2 20:12:40.163:  
//4091515/B630430B8EB7/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13E117A0  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 3478039225  
Called Number : 8454862600  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49  
  
020919: May 2 20:12:40.163:  
//4091515/B630430B8EB7/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6

Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 16622  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15022  
Orig Destn IP Address:Port (Media): [ - ]:0

020920: May 2 20:12:40.163:  
//4091515/B630430B8EB7/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

020921: May 2 20:12:40.167: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

020922: May 2 20:12:40.167: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

020923: May 2 20:12:40.167:  
//4091516/B630430B8EB7/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x268ABC8  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454866370  
Called Number : 8454862600  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

020924: May 2 20:12:40.167:  
//4091516/B630430B8EB7/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 23294  
Destn IP Address (Media): 172.22.196.3  
Destn IP Port (Media): 28964  
Orig Destn IP Address:Port (Media): [ - ]:0

020925: May 2 20:12:40.167:  
//4091516/B630430B8EB7/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

```

020926: May  2 20:12:40.359:
//4091546/CAA80B9A8F0F/SIP/Error/sact_app_media_event_send_request:
Cannot send UPDATE without calling ccsip_api_update_allowed
SIP: (4091626) Attribute mid, level 1 instance 1 not found.
020927: May  2 20:12:40.407:
//4091626/F25CA64E8FDC/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
020928: May  2 20:12:40.407:
//4091626/F25CA64E8FDC/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
020929: May  2 20:12:40.407:
//4091626/F25CA64E8FDC/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
SIP: (4091627) Group (a= group line) attribute, level 65535 instance 1
not found.
OCIS-FR-3945-1#
020930: May  2 20:12:40.431:
//4091626/F25CA64E8FDC/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in
parsing CCB/Msg
020931: May  2 20:12:40.431: //-
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:
020932: May  2 20:12:40.431: //-
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList:      end of list
020933: May  2 20:12:40.479:
//4091627/F25CA64E8FDC/SIP/Error/sipSPIProcessNotifyCallInfoHeader:
Call-Info header with for Unsolicited Notify Absent,Disabling
Unsolicited Notifies
SIP: Attribute mid, level 1 instance 1 not found.
020934: May  2 20:12:40.479:
//4091627/F25CA64E8FDC/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FC4F78
State of The Call       : STATE_ACTIVE
TCP Sockets Used       : NO
Calling Number         : 8454835000
Called Number          : 8454863000
Source IP Address (Sig ): 172.22.209.2
Destn SIP Req Addr:Port : 172.22.196.3:5060
Destn SIP Resp Addr:Port : 172.22.196.3:5060
Destination Name       : 172.22.196.3

020935: May  2 20:12:40.479:
//4091627/F25CA64E8FDC/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload    : 0 (tx), 0 (rx)
Negotiated Dtmf-relay  : 6

```

Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 31160  
Destn IP Address (Media): 172.22.196.3  
Destn IP Port (Media): 29024  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091626) Group (a= group line) attribute, level 65535 instance 1 not found.

020936: May 2 20:12:40.587:  
//4091626/F25CA64E8FDC/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x120085A8  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454835000  
Called Number : 8454863000  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

020937: May 2 20:12:40.587:  
//4091626/F25CA64E8FDC/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 23556  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14676  
Orig Destn IP Address:Port (Media): [ - ]:0

020938: May 2 20:12:41.183:  
//4091575/D9B17B7C8F5E/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notices  
SIP: Attribute mid, level 1 instance 1 not found.

020939: May 2 20:12:41.183:  
//4091575/D9B17B7C8F5E/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x12031D28  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454866370

Called Number : 8454863250  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

020940: May 2 20:12:41.183:  
//4091575/D9B17B7C8F5E/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 18502  
Destn IP Address (Media): 172.22.209.2  
Destn IP Port (Media): 24728  
Orig Destn IP Address:Port (Media): [ - ]:0

020941: May 2 20:12:41.247:  
//4091574/D9B17B7C8F5E/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x2670D18  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8456322357  
Called Number : 8454863250  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#  
020942: May 2 20:12:41.247:  
//4091574/D9B17B7C8F5E/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 24374  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 16052  
Orig Destn IP Address:Port (Media): [ - ]:0



OCIS-FR-3945-1#  
020943: May 2 20:12:44.311:  
//4091387/66DE28228D69/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x269F788  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454866340  
Called Number : 8454866341  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

020944: May 2 20:12:44.311:  
//4091387/66DE28228D69/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 27302  
Destn IP Address (Media): 172.22.196.3  
Destn IP Port (Media): 28878  
Orig Destn IP Address:Port (Media): [ - ]:0

020945: May 2 20:12:44.311:  
//4091387/66DE28228D69/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

020946: May 2 20:12:44.343: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
020947: May 2 20:12:44.343: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

020948: May 2 20:12:44.343:  
//4091386/66DE28228D69/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13E0C4B0  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8457978775  
Called Number : 8454866341  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271

Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#  
020949: May 2 20:12:44.343:  
//4091386/66DE28228D69/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 25888  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14044  
Orig Destn IP Address:Port (Media): [ - ]:0

020950: May 2 20:12:44.343:  
//4091386/66DE28228D69/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

020951: May 2 20:12:45.231:  
//4091614/EAA63BD08FBB/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notices  
SIP: Attribute mid, level 1 instance 1 not found.

020952: May 2 20:12:45.231:  
//4091614/EAA63BD08FBB/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x1201D168  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454866342  
Called Number : 8454863149  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

020953: May 2 20:12:45.231:  
//4091614/EAA63BD08FBB/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)

Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 21524  
Destn IP Address (Media): 172.22.196.3  
Destn IP Port (Media): 29030  
Orig Destn IP Address:Port (Media): [ - ]:0

020954: May 2 20:12:45.295:  
//4091613/EAA63BD08FBB/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FA5DD8  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454440770  
Called Number : 8454863149  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#  
020955: May 2 20:12:45.295:  
//4091613/EAA63BD08FBB/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 18962  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 13842  
Orig Destn IP Address:Port (Media): [ - ]:0

020956: May 2 20:12:45.499:  
//4091604/E70684138FA1/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notices  
SIP: Attribute mid, level 1 instance 1 not found.

020957: May 2 20:12:45.499:  
//4091604/E70684138FA1/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FBFC88  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454866370

Called Number : 8454863449  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

020958: May 2 20:12:45.499:  
//4091604/E70684138FA1/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 20394  
Destn IP Address (Media): 172.22.97.3  
Destn IP Port (Media): 25970  
Orig Destn IP Address:Port (Media): [ - ]:0

020959: May 2 20:12:45.563:  
//4091603/E70684138FA1/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DD3460  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 7164854900  
Called Number : 8454863449  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

020960: May 2 20:12:45.563:  
//4091603/E70684138FA1/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 20128  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15038  
Orig Destn IP Address:Port (Media): [ - ]:0

020961: May 2 20:12:45.675:  
//4091612/C70D351D8EEC/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DA9CE0  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454866370  
Called Number : 8454863116  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

020962: May 2 20:12:45.675:  
//4091612/C70D351D8EEC/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 27254  
Destn IP Address (Media): 172.22.196.2  
Destn IP Port (Media): 25792  
Orig Destn IP Address:Port (Media): [ - ]:0

020963: May 2 20:12:45.675:  
//4091612/C70D351D8EEC/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

020964: May 2 20:12:45.707: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

020965: May 2 20:12:45.707: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

020966: May 2 20:12:45.707:  
//4091536/C70D351D8EEC/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DED310  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 5183311132  
Called Number : 8454863116  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#  
020967: May 2 20:12:45.707:  
//4091536/C70D351D8EEC/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 17118  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15460  
Orig Destn IP Address:Port (Media): [ - ]:0

020968: May 2 20:12:45.707:  
//4091536/C70D351D8EEC/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

020969: May 2 20:12:47.203:  
//4091602/E63B46108F9A/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FE9408  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454866360  
Called Number : 8454863154  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

020970: May 2 20:12:47.203:  
//4091602/E63B46108F9A/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : No Codec  
Negotiated Codec Bytes : 0  
Nego. Codec payload : 255 (tx), 255 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 30480  
Destn IP Address (Media): -  
Destn IP Port (Media): 0  
Orig Destn IP Address:Port (Media): [ - ]:0

020971: May 2 20:12:47.203:  
//4091602/E63B46108F9A/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 487

020972: May 2 20:12:47.207:  
//4091601/E63B46108F9A/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DA49F0  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8457059622  
Called Number : 8454863154  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#  
020973: May 2 20:12:47.207:  
//4091601/E63B46108F9A/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g729r8  
Negotiated Codec Bytes : 20  
Nego. Codec payload : 18 (tx), 18 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 29344  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14338  
Orig Destn IP Address:Port (Media): [ - ]:0

020974: May 2 20:12:47.207:  
//4091601/E63B46108F9A/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 487

OCIS-FR-3945-1#  
020975: May 2 20:12:47.751:  
//4091626/F25CA64E8FDC/SIP/Error/sact\_app\_media\_event\_send\_request:  
Cannot send UPDATE without calling ccsip\_api\_update\_allowed  
020976: May 2 20:12:48.871:  
//4091613/EAA63BD08FBB/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FA5DD8  
State of The Call : STATE\_DEAD

TCP Sockets Used : NO  
Calling Number : 8454440770  
Called Number : 8454863149  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

020977: May 2 20:12:48.871:  
//4091613/EAA63BD08FBB/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 18962  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 13842  
Orig Destn IP Address:Port (Media): [ - ]:0

020978: May 2 20:12:48.871:  
//4091613/EAA63BD08FBB/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

020979: May 2 20:12:48.875: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

020980: May 2 20:12:48.875: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

020981: May 2 20:12:48.875:  
//4091614/EAA63BD08FBB/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x1201D168  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454866342  
Called Number : 8454863149  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

OCIS-FR-3945-1#  
020982: May 2 20:12:48.875:  
//4091614/EAA63BD08FBB/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1



Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 21524  
Destn IP Address (Media): 172.22.196.3  
Destn IP Port (Media): 29030  
Orig Destn IP Address:Port (Media): [ - ]:0

020983: May 2 20:12:48.875:  
//4091614/EAA63BD08FBB/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

020984: May 2 20:12:49.675:  
//4091619/EBDF54758FCA/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notices  
SIP: Attribute mid, level 1 instance 1 not found.

020985: May 2 20:12:49.675:  
//4091619/EBDF54758FCA/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FA0AE8  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454866340  
Called Number : 8454863265  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

020986: May 2 20:12:49.675:  
//4091619/EBDF54758FCA/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 23712  
Destn IP Address (Media): 172.22.196.3  
Destn IP Port (Media): 29038  
Orig Destn IP Address:Port (Media): [ - ]:0

020987: May 2 20:12:49.759:  
//4091618/EBDF54758FCA/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DAEFD0  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 9144562790  
Called Number : 8454863265  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

020988: May 2 20:12:49.759:  
//4091618/EBDF54758FCA/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 24698  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 16728  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091635) Attribute mid, level 1 instance 1 not found.

020989: May 2 20:12:50.295:  
//4091635/F840C6178FEA/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
020990: May 2 20:12:50.295:  
//4091635/F840C6178FEA/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
020991: May 2 20:12:50.295:  
//4091635/F840C6178FEA/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
SIP: (4091636) Group (a= group line) attribute, level 65535 instance 1  
not found.  
020992: May 2 20:12:50.303:  
//4091635/F840C6178FEA/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg  
020993: May 2 20:12:50.303: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
OCIS-FR-3945-1#  
020994: May 2 20:12:50.303: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

OCIS-FR-3945-1#  
 020995: May 2 20:12:52.155:  
 //4091605/E8C23C698FA8/SIP/Error/sact\_app\_media\_event\_send\_request:  
 Cannot send UPDATE without calling ccsip\_api\_update\_allowed  
 SIP: (4091638) Attribute mid, level 1 instance 1 not found.  
 020996: May 2 20:12:52.195:  
 //4091638/21DEA9000000/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
 failed to update call entry  
 020997: May 2 20:12:52.195:  
 //4091639/21DEA9000000/SIP/Error/sipSPI\_ipip\_copy\_channelInfo\_to\_sdp:  
 filter mis-match or srtp rtp fallback failed, failing call  
 020998: May 2 20:12:52.195: //-  
 1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container  
 Created !!!  
 020999: May 2 20:12:52.195: //-  
 1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container  
 Created !!!  
 021000: May 2 20:12:52.195:  
 //4091639/21DEA9000000/SIP/Error/sipSPI\_ipip\_ExtractPassthruContentFromSipContainer: Invalid CCB/Data/Container  
 021001: May 2 20:12:52.195:  
 //4091639/21DEA9000000/SIP/Error/sipAddSipContainerToCallEntry: Unable  
 to add passthru hdrs  
 to container  
 021002: May 2 20:12:52.195:  
 //4091639/21DEA9000000/SIP/Error/sipSPIAddSDPMediaPayload: Call  
 Origination Failed: None of the selected codec from CLI is supported  
 by SIP  
 021003: May 2 20:12:52.195:  
 //4091639/21DEA9000000/SIP/Error/sipSPIOutgoingCallSDP: Error with  
 codec types on media line : 1  
 021004: May 2 20:12:52.195:  
 //4091639/21DEA9000000/SIP/Error/sipSPICreateOutboundSDP: Error in  
 creating an SDP for the outbound call - Check for supported codecs  
 021005: May 2 20:12:52.195:  
 //4091639/21DEA9000000/SIP/Error/preprocessSetup: Error during  
 outbound SDP creation  
 021006: May 2 20:12:52.195: //-  
 1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container  
 Created !!!  
 021007: May 2 20:12:52.195: //-  
 1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container  
 Created !!!  
 021008: May 2 20:12:52.195:  
 //4091639/21DEA9000000/SIP/Error/sipSPI\_ipip\_ExtractPassthruContentFromSipContainer: Invalid CCB/Data/Container  
 021009: May 2 20:12:52.195:  
 //4091639/21DEA9000000/SIP/Error/sipAddSipContainerToCallEntry: Unable  
 to add passthru hdrs

```

                                to container
021010: May  2 20:12:52.195: //-
1/xxxxxxxxxxxxx/SIP/Error/ccsip_spi_process_ccapi_event: CCAPI Event
Preprocessor Failure
021011: May  2 20:12:52.195:
//4091639/21DEA9000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x13E0C4B0
State of The Call       : STATE_DEAD
TCP Sockets Used       : YES
Calling Number         : 8454753403
Called Number          : 911
Source IP Address (Sig ): 152.187.182.42
Destn SIP Req Addr:Port : :0
Destn SIP Resp Addr:Port : :0
Destination Name       :

021012: May  2 20:12:52.195:
//4091639/21DEA9000000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : No Codec
Negotiated Codec Bytes : 0
Nego. Codec payload    : 255 (tx), 255 (rx)
Negotiated Dtmf-relay  : 0
Dtmf-relay Payload     : 0 (tx), 0 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 23708
Destn IP Address (Media): -
Destn IP Port (Media): 0
Orig Destn IP Address:Port (Media): [ - ]:0

021013: May  2 20:12:52.195:
//4091639/21DEA9000000/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC)   : 47
Disconnect Cause (SIP)  : 200

021014: May  2 20:12:52.195:
//4091640/21DEA9000000/SIP/Error/sipSPI_ipip_copy_channelInfo_to_sdp:
filter mis-match or srtp rtp fallback failed, failing call
021015: May  2 20:12:52.195: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container
Created !!!
021016: May  2 20:12:52.195: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container
Created !!!
021017: May  2 20:12:52.195:
//4091640/21DEA9000000/SIP/Error/sipSPI_ipip_ExtractPassthruContentFro
mSipContainer: Invalid CCB/Data/Container

```

021018: May 2 20:12:52.195:  
//4091640/21DEA9000000/SIP/Error/sipAddSipContainerToCallEntry: Unable  
to add passthru hdrs  
to container

021019: May 2 20:12:52.195:  
//4091640/21DEA9000000/SIP/Error/sipSPIAddSDPMediaPayload: Call  
Origination Failed: None of the selected codec from CLI is supported  
by SIP

021020: May 2 20:12:52.195:  
//4091640/21DEA9000000/SIP/Error/sipSPIOutgoingCallSDP: Error with  
codec types on media line : 1

021021: May 2 20:12:52.195:  
//4091640/21DEA9000000/SIP/Error/sipSPICreateOutboundSDP: Error in  
creating an SDP for the outbound call - Check for supported codecs

021022: May 2 20:12:52.195:  
//4091640/21DEA9000000/SIP/Error/preprocessSetup: Error during  
outbound SDP creation

021023: May 2 20:12:52.195: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container  
Created !!!

021024: May 2 20:12:52.195: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container  
Created !!!

021025: May 2 20:12:52.195:  
//4091640/21DEA9000000/SIP/Error/sipSPI\_ipip\_ExtractPassthruContentFro  
mSipContainer: Invalid CCB/Data/Container

021026: May 2 20:12:52.195:  
//4091640/21DEA9000000/SIP/Error/sipAddSipContainerToCallEntry: Unable  
to add passthru hdrs  
to container

021027: May 2 20:12:52.195: //-  
1/xxxxxxxxxxxxx/SIP/Error/ccsip\_spi\_process\_ccapi\_event: CCAPI Event  
Preprocessor Failure

021028: May 2 20:12:52.195:  
//4091640/21DEA9000000/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13E0C4B0  
State of The Call : STATE\_DEAD  
TCP Sockets Used : YES  
Calling Number : 8454753403  
Called Number : 911  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : :0  
Destn SIP Resp Addr:Port : :0  
Destination Name :

021029: May 2 20:12:52.195:  
//4091640/21DEA9000000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1

Media Stream : 1  
Negotiated Codec : No Codec  
Negotiated Codec Bytes : 0  
Nego. Codec payload : 255 (tx), 255 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 16708  
Destn IP Address (Media): -  
Destn IP Port (Media): 0  
Orig Destn IP Address:Port (Media): [ - ]:0

021030: May 2 20:12:52.195:  
//4091640/21DEA9000000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 47  
Disconnect Cause (SIP) : 200

021031: May 2 20:12:52.199:  
//4091641/21DEA9000000/SIP/Error/sipSPI\_ipip\_copy\_channelInfo\_to\_sdp:  
filter mis-match or srtp rtp fallback failed, failing call

021032: May 2 20:12:52.199: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container  
Created !!!

021033: May 2 20:12:52.199: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container  
Created !!!

021034: May 2 20:12:52.199:  
//4091641/21DEA9000000/SIP/Error/sipSPI\_ipip\_ExtractPassthruContentFromSipContainer: Invalid CCB/Data/Container

021035: May 2 20:12:52.199:  
//4091641/21DEA9000000/SIP/Error/sipAddSipContainerToCallEntry: Unable  
to add passthru hdrs

to container

021036: May 2 20:12:52.199:  
//4091641/21DEA9000000/SIP/Error/sipSPIAddSDPMediaPayload: Call  
Origination Failed: None of the selected codec from CLI is supported  
by SIP

021037: May 2 20:12:52.199:  
//4091641/21DEA9000000/SIP/Error/sipSPIOutgoingCallSDP: Error with  
codec types on media line : 1

021038: May 2 20:12:52.199:  
//4091641/21DEA9000000/SIP/Error/sipSPICreateOutboundSDP: Error in  
creating an SDP for the outbound call - Check for supported codecs

021039: May 2 20:12:52.199:  
//4091641/21DEA9000000/SIP/Error/preprocessSetup: Error during  
outbound SDP creation

021040: May 2 20:12:52.199: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container  
Created !!!

```

021041: May  2 20:12:52.199: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container
Created !!!
021042: May  2 20:12:52.199:
//4091641/21DEA9000000/SIP/Error/sipSPI_ipip_ExtractPassthruContentFro
mSipContainer: Invalid CCB/Data/Container
021043: May  2 20:12:52.199:
//4091641/21DEA9000000/SIP/Error/sipAddSipContainerToCallEntry: Unable
to add passthru hdrs
                                to container
021044: May  2 20:12:52.199: //-
1/xxxxxxxxxxxxx/SIP/Error/ccsip_spi_process_ccapi_event: CCAPI Event
Preprocessor Failure
021045: May  2 20:12:52.199:
//4091641/21DEA9000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x13E0C4B0
State of The Call       : STATE_DEAD
TCP Sockets Used       : YES
Calling Number         : 8454753403
Called Number          : 11
Source IP Address (Sig ): 152.187.182.42
Destn SIP Req Addr:Port : :0
Destn SIP Resp Addr:Port : :0
Destination Name      :

021046: May  2 20:12:52.199:
//4091641/21DEA9000000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : No Codec
Negotiated Codec Bytes : 0
Nego. Codec payload    : 255 (tx), 255 (rx)
Negotiated Dtmf-relay  : 0
Dtmf-relay Payload     : 0 (tx), 0 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 17290
Destn IP Address (Media): -
Destn IP Port (Media): 0
Orig Destn IP Address:Port (Media): [ - ]:0

021047: May  2 20:12:52.199:
//4091641/21DEA9000000/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC)   : 47
Disconnect Cause (SIP)  : 200

SIP: (4091642) Group (a= group line) attribute, level 65535 instance 1
not found.
021048: May  2 20:12:52.267: //-

```

```
1/xxxxxxxxxxxx/SIP/Error/get_content_length: Could not get Content-
length
021049: May  2 20:12:52.363:
//4091638/21DEA9000000/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in
parsing CCB/Msg
021050: May  2 20:12:52.443:
//4091642/21DEA9000000/SIP/Error/sipSPIProcessNotifyCallInfoHeader:
Call-Info header with for Unsolicited Notify Absent,Disabling
Unsolicited Notices
SIP: Attribute mid, level 1 instance 1 not found.
021051: May  2 20:12:52.443:
//4091642/21DEA9000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x13E0C4B0
State of The Call       : STATE_ACTIVE
TCP Sockets Used       : NO
Calling Number         : 8454753403
Called Number          : 11
Source IP Address (Sig ) : 152.187.182.42
Destn SIP Req Addr:Port : 172.31.101.17:5077
Destn SIP Resp Addr:Port : 172.31.101.17:5077
Destination Name       : 172.31.101.17

021052: May  2 20:12:52.443:
//4091642/21DEA9000000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload    : 0 (tx), 0 (rx)
Negotiated Dtmf-relay  : 0
Dtmf-relay Payload     : 0 (tx), 0 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 24142
Destn IP Address (Media): 172.31.101.132
Destn IP Port (Media): 16486
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091638) Group (a= group line) attribute, level 65535 instance 1
not found.
021053: May  2 20:12:52.447:
//4091638/21DEA9000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x13DED310
State of The Call       : STATE_ACTIVE
TCP Sockets Used       : YES
Calling Number         : 8454753403
Called Number          : 911
Source IP Address (Sig ) : 172.22.209.2
```



Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:35658  
Destination Name : 172.22.196.3

OCIS-FR-3945-1#  
021054: May 2 20:12:52.447:  
//4091638/21DEA900000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 23126  
Destn IP Address (Media): 172.22.196.2  
Destn IP Port (Media): 25822  
Orig Destn IP Address:Port (Media): [ - ]:0

OCIS-FR-3945-1#  
021055: May 2 20:12:54.327:  
//4091575/D9B17B7C8F5E/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x12031D28  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454866370  
Called Number : 8454863250  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021056: May 2 20:12:54.327:  
//4091575/D9B17B7C8F5E/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 18502  
Destn IP Address (Media): 172.22.209.2  
Destn IP Port (Media): 24728  
Orig Destn IP Address:Port (Media): [ - ]:0

021057: May 2 20:12:54.327:  
//4091575/D9B17B7C8F5E/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021058: May 2 20:12:54.359: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
021059: May 2 20:12:54.359: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list  
021060: May 2 20:12:54.359:  
//4091574/D9B17B7C8F5E/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x2670D18  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8456322357  
Called Number : 8454863250  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#  
021061: May 2 20:12:54.359:  
//4091574/D9B17B7C8F5E/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 24374  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 16052  
Orig Destn IP Address:Port (Media): [ - ]:0

021062: May 2 20:12:54.359:  
//4091574/D9B17B7C8F5E/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

OCIS-FR-3945-1#  
021063: May 2 20:12:55.859:  
//4091546/CAA80B9A8F0F/SIP/Error/sact\_app\_media\_event\_send\_request:  
Cannot send UPDATE without calling ccsip\_api\_update\_allowed  
OCIS-FR-3945-1#  
021064: May 2 20:12:59.099:

//4091542/C8B1BD228F01/SIP/Error/sact\_app\_media\_event\_send\_request:  
Cannot send UPDATE without calling ccsip\_api\_update\_allowed

021065: May 2 20:12:59.263:

//4091583/DC7A5B088F6B/SIP/Call/sipSPICallInfo:

The Call Setup Information is:

Call Control Block (CCB) : 0x11FEE6F8  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 7186782255  
Called Number : 8454863356  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021066: May 2 20:12:59.263:

//4091583/DC7A5B088F6B/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 17512  
Destn IP Address (Media): 172.22.196.2  
Destn IP Port (Media): 25752  
Orig Destn IP Address:Port (Media): [ - ]:0

021067: May 2 20:12:59.263:

//4091583/DC7A5B088F6B/SIP/Call/sipSPICallInfo:

Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021068: May 2 20:12:59.291:

//4091467/BB598B000000/SIP/Call/sipSPICallInfo:

The Call Setup Information is:

Call Control Block (CCB) : 0x26422A8  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454753930  
Called Number : 16467322693  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021069: May 2 20:12:59.291:

```
//4091467/BB598B000000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload    : 0 (tx), 0 (rx)
Negotiated Dtmf-relay  : 6
Dtmf-relay Payload     : 101 (tx), 101 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 16934
Destn IP Address (Media): 172.31.100.164
Destn IP Port (Media): 15276
Orig Destn IP Address:Port (Media): [ - ]:0
```

```
021070: May  2 20:12:59.291:
//4091467/BB598B000000/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC)   : 16
Disconnect Cause (SIP)  : 200
```

```
021071: May  2 20:12:59.295: //-
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:
```

```
021072: May  2 20:12:59.295: //-
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList:      end of list
```

```
021073: May  2 20:12:59.295:
//4091466/BB598B000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x13DB95B0
State of The Call       : STATE_DEAD
TCP Sockets Used        : YES
Calling Number           : 8454753930
Called Number            : 816467322693
Source IP Address (Sig  ): 172.22.209.2
Destn SIP Req Addr:Port  : 172.22.196.3:5060
Destn SIP Resp Addr:Port : 172.22.196.3:35658
Destination Name         : 172.22.196.3
```

```
021074: May  2 20:12:59.295:
//4091466/BB598B000000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload    : 0 (tx), 0 (rx)
Negotiated Dtmf-relay  : 6
Dtmf-relay Payload     : 101 (tx), 101 (rx)
Source IP Address (Media): 172.22.209.2
Source IP Port (Media): 30260
Destn IP Address (Media): 172.22.97.3
Destn IP Port (Media): 25878
```

Orig Destn IP Address:Port (Media): [ - ]:0

021075: May 2 20:12:59.295:  
//4091466/BB598B000000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021076: May 2 20:12:59.295: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
021077: May 2 20:12:59.295: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list  
021078: May 2 20:12:59.295:  
//4091582/DC7A5B088F6B/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13E01ED0  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 7186782255  
Called Number : 8454863356  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#

021079: May 2 20:12:59.295:  
//4091582/DC7A5B088F6B/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 19520  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15908  
Orig Destn IP Address:Port (Media): [ - ]:0

021080: May 2 20:12:59.295:  
//4091582/DC7A5B088F6B/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021081: May 2 20:12:59.711:  
//4091626/F25CA64E8FDC/SIP/Error/sact\_app\_media\_event\_send\_request:  
Cannot send UPDATE without calling ccsip\_api\_update\_allowed

021082: May 2 20:12:59.979:

```
//4091638/21DEA9000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x13DED310
State of The Call       : STATE_DEAD
TCP Sockets Used       : YES
Calling Number         : 8454753403
Called Number         : 911
Source IP Address (Sig ) : 172.22.209.2
Destn SIP Req Addr:Port : 172.22.196.3:5060
Destn SIP Resp Addr:Port : 172.22.196.3:35658
Destination Name      : 172.22.196.3
```

```
021083: May  2 20:12:59.979:
//4091638/21DEA9000000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec      : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload   : 0 (tx), 0 (rx)
Negotiated Dtmf-relay : 0
Dtmf-relay Payload    : 0 (tx), 0 (rx)
Source IP Address (Media): 172.22.209.2
Source IP Port (Media): 23126
Destn IP Address (Media): 172.22.196.2
Destn IP Port (Media): 25822
Orig Destn IP Address:Port (Media): [ - ]:0
```

```
021084: May  2 20:12:59.979:
//4091638/21DEA9000000/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC)   : 16
Disconnect Cause (SIP)  : 200
```

```
021085: May  2 20:13:00.095: //-
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:
021086: May  2 20:13:00.095: //-
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList:          end of list
021087: May  2 20:13:00.095:
//4091642/21DEA9000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x13E0C4B0
State of The Call       : STATE_DEAD
TCP Sockets Used       : NO
Calling Number         : 8454753403
Called Number         : 11
Source IP Address (Sig ) : 152.187.182.42
Destn SIP Req Addr:Port : 172.31.101.17:5077
Destn SIP Resp Addr:Port : 172.31.101.17:5077
Destination Name      : 172.31.101.17
```

OCIS-FR-3945-1#  
021088: May 2 20:13:00.095:  
//4091642/21DEA900000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 24142  
Destn IP Address (Media): 172.31.101.132  
Destn IP Port (Media): 16486  
Orig Destn IP Address:Port (Media): [ - ]:0

021089: May 2 20:13:00.095:  
//4091642/21DEA900000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021090: May 2 20:13:01.219:  
//4091611/E8FA61EC8FB2/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FF39E8  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454866360  
Called Number : 8454863179  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021091: May 2 20:13:01.219:  
//4091611/E8FA61EC8FB2/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : No Codec  
Negotiated Codec Bytes : 0  
Nego. Codec payload : 255 (tx), 255 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 18010  
Destn IP Address (Media): -  
Destn IP Port (Media): 0  
Orig Destn IP Address:Port (Media): [ - ]:0

021092: May 2 20:13:01.219:  
//4091611/E8FA61EC8FB2/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 487

021093: May 2 20:13:01.223:  
//4091610/E8FA61EC8FB2/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FDDEE28  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : anonymous  
Called Number : 8454863179  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#  
021094: May 2 20:13:01.223:  
//4091610/E8FA61EC8FB2/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g729r8  
Negotiated Codec Bytes : 20  
Nego. Codec payload : 18 (tx), 18 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 32216  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15306  
Orig Destn IP Address:Port (Media): [ - ]:0

021095: May 2 20:13:01.223:  
//4091610/E8FA61EC8FB2/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 487

OCIS-FR-3945-1#  
021096: May 2 20:13:01.927:  
//4091525/BC7B91488ECF/SIP/Error/sact\_app\_media\_event\_send\_request:  
Cannot send UPDATE without calling ccsip\_api\_update\_allowed  
SIP: (4091645) Attribute mid, level 1 instance 1 not found.  
021097: May 2 20:13:02.055:  
//4091645/286D20800000/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
SIP: (4091646) Group (a= group line) attribute, level 65535 instance 1  
not found.



021098: May 2 20:13:02.067: //-  
1/xxxxxxxxxxxxx/SIP/Error/get\_content\_length: Could not get Content-length  
SIP: (4091648) Attribute mid, level 1 instance 1 not found.  
021099: May 2 20:13:02.915:  
//4091648/FFC6F7AC9004/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
021100: May 2 20:13:02.915:  
//4091648/FFC6F7AC9004/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
021101: May 2 20:13:02.915:  
//4091648/FFC6F7AC9004/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
SIP: (4091649) Group (a= group line) attribute, level 65535 instance 1  
not found.  
021102: May 2 20:13:02.923:  
//4091648/FFC6F7AC9004/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg  
021103: May 2 20:13:02.927: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
OCIS-FR-3945-1#  
021104: May 2 20:13:02.927: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list  
OCIS-FR-3945-1#  
SIP: Attribute mid, level 1 instance 1 not found.  
021105: May 2 20:13:04.054:  
//4091645/286D20800000/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg  
SIP: (4091645) Group (a= group line) attribute, level 65535 instance 1  
not found.  
OCIS-FR-3945-1#  
021106: May 2 20:13:05.202:  
//4091605/E8C23C698FA8/SIP/Error/sact\_app\_media\_event\_send\_request:  
Cannot send UPDATE without calling ccsip\_api\_update\_allowed  
021107: May 2 20:13:05.218:  
//4091605/E8C23C698FA8/SIP/Error/sact\_app\_media\_event\_send\_request:  
Cannot send UPDATE without calling ccsip\_api\_update\_allowed  
OCIS-FR-3945-1#  
021108: May 2 20:13:07.158:  
//4091557/D5E8408E8F2D/SIP/Error/sact\_app\_media\_event\_send\_request:  
Cannot send UPDATE without calling ccsip\_api\_update\_allowed  
SIP: (4091656) Attribute mid, level 1 instance 1 not found.  
021109: May 2 20:13:08.250:  
//4091656/2C00A7800000/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
021110: May 2 20:13:08.250:  
//4091657/2C00A7800000/SIP/Error/sipSPI\_ipip\_copy\_channelInfo\_to\_sdp:  
filter mis-match or srtp rtp fallback failed, failing call  
021111: May 2 20:13:08.250: //-

```

1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container
Created !!!
021112: May  2 20:13:08.250: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container
Created !!!
021113: May  2 20:13:08.250:
//4091657/2C00A780000/SIP/Error/sipSPI_ipip_ExtractPassthruContentFro
mSipContainer: Invalid CCB/Data/Container
021114: May  2 20:13:08.250:
//4091657/2C00A780000/SIP/Error/sipAddSipContainerToCallEntry: Unable
to add passthru hdrs
                                to container
021115: May  2 20:13:08.250:
//4091657/2C00A780000/SIP/Error/sipSPIAddSDPMediaPayload: Call
Origination Failed: None of the selected codec from CLI is supported
by SIP
021116: May  2 20:13:08.250:
//4091657/2C00A780000/SIP/Error/sipSPIOutgoingCallSDP: Error with
codec types on media line : 1
021117: May  2 20:13:08.250:
//4091657/2C00A780000/SIP/Error/sipSPICreateOutboundSDP: Error in
creating an SDP for the outbound call - Check for supported codecs
021118: May  2 20:13:08.250:
//4091657/2C00A780000/SIP/Error/preprocessSetup: Error during
outbound SDP creation
021119: May  2 20:13:08.250: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container
Created !!!
021120: May  2 20:13:08.250: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container
Created !!!
021121: May  2 20:13:08.250:
//4091657/2C00A780000/SIP/Error/sipSPI_ipip_ExtractPassthruContentFro
mSipContainer: Invalid CCB/Data/Container
021122: May  2 20:13:08.250:
//4091657/2C00A780000/SIP/Error/sipAddSipContainerToCallEntry: Unable
to add passthru hdrs
                                to container
021123: May  2 20:13:08.250: //-
1/xxxxxxxxxxxxx/SIP/Error/ccsip_spi_process_ccapi_event: CCAPI Event
Preprocessor Failure
021124: May  2 20:13:08.250:
//4091657/2C00A780000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FBA998
State of The Call       : STATE_DEAD
TCP Sockets Used       : YES
Calling Number         : 8454753402
Called Number          : 911

```

Source IP Address (Sig ): 152.187.182.42  
Destn SIP Req Addr:Port : :0  
Destn SIP Resp Addr:Port : :0  
Destination Name :

021125: May 2 20:13:08.250:  
//4091657/2C00A7800000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : No Codec  
Negotiated Codec Bytes : 0  
Nego. Codec payload : 255 (tx), 255 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 16388  
Destn IP Address (Media): -  
Destn IP Port (Media): 0  
Orig Destn IP Address:Port (Media): [ - ]:0

021126: May 2 20:13:08.250:  
//4091657/2C00A7800000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 47  
Disconnect Cause (SIP) : 200

021127: May 2 20:13:08.250:  
//4091658/2C00A7800000/SIP/Error/sipSPI\_ipip\_copy\_channelInfo\_to\_sdp:  
filter mis-match or srtp rtp fallback failed, failing call

021128: May 2 20:13:08.250: //-  
1/xxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container  
Created !!!

021129: May 2 20:13:08.250: //-  
1/xxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container  
Created !!!

021130: May 2 20:13:08.250:  
//4091658/2C00A7800000/SIP/Error/sipSPI\_ipip\_ExtractPassthruContentFromSipContainer: Invalid CCB/Data/Container

021131: May 2 20:13:08.250:  
//4091658/2C00A7800000/SIP/Error/sipAddSipContainerToCallEntry: Unable  
to add passthru hdrs  
to container

021132: May 2 20:13:08.250:  
//4091658/2C00A7800000/SIP/Error/sipSPIAddSDPMediaPayload: Call  
Origination Failed: None of the selected codec from CLI is supported  
by SIP

021133: May 2 20:13:08.250:  
//4091658/2C00A7800000/SIP/Error/sipSPIOutgoingCallSDP: Error with  
codec types on media line : 1

021134: May 2 20:13:08.250:

```

//4091658/2C00A780000/SIP/Error/sipSPICreateOutboundSDP: Error in
creating an SDP for the outbound call - Check for supported codecs
021135: May  2 20:13:08.250:
//4091658/2C00A780000/SIP/Error/preprocessSetup: Error during
outbound SDP creation
021136: May  2 20:13:08.250: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container
Created !!!
021137: May  2 20:13:08.250: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container
Created !!!
021138: May  2 20:13:08.254:
//4091658/2C00A780000/SIP/Error/sipSPI_ipip_ExtractPassthruContentFro
mSipContainer: Invalid CCB/Data/Container
021139: May  2 20:13:08.254:
//4091658/2C00A780000/SIP/Error/sipAddSipContainerToCallEntry: Unable
to add passthru hdrs
                                to container
021140: May  2 20:13:08.254: //-
1/xxxxxxxxxxxxx/SIP/Error/ccsip_spi_process_ccapi_event: CCAPI Event
Preprocessor Failure
021141: May  2 20:13:08.254:
//4091658/2C00A780000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FBA998
State of The Call       : STATE_DEAD
TCP Sockets Used       : YES
Calling Number         : 8454753402
Called Number          : 911
Source IP Address (Sig ) : 152.187.182.42
Destn SIP Req Addr:Port : :0
Destn SIP Resp Addr:Port : :0
Destination Name       :

021142: May  2 20:13:08.254:
//4091658/2C00A780000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : No Codec
Negotiated Codec Bytes : 0
Nego. Codec payload    : 255 (tx), 255 (rx)
Negotiated Dtmf-relay  : 0
Dtmf-relay Payload     : 0 (tx), 0 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 31992
Destn IP Address (Media): -
Destn IP Port (Media): 0
Orig Destn IP Address:Port (Media): [ - ]:0

```

021143: May 2 20:13:08.254:  
//4091658/2C00A780000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 47  
Disconnect Cause (SIP) : 200

021144: May 2 20:13:08.254:  
//4091659/2C00A780000/SIP/Error/sipSPI\_ipip\_copy\_channelInfo\_to\_sdp:  
filter mis-match or srtp rtp fallback failed, failing call

021145: May 2 20:13:08.254: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container  
Created !!!

021146: May 2 20:13:08.254: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container  
Created !!!

021147: May 2 20:13:08.254:  
//4091659/2C00A780000/SIP/Error/sipSPI\_ipip\_ExtractPassthruContentFromSipContainer: Invalid CCB/Data/Container

021148: May 2 20:13:08.254:  
//4091659/2C00A780000/SIP/Error/sipAddSipContainerToCallEntry: Unable  
to add passthru hdrs  
to container

021149: May 2 20:13:08.254:  
//4091659/2C00A780000/SIP/Error/sipSPIAddSDPMediaPayload: Call  
Origination Failed: None of the selected codec from CLI is supported  
by SIP

021150: May 2 20:13:08.254:  
//4091659/2C00A780000/SIP/Error/sipSPIOutgoingCallSDP: Error with  
codec types on media line : 1

021151: May 2 20:13:08.254:  
//4091659/2C00A780000/SIP/Error/sipSPICreateOutboundSDP: Error in  
creating an SDP for the outbound call - Check for supported codecs

021152: May 2 20:13:08.254:  
//4091659/2C00A780000/SIP/Error/preprocessSetup: Error during  
outbound SDP creation

021153: May 2 20:13:08.254: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container  
Created !!!

021154: May 2 20:13:08.254: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container  
Created !!!

021155: May 2 20:13:08.254:  
//4091659/2C00A780000/SIP/Error/sipSPI\_ipip\_ExtractPassthruContentFromSipContainer: Invalid CCB/Data/Container

021156: May 2 20:13:08.254:  
//4091659/2C00A780000/SIP/Error/sipAddSipContainerToCallEntry: Unable  
to add passthru hdrs  
to container

021157: May 2 20:13:08.254: //-  
1/xxxxxxxxxxxxx/SIP/Error/ccsip\_spi\_process\_ccapi\_event: CCAPI Event

```

Preprocessor Failure
021158: May  2 20:13:08.254:
//4091659/2C00A7800000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FBA998
State of The Call       : STATE_DEAD
TCP Sockets Used       : YES
Calling Number         : 8454753402
Called Number          : 11
Source IP Address (Sig ) : 152.187.182.42
Destn SIP Req Addr:Port : :0
Destn SIP Resp Addr:Port : :0
Destination Name       :

021159: May  2 20:13:08.254:
//4091659/2C00A7800000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : No Codec
Negotiated Codec Bytes : 0
Nego. Codec payload    : 255 (tx), 255 (rx)
Negotiated Dtmf-relay  : 0
Dtmf-relay Payload     : 0 (tx), 0 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 19496
Destn IP Address (Media): -
Destn IP Port (Media): 0
Orig Destn IP Address:Port (Media): [ - ]:0

021160: May  2 20:13:08.254:
//4091659/2C00A7800000/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC)   : 47
Disconnect Cause (SIP)  : 200

OCIS-FR-3945-1#
SIP: (4091660) Group (a= group line) attribute, level 65535 instance 1
not found.
021161: May  2 20:13:08.322: //-
1/xxxxxxxxxxxxx/SIP/Error/get_content_length: Could not get Content-
length
021162: May  2 20:13:08.422:
//4091656/2C00A7800000/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in
parsing CCB/Msg
021163: May  2 20:13:08.530:
//4091660/2C00A7800000/SIP/Error/sipSPIProcessNotifyCallInfoHeader:
Call-Info header with for Unsolicited Notify Absent,Disabling
Unsolicited Notifies
SIP: Attribute mid, level 1 instance 1 not found.
021164: May  2 20:13:08.530:

```

```
//4091660/2C00A7800000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FBA998
State of The Call       : STATE_ACTIVE
TCP Sockets Used       : NO
Calling Number         : 8454753402
Called Number          : 11
Source IP Address (Sig ) : 152.187.182.42
Destn SIP Req Addr:Port : 172.31.101.17:5077
Destn SIP Resp Addr:Port : 172.31.101.17:5077
Destination Name       : 172.31.101.17
```

```
021165: May  2 20:13:08.530:
//4091660/2C00A7800000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload    : 0 (tx), 0 (rx)
Negotiated Dtmf-relay  : 0
Dtmf-relay Payload     : 0 (tx), 0 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 16876
Destn IP Address (Media): 172.31.101.132
Destn IP Port (Media): 16490
Orig Destn IP Address:Port (Media): [ - ]:0
```

SIP: (4091656) Group (a= group line) attribute, level 65535 instance 1 not found.

```
021166: May  2 20:13:08.534:
//4091656/2C00A7800000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FDDEE28
State of The Call       : STATE_ACTIVE
TCP Sockets Used       : YES
Calling Number         : 8454753402
Called Number          : 911
Source IP Address (Sig ) : 172.22.209.2
Destn SIP Req Addr:Port : 172.22.196.3:5060
Destn SIP Resp Addr:Port : 172.22.196.3:35658
Destination Name       : 172.22.196.3
```

```
OCIS-FR-3945-1#
021167: May  2 20:13:08.534:
//4091656/2C00A7800000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
```

Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 26492  
Destn IP Address (Media): 172.22.196.2  
Destn IP Port (Media): 25862  
Orig Destn IP Address:Port (Media): [ - ]:0

OCIS-FR-3945-1#

021168: May 2 20:13:10.542:  
//4091617/EB31FF768FC3/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notifies

SIP: Attribute mid, level 1 instance 1 not found.

021169: May 2 20:13:10.546:  
//4091617/EB31FF768FC3/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x120415F8  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454866370  
Called Number : 8454863250  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021170: May 2 20:13:10.546:  
//4091617/EB31FF768FC3/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 18902  
Destn IP Address (Media): 172.22.209.2  
Destn IP Port (Media): 17980  
Orig Destn IP Address:Port (Media): [ - ]:0

021171: May 2 20:13:10.606:  
//4091616/EB31FF768FC3/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FD9B38  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO



Calling Number : 8454643641  
Called Number : 8454863250  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#

021172: May 2 20:13:10.606:  
//4091616/EB31FF768FC3/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 20776  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 16290  
Orig Destn IP Address:Port (Media): [ - ]:0

021173: May 2 20:13:12.054:  
//4091529/EA6FFC800000/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x269A498  
State of The Call : STATE\_DEAD  
TCP Sockets Used : YES  
Calling Number : 8454863179  
Called Number : 818004573721  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:35658  
Destination Name : 172.22.196.3

021174: May 2 20:13:12.054:  
//4091529/EA6FFC800000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 30356  
Destn IP Address (Media): 172.22.209.2  
Destn IP Port (Media): 20014

Orig Destn IP Address:Port (Media): [ - ]:0

021175: May 2 20:13:12.054:  
//4091529/EA6FFC800000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021176: May 2 20:13:12.086: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
021177: May 2 20:13:12.086: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list  
021178: May 2 20:13:12.086:  
//4091530/EA6FFC800000/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x26B9638  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454863179  
Called Number : 18004573721  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#

021179: May 2 20:13:12.086:  
//4091530/EA6FFC800000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 16704  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 13810  
Orig Destn IP Address:Port (Media): [ - ]:0

021180: May 2 20:13:12.086:  
//4091530/EA6FFC800000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

SIP: (4091667) Attribute mid, level 1 instance 1 not found.

021181: May 2 20:13:12.742:  
//4091667/05A1EFEC9020/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

```

021182: May  2 20:13:12.742:
//4091667/05A1EFEC9020/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
021183: May  2 20:13:12.742:
//4091667/05A1EFEC9020/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
SIP: (4091668) Group (a= group line) attribute, level 65535 instance 1
not found.
021184: May  2 20:13:12.750:
//4091667/05A1EFEC9020/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in
parsing CCB/Msg
021185: May  2 20:13:12.750: //-
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:
021186: May  2 20:13:12.750: //-
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList:      end of list
SIP: (4091669) Attribute mid, level 1 instance 1 not found.
021187: May  2 20:13:12.882:
//4091669/05B74C5E9027/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
021188: May  2 20:13:12.882:
//4091669/05B74C5E9027/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
021189: May  2 20:13:12.882:
//4091669/05B74C5E9027/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
SIP: (4091670) Group (a= group line) attribute, level 65535 instance 1
not found.
021190: May  2 20:13:12.898:
//4091669/05B74C5E9027/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in
parsing CCB/Msg
021191: May  2 20:13:12.898: //-
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:
021192: May  2 20:13:12.898: //-
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList:      end of list
021193: May  2 20:13:12.942:
//4091546/CAA80B9A8F0F/SIP/Error/sact_app_media_event_send_request:
Cannot send UPDATE without calling ccsip_api_update_allowed
021194: May  2 20:13:12.950:
//4091670/05B74C5E9027/SIP/Error/sipSPIProcessNotifyCallInfoHeader:
Call-Info header with for Unsolicited Notify Absent,Disabling
Unsolicited Notices
SIP: Attribute mid, level 1 instance 1 not found.
021195: May  2 20:13:12.954:
//4091670/05B74C5E9027/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x1200D898
State of The Call       : STATE_ACTIVE
TCP Sockets Used       : NO
Calling Number         : 8456168092

```

Called Number : 8454863000  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021196: May 2 20:13:12.954:  
//4091670/05B74C5E9027/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 18748  
Destn IP Address (Media): 172.22.209.2  
Destn IP Port (Media): 22278  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091669) Group (a= group line) attribute, level 65535 instance 1  
not found.

021197: May 2 20:13:13.018:  
//4091669/05B74C5E9027/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x1201D168  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8456168092  
Called Number : 8454863000  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021198: May 2 20:13:13.018:  
//4091669/05B74C5E9027/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 29116  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 16360

Orig Destn IP Address:Port (Media): [ - ]:0

021199: May 2 20:13:13.282:  
//4091623/F1D8D0B08FD3/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x12027748  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 9108  
Called Number : 8454863116  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021200: May 2 20:13:13.282:  
//4091623/F1D8D0B08FD3/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : No Codec  
Negotiated Codec Bytes : 0  
Nego. Codec payload : 255 (tx), 255 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 25816  
Destn IP Address (Media): -  
Destn IP Port (Media): 0  
Orig Destn IP Address:Port (Media): [ - ]:0

021201: May 2 20:13:13.282:  
//4091623/F1D8D0B08FD3/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 487

021202: May 2 20:13:13.290:  
//4091622/F1D8D0B08FD3/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13D70C90  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8453376064  
Called Number : 8454863116  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#

021203: May 2 20:13:13.290:  
//4091622/F1D8D0B08FD3/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g729r8  
Negotiated Codec Bytes : 20  
Nego. Codec payload : 18 (tx), 18 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 26900  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14230  
Orig Destn IP Address:Port (Media): [ - ]:0

021204: May 2 20:13:13.290:  
//4091622/F1D8D0B08FD3/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 487

021205: May 2 20:13:14.058:  
//4091562/D7C27CDE8F3A/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x410489E0  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8455493895  
Called Number : 8454863062  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021206: May 2 20:13:14.058:  
//4091562/D7C27CDE8F3A/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 32706  
Destn IP Address (Media): 172.22.97.3  
Destn IP Port (Media): 25940  
Orig Destn IP Address:Port (Media): [ - ]:0

021207: May 2 20:13:14.058:

//4091562/D7C27CDE8F3A/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021208: May 2 20:13:14.090: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
021209: May 2 20:13:14.090: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list  
021210: May 2 20:13:14.090:  
//4091561/D7C27CDE8F3A/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x40FE0F20  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8455493895  
Called Number : 8454863062  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#  
021211: May 2 20:13:14.090:  
//4091561/D7C27CDE8F3A/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 17964  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15110  
Orig Destn IP Address:Port (Media): [ - ]:0

021212: May 2 20:13:14.090:  
//4091561/D7C27CDE8F3A/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

OCIS-FR-3945-1#  
021213: May 2 20:13:16.010:  
//4091626/F25CA64E8FDC/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x120085A8  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO

Calling Number : 8454835000  
Called Number : 8454863000  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021214: May 2 20:13:16.010:  
//4091626/F25CA64E8FDC/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 23556  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14676  
Orig Destn IP Address:Port (Media): [ - ]:0

021215: May 2 20:13:16.010:  
//4091626/F25CA64E8FDC/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021216: May 2 20:13:16.014: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

021217: May 2 20:13:16.014: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

021218: May 2 20:13:16.014:  
//4091627/F25CA64E8FDC/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FC4F78  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 9108  
Called Number : 8454863000  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

OCIS-FR-3945-1#  
021219: May 2 20:13:16.014:  
//4091627/F25CA64E8FDC/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1



Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 31160  
Destn IP Address (Media): 172.22.196.3  
Destn IP Port (Media): 29024  
Orig Destn IP Address:Port (Media): [ - ]:0

021220: May 2 20:13:16.014:  
//4091627/F25CA64E8FDC/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

OCIS-FR-3945-1#  
021221: May 2 20:13:17.622:  
//4091656/2C00A7800000/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FDDEE28  
State of The Call : STATE\_DEAD  
TCP Sockets Used : YES  
Calling Number : 8454753402  
Called Number : 911  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:35658  
Destination Name : 172.22.196.3

021222: May 2 20:13:17.622:  
//4091656/2C00A7800000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 26492  
Destn IP Address (Media): 172.22.196.2  
Destn IP Port (Media): 25862  
Orig Destn IP Address:Port (Media): [ - ]:0

021223: May 2 20:13:17.622:  
//4091656/2C00A7800000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021224: May 2 20:13:17.738: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
021225: May 2 20:13:17.738: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list  
021226: May 2 20:13:17.738:  
//4091660/2C00A7800000/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FBA998  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454753402  
Called Number : 11  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.101.17:5077  
Destn SIP Resp Addr:Port : 172.31.101.17:5077  
Destination Name : 172.31.101.17  
  
021227: May 2 20:13:17.738:  
//4091660/2C00A7800000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 16876  
Destn IP Address (Media): 172.31.101.132  
Destn IP Port (Media): 16490  
Orig Destn IP Address:Port (Media): [ - ]:0  
  
021228: May 2 20:13:17.738:  
//4091660/2C00A7800000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200  
  
021229: May 2 20:13:18.366:  
//4091606/E8C23C698FA8/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FCA268  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454866370  
Called Number : 8454863000  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060

Destination Name : 172.22.196.3  
021230: May 2 20:13:18.366:  
//4091606/E8C23C698FA8/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 29010  
Destn IP Address (Media): 172.22.209.2  
Destn IP Port (Media): 32130  
Orig Destn IP Address:Port (Media): [ - ]:0

021231: May 2 20:13:18.366:  
//4091606/E8C23C698FA8/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021232: May 2 20:13:18.398: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

021233: May 2 20:13:18.398: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

021234: May 2 20:13:18.398:  
//4091605/E8C23C698FA8/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DE2D30  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 9147638151  
Called Number : 8454863000  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021235: May 2 20:13:18.398:  
//4091605/E8C23C698FA8/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42

Source IP Port (Media): 27914  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15068  
Orig Destn IP Address:Port (Media): [ - ]:0

021236: May 2 20:13:18.398:  
//4091605/E8C23C698FA8/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

SIP: (4091675) Attribute mid, level 1 instance 1 not found.

021237: May 2 20:13:18.522:  
//4091675/09147A939032/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

021238: May 2 20:13:18.522:  
//4091675/09147A939032/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

021239: May 2 20:13:18.522:  
//4091675/09147A939032/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

SIP: (4091676) Group (a= group line) attribute, level 65535 instance 1  
not found.

021240: May 2 20:13:18.534:  
//4091675/09147A939032/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg  
OCIS-FR-3945-1#

021241: May 2 20:13:18.534: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

021242: May 2 20:13:18.534: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

021243: May 2 20:13:19.286:  
//4091668/05A1EFEC9020/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notices

SIP: Attribute mid, level 1 instance 1 not found.

021244: May 2 20:13:19.286:  
//4091668/05A1EFEC9020/SIP/Call/sipSPICallInfo:

The Call Setup Information is:  
Call Control Block (CCB) : 0x12012B88  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454863048  
Called Number : 8454863051  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021245: May 2 20:13:19.286:

```
//4091668/05A1EFEC9020/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload    : 0 (tx), 0 (rx)
Negotiated Dtmf-relay  : 6
Dtmf-relay Payload     : 101 (tx), 101 (rx)
Source IP Address (Media): 172.22.209.2
Source IP Port (Media): 18108
Destn IP Address (Media): 172.22.97.3
Destn IP Port (Media): 25984
Orig Destn IP Address:Port (Media): [ - ]:0
```

SIP: (4091667) Group (a= group line) attribute, level 65535 instance 1 not found.

SIP: (4091677) Attribute mid, level 1 instance 1 not found.

021246: May 2 20:13:19.318:

```
//4091677/098DF0589039/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
```

021247: May 2 20:13:19.318:

```
//4091677/098DF0589039/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
```

021248: May 2 20:13:19.318:

```
//4091677/098DF0589039/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
```

SIP: (4091678) Group (a= group line) attribute, level 65535 instance 1 not found.

021249: May 2 20:13:19.326:

```
//4091636/F840C6178FEA/SIP/Call/sipSPICallInfo:
```

The Call Setup Information is:

```
Call Control Block (CCB) : 0x13DA49F0
State of The Call        : STATE_DEAD
TCP Sockets Used         : NO
Calling Number           : 5183893289
Called Number            : 8454862299
Source IP Address (Sig ) : 172.22.209.2
Destn SIP Req Addr:Port  : 172.22.196.3:5060
Destn SIP Resp Addr:Port : 172.22.196.3:5060
Destination Name         : 172.22.196.3
```

021250: May 2 20:13:19.326:

```
//4091636/F840C6178FEA/SIP/Call/sipSPIMediaCallInfo:
```

```
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : No Codec
Negotiated Codec Bytes : 0
Nego. Codec payload    : 255 (tx), 255 (rx)
Negotiated Dtmf-relay  : 0
```

Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 21244  
Destn IP Address (Media): -  
Destn IP Port (Media): 0  
Orig Destn IP Address:Port (Media): [ - ]:0

021251: May 2 20:13:19.326:  
//4091636/F840C6178FEA/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 487

021252: May 2 20:13:19.326:  
//4091677/098DF0589039/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg

021253: May 2 20:13:19.330: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

021254: May 2 20:13:19.330: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

021255: May 2 20:13:19.330:  
//4091635/F840C6178FEA/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DFCBEO  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 5183893289  
Called Number : 8454862299  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021256: May 2 20:13:19.330:  
//4091635/F840C6178FEA/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g729r8  
Negotiated Codec Bytes : 20  
Nego. Codec payload : 18 (tx), 18 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 25244  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14622  
Orig Destn IP Address:Port (Media): [ - ]:0

021257: May 2 20:13:19.330:  
//4091635/F840C6178FEA/SIP/Call/sipSPICallInfo:

Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 487

021258: May 2 20:13:19.354:  
//4091667/05A1EFEC9020/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13E117A0  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8458711074  
Called Number : 8454863051  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#  
021259: May 2 20:13:19.354:  
//4091667/05A1EFEC9020/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 16388  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14824  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091679) Attribute mid, level 1 instance 1 not found.

021260: May 2 20:13:20.002:  
//4091679/09F64E2B9040/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

021261: May 2 20:13:20.002:  
//4091679/09F64E2B9040/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

021262: May 2 20:13:20.002:  
//4091679/09F64E2B9040/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

SIP: (4091680) Group (a= group line) attribute, level 65535 instance 1  
not found.

021263: May 2 20:13:20.010:  
//4091679/09F64E2B9040/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg

021264: May 2 20:13:20.014: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

```

021265: May  2 20:13:20.014: //-
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList:      end of list
021266: May  2 20:13:20.098:
//4091616/EB31FF768FC3/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FD9B38
State of The Call       : STATE_DEAD
TCP Sockets Used       : NO
Calling Number          : 8454643641
Called Number           : 8454863250
Source IP Address (Sig ) : 152.187.182.42
Destn SIP Req Addr:Port : 172.31.100.49:5271
Destn SIP Resp Addr:Port : 172.31.100.49:5271
Destination Name        : 172.31.100.49

021267: May  2 20:13:20.098:
//4091616/EB31FF768FC3/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload    : 0 (tx), 0 (rx)
Negotiated Dtmf-relay  : 6
Dtmf-relay Payload     : 101 (tx), 101 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 20776
Destn IP Address (Media): 172.31.100.164
Destn IP Port (Media): 16290
Orig Destn IP Address:Port (Media): [ - ]:0

021268: May  2 20:13:20.098:
//4091616/EB31FF768FC3/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC)   : 16
Disconnect Cause (SIP)  : 200

021269: May  2 20:13:20.102: //-
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:
021270: May  2 20:13:20.102: //-
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList:      end of list
021271: May  2 20:13:20.102:
//4091617/EB31FF768FC3/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x120415F8
State of The Call       : STATE_DEAD
TCP Sockets Used       : NO
Calling Number          : 8454866370
Called Number           : 8454863250
Source IP Address (Sig ) : 172.22.209.2
Destn SIP Req Addr:Port : 172.22.196.3:5060

```



Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

OCIS-FR-3945-1#  
021272: May 2 20:13:20.102:  
//4091617/EB31FF768FC3/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 18902  
Destn IP Address (Media): 172.22.209.2  
Destn IP Port (Media): 17980  
Orig Destn IP Address:Port (Media): [ - ]:0

021273: May 2 20:13:20.102:  
//4091617/EB31FF768FC3/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

OCIS-FR-3945-1#  
SIP: (4091683) Attribute mid, level 1 instance 1 not found.  
021274: May 2 20:13:21.274:  
//4091683/33C04C000000/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
SIP: (4091684) Group (a= group line) attribute, level 65535 instance 1  
not found.  
021275: May 2 20:13:21.286: //-  
1/xxxxxxxxxxxxx/SIP/Error/get\_content\_length: Could not get Content-  
length  
021276: May 2 20:13:21.670:  
//4091676/09147A939032/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notifies  
SIP: Attribute mid, level 1 instance 1 not found.  
021277: May 2 20:13:21.670:  
//4091676/09147A939032/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DA9CE0  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8452971409  
Called Number : 8454862048  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060

Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021278: May 2 20:13:21.670:  
//4091676/09147A939032/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 24158  
Destn IP Address (Media): 172.22.196.3  
Destn IP Port (Media): 29050  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091675) Group (a= group line) attribute, level 65535 instance 1 not found.

021279: May 2 20:13:21.738:  
//4091675/09147A939032/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DE2D30  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8452971409  
Called Number : 8454862048  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021280: May 2 20:13:21.738:  
//4091675/09147A939032/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 30420  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 16334  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091685) Attribute mid, level 1 instance 1 not found.

021281: May 2 20:13:21.766:  
//4091685/33C04C000000/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
021282: May 2 20:13:21.766:  
//4091686/33C04C000000/SIP/Error/sipSPI\_ipip\_copy\_channelInfo\_to\_sdp:  
filter mis-match or srtp rtp fallback failed, failing call  
021283: May 2 20:13:21.766: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container  
Created !!!  
021284: May 2 20:13:21.766: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container  
Created !!!  
021285: May 2 20:13:21.766:  
//4091686/33C04C000000/SIP/Error/sipSPI\_ipip\_ExtractPassthruContentFro  
mSipContainer: Invalid CCB/Data/Container  
021286: May 2 20:13:21.766:  
//4091686/33C04C000000/SIP/Error/sipAddSipContainerToCallEntry: Unable  
to add passthru hdrs  
to container  
021287: May 2 20:13:21.766:  
//4091686/33C04C000000/SIP/Error/sipSPIAddSDPMediaPayload: Call  
Origination Failed: None of the selected codec from CLI is supported  
by SIP  
021288: May 2 20:13:21.766:  
//4091686/33C04C000000/SIP/Error/sipSPIOutgoingCallSDP: Error with  
codec types on media line : 1  
021289: May 2 20:13:21.766:  
//4091686/33C04C000000/SIP/Error/sipSPICreateOutboundSDP: Error in  
creating an SDP for the outbound call - Check for supported codecs  
021290: May 2 20:13:21.766:  
//4091686/33C04C000000/SIP/Error/preprocessSetup: Error during  
outbound SDP creation  
021291: May 2 20:13:21.766: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container  
Created !!!  
021292: May 2 20:13:21.766: //-  
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container  
Created !!!  
021293: May 2 20:13:21.766:  
//4091686/33C04C000000/SIP/Error/sipSPI\_ipip\_ExtractPassthruContentFro  
mSipContainer: Invalid CCB/Data/Container  
021294: May 2 20:13:21.766:  
//4091686/33C04C000000/SIP/Error/sipAddSipContainerToCallEntry: Unable  
to add passthru hdrs  
to container  
021295: May 2 20:13:21.766: //-  
1/xxxxxxxxxxxxx/SIP/Error/ccsip\_spi\_process\_ccapi\_event: CCAPI Event  
Preprocessor Failure  
021296: May 2 20:13:21.766:

```
//4091686/33C04C000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FC4F78
State of The Call       : STATE_DEAD
TCP Sockets Used       : YES
Calling Number         : 8454753403
Called Number          : 911
Source IP Address (Sig ): 152.187.182.42
Destn SIP Req Addr:Port : :0
Destn SIP Resp Addr:Port : :0
Destination Name       :
```

```
021297: May  2 20:13:21.766:
//4091686/33C04C000000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : No Codec
Negotiated Codec Bytes : 0
Nego. Codec payload    : 255 (tx), 255 (rx)
Negotiated Dtmf-relay  : 0
Dtmf-relay Payload     : 0 (tx), 0 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 16390
Destn IP Address (Media): -
Destn IP Port (Media): 0
Orig Destn IP Address:Port (Media): [ - ]:0
```

```
021298: May  2 20:13:21.766:
//4091686/33C04C000000/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC)   : 47
Disconnect Cause (SIP)  : 200
```

```
021299: May  2 20:13:21.770:
//4091687/33C04C000000/SIP/Error/sipSPI_ipip_copy_channelInfo_to_sdp:
filter mis-match or srtp rtp fallback failed, failing call
021300: May  2 20:13:21.770: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container
Created !!!
021301: May  2 20:13:21.770: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container
Created !!!
021302: May  2 20:13:21.770:
//4091687/33C04C000000/SIP/Error/sipSPI_ipip_ExtractPassthruContentFromSipContainer: Invalid CCB/Data/Container
021303: May  2 20:13:21.770:
//4091687/33C04C000000/SIP/Error/sipAddSipContainerToCallEntry: Unable
to add passthru hdrs
to container
021304: May  2 20:13:21.770:
```

```

//4091687/33C04C000000/SIP/Error/sipSPIAddSDPMediaPayload: Call
Origination Failed: None of the selected codec from CLI is supported
by SIP
021305: May  2 20:13:21.770:
//4091687/33C04C000000/SIP/Error/sipSPIOutgoingCallSDP: Error with
codec types on media line : 1
021306: May  2 20:13:21.770:
//4091687/33C04C000000/SIP/Error/sipSPICreateOutboundSDP: Error in
creating an SDP for the outbound call - Check for supported codecs
021307: May  2 20:13:21.770:
//4091687/33C04C000000/SIP/Error/preprocessSetup: Error during
outbound SDP creation
021308: May  2 20:13:21.770: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container
Created !!!
021309: May  2 20:13:21.770: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container
Created !!!
021310: May  2 20:13:21.770:
//4091687/33C04C000000/SIP/Error/sipSPI_ipip_ExtractPassthruContentFro
mSipContainer: Invalid CCB/Data/Container
021311: May  2 20:13:21.770:
//4091687/33C04C000000/SIP/Error/sipAddSipContainerToCallEntry: Unable
to add passthru hdrs
                                to container
021312: May  2 20:13:21.770: //-
1/xxxxxxxxxxxxx/SIP/Error/ccsip_spi_process_ccapi_event: CCAPI Event
Preprocessor Failure
021313: May  2 20:13:21.770:
//4091687/33C04C000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FC4F78
State of The Call       : STATE_DEAD
TCP Sockets Used       : YES
Calling Number         : 8454753403
Called Number          : 911
Source IP Address (Sig ): 152.187.182.42
Destn SIP Req Addr:Port : :0
Destn SIP Resp Addr:Port : :0
Destination Name       :

021314: May  2 20:13:21.770:
//4091687/33C04C000000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : No Codec
Negotiated Codec Bytes : 0
Nego. Codec payload    : 255 (tx), 255 (rx)
Negotiated Dtmf-relay  : 0

```

```

Dtmf-relay Payload      : 0 (tx), 0 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 18758
Destn IP Address (Media): -
Destn IP Port (Media): 0
Orig Destn IP Address:Port (Media): [ - ]:0

021315: May  2 20:13:21.770:
//4091687/33C04C000000/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC)      : 47
Disconnect Cause (SIP)     : 200

021316: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Error/sipSPI_ipip_copy_channelInfo_to_sdp:
filter mis-match or srtp rtp fallback failed, failing call
021317: May  2 20:13:21.770: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container
Created !!!
021318: May  2 20:13:21.770: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container
Created !!!
021319: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Error/sipSPI_ipip_ExtractPassthruContentFromSipContainer: Invalid CCB/Data/Container
021320: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Error/sipAddSipContainerToCallEntry: Unable
to add passthru hdrs
to container
021321: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Error/sipSPIAddSDPMediaPayload: Call
Origination Failed: None of the selected codec from CLI is supported
by SIP
021322: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Error/sipSPIOutgoingCallSDP: Error with
codec types on media line : 1
021323: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Error/sipSPICreateOutboundSDP: Error in
creating an SDP for the outbound call - Check for supported codecs
021324: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Error/preprocessSetup: Error during
outbound SDP creation
021325: May  2 20:13:21.770: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG: No Inbound Container
Created !!!
021326: May  2 20:13:21.770: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931: No Inbound Container
Created !!!
021327: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Error/sipSPI_ipip_ExtractPassthruContentFrom

```

```

mSipContainer: Invalid CCB/Data/Container
021328: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Error/sipAddSipContainerToCallEntry: Unable
to add passthru hdrs
                                to container
021329: May  2 20:13:21.770: //-
1/xxxxxxxxxxxx/SIP/Error/ccsip_spi_process_ccapi_event: CCAPI Event
Preprocessor Failure
021330: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FC4F78
State of The Call       : STATE_DEAD
TCP Sockets Used       : YES
Calling Number         : 8454753403
Called Number          : 11
Source IP Address (Sig ) : 152.187.182.42
Destn SIP Req Addr:Port : :0
Destn SIP Resp Addr:Port : :0
Destination Name      :

021331: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : No Codec
Negotiated Codec Bytes : 0
Nego. Codec payload    : 255 (tx), 255 (rx)
Negotiated Dtmf-relay  : 0
Dtmf-relay Payload    : 0 (tx), 0 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 23324
Destn IP Address (Media): -
Destn IP Port (Media): 0
Orig Destn IP Address:Port (Media): [ - ]:0

021332: May  2 20:13:21.770:
//4091688/33C04C000000/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC)   : 47
Disconnect Cause (SIP)  : 200

SIP: (4091689) Group (a= group line) attribute, level 65535 instance 1
not found.
021333: May  2 20:13:21.838: //-
1/xxxxxxxxxxxx/SIP/Error/get_content_length: Could not get Content-
length
021334: May  2 20:13:21.938:
//4091685/33C04C000000/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in
parsing CCB/Msg

```

```

021335: May  2 20:13:22.046:
//4091689/33C04C000000/SIP/Error/sipSPIProcessNotifyCallInfoHeader:
Call-Info header with for Unsolicited Notify Absent,Disabling
Unsolicited Notifies
SIP: Attribute mid, level 1 instance 1 not found.
021336: May  2 20:13:22.046:
//4091689/33C04C000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FC4F78
State of The Call       : STATE_ACTIVE
TCP Sockets Used       : NO
Calling Number         : 8454753403
Called Number          : 11
Source IP Address (Sig ): 152.187.182.42
Destn SIP Req Addr:Port : 172.31.101.17:5077
Destn SIP Resp Addr:Port : 172.31.101.17:5077
Destination Name       : 172.31.101.17

021337: May  2 20:13:22.046:
//4091689/33C04C000000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload    : 0 (tx), 0 (rx)
Negotiated Dtmf-relay  : 0
Dtmf-relay Payload     : 0 (tx), 0 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 25156
Destn IP Address (Media): 172.31.101.132
Destn IP Port (Media): 16492
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091685) Group (a= group line) attribute, level 65535 instance 1
not found.
021338: May  2 20:13:22.050:
//4091685/33C04C000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FDDEE28
State of The Call       : STATE_ACTIVE
TCP Sockets Used       : YES
Calling Number         : 8454753403
Called Number          : 911
Source IP Address (Sig ): 172.22.209.2
Destn SIP Req Addr:Port : 172.22.196.3:5060
Destn SIP Resp Addr:Port : 172.22.196.3:35658
Destination Name       : 172.22.196.3

021339: May  2 20:13:22.050:

```



//4091685/33C04C000000/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 21510  
Destn IP Address (Media): 172.22.196.2  
Destn IP Port (Media): 25874  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091690) Attribute mid, level 1 instance 1 not found.

021340: May 2 20:13:22.438:

//4091690/0B69FE9058/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

021341: May 2 20:13:22.438:

//4091690/0B69FE9058/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

021342: May 2 20:13:22.438:

//4091690/0B69FE9058/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

SIP: (4091691) Group (a= group line) attribute, level 65535 instance 1  
not found.

021343: May 2 20:13:22.454:

//4091690/0B69FE9058/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg

021344: May 2 20:13:22.458: //-

1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

021345: May 2 20:13:22.458: //-

1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

021346: May 2 20:13:22.506:

//4091691/0B69FE9058/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notices

SIP: Attribute mid, level 1 instance 1 not found.

021347: May 2 20:13:22.506:

//4091691/0B69FE9058/SIP/Call/sipSPICallInfo:

The Call Setup Information is:

Call Control Block (CCB) : 0x11FF8CD8  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8452249281  
Called Number : 8454863000  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060

Destination Name : 172.22.196.3

OCIS-FR-3945-1#

021348: May 2 20:13:22.506:

//4091691/0B69FEBD9058/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 18408  
Destn IP Address (Media): 172.22.209.2  
Destn IP Port (Media): 16390  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091690) Group (a= group line) attribute, level 65535 instance 1 not found.

021349: May 2 20:13:22.578:

//4091690/0B69FEBD9058/SIP/Call/sipSPICallInfo:

The Call Setup Information is:  
Call Control Block (CCB) : 0x120032B8  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8452249281  
Called Number : 8454863000  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021350: May 2 20:13:22.578:

//4091690/0B69FEBD9058/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 16946  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15444  
Orig Destn IP Address:Port (Media): [ - ]:0

021351: May 2 20:13:23.130:

//4091678/098DF0589039/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notifies

SIP: Attribute mid, level 1 instance 1 not found.

021352: May 2 20:13:23.130:

//4091678/098DF0589039/SIP/Call/sipSPICallInfo:

The Call Setup Information is:

Call Control Block (CCB) : 0x11FE9408  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8453371877  
Called Number : 8454863257  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021353: May 2 20:13:23.130:

//4091678/098DF0589039/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 27694  
Destn IP Address (Media): 172.22.97.3  
Destn IP Port (Media): 25988  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091677) Group (a= group line) attribute, level 65535 instance 1  
not found.

021354: May 2 20:13:23.210:

//4091490/A663845F8E73/SIP/Call/sipSPICallInfo:

The Call Setup Information is:

Call Control Block (CCB) : 0x41029840  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454737526  
Called Number : 8454863000  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021355: May 2 20:13:23.210:

//4091490/A663845F8E73/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 16386  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14496  
Orig Destn IP Address:Port (Media): [ - ]:0

021356: May 2 20:13:23.210:  
//4091490/A663845F8E73/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021357: May 2 20:13:23.214: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

021358: May 2 20:13:23.214: //-

1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

021359: May 2 20:13:23.214:  
//4091491/A663845F8E73/SIP/Call/sipSPICallInfo:

The Call Setup Information is:

Call Control Block (CCB) : 0x41014C80  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454866370  
Called Number : 8454863000  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021360: May 2 20:13:23.214:  
//4091491/A663845F8E73/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 29142  
Destn IP Address (Media): 172.22.196.3  
Destn IP Port (Media): 28948  
Orig Destn IP Address:Port (Media): [ - ]:0

021361: May 2 20:13:23.214:  
//4091491/A663845F8E73/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021362: May 2 20:13:23.254:  
//4091677/098DF0589039/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13D70C90  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8453371877  
Called Number : 8454863257  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#  
021363: May 2 20:13:23.254:  
//4091677/098DF0589039/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 28974  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 11938  
Orig Destn IP Address:Port (Media): [ - ]:0

OCIS-FR-3945-1#  
SIP: Attribute mid, level 1 instance 1 not found.  
021364: May 2 20:13:24.394:  
//4091683/33C04C000000/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg  
SIP: (4091683) Group (a= group line) attribute, level 65535 instance 1  
not found.  
021365: May 2 20:13:25.318:  
//4090782/F19BB37887A0/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notifies  
SIP: Attribute mid, level 1 instance 1 not found.  
021366: May 2 20:13:25.318:  
//4090781/F19BB37887A0/SIP/Error/sipSPIUpdateSrcSdpFixedPart:

owner\_sessionid is already their OR src\_sdp  
is corrupted

SIP: Attribute mid, level 1 instance 1 not found.

021367: May 2 20:13:25.354:

//4090781/F19BB37887A0/SIP/Call/sipSPICallInfo:

The Call Setup Information is:

Call Control Block (CCB) : 0x13DC8E80  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8452973776  
Called Number : 8454863678  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021368: May 2 20:13:25.354:

//4090781/F19BB37887A0/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1

Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 22466  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 12022  
Orig Destn IP Address:Port (Media): [ - ]:0

021369: May 2 20:13:25.562:

//4091685/33C04C000000/SIP/Call/sipSPICallInfo:

The Call Setup Information is:

Call Control Block (CCB) : 0x11FDDEE28  
State of The Call : STATE\_DEAD  
TCP Sockets Used : YES  
Calling Number : 8454753403  
Called Number : 911  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:35658  
Destination Name : 172.22.196.3

OCIS-FR-3945-1#

021370: May 2 20:13:25.562:

//4091685/33C04C000000/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1

Media Stream : 1

Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 21510  
Destn IP Address (Media): 172.22.196.2  
Destn IP Port (Media): 25874  
Orig Destn IP Address:Port (Media): [ - ]:0

021371: May 2 20:13:25.562:  
//4091685/33C04C000000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021372: May 2 20:13:25.674: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
021373: May 2 20:13:25.674: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

021374: May 2 20:13:25.674:  
//4091689/33C04C000000/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FC4F78  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454753403  
Called Number : 11  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.101.17:5077  
Destn SIP Resp Addr:Port : 172.31.101.17:5077  
Destination Name : 172.31.101.17

021375: May 2 20:13:25.674:  
//4091689/33C04C000000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 25156  
Destn IP Address (Media): 172.31.101.132  
Destn IP Port (Media): 16492  
Orig Destn IP Address:Port (Media): [ - ]:0

021376: May 2 20:13:25.674:

//4091689/33C04C000000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

OCIS-FR-3945-1#

021377: May 2 20:13:26.062:  
//4091557/D5E8408E8F2D/SIP/Error/sact\_app\_media\_event\_send\_request:  
Cannot send UPDATE without calling ccsip\_api\_update\_allowed

021378: May 2 20:13:26.890:  
//4091646/286D20800000/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notifies

SIP: Attribute mid, level 1 instance 1 not found.

021379: May 2 20:13:26.890:  
//4091646/286D20800000/SIP/Call/sipSPICallInfo:

The Call Setup Information is:  
Call Control Block (CCB) : 0x13DED310  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454863080  
Called Number : 8559407  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021380: May 2 20:13:26.890:  
//4091646/286D20800000/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 21454  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14436  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091645) Group (a= group line) attribute, level 65535 instance 1  
not found.

021381: May 2 20:13:26.894:  
//4091645/286D20800000/SIP/Error/sact\_disconnecting\_new\_message\_reques  
t: Unexpected ACK

021382: May 2 20:13:26.894:  
//4091645/286D20800000/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:



Call Control Block (CCB) : 0x13E0C4B0  
State of The Call : STATE\_DEAD  
TCP Sockets Used : YES  
Calling Number : 8454863080  
Called Number : 88559407  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:35658  
Destination Name : 172.22.196.3

021383: May 2 20:13:26.894:  
//4091645/286D20800000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 16384  
Destn IP Address (Media): 172.22.196.2  
Destn IP Port (Media): 25844  
Orig Destn IP Address:Port (Media): [ - ]:0

021384: May 2 20:13:26.894:  
//4091645/286D20800000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021385: May 2 20:13:26.926: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
021386: May 2 20:13:26.926: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list  
021387: May 2 20:13:26.926:

//4091646/286D20800000/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DED310  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454863080  
Called Number : 8559407  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021388: May 2 20:13:26.926:  
//4091646/286D20800000/SIP/Call/sipSPIMediaCallInfo:

```

Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload    : 0 (tx), 0 (rx)
Negotiated Dtmf-relay  : 6
Dtmf-relay Payload     : 101 (tx), 101 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 21454
Destn IP Address (Media): 172.31.100.164
Destn IP Port (Media): 14436
Orig Destn IP Address:Port (Media): [ - ]:0

021389: May  2 20:13:26.926:
//4091646/286D20800000/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC)   : 16
Disconnect Cause (SIP)  : 200

021390: May  2 20:13:27.094: //-
1/xxxxxxxxxxxxx/SIP/Error/sipSPISipIncomingMsg: Invalid method for
(STATE_IDLE): BYE
SIP: (4091697) Attribute mid, level 1 instance 1 not found.
021391: May  2 20:13:27.386:
//4091697/0E5CF9769063/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
021392: May  2 20:13:27.386:
//4091697/0E5CF9769063/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
021393: May  2 20:13:27.386:
//4091697/0E5CF9769063/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
SIP: (4091698) Group (a= group line) attribute, level 65535 instance 1
not found.
OCIS-FR-3945-1#
021394: May  2 20:13:27.422:
//4091697/0E5CF9769063/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in
parsing CCB/Msg
021395: May  2 20:13:27.422: //-
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:
021396: May  2 20:13:27.422: //-
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList:      end of list
021397: May  2 20:13:27.634:
//4091684/33C04C000000/SIP/Error/sipSPIProcessNotifyCallInfoHeader:
Call-Info header with for Unsolicited Notify Absent,Disabling
Unsolicited Notifies
SIP: Attribute mid, level 1 instance 1 not found.
021398: May  2 20:13:27.634:
//4091684/33C04C000000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:

```

Call Control Block (CCB) : 0x120415F8  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454753930  
Called Number : 4731700  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021399: May 2 20:13:27.634:  
//4091684/33C04C000000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 31992  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15586  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091683) Group (a= group line) attribute, level 65535 instance 1  
not found.

021400: May 2 20:13:27.638:  
//4091683/33C04C000000/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FA5DD8  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : YES  
Calling Number : 8454753930  
Called Number : 84731700  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:35658  
Destination Name : 172.22.196.3

OCIS-FR-3945-1#  
021401: May 2 20:13:27.638:  
//4091683/33C04C000000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6

```

Dtmf-relay Payload      : 101 (tx), 101 (rx)
Source IP Address (Media): 172.22.209.2
Source IP Port (Media): 29514
Destn IP Address (Media): 172.22.209.2
Destn IP Port (Media): 30956
Orig Destn IP Address:Port (Media): [ - ]:0

021402: May  2 20:13:28.090:
//4091546/CAA80B9A8F0F/SIP/Error/sact_app_media_event_send_request:
Cannot send UPDATE without calling ccsip_api_update_allowed
021403: May  2 20:13:29.010:
//4091565/011653800000/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x4105D5A0
State of The Call       : STATE_DEAD
TCP Sockets Used        : YES
Calling Number           : 8454863340
Called Number            : 87053813
Source IP Address (Sig  ): 172.22.209.2
Destn SIP Req Addr:Port  : 172.22.196.3:5060
Destn SIP Resp Addr:Port : 172.22.196.3:35658
Destination Name         : 172.22.196.3

021404: May  2 20:13:29.010:
//4091565/011653800000/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream            : 1
Negotiated Codec        : g711ulaw
Negotiated Codec Bytes  : 160
Nego. Codec payload     : 0 (tx), 0 (rx)
Negotiated Dtmf-relay   : 6
Dtmf-relay Payload      : 101 (tx), 101 (rx)
Source IP Address (Media): 172.22.209.2
Source IP Port (Media): 25886
Destn IP Address (Media): 172.22.209.2
Destn IP Port (Media): 16836
Orig Destn IP Address:Port (Media): [ - ]:0

021405: May  2 20:13:29.010:
//4091565/011653800000/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC)   : 16
Disconnect Cause (SIP)  : 200

021406: May  2 20:13:29.042: //-
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:
021407: May  2 20:13:29.042: //-
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList:          end of list
021408: May  2 20:13:29.042:
//4091566/011653800000/SIP/Call/sipSPICallInfo:

```

The Call Setup Information is:  
Call Control Block (CCB) : 0x41072160  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454863340  
Called Number : 7053813  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021409: May 2 20:13:29.042:  
//4091566/01165380000/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 31270  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15278  
Orig Destn IP Address:Port (Media): [ - ]:0

021410: May 2 20:13:29.042:  
//4091566/01165380000/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

SIP: (4091700) Attribute mid, level 1 instance 1 not found.

021411: May 2 20:13:29.554:  
//4091700/0FA728DD906B/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

021412: May 2 20:13:29.554:  
//4091700/0FA728DD906B/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

021413: May 2 20:13:29.554:  
//4091700/0FA728DD906B/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

SIP: (4091701) Group (a= group line) attribute, level 65535 instance 1  
not found.

021414: May 2 20:13:29.562:  
//4091700/0FA728DD906B/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg  
OCIS-FR-3945-1#

021415: May 2 20:13:29.562: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

021416: May 2 20:13:29.562: //-  
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list  
021417: May 2 20:13:30.238:  
//4091701/0FA728DD906B/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FC4F78  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8457059622  
Called Number : 8454863154  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021418: May 2 20:13:30.238:  
//4091701/0FA728DD906B/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : No Codec  
Negotiated Codec Bytes : 0  
Nego. Codec payload : 255 (tx), 255 (rx)  
Negotiated Dtmf-relay : 0  
Dtmf-relay Payload : 0 (tx), 0 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 29604  
Destn IP Address (Media): -  
Destn IP Port (Media): 0  
Orig Destn IP Address:Port (Media): [ - ]:0

021419: May 2 20:13:30.238:  
//4091701/0FA728DD906B/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 487

021420: May 2 20:13:30.246:  
//4091700/0FA728DD906B/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x12031D28  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8457059622  
Called Number : 8454863154  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021421: May 2 20:13:30.246:

//4091700/0FA728DD906B/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g729r8  
Negotiated Codec Bytes : 20  
Nego. Codec payload : 18 (tx), 18 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 23668  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15036  
Orig Destn IP Address:Port (Media): [ - ]:0

021422: May 2 20:13:30.246:

//4091700/0FA728DD906B/SIP/Call/sipSPICallInfo:

Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 487

SIP: (4091703) Attribute mid, level 1 instance 1 not found.

021423: May 2 20:13:30.342:

//4091703/101F66529073/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

021424: May 2 20:13:30.342:

//4091703/101F66529073/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

021425: May 2 20:13:30.342:

//4091703/101F66529073/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

SIP: (4091704) Group (a= group line) attribute, level 65535 instance 1  
not found.

021426: May 2 20:13:30.366:

//4091703/101F66529073/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg

OCIS-FR-3945-1#

021427: May 2 20:13:30.366: //-

1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

021428: May 2 20:13:30.366: //-

1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

021429: May 2 20:13:30.738:

//4091698/0E5CF9769063/SIP/Error/sipSPIProcessNotifyCallInfoHeader:

Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notices

SIP: Attribute mid, level 1 instance 1 not found.

021430: May 2 20:13:30.738:

//4091698/0E5CF9769063/SIP/Call/sipSPICallInfo:

The Call Setup Information is:

Call Control Block (CCB) : 0x13E0C4B0

State of The Call : STATE\_ACTIVE

TCP Sockets Used : NO  
Calling Number : 8454522000  
Called Number : 8454863242  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021431: May 2 20:13:30.738:  
//4091698/0E5CF9769063/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 21088  
Destn IP Address (Media): 172.22.196.2  
Destn IP Port (Media): 25882  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091697) Group (a= group line) attribute, level 65535 instance 1  
not found.

021432: May 2 20:13:30.806:  
//4091697/0E5CF9769063/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DED310  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454522000  
Called Number : 8454863242  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

021433: May 2 20:13:30.806:  
//4091697/0E5CF9769063/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 24988



Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 16598  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091705) Attribute mid, level 1 instance 1 not found.

OCIS-FR-3945-1#

021434: May 2 20:13:30.866:

//4091705/391D9680000/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry

SIP: (4091706) Group (a= group line) attribute, level 65535 instance 1  
not found.

021435: May 2 20:13:30.878: //-

1/xxxxxxxxxxxxx/SIP/Error/get\_content\_length: Could not get Content-  
length

021436: May 2 20:13:32.350:

//4091546/CAA80B9A8F0F/SIP/Call/sipSPICallInfo:

The Call Setup Information is:

Call Control Block (CCB) : 0x4103E400

State of The Call : STATE\_DEAD

TCP Sockets Used : NO

Calling Number : 8453373364

Called Number : 8454863168

Source IP Address (Sig ) : 152.187.182.42

Destn SIP Req Addr:Port : 172.31.100.49:5271

Destn SIP Resp Addr:Port : 172.31.100.49:5271

Destination Name : 172.31.100.49

021437: May 2 20:13:32.350:

//4091546/CAA80B9A8F0F/SIP/Call/sipSPIMediaCallInfo:

Number of Media Streams: 1

Media Stream : 1

Negotiated Codec : g711ulaw

Negotiated Codec Bytes : 160

Nego. Codec payload : 0 (tx), 0 (rx)

Negotiated Dtmf-relay : 6

Dtmf-relay Payload : 101 (tx), 101 (rx)

Source IP Address (Media): 152.187.182.42

Source IP Port (Media): 16678

Destn IP Address (Media): 172.31.100.164

Destn IP Port (Media): 15260

Orig Destn IP Address:Port (Media): [ - ]:0

021438: May 2 20:13:32.350:

//4091546/CAA80B9A8F0F/SIP/Call/sipSPICallInfo:

Disconnect Cause (CC) : 16

Disconnect Cause (SIP) : 200

021439: May 2 20:13:32.354: //-

1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

```

021440: May  2 20:13:32.354: //-
1/xxxxxxxxxxxx/SIP/Error/debugPrintBranchList:      end of list
021441: May  2 20:13:32.354:
//4091547/CAA80B9A8F0F/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x4102EB30
State of The Call       : STATE_DEAD
TCP Sockets Used       : NO
Calling Number         : 8454866342
Called Number         : 8454863168
Source IP Address (Sig ): 172.22.209.2
Destn SIP Req Addr:Port : 172.22.196.3:5060
Destn SIP Resp Addr:Port : 172.22.196.3:5060
Destination Name      : 172.22.196.3

021442: May  2 20:13:32.354:
//4091547/CAA80B9A8F0F/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream          : 1
Negotiated Codec      : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload   : 0 (tx), 0 (rx)
Negotiated Dtmf-relay : 6
Dtmf-relay Payload    : 101 (tx), 101 (rx)
Source IP Address (Media): 172.22.209.2
Source IP Port (Media): 18122
Destn IP Address (Media): 172.22.209.2
Destn IP Port (Media): 21846
Orig Destn IP Address:Port (Media): [ - ]:0

021443: May  2 20:13:32.354:
//4091547/CAA80B9A8F0F/SIP/Call/sipSPICallInfo:
Disconnect Cause (CC) : 16
Disconnect Cause (SIP) : 200

OCIS-FR-3945-1#
SIP: Attribute mid, level 1 instance 1 not found.
021444: May  2 20:13:32.458:
//4091705/391D96800000/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in
parsing CCB/Msg
SIP: (4091705) Group (a= group line) attribute, level 65535 instance 1
not found.
OCIS-FR-3945-1#
021445: May  2 20:13:33.749:
//4091704/101F66529073/SIP/Error/sipSPIProcessNotifyCallInfoHeader:
Call-Info header with for Unsolicited Notify Absent,Disabling
Unsolicited Notifies
SIP: Attribute mid, level 1 instance 1 not found.
021446: May  2 20:13:33.749:

```

```
//4091704/101F66529073/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x11FDEE28
State of The Call       : STATE_ACTIVE
TCP Sockets Used       : NO
Calling Number         : 8454862266
Called Number         : 8454862324
Source IP Address (Sig ) : 172.22.209.2
Destn SIP Req Addr:Port : 172.22.196.3:5060
Destn SIP Resp Addr:Port : 172.22.196.3:5060
Destination Name      : 172.22.196.3
```

```
021447: May  2 20:13:33.749:
//4091704/101F66529073/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec      : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload   : 0 (tx), 0 (rx)
Negotiated Dtmf-relay : 6
Dtmf-relay Payload    : 101 (tx), 101 (rx)
Source IP Address (Media): 172.22.209.2
Source IP Port (Media): 18378
Destn IP Address (Media): 172.22.209.2
Destn IP Port (Media): 29160
Orig Destn IP Address:Port (Media): [ - ]:0
```

SIP: (4091703) Group (a= group line) attribute, level 65535 instance 1 not found.

```
021448: May  2 20:13:33.817:
//4091703/101F66529073/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x12031D28
State of The Call       : STATE_ACTIVE
TCP Sockets Used       : NO
Calling Number         : 8454862266
Called Number         : 8454862324
Source IP Address (Sig ) : 152.187.182.42
Destn SIP Req Addr:Port : 172.31.100.49:5271
Destn SIP Resp Addr:Port : 172.31.100.49:5271
Destination Name      : 172.31.100.49
```

```
021449: May  2 20:13:33.817:
//4091703/101F66529073/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec      : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload   : 0 (tx), 0 (rx)
```

Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 26406  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 16516  
Orig Destn IP Address:Port (Media): [ - ]:0

021450: May 2 20:13:34.245:  
//4091585/DEFF7CE98F72/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x12022458  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8452664272  
Called Number : 8454862140  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021451: May 2 20:13:34.245:  
//4091585/DEFF7CE98F72/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 28404  
Destn IP Address (Media): 172.22.97.3  
Destn IP Port (Media): 25952  
Orig Destn IP Address:Port (Media): [ - ]:0

021452: May 2 20:13:34.245:  
//4091585/DEFF7CE98F72/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021453: May 2 20:13:34.277: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
021454: May 2 20:13:34.277: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list  
021455: May 2 20:13:34.277:  
//4091584/DEFF7CE98F72/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FCF558

State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8452664272  
Called Number : 8454862140  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#  
021456: May 2 20:13:34.277:  
//4091584/DEFF7CE98F72/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 19386  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15182  
Orig Destn IP Address:Port (Media): [ - ]:0

021457: May 2 20:13:34.277:  
//4091584/DEFF7CE98F72/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

SIP: (4091711) Attribute mid, level 1 instance 1 not found.  
021458: May 2 20:13:34.893:  
//4091711/12D68FFA9084/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
021459: May 2 20:13:34.893:  
//4091711/12D68FFA9084/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
021460: May 2 20:13:34.893:  
//4091711/12D68FFA9084/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
SIP: (4091712) Group (a= group line) attribute, level 65535 instance 1  
not found.  
021461: May 2 20:13:34.901:  
//4091711/12D68FFA9084/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in  
parsing CCB/Msg  
OCIS-FR-3945-1#  
021462: May 2 20:13:34.905: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:  
021463: May 2 20:13:34.905: //-

```

1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList:      end of list
OCIS-FR-3945-1#
021464: May  2 20:13:36.201:
//4091669/05B74C5E9027/SIP/Error/sact_app_media_event_send_request:
Cannot send UPDATE without calling ccsip_api_update_allowed
SIP: (4091714) Attribute mid, level 1 instance 1 not found.
021465: May  2 20:13:36.597:
//4091714/13DA9115908C/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
021466: May  2 20:13:36.597:
//4091714/13DA9115908C/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
021467: May  2 20:13:36.597:
//4091714/13DA9115908C/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
SIP: (4091715) Group (a= group line) attribute, level 65535 instance 1
not found.
OCIS-FR-3945-1#
021468: May  2 20:13:36.609:
//4091714/13DA9115908C/SIP/Error/sipSPIAddCiscoGcid: Fatal Error in
parsing CCB/Msg
021469: May  2 20:13:36.613: //-
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:
021470: May  2 20:13:36.613: //-
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList:      end of list
021471: May  2 20:13:38.085:
//4091557/D5E8408E8F2D/SIP/Error/sact_app_media_event_send_request:
Cannot send UPDATE without calling ccsip_api_update_allowed
021472: May  2 20:13:38.205:
//4091603/E70684138FA1/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x13DD3460
State of The Call       : STATE_DEAD
TCP Sockets Used       : NO
Calling Number         : 7164854900
Called Number          : 8454863449
Source IP Address (Sig ): 152.187.182.42
Destn SIP Req Addr:Port : 172.31.100.49:5271
Destn SIP Resp Addr:Port : 172.31.100.49:5271
Destination Name       : 172.31.100.49

021473: May  2 20:13:38.205:
//4091603/E70684138FA1/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload    : 0 (tx), 0 (rx)
Negotiated Dtmf-relay  : 6

```

Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 20128  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 15038  
Orig Destn IP Address:Port (Media): [ - ]:0

021474: May 2 20:13:38.205:  
//4091603/E70684138FA1/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

021475: May 2 20:13:38.209: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: via branch list is:

021476: May 2 20:13:38.209: //-  
1/xxxxxxxxxxxxx/SIP/Error/debugPrintBranchList: end of list

021477: May 2 20:13:38.209:  
//4091604/E70684138FA1/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FBFC88  
State of The Call : STATE\_DEAD  
TCP Sockets Used : NO  
Calling Number : 8454866370  
Called Number : 8454863449  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

OCIS-FR-3945-1#

021478: May 2 20:13:38.209:  
//4091604/E70684138FA1/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 20394  
Destn IP Address (Media): 172.22.97.3  
Destn IP Port (Media): 25970  
Orig Destn IP Address:Port (Media): [ - ]:0

021479: May 2 20:13:38.209:  
//4091604/E70684138FA1/SIP/Call/sipSPICallInfo:  
Disconnect Cause (CC) : 16  
Disconnect Cause (SIP) : 200

OCIS-FR-3945-1#ter  
021480: May 2 20:13:40.085:  
//4091680/09F64E2B9040/SIP/Error/sipSPIProcessNotifyCallInfoHeader:  
Call-Info header with for Unsolicited Notify Absent,Disabling  
Unsolicited Notifies  
SIP: Attribute mid, level 1 instance 1 not found.  
021481: May 2 20:13:40.085:  
//4091680/09F64E2B9040/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FBA998  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8454866370  
Called Number : 8454863400  
Source IP Address (Sig ) : 172.22.209.2  
Destn SIP Req Addr:Port : 172.22.196.3:5060  
Destn SIP Resp Addr:Port : 172.22.196.3:5060  
Destination Name : 172.22.196.3

021482: May 2 20:13:40.085:  
//4091680/09F64E2B9040/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 19936  
Destn IP Address (Media): 172.22.97.3  
Destn IP Port (Media): 25992  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091679) Group (a= group line) attribute, level 65535 instance 1  
not found.  
021483: May 2 20:13:40.153:  
//4091679/09F64E2B9040/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x13DFCBEO  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8452175070  
Called Number : 8454863400  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49



```

OCIS-FR-3945-1#term no
021484: May  2 20:13:40.153:
//4091679/09F64E2B9040/SIP/Call/sipSPIMediaCallInfo:
Number of Media Streams: 1
Media Stream           : 1
Negotiated Codec       : g711ulaw
Negotiated Codec Bytes : 160
Nego. Codec payload    : 0 (tx), 0 (rx)
Negotiated Dtmf-relay  : 6
Dtmf-relay Payload     : 101 (tx), 101 (rx)
Source IP Address (Media): 152.187.182.42
Source IP Port (Media): 17892
Destn IP Address (Media): 172.31.100.164
Destn IP Port (Media): 14614
Orig Destn IP Address:Port (Media): [ - ]:0

021485: May  2 20:13:40.153:
//4091690/0B69FEBD9058/SIP/Error/sact_app_media_event_send_request:
Cannot send UPDATE without calling ccsip_api_update_allowed
SIP: (4091719) Attribute mid, level 1 instance 1 not found.
021486: May  2 20:13:40.633:
//4091719/3F1377800000/SIP/Error/sipSPI_ipip_copy_sdp_to_channelInfo:
failed to update call entry
SIP: (4091720) Group (a= group line) attribute, level 65535 instance 1
not found.
021487: May  2 20:13:40.645: //-
1/xxxxxxxxxxxxx/SIP/Error/get_content_length: Could not get Content-
length
021488: May  2 20:13:41.017:
//4091715/13DA9115908C/SIP/Error/sipSPIProcessNotifyCallInfoHeader:
Call-Info header with for Unsolicited Notify Absent,Disabling
Unsolicited Notices
SIP: Attribute mid, level 1 instance 1 not found.
021489: May  2 20:13:41.017:
//4091715/13DA9115908C/SIP/Call/sipSPICallInfo:
The Call Setup Information is:
Call Control Block (CCB) : 0x1202CA38
State of The Call       : STATE_ACTIVE
TCP Sockets Used       : NO
Calling Number          : 8452247288
Called Number           : 8454863404
Source IP Address (Sig ) : 172.22.209.2
Destn SIP Req Addr:Port : 172.22.196.3:5060
Destn SIP Resp Addr:Port : 172.22.196.3:5060
Destination Name        : 172.22.196.3

021490: May  2 20:13:41.017:
//4091715/13DA9115908C/SIP/Call/sipSPIMediaCallInfo:

```

Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 172.22.209.2  
Source IP Port (Media): 27880  
Destn IP Address (Media): 172.22.209.2  
Destn IP Port (Media): 20718  
Orig Destn IP Address:Port (Media): [ - ]:0

SIP: (4091714) Group (a= group line) attribute, level 65535 instance 1 not found.

021491: May 2 20:13:41.085:  
//4091714/13DA9115908C/SIP/Call/sipSPICallInfo:  
The Call Setup Information is:  
Call Control Block (CCB) : 0x11FEE6F8  
State of The Call : STATE\_ACTIVE  
TCP Sockets Used : NO  
Calling Number : 8452247288  
Called Number : 8454863404  
Source IP Address (Sig ) : 152.187.182.42  
Destn SIP Req Addr:Port : 172.31.100.49:5271  
Destn SIP Resp Addr:Port : 172.31.100.49:5271  
Destination Name : 172.31.100.49

OCIS-FR-3945-1#term no moni  
021492: May 2 20:13:41.085:  
//4091714/13DA9115908C/SIP/Call/sipSPIMediaCallInfo:  
Number of Media Streams: 1  
Media Stream : 1  
Negotiated Codec : g711ulaw  
Negotiated Codec Bytes : 160  
Nego. Codec payload : 0 (tx), 0 (rx)  
Negotiated Dtmf-relay : 6  
Dtmf-relay Payload : 101 (tx), 101 (rx)  
Source IP Address (Media): 152.187.182.42  
Source IP Port (Media): 32576  
Destn IP Address (Media): 172.31.100.164  
Destn IP Port (Media): 14830  
Orig Destn IP Address:Port (Media): [ - ]:0

OCIS-FR-3945-1#term no monitor

OCIS-FR-3945-1#

SIP: (4091726) Attribute mid, level 1 instance 1 not found.

021493: May 2 20:13:42.209:  
//4091726/4044A4800003/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:

failed to update call entry  
SIP: (4091727) Group (a= group line) attribute, level 65535 instance 1  
not found.  
021494: May 2 20:13:42.221: //-  
1/xxxxxxxxxxxx/SIP/Error/get\_content\_length: Could not get Content-  
length  
SIP: (4091728) Attribute mid, level 1 instance 1 not found.  
021495: May 2 20:13:42.973:  
//4091728/17A6D3CB90A7/SIP/Error/sipSPI\_ipip\_copy\_sdp\_to\_channelInfo:  
failed to update call entry  
OCIS-FR-3945-1#no debug all  
All possible debugging has been turned off  
OCIS-FR-3945-1#logout