

```
SCG-2821#debug ccsip messages
SIP Call messages tracing is enabled
SCG-2821#debug voice ccapi ind 1
voip ccapi individual debugging is on
SCG-2821#debug voice ccapi ind 2
voip ccapi individual debugging is on
SCG-2821#debug voice ccapi ind 74
voip ccapi individual debugging is on
SCG-2821#
SCG-2821#term mon
SCG-2821#
SCG-2821#
000067: Aug 31 14:37:15.138: //-1/xxxxxxxxxxxx/SIP/Msg/
ccsipDisplayMsg:
Received:
INVITE sip:5856725663@24.213.128.10:5060 SIP/2.0
Via: SIP/2.0/UDP
66.241.99.181:5060;branch=z9hG4bKjnfkud10608oas0ftjd0.1
Max-Forwards: 69
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as29dc830e
To: <sip:5856725663@24.213.128.10>
Contact: <sip:5857469235@66.241.99.181:5060;transport=udp>
Call-ID: 3d5a6b9e1ea18a2835380db417aed2fd@10.44.109.19:5060
CSeq: 102 INVITE
User-Agent: packetrino
Date: Wed, 31 Aug 2022 14:37:15 GMT
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY,
INFO, PUBLISH, MESSAGE
Supported: replaces
P-Attestation-Indicator: B
P-Origination-ID: ae2cd3ba-a549-462a-bb26-3de78328f6e6
X-Outbound: cfitzsimmons-24.213.128.10
Content-Type: application/sdp
Content-Length: 345
```

```
v=0
o=root 500258607 500258607 IN IP4 66.241.99.181
s=Asterisk PBX 16.8.0
c=IN IP4 66.241.99.181
t=0 0
m=audio 24540 RTP/AVP 0 8 3 18 101
a=rtpmap:0 PCMU/8000
a=rtpmap:8 PCMA/8000
a=rtpmap:3 GSM/8000
a=rtpmap:18 G729/8000
a=fmtp:18 annexb=no
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16
a=ptime:20
a=maxptime:150
```

a=sendrecv

000068: Aug 31 14:37:15.146: //-1/3DCA0BCF8015/CCAPI/
cc_api_call_setup_ind_common:
Interface=0x4A3AF7F8, Call Info(
Calling Number=5857469235,(Calling Name=)(TON=Unknown, NPI=Unknown,
Screening=Network, Presentation=Allowed),
Called Number=5856725663(TON=Unknown, NPI=Unknown),
Calling Translated=FALSE, Subscriber Type Str=Unknown,
FinalDestinationFlag=TRUE,
Incoming Dial-peer=91, Progress Indication=NULL(0), Calling IE
Present=TRUE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=, CLID
Transparent=FALSE), Call Id=18

000069: Aug 31 14:37:15.154: //18/3DCA0BCF8015/CCAPI/
ccIFCallSetupRequestPrivate:
Interface=0x4A1B2E90, Interface Type=1, Destination=, Mode=0x0,
Call Params(Calling Number=5857469235,(Calling Name=SEAMLESS
COMMUN)(TON=Unknown, NPI=Unknown, Screening=Network,
Presentation=Allowed),
Called Number=5856725663(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=92, Call Count On=FALSE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)

000070: Aug 31 14:37:15.158: //18/3DCA0BCF8015/SIP/Msg/
ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP
66.241.99.181:5060;branch=z9hG4bKjnfkud10608oas0ftjd0.1
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as29dc830e
To: <sip:5856725663@24.213.128.10>
Date: Wed, 31 Aug 2022 14:37:15 GMT
Call-ID: 3d5a6b9e1ea18a2835380db417aed2fd@10.44.109.19:5060
CSeq: 102 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-12.x
Content-Length: 0

000071: Aug 31 14:37:30.166: //18/3DCA0BCF8015/CCAPI/
ccIFCallSetupRequestPrivate:
Interface=0x4A3AF7F8, Interface Type=3, Destination=, Mode=0x0,
Call Params(Calling Number=5857469235,(Calling Name=SEAMLESS
COMMUN)(TON=Unknown, NPI=Unknown, Screening=Network,
Presentation=Allowed),
Called Number=5856725663(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,

Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=10, Call Count On=FALSE,

Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)

000072: Aug 31 14:37:30.230: //20/3DCA0BCF8015/SIP/Msg/
ccsipDisplayMsg:

Sent:

INVITE sip:5856725663@sip34.vitelity.net:5060 SIP/2.0

Via: SIP/2.0/UDP 10.8.36.2:5060;branch=z9hG4bK01D67

From: "SEAMLESS COMMUN"

<sip:5857469235@sip34.vitelity.net>;tag=F5BE0-1D75

To: <sip:5856725663@sip34.vitelity.net>

Date: Wed, 31 Aug 2022 14:37:30 GMT

Call-ID: 46BF2A26-287111ED-801CD084-8E90EADD@10.8.36.2

Supported: 100rel,timer,resource-priority,replaces,sdp-anat

Min-SE: 1800

Cisco-Guid: 1036651471-0678498797-2148913284-2391861981

User-Agent: Cisco-SIPGateway/IOS-12.x

Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER,
SUBSCRIBE, NOTIFY, INFO, REGISTER

CSeq: 101 INVITE

Timestamp: 1661956650

Contact: <sip:5857469235@10.8.36.2:5060>

Expires: 180

Allow-Events: telephone-event

Max-Forwards: 68

Content-Type: application/sdp

Content-Disposition: session;handling=required

Content-Length: 346

v=0

o=CiscoSystemsSIP-GW-UserAgent 3399 7724 IN IP4 10.8.36.2

s=SIP Call

c=IN IP4 10.8.36.2

t=0 0

m=audio 17650 RTP/AVP 0 8 18 100 101

c=IN IP4 10.8.36.2

a=rtpmap:0 PCMU/8000

a=rtpmap:8 PCMA/8000

a=rtpmap:18 G729/8000

a=fmtp:18 annexb=no

a=rtpmap:100 X-NSE/8000

a=fmtp:100 192-194

a=rtpmap:101 telephone-event/8000

a=fmtp:101 0-16

000073: Aug 31 14:37:30.298: //20/3DCA0BCF8015/SIP/Msg/

ccsipDisplayMsg:

Received:

SIP/2.0 100 Trying

Via: SIP/2.0/UDP
10.8.36.2:5060;received=24.213.128.10;branch=z9hG4bK01D67;rport=51424
From: "SEAMLESS COMMUN"
<sip:5857469235@sip34.vitelity.net>;tag=F5BE0-1D75
To: <sip:5856725663@sip34.vitelity.net>
Call-ID: 46BF2A26-287111ED-801CD084-8E90EADD@10.8.36.2
CSeq: 101 INVITE
Timestamp: 1661956650
Content-Length: 0

000074: Aug 31 14:37:30.602: //-1/xxxxxxxxxxxx/SIP/Msg/
ccsipDisplayMsg:
Received:
INVITE sip:5856725663@24.213.128.10:5060 SIP/2.0
Via: SIP/2.0/UDP
66.241.99.181:5060;branch=z9hG4bKnom2fd20d0c2ul06u010.1
Max-Forwards: 69
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as130bc6d6
To: <sip:5856725663@24.213.128.10>
Contact: <sip:5857469235@66.241.99.181:5060;transport=udp>
Call-ID: 75b29f5d7cbf7dd059fb03c451c2c1b7@10.44.109.100:5060
CSeq: 102 INVITE
User-Agent: packetrino
Date: Wed, 31 Aug 2022 14:37:30 GMT
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY,
INFO, PUBLISH, MESSAGE
Supported: replaces
P-Attestation-Indicator: B
P-Origination-ID: ae2cd3ba-a549-462a-bb26-3de78328f6e6
X-Outbound: cfitzsimmons-24.213.128.10
Content-Type: application/sdp
Content-Length: 345

v=0
o=root 205111964 205111964 IN IP4 66.241.99.181
s=Asterisk PBX 16.8.0
c=IN IP4 66.241.99.181
t=0 0
m=audio 24746 RTP/AVP 0 8 3 18 101
a=rtpmap:0 PCMU/8000
a=rtpmap:8 PCMA/8000
a=rtpmap:3 GSM/8000
a=rtpmap:18 G729/8000
a=fmtp:18 annexb=no
a=rtpmap:101 telephone-event/8000
a=fmtp:101 0-16
a=ptime:20
a=maxptime:150
a=sendrecv

000075: Aug 31 14:37:30.610: //-1/470113F2801D/CCAPI/
cc_api_call_setup_ind_common:
Interface=0x4A3AF7F8, Call Info(
Calling Number=5857469235,(Calling Name=)(TON=Unknown, NPI=Unknown,
Screening=Network, Presentation=Allowed),
Called Number=5856725663(TON=Unknown, NPI=Unknown),
Calling Translated=FALSE, Subscriber Type Str=Unknown,
FinalDestinationFlag=TRUE,
Incoming Dial-peer=91, Progress Indication=NULL(0), Calling IE
Present=TRUE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=, CLID
Transparent=FALSE), Call Id=21

000076: Aug 31 14:37:30.614: //21/470113F2801D/CCAPI/
ccIFCallSetupRequestPrivate:
Interface=0x4A1B2E90, Interface Type=1, Destination=, Mode=0x0,
Call Params(Calling Number=5857469235,(Calling Name=SEAMLESS
COMMUN)(TON=Unknown, NPI=Unknown, Screening=Network,
Presentation=Allowed),
Called Number=5856725663(TON=Unknown, NPI=Unknown), Calling
Translated=FALSE,
Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing
Dial-peer=92, Call Count On=FALSE,
Source Trkgrp Route Label=, Target Trkgrp Route Label=,
tg_label_flag=0, Application Call Id=)

000077: Aug 31 14:37:30.622: //21/470113F2801D/SIP/Msg/
ccsipDisplayMsg:
Sent:
SIP/2.0 100 Trying
Via: SIP/2.0/UDP
66.241.99.181:5060;branch=z9hG4bKnom2fd20d0c2ul06u010.1
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as130bc6d6
To: <sip:5856725663@24.213.128.10>
Date: Wed, 31 Aug 2022 14:37:30 GMT
Call-ID: 75b29f5d7cbf7dd059fb03c451c2c1b7@10.44.109.100:5060
CSeq: 102 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-12.x
Content-Length: 0

000078: Aug 31 14:37:32.786: //-1/xxxxxxxxxxxx/SIP/Msg/
ccsipDisplayMsg:
Received:
OPTIONS sip:10.8.32.2:5060 SIP/2.0
Via: SIP/2.0/UDP 10.8.32.20:5060;branch=z9hG4bK3d11812d380
From: <sip:10.8.32.20>;tag=1089947423
To: <sip:10.8.32.2>
Date: Wed, 31 Aug 2022 14:37:32 GMT
Call-ID: 71082380-30f1722c-386-1420080a@10.8.32.20

User-Agent: Cisco-CUCM10.5
CSeq: 101 OPTIONS
Contact: <sip:10.8.32.20:5060>
Max-Forwards: 0
Content-Length: 0

000079: Aug 31 14:37:32.794: //23/484EF1A68023/SIP/Msg/
ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.8.32.20:5060;branch=z9hG4bK3d11812d380
From: <sip:10.8.32.20>;tag=1089947423
To: <sip:10.8.32.2>;tag=F65E4-16DC
Date: Wed, 31 Aug 2022 14:37:32 GMT
Call-ID: 71082380-30f1722c-386-1420080a@10.8.32.20
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 101 OPTIONS
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER,
SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event
Accept: application/sdp
Supported: 100rel,timer,resource-priority,replaces,sdp-anat
Content-Type: application/sdp
Content-Length: 160

v=0
o=CiscoSystemsSIP-GW-UserAgent 4955 5488 IN IP4 10.8.32.2
s=SIP Call
c=IN IP4 10.8.32.2
t=0 0
m=audio 0 RTP/AVP 18 0 8 9 4 2 15 3
c=IN IP4 10.8.32.2

000080: Aug 31 14:37:35.798: //-1/xxxxxxxxxxxx/SIP/Msg/
ccsipDisplayMsg:
Received:
CANCEL sip:5856725663@24.213.128.10:5060 SIP/2.0
Via: SIP/2.0/UDP
66.241.99.181:5060;branch=z9hG4bKjnfkud10608oas0ftjd0.1
CSeq: 102 CANCEL
Max-Forwards: 69
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as29dc830e
To: <sip:5856725663@24.213.128.10>
Call-ID: 3d5a6b9e1ea18a2835380db417aed2fd@10.44.109.19:5060
Content-Length: 0

000081: Aug 31 14:37:35.806: //18/3DCA0BCF8015/SIP/Msg/
ccsipDisplayMsg:

Sent:
SIP/2.0 200 OK
Via: SIP/2.0/UDP
66.241.99.181:5060;branch=z9hG4bKjnfkud10608oas0ftjd0.1
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as29dc830e
To: <sip:5856725663@24.213.128.10>
Date: Wed, 31 Aug 2022 14:37:35 GMT
Call-ID: 3d5a6b9e1ea18a2835380db417aed2fd@10.44.109.19:5060
CSeq: 102 CANCEL
Content-Length: 0

000082: Aug 31 14:37:35.806: //20/3DCA0BCF8015/SIP/Msg/
ccsipDisplayMsg:

Sent:
CANCEL sip:5856725663@sip34.vitelity.net:5060 SIP/2.0
Via: SIP/2.0/UDP 10.8.36.2:5060;branch=z9hG4bK01D67
From: "SEAMLESS COMMUN"
<sip:5857469235@sip34.vitelity.net>;tag=F5BE0-1D75
To: <sip:5856725663@sip34.vitelity.net>
Date: Wed, 31 Aug 2022 14:37:30 GMT
Call-ID: 46BF2A26-287111ED-801CD084-8E90EADD@10.8.36.2
CSeq: 101 CANCEL
Max-Forwards: 70
Timestamp: 1661956655
Reason: Q.850;cause=16
Content-Length: 0

000083: Aug 31 14:37:35.806: //18/3DCA0BCF8015/SIP/Msg/
ccsipDisplayMsg:

Sent:
SIP/2.0 487 Request Cancelled
Via: SIP/2.0/UDP
66.241.99.181:5060;branch=z9hG4bKjnfkud10608oas0ftjd0.1
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as29dc830e
To: <sip:5856725663@24.213.128.10>;tag=F71A8-7A3
Date: Wed, 31 Aug 2022 14:37:35 GMT
Call-ID: 3d5a6b9e1ea18a2835380db417aed2fd@10.44.109.19:5060
CSeq: 102 INVITE
Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-12.x
Reason: Q.850;cause=16
Content-Length: 0

000084: Aug 31 14:37:35.870: //20/3DCA0BCF8015/SIP/Msg/
ccsipDisplayMsg:

Received:
SIP/2.0 200 OK

Via: SIP/2.0/UDP
10.8.36.2:5060;received=24.213.128.10;branch=z9hG4bK01D67;rport=51424
From: "SEAMLESS COMMUN"
<sip:5857469235@sip34.vitelity.net>;tag=F5BE0-1D75
To: <sip:5856725663@sip34.vitelity.net>;tag=aprql144q9rqs487c-
vk2dql10000a6
Call-ID: 46BF2A26-287111ED-801CD084-8E90EADD@10.8.36.2
CSeq: 101 CANCEL
Timestamp: 1661956655
Content-Length: 0

000085: Aug 31 14:37:35.874: //-1/xxxxxxxxxxxx/SIP/Msg/
ccsipDisplayMsg:
Received:
ACK sip:5856725663@24.213.128.10:5060 SIP/2.0
Via: SIP/2.0/UDP
66.241.99.181:5060;branch=z9hG4bKjnfkud10608oas0ftjd0.1
CSeq: 102 ACK
Max-Forwards: 69
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as29dc830e
To: <sip:5856725663@24.213.128.10>;tag=F71A8-7A3
Call-ID: 3d5a6b9e1ea18a2835380db417aed2fd@10.44.109.19:5060
Content-Length: 0

000086: Aug 31 14:37:35.878: //20/3DCA0BCF8015/SIP/Msg/
ccsipDisplayMsg:
Received:
SIP/2.0 487 Request Terminated
Via: SIP/2.0/UDP
10.8.36.2:5060;received=24.213.128.10;branch=z9hG4bK01D67;rport=51424
From: "SEAMLESS COMMUN"
<sip:5857469235@sip34.vitelity.net>;tag=F5BE0-1D75
To: <sip:5856725663@sip34.vitelity.net>;tag=as452732c1
Call-ID: 46BF2A26-287111ED-801CD084-8E90EADD@10.8.36.2
CSeq: 101 INVITE
Timestamp: 1661956650
Server: packetrino
Allow: INVITE, ACK, CANCEL, OPTIONS, BYE, REFER, SUBSCRIBE, NOTIFY,
INFO, PUBLISH, MESSAGE
Supported: replaces
Content-Length: 0

000087: Aug 31 14:37:35.882: //-1/xxxxxxxxxxxx/SIP/Msg/
ccsipDisplayMsg:
Received:
CANCEL sip:5856725663@24.213.128.10:5060 SIP/2.0
Via: SIP/2.0/UDP

66.241.99.181:5060;branch=z9hG4bKnom2fd20d0c2ul06u010.1
CSeq: 102 CANCEL
Max-Forwards: 69
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as130bc6d6
To: <sip:5856725663@24.213.128.10>
Call-ID: 75b29f5d7cbf7dd059fb03c451c2c1b7@10.44.109.100:5060
Content-Length: 0

000088: Aug 31 14:37:35.890: //-1/xxxxxxxxxxxx/SIP/Msg/
ccsipDisplayMsg:
Sent:
ACK sip:5856725663@sip34.vitelity.net:5060 SIP/2.0
Via: SIP/2.0/UDP 10.8.36.2:5060;branch=z9hG4bK01D67
From: "SEAMLESS COMMUN"
<sip:5857469235@sip34.vitelity.net>;tag=F5BE0-1D75
To: <sip:5856725663@sip34.vitelity.net>;tag=as452732c1
Date: Wed, 31 Aug 2022 14:37:30 GMT
Call-ID: 46BF2A26-287111ED-801CD084-8E90EADD@10.8.36.2
Max-Forwards: 70
CSeq: 101 ACK
Allow-Events: telephone-event
Content-Length: 0

000089: Aug 31 14:37:35.894: //21/470113F2801D/SIP/Msg/
ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK
Via: SIP/2.0/UDP
66.241.99.181:5060;branch=z9hG4bKnom2fd20d0c2ul06u010.1
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as130bc6d6
To: <sip:5856725663@24.213.128.10>
Date: Wed, 31 Aug 2022 14:37:35 GMT
Call-ID: 75b29f5d7cbf7dd059fb03c451c2c1b7@10.44.109.100:5060
CSeq: 102 CANCEL
Content-Length: 0

000090: Aug 31 14:37:35.894: //21/470113F2801D/SIP/Msg/
ccsipDisplayMsg:
Sent:
SIP/2.0 487 Request Cancelled
Via: SIP/2.0/UDP
66.241.99.181:5060;branch=z9hG4bKnom2fd20d0c2ul06u010.1
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as130bc6d6
To: <sip:5856725663@24.213.128.10>;tag=F7200-200C
Date: Wed, 31 Aug 2022 14:37:35 GMT
Call-ID: 75b29f5d7cbf7dd059fb03c451c2c1b7@10.44.109.100:5060
CSeq: 102 INVITE

Allow-Events: telephone-event
Server: Cisco-SIPGateway/IOS-12.x
Reason: Q.850;cause=16
Content-Length: 0

000091: Aug 31 14:37:35.958: //-1/xxxxxxxxxxxx/SIP/Msg/
ccsipDisplayMsg:
Received:
ACK sip:5856725663@24.213.128.10:5060 SIP/2.0
Via: SIP/2.0/UDP
66.241.99.181:5060;branch=z9hG4bKnom2fd20d0c2ul06u010.1
CSeq: 102 ACK
Max-Forwards: 69
From: "SEAMLESS COMMUN" <sip:5857469235@66.241.99.181>;tag=as130bc6d6
To: <sip:5856725663@24.213.128.10>;tag=F7200-200C
Call-ID: 75b29f5d7cbf7dd059fb03c451c2c1b7@10.44.109.100:5060
Content-Length: 0

000092: Aug 31 14:38:33.010: //-1/xxxxxxxxxxxx/SIP/Msg/
ccsipDisplayMsg:
Received:
OPTIONS sip:10.8.32.2:5060 SIP/2.0
Via: SIP/2.0/UDP 10.8.32.20:5060;branch=z9hG4bK3d278b57e44
From: <sip:10.8.32.20>;tag=1438820177
To: <sip:10.8.32.2>
Date: Wed, 31 Aug 2022 14:38:33 GMT
Call-ID: 95640000-30f17269-387-1420080a@10.8.32.20
User-Agent: Cisco-CUCM10.5
CSeq: 101 OPTIONS
Contact: <sip:10.8.32.20:5060>
Max-Forwards: 0
Content-Length: 0

000093: Aug 31 14:38:33.014: //24/6C33E6708024/SIP/Msg/
ccsipDisplayMsg:
Sent:
SIP/2.0 200 OK
Via: SIP/2.0/UDP 10.8.32.20:5060;branch=z9hG4bK3d278b57e44
From: <sip:10.8.32.20>;tag=1438820177
To: <sip:10.8.32.2>;tag=105120-1DA7
Date: Wed, 31 Aug 2022 14:38:33 GMT
Call-ID: 95640000-30f17269-387-1420080a@10.8.32.20
Server: Cisco-SIPGateway/IOS-12.x
CSeq: 101 OPTIONS
Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER,
SUBSCRIBE, NOTIFY, INFO, REGISTER
Allow-Events: telephone-event

Accept: application/sdp
Supported: 100rel,timer,resource-priority,replaces,sdp-anat
Content-Type: application/sdp
Content-Length: 160

v=0
o=CiscoSystemsSIP-GW-UserAgent 7272 7990 IN IP4 10.8.32.2
s=SIP Call
c=IN IP4 10.8.32.2
t=0 0
m=audio 0 RTP/AVP 18 0 8 9 4 2 15 3
c=IN IP4 10.8.32.2