

1 010596: Jul 20 10:22:05.211: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:  
2 Received:  
3 INVITE sip:918733535555@10.9.52.60:5060 SIP/2.0  
4 Via: SIP/2.0/UDP 10.9.52.11:5060;branch=z9hG4bK2aa955615fe1f3  
5 From: "CUSTNAME"  
sip:6136325555@10.9.52.11;tag=11598213~6ba2e5cf-fe0e-4509-a0b3-33f4273307e6-37335358  
6 To: sip:918733535555@10.9.52.60  
7 Date: Thu, 20 Jul 2023 14:22:05 GMT  
8 Call-ID: cbec6a00-4b91430d-1886c4-b34090a@10.9.52.11  
9 Supported: 100rel,timer,resource-priority,replaces  
10 Min-SE: 1800  
11 User-Agent: Cisco-CUCM10.5  
12 Allow: INVITE, OPTIONS, INFO, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY  
13 CSeq: 101 INVITE  
14 Expires: 180  
15 Allow-Events: presence  
16 Supported: X-cisco-srtp-fallback,X-cisco-original-called  
17 Call-Info: urn:x-cisco-remotecc:callinfo;x-cisco-video-traffic-class=VIDEO\_UNSPECIFIED  
18  
19 Cisco-Guid: 3421268480-0000065536-0000070023-0187959562  
20 Session-Expires: 86400  
21 P-Asserted-Identity: "CUSTNAME" sip:6136325555@10.9.52.11  
22 Contact: sip:6136325555@10.9.52.11:5060  
23 Max-Forwards: 70  
24 Content-Type: application/sdp  
25 Content-Length: 391  
26  
27 v=0  
28 o=CiscoSystemsCCM-SIP 11598213 1 IN IP4 10.9.52.11  
29 s=SIP Call  
30 c=IN IP4 172.16.13.86  
31 b=TIAS:64000  
32 b=AS:64  
33 t=0 0  
34 m=audio 24656 RTP/AVP 9 124 0 8 116 18 101  
35 a=rtpmap:9 G722/8000  
36 a=rtpmap:124 iSAC/16000  
37 a=rtpmap:0 PCMU/8000  
38 a=rtpmap:8 PCMA/8000  
39 a=rtpmap:116 iLBC/8000  
40 a=maxptime:60  
41 a=fmtp:116 mode=20  
42 a=rtpmap:18 G729/8000  
43 a=rtpmap:101 telephone-event/8000  
44 a=fmtp:101 0-15  
45  
46 010597: Jul 20 10:22:05.215:  
//-1/CBEC6A000001/SIP/Error/ccsip\_ipip\_media\_forking\_update\_preferred\_codec:  
47 MF: Not a Forked SIP leg..  
48 SIP: (288403) Attribute mid, level 1 instance 1 not found.  
49 010598: Jul 20 10:22:05.219:  
//288403/CBEC6A000001/SIP/Error/sipSPI\_ipip\_update\_codec\_params\_in\_channelInfo:  
50  
51 failed to update call entry  
52 010599: Jul 20 10:22:05.219:  
//288403/CBEC6A000001/SIP/Error/sipSPI\_ipip\_update\_call\_entry:  
53  
54 failed to update call entry  
55 010600: Jul 20 10:22:05.219: //-1/xxxxxxxxxxxx/SIP/Error/sipSPI\_ipip\_set\_channel\_count:  
56 Unable to set CHANNEL\_COUNT for callid 288403  
57 010601: Jul 20 10:22:05.219:  
//288403/CBEC6A000001/SIP/Error/sip\_iwf\_sip\_copy\_sdp\_to\_channelInfo:  
58 Channel count is not set at this point. Not SIP-SIP or SET\_MODE is not done.  
59 010602: Jul 20 10:22:05.219: //-1/CBEC6A000001/CCAPI/cc\_api\_display\_ie\_subfields:  
60 cc\_api\_call\_setup\_ind\_common:  
61 cisco-username=6136325555  
62 ----- ccCallInfo IE subfields -----  
63 cisco-ani=6136325555  
64 cisco-anitype=0

```
65     cisco-aniplan=0
66     cisco-anipi=0
67     cisco-anisi=1
68     dest=918733535555
69     cisco-desttype=0
70     cisco-destplan=0
71     cisco-rdie=FFFFFFFF
72     cisco-rdn=
73     cisco-rdntype=0
74     cisco-rdnplan=0
75     cisco-rdnpi=-1
76     cisco-rdnsi=-1
77     cisco-redirectreason=-1    fwd_final_type =0
78     final_redirectNumber =
79     hunt_group_timeout =0
80
81 010603: Jul 20 10:22:05.219: //-1/CBEC6A000001/CCAPI/cc_api_call_setup_ind_common:
82     Interface=0x22B02884, Call Info(
83     Calling Number=6136325555,(Calling Name=)(TON=Unknown, NPI=Unknown, Screening=User,
84     Passed, Presentation=Allowed),
85     Called Number=918733535555(TON=Unknown, NPI=Unknown),
86     Calling Translated=FALSE, Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE,
87     Incoming Dial-peer=1, Progress Indication=NULL(0), Calling IE Present=TRUE,
88     Source Trkgrp Route Label=, Target Trkgrp Route Label=, CLID Transparent=FALSE), Call
89     Id=288403
90 010604: Jul 20 10:22:05.219: //-1/CBEC6A000001/CCAPI/ccCheckClipClir:
91     In: Calling Number=6136325555(TON=Unknown, NPI=Unknown, Screening=User, Passed,
92     Presentation=Allowed)
93 010605: Jul 20 10:22:05.219: //-1/CBEC6A000001/CCAPI/ccCheckClipClir:
94     Out: Calling Number=6136325555(TON=Unknown, NPI=Unknown, Screening=User, Passed,
95     Presentation=Allowed)
96 010606: Jul 20 10:22:05.219: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:
97 010607: Jul 20 10:22:05.219: :cc_get_feature_vsa malloc success
98 010608: Jul 20 10:22:05.219: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:
99 010609: Jul 20 10:22:05.219: cc_get_feature_vsa count is 43
100 010610: Jul 20 10:22:05.219: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:
101 010611: Jul 20 10:22:05.223: :FEATURE_VSA attributes are:
102     feature_name:0,feature_time:996902512,feature_id:39449
103 010612: Jul 20 10:22:05.223: //288403/CBEC6A000001/CCAPI/cc_api_call_setup_ind_common:
104     Set Up Event Sent;
105     Call Info(Calling Number=6136325555(TON=Unknown, NPI=Unknown, Screening=User, Passed,
106     Presentation=Allowed),
107     Called Number=918733535555(TON=Unknown, NPI=Unknown))
108 010613: Jul 20 10:22:05.223: //288403/CBEC6A000001/CCAPI/cc_process_call_setup_ind:
109     Event=0x3D61FB30
110 010614: Jul 20 10:22:05.223: //-1/xxxxxxxxxxxx/CCAPI/cc_setupind_match_search:
111     Try with the demoted called number 91873353555
112 010615: Jul 20 10:22:05.223: //288403/CBEC6A000001/CCAPI/ccCallSetContext:
113     Context=0x2AA5F620
114 010616: Jul 20 10:22:05.223: //288403/CBEC6A000001/CCAPI/cc_process_call_setup_ind:
115     CCAPI handed cid 288403 with tag 1 to app "_ManagedAppProcess_Default"
116 010617: Jul 20 10:22:05.223: //288403/CBEC6A000001/CCAPI/ccCallProceeding:
117     Progress Indication=NULL(0)
118 010618: Jul 20 10:22:05.227: //288403/CBEC6A000001/CCAPI/ccCallSetupRequest:
119     Destination=, Calling IE Present=TRUE, Mode=0,
120     Outgoing Dial-peer=9, Params=0x2AA6C2D0, Progress Indication=ORIGINATING SIDE IS NON
121     ISDN(3)
122 010619: Jul 20 10:22:05.227: //288403/CBEC6A000001/CCAPI/ccCheckClipClir:
123     In: Calling Number=6136325555(TON=Unknown, NPI=Unknown, Screening=User, Passed,
124     Presentation=Allowed)
125 010620: Jul 20 10:22:05.227: //288403/CBEC6A000001/CCAPI/ccCheckClipClir:
126     Out: Calling Number=6136325555(TON=Unknown, NPI=Unknown, Screening=User, Passed,
127     Presentation=Allowed)
128 010621: Jul 20 10:22:05.227: //288403/CBEC6A000001/CCAPI/ccCallSetupRequest:
129     Destination Pattern=9T, Called Number=18733535555, Digit Strip=FALSE
130 010622: Jul 20 10:22:05.227: //288403/CBEC6A000001/CCAPI/ccCallSetupRequest:
```

```
125     Calling Number=6136325555 (TON=Unknown, NPI=Unknown, Screening=User, Passed,
126     Presentation=Allowed),
127     Called Number=18733535555 (TON=Unknown, NPI=Unknown),
128     Redirect Number=, Display Info=Hopital HGH
129     Account Number=6136325555, Final Destination Flag=TRUE,
130     Guid=CBEC6A00-0001-0000-0001-11870B34090A, Outgoing Dial-peer=9
131 010623: Jul 20 10:22:05.227: //288403/CBEC6A000001/CCAPI/cc_api_display_ie_subfields:
132     ccCallSetupRequest:
133     cisco-username=6136325555
134     ----- ccCallInfo IE subfields -----
135     cisco-ani=6136325555
136     cisco-anitype=0
137     cisco-aniplan=0
138     cisco-anipi=0
139     cisco-anisi=1
140     dest=18733535555
141     cisco-desttype=0
142     cisco-destplan=0
143     cisco-rdie=FFFFFFFF
144     cisco-rdn=
145     cisco-rdntype=0
146     cisco-rdnplan=0
147     cisco-rdnpi=-1
148     cisco-rdnsi=-1
149     cisco-redirectreason=-1    fwd_final_type =0
150     final_redirectNumber =
151     hunt_group_timeout =0
152 010624: Jul 20 10:22:05.227: //288403/CBEC6A000001/CCAPI/ccIFCallSetupRequestPrivate:
153     Interface=0x22B02884, Interface Type=3, Destination=, Mode=0x0,
154     Call Params (Calling Number=6136325555, (Calling Name=Hopital HGH) (TON=Unknown,
155     NPI=Unknown, Screening=User, Passed, Presentation=Allowed),
156     Called Number=18733535555 (TON=Unknown, NPI=Unknown), Calling Translated=FALSE,
157     Subscriber Type Str=Unknown, FinalDestinationFlag=TRUE, Outgoing Dial-peer=9, Call
158     Count On=FALSE,
159     Source Trkgrp Route Label=, Target Trkgrp Route Label=, tg_label_flag=0, Application
160     Call Id=)
161 010625: Jul 20 10:22:05.227: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:
162 010626: Jul 20 10:22:05.227: :cc_get_feature_vsa malloc success
163 010627: Jul 20 10:22:05.227: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:
164 010628: Jul 20 10:22:05.227: cc_get_feature_vsa count is 44
165 010629: Jul 20 10:22:05.227: //-1/xxxxxxxxxxxx/CCAPI/cc_get_feature_vsa:
166 010630: Jul 20 10:22:05.227: :FEATURE_VSA attributes are:
167     feature_name:0,feature_time:996906768,feature_id:39450
168 010631: Jul 20 10:22:05.227:
169     //288404/CBEC6A000001/SIP/Error/ccsip_ipip_media_forking_read_from_TDContainer:
170     MF: Unable to read data from TD Container..
171 010632: Jul 20 10:22:05.227:
172     //288404/CBEC6A000001/SIP/Error/ccsip_ipip_media_forking_forked_leg_config:
173     MF: TD container cannot be read/container is NULL. Setting of forked call leg failed..
174 010633: Jul 20 10:22:05.231: //288404/CBEC6A000001/CCAPI/ccIFCallSetupRequestPrivate:
175     SPI Call Setup Request Is Success; Interface Type=3, FlowMode=1
176 010634: Jul 20 10:22:05.231: //288404/CBEC6A000001/CCAPI/ccCallSetContext:
177     Context=0x2AA6C280
178 010635: Jul 20 10:22:05.231: //288403/CBEC6A000001/CCAPI/ccSaveDialpeerTag:
179     Outgoing Dial-peer=9
180 010636: Jul 20 10:22:05.231:
181     //288404/CBEC6A000001/SIP/Error/ccsip_ipip_media_forking_update_preferred_codec:
182     MF: Not a Forked SIP leg..
183 010637: Jul 20 10:22:05.231:
184     //288404/CBEC6A000001/SIP/Error/sip_iwf_sip_copy_channelInfo_to_sdp:
185     We are either escalating, orno stream found for this m-line index:1
186 010638: Jul 20 10:22:05.231: //288404/CBEC6A000001/CCAPI/ccGetMediaClassTag:
187     media class tag 0
188 010639: Jul 20 10:22:05.231: //288404/CBEC6A000001/CCAPI/ccSetMediaclassIp2ipTags:
189     media class tags set: NR 0, ASP 0
```

185 010640: Jul 20 10:22:05.231: //288403/CBEC6A000001/CCAPI/ccGetMediaClassTag:  
186 media class tag 0  
187 010641: Jul 20 10:22:05.231: //288403/CBEC6A000001/CCAPI/ccSetMediaclassIp2ipTags:  
188 media class tags set: NR 0, ASP 0  
189 010642: Jul 20 10:22:05.231: //288404/CBEC6A000001/CCAPI/ccGet\_xc\_nr\_asp\_info:  
190 media class tags: NR 0, ASP 0  
191 010643: Jul 20 10:22:05.231: //288403/CBEC6A000001/CCAPI/ccGet\_xc\_nr\_asp\_info:  
192 media class tags: NR 0, ASP 0  
193 010644: Jul 20 10:22:05.231: //288404/CBEC6A000001/CCAPI/cc\_api\_event\_indication:  
194 Event=188, Call Id=288404  
195 010645: Jul 20 10:22:05.231: //288404/CBEC6A000001/CCAPI/cc\_api\_event\_indication:  
196 Event Is Sent To Conferenced SPI(s) Directly  
197 010646: Jul 20 10:22:05.231: //288403/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
198  
199 010647: Jul 20 10:22:05.231: cc\_api\_get\_xcode\_stream : 4819  
200 010648: Jul 20 10:22:05.231: //288404/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
201  
202 010649: Jul 20 10:22:05.231: cc\_api\_get\_xcode\_stream : 4819  
203 010650: Jul 20 10:22:05.231: //288403/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
204  
205 010651: Jul 20 10:22:05.231: cc\_api\_get\_xcode\_stream : 4819  
206 010652: Jul 20 10:22:05.231: //288403/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
207  
208 010653: Jul 20 10:22:05.231: cc\_api\_get\_xcode\_stream : 4819  
209 010654: Jul 20 10:22:05.231:  
//288404/CBEC6A000001/SIP/Error/sipSPI\_ipip\_set\_history\_info\_header:  
210 ccb-src\_addr\_str is NULL  
211 010655: Jul 20 10:22:05.231: //288404/CBEC6A000001/CCAPI/cc\_api\_call\_proceeding:  
212 Interface=0x22B02884, Progress Indication=NULL(0)  
213 010656: Jul 20 10:22:05.231: //288404/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
214  
215 010657: Jul 20 10:22:05.231: cc\_api\_get\_xcode\_stream : 4819  
216 010658: Jul 20 10:22:05.231: //288403/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
217  
218 010659: Jul 20 10:22:05.231: cc\_api\_get\_xcode\_stream : 4819  
219 010660: Jul 20 10:22:05.231: //288404/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
220  
221 010661: Jul 20 10:22:05.231: cc\_api\_get\_xcode\_stream : 4819  
222 010662: Jul 20 10:22:05.231: //288404/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
223  
224 010663: Jul 20 10:22:05.231: cc\_api\_get\_xcode\_stream : 4819  
225 010664: Jul 20 10:22:05.235: //288403/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
226 Sent:  
227 SIP/2.0 100 Trying  
228  
229 Via: SIP/2.0/UDP 10.9.52.11:5060;branch=z9hG4bK2aa955615fe1f3  
230 From: "CUSTNAME"  
sip:6136325555@10.9.52.11;tag=11598213~6ba2e5cf-fe0e-4509-a0b3-33f4273307e6-37335358  
231 To: sip:918733535555@10.9.52.60  
232 Date: Thu, 20 Jul 2023 14:22:05 GMT  
233 Call-ID: cbec6a00-4b91430d-1886c4-b34090a@10.9.52.11  
234 CSeq: 101 INVITE  
235 Allow-Events: telephone-event  
236 Server: Cisco-SIPGateway/IOS-15.2.4.M6  
237 Content-Length: 0  
238  
239  
240 SIP: (288404) Group (a= group line) attribute, level 65535 instance 1 not found.  
241 SIP: (288404) Group (a= group line) attribute, level 65535 instance 1 not found.  
242 010665: Jul 20 10:22:05.247: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
243 Sent:  
244 INVITE sip:18733535555@siptrunking.bell.ca:5060 SIP/2.0  
245 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753A21E  
246 From: "CUSTNAME" sip:6136325555@cube.sipt.com;tag=200D22F4-30D  
247 To: sip:18733535555@siptrunking.bell.ca  
248 Date: Thu, 20 Jul 2023 14:22:05 GMT  
249 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
250 Supported: 100rel,timer,resource-priority,replaces,sdp-anat  
251 Min-SE: 1800

252 Cisco-Guid: 3421268480-0000065536-0000070023-0187959562  
253 User-Agent: Cisco-SIPGateway/IOS-15.2.4.M6  
254 Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO,  
REGISTER  
255 CSeq: 101 INVITE  
256 Timestamp: 1689862925  
257 Contact:  
sip:6136325555;tgrp=hawkesbury\_613-636-6220\_01;trunk-context=siptrunking.bell.ca@10.9.50.  
17:5060  
258 Expires: 60  
259 Allow-Events: telephone-event  
260 Max-Forwards: 69  
261 P-Asserted-Identity: "CUSTNAME" sip:6136325555@cube.sipt.com  
262 Session-Expires: 86400  
263 Content-Type: application/sdp  
264 Content-Disposition: session;handling=required  
265 Content-Length: 240  
266  
267 v=0  
268 o=CiscoSystemsSIP-GW-UserAgent 7230 645 IN IP4 10.9.50.17  
269 s=SIP Call  
270 c=IN IP4 10.9.50.17  
271 t=0 0  
272 m=audio 30240 RTP/AVP 0 101  
273 c=IN IP4 10.9.50.17  
274 a=rtpmap:0 PCMU/8000  
275 a=rtpmap:101 telephone-event/8000  
276 a=fmtp:101 0-15  
277 a=ptime:20  
278  
279 010666: Jul 20 10:22:05.259: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
280 Received:  
281 SIP/2.0 100 Trying  
282 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753A21E  
283 From: "CUSTNAME" sip:6136325555@cube.sipt.com;tag=200D22F4-30D  
284 To: sip:1873353555@siptrunking.bell.ca  
285 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
286 CSeq: 101 INVITE  
287 Timestamp: 1689862925  
288 Content-Length: 0  
289  
290  
291 010667: Jul 20 10:22:05.275: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
292 Received:  
293 SIP/2.0 401 Unauthorized  
294 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753A21E  
295 From: "CUSTNAME" sip:6136325555@cube.sipt.com;tag=200D22F4-30D  
296 To: sip:1873353555@siptrunking.bell.ca;tag=462339755-1689862925270  
297 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
298  
299 CSeq: 101 INVITE  
300 Timestamp: 1689862925  
301  
302 Content-Length: 0  
303  
304  
305 SIP: (288404) Group (a= group line) attribute, level 65535 instance 1 not found.  
306 010668: Jul 20 10:22:05.279: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
307 Sent:  
308 ACK sip:1873353555@siptrunking.bell.ca:5060 SIP/2.0  
309 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753A21E  
310 From: "CUSTNAME" sip:6136325555@pbx1.sipt1.hgh.ca;tag=200D22F4-30D  
311 To: sip:1873353555@siptrunking.bell.ca;tag=462339755-1689862925270  
312 Date: Thu, 20 Jul 2023 14:22:05 GMT  
313 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
314 Max-Forwards: 70  
315 CSeq: 101 ACK  
316 Allow-Events: telephone-event  
317 Content-Length: 0

318  
319  
320 010669: Jul 20 10:22:05.279: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
321 Sent:  
322 INVITE sip:18733535555@siptrunking.bell.ca:5060 SIP/2.0  
323 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753BC08  
324 From: "CUSTNAME" sip:6136325555@cube.sipt.com;tag=200D22F4-30D  
325 To: sip:18733535555@siptrunking.bell.ca  
326 Date: Thu, 20 Jul 2023 14:22:05 GMT  
327 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
328 Supported: 100rel,timer,resource-priority,replaces,sdp-anat  
329 Min-SE: 1800  
330 Cisco-Guid: 3421268480-0000065536-0000070023-0187959562  
331 User-Agent: Cisco-SIPGateway/IOS-15.2.4.M6  
332 Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO,  
REGISTER  
333 CSeq: 102 INVITE  
334 Timestamp: 1689862925  
335 Contact:  
sip:6136325555;tgrp=CUSTNAME\_613-636-5555\_01;trunk-context=siptrunking.bell.ca@10.9.50.17  
:5060  
336 Expires: 60  
337 Allow-Events: telephone-event  
338 Authorization: Digest  
username="CUST!11",realm="siptrunking.bell.ca",uri="sip:18733535555@siptrunking.bell.ca:5  
060",response="40f9a31929b14c6f4938ff53b0d",nonce="BroadWorksXlkb8r6mtb05BW",cnonce="C70A  
ADE1",qop=auth,algorithm=MD5,nc=00000001  
339 Max-Forwards: 69  
340 P-Asserted-Identity: "CUSTNAME" sip:6136325555@cube.sipt.com  
341 Session-Expires: 86400  
342 Content-Type: application/sdp  
343 Content-Disposition: session;handling=required  
344 Content-Length: 240  
345  
346 v=0  
347 o=CiscoSystemsSIP-GW-UserAgent 7230 645 IN IP4 10.9.50.17  
348 s=SIP Call  
349 c=IN IP4 10.9.50.17  
350 t=0 0  
351 m=audio 30240 RTP/AVP 0 101  
352 c=IN IP4 10.9.50.17  
353 a=rtpmap:0 PCMU/8000  
354 a=rtpmap:101 telephone-event/8000  
355 a=fmtp:101 0-15  
356 a=ptime:20  
357  
358 010670: Jul 20 10:22:05.291: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
359 Received:  
360 SIP/2.0 100 Trying  
361 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753BC08  
362 From: "CUSTNAME" sip:6136325555@cube.sipt.com;tag=200D22F4-30D  
363 To: sip:18733535555@siptrunking.bell.ca  
364 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
365 CSeq: 102 INVITE  
366 Timestamp: 1689862925  
367  
368 Content-Length: 0  
369  
370  
371 010671: Jul 20 10:22:05.619: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:  
372 Received:  
373 OPTIONS sip:cube.sipt.hgh:5060 SIP/2.0  
374 Via: SIP/2.0/UDP 10.9.50.68:5060;branch=z9hG4bKaj7mqf30d0nknnqk61c0  
375 Call-ID: c1323001cb87b756d6a1e74a014e738a0500806c81200@10.9.50.68  
376 To: sip:ping@cube.sipt.com  
377 From: sip:ping@10.9.50.68;tag=f4a649da580c6da0656433a370d258580806c81  
378 Max-Forwards: 0  
379 CSeq: 115536 OPTIONS  
380 Route: sip:10.9.50.1:5060;transport=udp;lr

381 Content-Length: 0  
382  
383  
384 010672: Jul 20 10:22:05.627:  
//288405/A319C0EEBDE2/SIP/Error/sipSPIGetPeerByCalledPartyId:  
385 input arg error  
386 010673: Jul 20 10:22:05.627: //288405/A319C0EEBDE2/SIP/Error/sipSPIUpdateCallInfo:  
387 input argument error  
388 010674: Jul 20 10:22:05.627:  
//288405/A319C0EEBDE2/SIP/Error/ccsip\_ipip\_media\_forking\_update\_preferred\_codec:  
389 MF: Not a Forked SIP leg..  
390 010675: Jul 20 10:22:05.627:  
//288405/A319C0EEBDE2/SIP/Error/ccsip\_ipip\_media\_forking\_anchor\_leg\_config:  
391 MF: Dial-peer is absent..  
392 010676: Jul 20 10:22:05.635: //288405/A319C0EEBDE2/SIP/Msg/ccsipDisplayMsg:  
393 Sent:  
394 SIP/2.0 200 OK  
395 Via: SIP/2.0/UDP 10.9.50.68:5060;branch=z9hG4bKaj7mqf30d0nknngk61c0  
396 From: sip:ping@10.9.50.68;tag=f4a649da580c6da0656433a370d258580806c81  
397 To: sip:ping@cube.sipt.com;tag=200D2474-1FC3  
398 Date: Thu, 20 Jul 2023 14:22:05 GMT  
399 Call-ID: c1323001cb87b756d6ale74a014e738a0500806c81200@10.9.50.68  
400 Server: Cisco-SIPGateway/IOS-15.2.4.M6  
401 CSeq: 115536 OPTIONS  
402 Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO,  
REGISTER  
403 Allow-Events: telephone-event  
404 Accept: application/sdp  
405 Supported: timer,resource-priority,replaces,sdp-anat  
406 Content-Type: application/sdp  
407 Content-Length: 362  
408  
409 v=0  
410 o=CiscoSystemsSIP-GW-UserAgent 2547 6601 IN IP4 10.9.50.1  
411 s=SIP Call  
412 c=IN IP4 10.9.52.60  
413 t=0 0  
414 m=audio 0 RTP/AVP 18 0 8 9 4 2 15  
415 c=IN IP4 10.9.52.60  
416 m=image 0 udpt1 t38  
417 c=IN IP4 10.9.52.60  
418 a=T38FaxVersion:0  
419 a=T38MaxBitRate:9600  
420 a=T38FaxRateManagement:transferredTCF  
421 a=T38FaxMaxBuffer:200  
422 a=T38FaxMaxDatagram:320  
423 a=T38FaxUdpEC:t38UDPRedundancy  
424  
425 010677: Jul 20 10:22:05.643: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:  
426 Received:  
427 OPTIONS sip:cube.sipt.hgh:5060 SIP/2.0  
428 Via: SIP/2.0/UDP 10.9.50.68:5060;branch=z9hG4bKdre5n510doa76rongdr0  
429 Call-ID: d423e9861f5729b895eccb20fb6ad4fb0200806c81400@10.9.50.68  
430 To: sip:ping@cube.sipt.com  
431 From: sip:ping@10.9.50.68;tag=f4a649da580c6da0656433a370d258580806c81  
432 Max-Forwards: 0  
433 CSeq: 115536 OPTIONS  
434 Route: sip:10.9.50.17:5060;transport=udp;lr  
435 Content-Length: 0  
436  
437  
438  
439 010678: Jul 20 10:22:05.647:  
//288406/A31CCE4EBDE3/SIP/Error/sipSPIGetPeerByCalledPartyId:  
440 input arg error  
441 010679: Jul 20 10:22:05.647: //288406/A31CCE4EBDE3/SIP/Error/sipSPIUpdateCallInfo:  
442 input argument error  
443 010680: Jul 20 10:22:05.647:  
//288406/A31CCE4EBDE3/SIP/Error/ccsip\_ipip\_media\_forking\_update\_preferred\_codec:

444 MF: Not a Forked SIP leg..  
445 010681: Jul 20 10:22:05.647: //288406/A31CCE4EBDE3/SIP/Error/ccsip\_ipip\_media\_forking\_anchor\_leg\_config:  
446 MF: Dial-peer is absent..  
447 010682: Jul 20 10:22:05.655: //288406/A31CCE4EBDE3/SIP/Msg/ccsipDisplayMsg:  
448 Sent:  
449 SIP/2.0 200 OK  
450 Via: SIP/2.0/UDP 10.9.50.68:5060;branch=z9hG4bKdre5n510doa76rongdr0  
451 From: sip:ping@10.9.50.68;tag=f4a649da580c6da0656433a370d258580806c81  
452 To: sip:ping@cube.sipt.com;tag=200D2484-14D4  
453 Date: Thu, 20 Jul 2023 14:22:05 GMT  
454 Call-ID: d423e9861f5729b895eccb20fb6ad4fb0200806c81400@10.9.50.68  
455 Server: Cisco-SIPGateway/IOS-15.2.4.M6  
456 CSeq: 115536 OPTIONS  
457 Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER  
458 Allow-Events: telephone-event  
459 Accept: application/sdp  
460 Supported: timer,resource-priority,replaces,sdp-anat  
461 Content-Type: application/sdp  
462 Content-Length: 362  
463  
464 v=0  
465 o=CiscoSystemsSIP-GW-UserAgent 8220 9740 IN IP4 10.9.50.1  
466 s=SIP Call  
467 c=IN IP4 10.9.52.60  
468 t=0 0  
469 m=audio 0 RTP/AVP 18 0 8 9 4 2 15  
470 c=IN IP4 10.9.52.60  
471 m=image 0 udptl t38  
472 c=IN IP4 10.9.52.60  
473 a=T38FaxVersion:0  
474 a=T38MaxBitRate:9600  
475 a=T38FaxRateManagement:transferredTCF  
476 a=T38FaxMaxBuffer:200  
477 a=T38FaxMaxDatagram:320  
478 a=T38FaxUdpEC:t38UDPRedundancy  
479  
480 010683: Jul 20 10:22:05.823: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
481 Received:  
482 SIP/2.0 183 Session Progress  
483 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753BC08  
484 From: "CUSTNAME" sip:6136325555@cube.sipt.com;tag=200D22F4-30D  
485 To: sip:18733535555@siptrunking.bell.ca;tag=885663561-1689862925815  
486 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
487 CSeq: 102 INVITE  
488 Timestamp: 1689862925  
489 Supported:  
490 Contact: sip:10.9.50.100:5060;transport=udp  
491 Session: Media  
492 RSeq: 970389243  
493 Require: 100rel  
494 Allow: ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY,UPDATE  
495 X-BroadWorks-Correlation-Info: 59713341:2  
496 Content-Type: application/sdp  
497 Content-Length: 198  
498  
499 v=0  
500 o=- 3919751922 1 IN IP4 10.9.50.100  
501 s=-  
502 c=IN IP4 10.9.50.100  
503 t=0 0  
504 m=audio 51834 RTP/AVP 0 101  
505 b=AS:80  
506 a=rtpmap:0 PCMU/8000  
507  
508 a=rtpmap:101 telephone-event/8000  
509 a=maxptime:20  
510 a=ptime:20



511  
512 SIP: Attribute mid, level 1 instance 1 not found.  
513 010684: Jul 20 10:22:05.823:  
//288404/CBEC6A000001/SIP/Error/sipSPI\_ipip\_upd\_2833\_dtmf\_params:  
514 Unable to find proper instance for FMTP  
515 SIP: fmtp attribute, level 1 instance 0 not found.  
516 010685: Jul 20 10:22:05.823:  
//288404/CBEC6A000001/SIP/Error/sipSPI\_ipip\_upd\_2833\_dtmf\_params:  
517 Unable to acquire event mask for rfc2833  
518 010686: Jul 20 10:22:05.823: //288404/CBEC6A000001/CCAPI/cc\_api\_caps\_ind:  
519 Destination Interface=0x0, Destination Call Id=-1, Source Call Id=288404,  
520 Caps(Codec=0x1, Fax Rate=0x2, Fax Version:=0, Vad=0x2,  
521 Modem=0x0, Codec Bytes=160, Signal Type=2)  
522 010687: Jul 20 10:22:05.823: //288404/CBEC6A000001/CCAPI/cc\_api\_caps\_ind:  
523 Caps(Playout Mode=1, Playout Initial=60(ms), Playout Min=40(ms),  
524 Playout Max=1000(ms), Fax Nom=300(ms))  
525 010688: Jul 20 10:22:05.823: //288403/CBEC6A000001/CCAPI/cc\_api\_caps\_ack:  
526 Destination Interface=0x0, Destination Call Id=-1, Source Call Id=288403,  
527 Caps(Codec=g711ulaw(0x1), Fax Rate=FAX\_RATE\_VOICE(0x2), Fax Version:=0, Vad=OFF(0x1),  
528 Modem=OFF(0x0), Codec Bytes=160, Signal Type=2, Seq Num Start=3817)  
529 010689: Jul 20 10:22:05.823: //288403/CBEC6A000001/CCAPI/cc\_api\_caps\_ack:  
530 Destination Interface=0x0, Destination Call Id=-1, Source Call Id=288403,  
531 Caps(Codec=g711ulaw(0x1), Fax Rate=FAX\_RATE\_VOICE(0x2), Fax Version:=0, Vad=OFF(0x1),  
532 Modem=OFF(0x0), Codec Bytes=160, Signal Type=2, Seq Num Start=3817)  
533 010690: Jul 20 10:22:05.823: //288404/CBEC6A000001/CCAPI/cc\_api\_event\_indication:  
534 Event=178, Call Id=288404  
535 010691: Jul 20 10:22:05.823: //288404/CBEC6A000001/CCAPI/cc\_api\_event\_indication:  
536 Event Is Sent To Conferenced SPI(s) Directly  
537 010692: Jul 20 10:22:05.827: //288404/CBEC6A000001/CCAPI/cc\_api\_event\_indication:  
538 Event=98, Call Id=288404  
539 010693: Jul 20 10:22:05.827: //288404/CBEC6A000001/CCAPI/cc\_api\_event\_indication:  
540 Event Is Sent To Conferenced SPI(s) Directly  
541 010694: Jul 20 10:22:05.827: //288404/CBEC6A000001/CCAPI/cc\_api\_call\_cut\_progress:  
542 Interface=0x22B02884, Progress Indication=INBAND(8), Signal Indication=SIGNAL  
RINGBACK(1),  
543 Cause Value=0  
544 010695: Jul 20 10:22:05.827: //288404/CBEC6A000001/CCAPI/cc\_api\_call\_cut\_progress:  
545 Call Entry(Responded=TRUE)  
546 010696: Jul 20 10:22:05.827: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
547 Sent:  
548 PRACK sip:10.9.50.100:5060;transport=udp SIP/2.0  
549 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753C1549  
550 From: "CUSTNAME" sip:6136325555@pbx1.sipt1.hgh.ca;tag=200D22F4-30D  
551 To: sip:1873353555@siptrunking.bell.ca;tag=885663561-1689862925815  
552 Date: Thu, 20 Jul 2023 14:22:05 GMT  
553 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
554 CSeq: 103 PRACK  
555 RACK: 970389243 102 INVITE  
556 Allow-Events: telephone-event  
557 Authorization: Digest  
username="HgH145!", realm="siptrunking.bell.ca", uri="sip:10.9.50.100:5060;transport=udp", r  
esponse="0a8b1b56873079f55bb5a70c86052c03", nonce="BroadWorksXlkb8r652Tamtb05BW", cnonce="0  
3E45B3B", qop=auth, algorithm=MD5, nc=00000002  
558 Max-Forwards: 70  
559 Content-Length: 0  
560  
561  
562 010697: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/ccCallCutProgress:  
563 Progress Indication=INBAND(8), Signal Indication=SIGNAL RINGBACK(1), Cause Value=0  
564 Voice Call Send Alert=FALSE, Call Entry(Alert Sent=FALSE)  
565 010698: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/ccCallCutProgress:  
566 Call Entry(Responded=TRUE)  
567 010699: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/ccConferenceCreate:  
568 (confID=0xFFFFFFFF, callID1=0x46693, gcid=A2DC1C39-263F11EE-BDDE8382-926BFF9D,  
tag=0x0)  
569 010700: Jul 20 10:22:05.831: //288404/CBEC6A000001/CCAPI/ccConferenceCreate:  
570 (confID=0xFFFFFFFF, callID2=0x46694, gcid=A2DC1C39-263F11EE-BDDE8382-926BFF9D,  
tag=0x0)  
571 010701: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/ccConferenceCreate:

572 Conference Id=0xFFFFFFFF, Call Id1=288403, Call Id2=288404, Tag=0x0  
573 010702: Jul 20 10:22:05.831: //288403/xxxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
574  
575 010703: Jul 20 10:22:05.831: cc\_api\_get\_xcode\_stream : 4819  
576 010704: Jul 20 10:22:05.831: //288404/xxxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
577  
578 010705: Jul 20 10:22:05.831: cc\_api\_get\_xcode\_stream : 4819  
579 010706: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/ccConferenceCreate:  
580  
581 010707: Jul 20 10:22:05.831: ccConferenceCreate: ret1=0, codecMask1=1, bytes1=160,  
negot1=1, dtmf1=6  
582 ret2=0, codecMask2=1, bytes2=160, negot2=1, dtmf2=6,  
583 tx\_dynamic\_pt1=0, rx\_dynamic\_pt1=0, codec\_model=0, params\_bitmap1 =0  
584 tx\_dynamic\_pt2=0, rx\_dynamic\_pt2=0, codec\_mode2=0, params\_bitmap2 =0  
585 010708: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/ccGetMediaClassTag:  
586 media class tag 0  
587 010709: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/ccSetMediaclassIp2ipTags:  
588 media class tags set: NR 0, ASP 0  
589 010710: Jul 20 10:22:05.831: //288404/CBEC6A000001/CCAPI/ccGetMediaClassTag:  
590 media class tag 0  
591 010711: Jul 20 10:22:05.831: //288404/CBEC6A000001/CCAPI/ccSetMediaclassIp2ipTags:  
592 media class tags set: NR 0, ASP 0  
593 010712: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/ccGet\_xc\_nr\_asp\_info:  
594 media class tags: NR 0, ASP 0  
595 010713: Jul 20 10:22:05.831: //288404/CBEC6A000001/CCAPI/ccGet\_xc\_nr\_asp\_info:  
596 media class tags: NR 0, ASP 0  
597 010714: Jul 20 10:22:05.831: //288403/xxxxxxxxxxxxx/CCAPI/ccConferenceCreate:  
598 xcoder inserted for preferred features w/ mask 0x0  
599 010715: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/ccConferenceCreate:  
600 delay media to slow start case, codec negotiation is not done  
601 010716: Jul 20 10:22:05.831: //288403/xxxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
602  
603 010717: Jul 20 10:22:05.831: cc\_api\_get\_xcode\_stream : 4819  
604 010718: Jul 20 10:22:05.831: //288403/xxxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
605  
606 010719: Jul 20 10:22:05.831: cc\_api\_get\_xcode\_stream : 4819  
607 010720: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/cc\_api\_bridge\_done:  
608 Conference Id=0x4281, Source Interface=0x22B02884, Source Call Id=288403,  
609 Destination Call Id=288404, Disposition=0x0, Tag=0x0  
610 010721: Jul 20 10:22:05.831: //288404/xxxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
611  
612 010722: Jul 20 10:22:05.831: cc\_api\_get\_xcode\_stream : 4819  
613 010723: Jul 20 10:22:05.831: //288404/xxxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
614  
615 010724: Jul 20 10:22:05.831: cc\_api\_get\_xcode\_stream : 4819  
616 010725: Jul 20 10:22:05.831: //288404/CBEC6A000001/CCAPI/cc\_api\_bridge\_done:  
617 Conference Id=0x4281, Source Interface=0x22B02884, Source Call Id=288404,  
618 Destination Call Id=288403, Disposition=0x0, Tag=0x0  
619 010726: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/cc\_generic\_bridge\_done:  
620 Conference Id=0x4281, Source Interface=0x22B02884, Source Call Id=288404,  
621 Destination Call Id=288403, Disposition=0x0, Tag=0x0  
622 010727: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/ccConferenceCreate:  
623 Call Entry(Conference Id=0x4281, Destination Call Id=288404)  
624 010728: Jul 20 10:22:05.831: //288404/CBEC6A000001/CCAPI/ccConferenceCreate:  
625 Call Entry(Conference Id=0x4281, Destination Call Id=288403)  
626 010729: Jul 20 10:22:05.831: //288403/CBEC6A000001/CCAPI/ccConferenceCreate:  
627  
628 010730: Jul 20 10:22:05.831: confID:0x4281; callEntry1 callID1:0x46693, type:3;  
callEntry2 callID2:0x46694, type:3  
629  
630 SIP: (288403) Group (a= group line) attribute, level 65535 instance 1 not found.  
631 010731: Jul 20 10:22:05.835: //288403/CBEC6A000001/CCAPI/cc\_process\_notify\_bridge\_done:  
632 Conference Id=0x4281, Call Id1=288403, Call Id2=288404  
633 010732: Jul 20 10:22:05.835: //288403/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
634 Sent:  
635 SIP/2.0 183 Session Progress  
636 Via: SIP/2.0/UDP 10.9.52.11:5060;branch=z9hG4bK2aa955615fe1f3  
637 From: "CUSTNAME"  
sip:6136325555@10.9.52.11;tag=11598213~6ba2e5cf-fe0e-4509-a0b3-33f4273307e6-37335358

638 To: sip:918733535555@10.9.52.60;tag=200D2544-13A1  
639 Date: Thu, 20 Jul 2023 14:22:05 GMT  
640 Call-ID: cbec6a00-4b91430d-1886c4-b34090a@10.9.52.11  
641 CSeq: 101 INVITE  
642 Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO, REGISTER  
643 Allow-Events: telephone-event  
644 Contact: sip:918733535555@10.9.52.60:5060  
645 Supported: sdp-anat  
646  
647 Server: Cisco-SIPGateway/IOS-15.2.4.M6  
648 Content-Type: application/sdp  
649 Content-Disposition: session;handling=required  
650 Content-Length: 241  
651  
652 v=0  
653 o=CiscoSystemsSIP-GW-UserAgent 3005 3786 IN IP4 10.9.52.60  
654 s=SIP Call  
655 c=IN IP4 10.9.52.60  
656 t=0 0  
657 m=audio 30604 RTP/AVP 0 101  
658 c=IN IP4 10.9.52.60  
659 a=rtpmap:0 PCMU/8000  
660 a=rtpmap:101 telephone-event/8000  
661 a=fmtp:101 0-15  
662 a=ptime:20  
663  
664 010733: Jul 20 10:22:05.859: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
665 Received:  
666 SIP/2.0 200 OK  
667 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753C1549  
668 From: "CUSTNAME" sip:6136325555@pbx1.sipt1.hgh.ca;tag=200D22F4-30D  
669 To: sip:18733535555@siptrunking.bell.ca;tag=885663561-1689862925815  
670 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
671 CSeq: 103 PRACK  
672 Content-Length: 0  
673  
674  
675 011068: Jul 20 10:22:09.687: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
676 Received:  
677 SIP/2.0 180 Ringing  
678 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753BC08  
679 From: "CUSTNAME" sip:6136325555@cube.sipt.com;tag=200D22F4-30D  
680 To: sip:18733535555@siptrunking.bell.ca;tag=885663561-1689862925815  
681 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
682 CSeq: 102 INVITE  
683 Timestamp: 1689862925  
684 Supported:  
685 Contact: sip:10.9.50.100:5060;transport=udp  
686 RSeq: 970389244  
687 Require: 100rel  
688 Allow: ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY,UPDATE  
689 X-BroadWorks-Correlation-Info: 59713341:2  
690 Content-Length: 0  
691  
692  
693 011069: Jul 20 10:22:09.687: //288404/CBEC6A000001/SIP/Error/ccsip\_alert\_parent\_or\_child:  
694 Unable to add unsupported hdrs to container  
695 011070: Jul 20 10:22:09.687: //288404/CBEC6A000001/CCAPI/cc\_api\_call\_alert:  
696 Interface=0x22B02884, Progress Indication=NULL(0), Signal Indication=SIGNAL RINGBACK(1)  
697 011071: Jul 20 10:22:09.687: //288404/CBEC6A000001/CCAPI/cc\_api\_call\_alert:  
698 Call Entry(Retry Count=0, Responded=TRUE)  
699 011072: Jul 20 10:22:09.691: //288403/CBEC6A000001/CCAPI/ccCallAlert:  
700 Progress Indication=NULL(0), Signal Indication=SIGNAL RINGBACK(1)  
701 011073: Jul 20 10:22:09.691: //288403/CBEC6A000001/CCAPI/ccCallAlert:  
702 Call Entry(Responded=TRUE, Alert Sent=TRUE)  
703 011074: Jul 20 10:22:09.691: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
704 Sent:

705 PRACK sip:10.9.50.100:5060;transport=udp SIP/2.0  
706 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK375461F38  
707 From: "CUSTNAME" sip:6136325555@pbx1.sipt1.hgh.ca;tag=200D22F4-30D  
708 To: sip:18733535555@siptrunking.bell.ca;tag=885663561-1689862925815  
709 Date: Thu, 20 Jul 2023 14:22:05 GMT  
710  
711 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
712 CSeq: 104 PRACK  
713 Rack: 970389244 102 INVITE  
714 Allow-Events: telephone-event  
715 Authorization: Digest  
username="HgH145!",realm="siptrunking.bell.ca",uri="sip:10.9.50.100:5060;transport=udp",r  
esponse="72e9e303a8e087d35f7661b5d3504851",nonce="BroadWorksXlkb8r652Tamtb05BW",cnonce="0  
7E24858",qop=auth,algorithm=MD5,nc=00000003  
716 Max-Forwards: 70  
717 Content-Length: 0  
718  
719  
720 011075: Jul 20 10:22:09.695: //288403/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
721 Sent:  
722 SIP/2.0 180 Ringing  
723 Via: SIP/2.0/UDP 10.9.52.11:5060;branch=z9hG4bK2aa955615fe1f3  
724 From: "CUSTNAME"  
sip:6136325555@10.9.52.11;tag=11598213~6ba2e5cf-fe0e-4509-a0b3-33f4273307e6-37335358  
725 To: sip:918733535555@10.9.52.60;tag=200D2544-13A1  
726 Date: Thu, 20 Jul 2023 14:22:05 GMT  
727 Call-ID: cbec6a00-4b91430d-1886c4-b34090a@10.9.52.11  
728 CSeq: 101 INVITE  
729 Allow: INVITE, OPTIONS, BYE, CANCEL, ACK, PRACK, UPDATE, REFER, SUBSCRIBE, NOTIFY, INFO,  
REGISTER  
730 Allow-Events: telephone-event  
731 Contact: sip:918733535555@10.9.52.60:5060  
732 Server: Cisco-SIPGateway/IOS-15.2.4.M6  
733 Content-Length: 0  
734  
735  
736 011076: Jul 20 10:22:09.715: //288404/CBEC6A000000/SIP/Msg/ccsipDisplayMsg:  
737 Received:  
738 SIP/2.0 180 Ringing  
739 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753BC08  
740 From: "CUSTNAME" sip:6136325555@cube.sipt.com;tag=200D22F4-30D  
741 To: sip:18733535555@siptrunking.bell.ca;tag=630516958-1689862929711  
742 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
743 CSeq: 102 INVITE  
744 Timestamp: 1689862925  
745 Supported:  
746 Contact: sip:10.9.50.100:5060;transport=udp  
747 RSeq: 970391191  
748 Require: 100rel  
749 Allow: ACK,BYE,CANCEL,INFO,INVITE,OPTIONS,PRACK,REFER,NOTIFY,UPDATE  
750 X-BroadWorks-Correlation-Info: 59713341:2  
751 Content-Type: application/sdp  
752 Content-Length: 213  
753  
754 v=0  
755 o=- 3919751922 2 IN IP4 10.9.50.100  
756 s=-  
757 c=IN IP4 10.9.50.100  
758 t=0 0  
759 m=audio 51834 RTP/AVP 0 101  
760 c=IN IP4 10.9.50.100  
761 a=rtpmap:0 PCMU/8000  
762 a=rtpmap:101 telephone-event/8000  
763 a=fmtp:101 0-15  
764 a=ptime:20  
765  
766 SIP: Attribute mid, level 1 instance 1 not found.  
767 011077: Jul 20 10:22:09.715: //288404/CBEC6A000001/CCAPI/cc\_api\_caps\_ind:  
768 Destination Interface=0x22B02884, Destination Call Id=288403, Source Call Id=288404,

769 Caps(Codec=0x1, Fax Rate=0x2, Fax Version:=0, Vad=0x1,  
770 Modem=0x0, Codec Bytes=160, Signal Type=2)  
771 011078: Jul 20 10:22:09.715: //288404/CBEC6A000001/CCAPI/cc\_api\_caps\_ind:  
772 Caps(Playout Mode=1, Playout Initial=60(ms), Playout Min=40(ms),  
773 Playout Max=1000(ms), Fax Nom=300(ms))  
774 011079: Jul 20 10:22:09.715: //288403/CBEC6A000001/CCAPI/cc\_api\_caps\_ack:  
775 Destination Interface=0x22B02884, Destination Call Id=288404, Source Call Id=288403,  
776 Caps(Codec=g711ulaw(0x1), Fax Rate=FAX\_RATE\_VOICE(0x2), Fax Version:=0, Vad=OFF(0x1),  
777 Modem=OFF(0x0), Codec Bytes=160, Signal Type=2, Seq Num Start=3817)  
778 011080: Jul 20 10:22:09.719: //288403/CBEC6A000001/CCAPI/cc\_api\_caps\_ack:  
779 Destination Interface=0x22B02884, Destination Call Id=288404, Source Call Id=288403,  
780 Caps(Codec=g711ulaw(0x1), Fax Rate=FAX\_RATE\_VOICE(0x2), Fax Version:=0, Vad=OFF(0x1),  
781 Modem=OFF(0x0), Codec Bytes=160, Signal Type=2, Seq Num Start=3817)  
782 011081: Jul 20 10:22:09.719: //288404/CBEC6A000001/CCAPI/cc\_api\_event\_indication:  
783 Event=177, Call Id=288404  
784 011082: Jul 20 10:22:09.719: //288404/CBEC6A000001/CCAPI/cc\_api\_event\_indication:  
785 Event Is Sent To Conferenced SPI(s) Directly  
786 011083: Jul 20 10:22:09.719: //288404/CBEC6A000000/SIP/Error/sipSPIAddPrivacyHeader:  
787 Orig Container is NULL...should have value except in case of sending OOD Options ping.  
788 011084: Jul 20 10:22:09.719: //288403/CBEC6A000001/CCAPI/ccGetMediaClassTag:  
789 media class tag 0  
790 011085: Jul 20 10:22:09.719: //288403/CBEC6A000001/CCAPI/ccSetMediaclassIp2ipTags:  
791 media class tags set: NR 0, ASP 0  
792 011086: Jul 20 10:22:09.719: //288404/CBEC6A000001/CCAPI/ccGetMediaClassTag:  
793 media class tag 0  
794 011087: Jul 20 10:22:09.719: //288404/CBEC6A000001/CCAPI/ccSetMediaclassIp2ipTags:  
795 media class tags set: NR 0, ASP 0  
796 011088: Jul 20 10:22:09.719: //288403/CBEC6A000001/CCAPI/ccGet\_xc\_nr\_asp\_info:  
797 media class tags: NR 0, ASP 0  
798 011089: Jul 20 10:22:09.719: //288404/CBEC6A000001/CCAPI/ccGet\_xc\_nr\_asp\_info:  
799 media class tags: NR 0, ASP 0  
800 011090: Jul 20 10:22:09.719: //288403/CBEC6A000001/CCAPI/cc\_api\_event\_indication:  
801 Event=188, Call Id=288403  
802 011091: Jul 20 10:22:09.719: //288403/CBEC6A000001/CCAPI/cc\_api\_event\_indication:  
803 Event Is Sent To Conferenced SPI(s) Directly  
804 011092: Jul 20 10:22:09.719: //288404/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
805  
806 011093: Jul 20 10:22:09.719: cc\_api\_get\_xcode\_stream : 4819  
807 011094: Jul 20 10:22:09.719: //288403/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
808  
809 011095: Jul 20 10:22:09.719: cc\_api\_get\_xcode\_stream : 4819  
810 011096: Jul 20 10:22:09.719: //288404/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
811  
812 011097: Jul 20 10:22:09.719: cc\_api\_get\_xcode\_stream : 4819  
813 011098: Jul 20 10:22:09.719: //288404/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
814  
815 011099: Jul 20 10:22:09.719: cc\_api\_get\_xcode\_stream : 4819  
816 SIP: (288403) Group (a= group line) attribute, level 65535 instance 1 not found.  
817 011100: Jul 20 10:22:09.719 EDT: %VOICE\_IEC-3-GW: SIP: Internal Error (ACK, codec  
mismatch): IEC=1.1.278.7.108.0 on callID 288403 GUID=CBEC6A0000010000000111870B34090A  
818 011101: Jul 20 10:22:09.723: //-1/xxxxxxxxxxxx/SIP/Error/sipSPIGetContentQSIG:  
819 No Inbound Container Created !!!  
820 011102: Jul 20 10:22:09.723: //-1/xxxxxxxxxxxx/SIP/Error/sipSPIGetContentQ931:  
821 No Inbound Container Created !!!  
822 011103: Jul 20 10:22:09.723:  
//288403/CBEC6A000001/SIP/Error/sipSPI\_ipip\_ExtractPassthruContentFromSipContainer:  
823 Invalid CCB/Data/Container  
824 011104: Jul 20 10:22:09.723: //288403/CBEC6A000001/CCAPI/cc\_api\_call\_disconnected:  
825 Cause Value=65, Interface=0x22B02884, Call Id=288403  
826 011105: Jul 20 10:22:09.723: //288403/CBEC6A000001/CCAPI/cc\_api\_call\_disconnected:  
827 Call Entry(Responded=TRUE, Cause Value=65, Retry Count=0)  
828 011106: Jul 20 10:22:09.723: //288403/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
829  
830 011107: Jul 20 10:22:09.723: cc\_api\_get\_xcode\_stream : 4819  
831 011108: Jul 20 10:22:09.723: //288404/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
832  
833 011109: Jul 20 10:22:09.723: cc\_api\_get\_xcode\_stream : 4819  
834 011110: Jul 20 10:22:09.723: //288403/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
835

836 011111: Jul 20 10:22:09.723: cc\_api\_get\_xcode\_stream : 4819  
837 011112: Jul 20 10:22:09.723: //288403/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
838  
839 011113: Jul 20 10:22:09.723: cc\_api\_get\_xcode\_stream : 4819  
840 011114: Jul 20 10:22:09.727: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
841 Sent:  
842 PRACK sip:10.9.50.100:5060;transport=udp SIP/2.0  
843 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK37547148C  
844 From: "CUSTNAME" sip:6136325555@pbx1.sipt1.hgh.ca;tag=200D22F4-30D  
845 To: sip:18733535555@siptrunking.bell.ca;tag=630516958-1689862929711  
846 Date: Thu, 20 Jul 2023 14:22:05 GMT  
847 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
848 CSeq: 103 PRACK  
849  
850 Rack: 970391191 102 INVITE  
851 Allow-Events: telephone-event  
852 Max-Forwards: 70  
853 Content-Length: 0  
854  
855  
856 011115: Jul 20 10:22:09.727: //288403/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
857 Sent:  
858 BYE sip:6136325555@10.9.52.11:5060 SIP/2.0  
859 Via: SIP/2.0/UDP 10.9.52.60:5060;branch=z9hG4bK3754823E2  
860 From: sip:918733535555@10.9.52.60;tag=200D2544-13A1  
861 To: "CUSTNAME"  
sip:6136325555@10.9.52.11;tag=11598213~6ba2e5cf-fe0e-4509-a0b3-33f4273307e6-37335358  
862 Date: Thu, 20 Jul 2023 14:22:05 GMT  
863 Call-ID: cbec6a00-4b91430d-1886c4-b34090a@10.9.52.11  
864 User-Agent: Cisco-SIPGateway/IOS-15.2.4.M6  
865 Max-Forwards: 70  
866 Timestamp: 1689862929  
867 CSeq: 101 BYE  
868 Reason: Q.850;cause=65  
869 P-RTP-Stat: PS=194,OS=31040,PR=189,OR=30240,PL=0,JI=0,LA=0,DU=537736  
870 Content-Length: 0  
871  
872  
873 011116: Jul 20 10:22:09.727: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
874 Received:  
875 SIP/2.0 200 OK  
876 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK375461F38  
877 From: "CUSTNAME" sip:6136325555@pbx1.sipt1.hgh.ca;tag=200D22F4-30D  
878 To: sip:18733535555@siptrunking.bell.ca;tag=885663561-1689862925815  
879 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
880 CSeq: 104 PRACK  
881 Content-Length: 0  
882  
883  
884 011117: Jul 20 10:22:09.731: //288403/CBEC6A000001/CCAPI/ccConferenceDestroy:  
885 Conference Id=0x4281, Tag=0x0  
886 011118: Jul 20 10:22:09.731: //288403/CBEC6A000001/CCAPI/ccConferenceDestroy:  
887  
888 011119: Jul 20 10:22:09.731: confID:0x4281; callEntry1 callID1:0x46693, type:3;  
callEntry2 callID2:0x46694, type:3  
889  
890 011120: Jul 20 10:22:09.731: //288403/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
891  
892 011121: Jul 20 10:22:09.731: cc\_api\_get\_xcode\_stream : 4819  
893 011122: Jul 20 10:22:09.731: //288404/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
894  
895 011123: Jul 20 10:22:09.731: cc\_api\_get\_xcode\_stream : 4819  
896 011124: Jul 20 10:22:09.731: //288403/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
897  
898 011125: Jul 20 10:22:09.731: cc\_api\_get\_xcode\_stream : 4819  
899 011126: Jul 20 10:22:09.731: //288403/xxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
900  
901 011127: Jul 20 10:22:09.731: cc\_api\_get\_xcode\_stream : 4819  
902 011128: Jul 20 10:22:09.731: //288403/CBEC6A000001/CCAPI/cc\_api\_bridge\_drop\_done:

903 Conference Id=0x4281, Source Interface=0x22B02884, Source Call Id=288403,  
904 Destination Call Id=288404, Disposition=0x0, Tag=0x0  
905 011129: Jul 20 10:22:09.731: //288404/xxxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
906  
907 011130: Jul 20 10:22:09.731: cc\_api\_get\_xcode\_stream : 4819  
908 011131: Jul 20 10:22:09.731: //288403/xxxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
909  
910 011132: Jul 20 10:22:09.731: cc\_api\_get\_xcode\_stream : 4819  
911 011133: Jul 20 10:22:09.731: //288404/xxxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
912  
913 011134: Jul 20 10:22:09.731: cc\_api\_get\_xcode\_stream : 4819  
914 011135: Jul 20 10:22:09.731: //288404/xxxxxxxxxxxxx/CCAPI/cc\_api\_get\_xcode\_stream:  
915  
916 011136: Jul 20 10:22:09.731: cc\_api\_get\_xcode\_stream : 4819  
917 011137: Jul 20 10:22:09.731: //288404/CBEC6A000001/CCAPI/cc\_api\_bridge\_drop\_done:  
918 Conference Id=0x4281, Source Interface=0x22B02884, Source Call Id=288404,  
919 Destination Call Id=288403, Disposition=0x0, Tag=0x0  
920 011138: Jul 20 10:22:09.731: //288403/CBEC6A000001/CCAPI/cc\_generic\_bridge\_done:  
921 Conference Id=0x4281, Source Interface=0x22B02884, Source Call Id=288404,  
922 Destination Call Id=288403, Disposition=0x0, Tag=0x0  
923 011139: Jul 20 10:22:09.731: //288404/CBEC6A000001/CCAPI/ccCallDisconnect:  
924 Cause Value=65, Tag=0x0, Call Entry(Previous Disconnect Cause=0, Disconnect Cause=0)  
925 011140: Jul 20 10:22:09.731: //288404/CBEC6A000001/CCAPI/ccCallDisconnect:  
926 Cause Value=65, Call Entry(Responded=TRUE, Cause Value=65)  
927 011141: Jul 20 10:22:09.731: //288403/CBEC6A000001/CCAPI/ccCallDisconnect:  
928 Cause Value=65, Tag=0x0, Call Entry(Previous Disconnect Cause=0, Disconnect Cause=65)  
929 011142: Jul 20 10:22:09.731: //288403/CBEC6A000001/CCAPI/ccCallDisconnect:  
930 Cause Value=65, Call Entry(Responded=TRUE, Cause Value=65)  
931 011143: Jul 20 10:22:09.735: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
932 Sent:  
933 CANCEL sip:1873353555@siptrunking.bell.ca:5060 SIP/2.0  
934 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753BC08  
935 From: "CUSTNAME" sip:6136325555@pbx1.sipt1.hgh.ca;tag=200D22F4-30D  
936 To: sip:1873353555@siptrunking.bell.ca  
937 Date: Thu, 20 Jul 2023 14:22:05 GMT  
938 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
939 CSeq: 102 CANCEL  
940 Max-Forwards: 70  
941 Timestamp: 1689862929  
942 Reason: Q.850;cause=65  
943 Content-Length: 0  
944  
945  
946 011144: Jul 20 10:22:09.739: //-1/xxxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:  
947 Received:  
948 SIP/2.0 200 OK  
949 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK37547148C  
950 From: "CUSTNAME" sip:6136325555@pbx1.sipt1.hgh.ca;tag=200D22F4-30D  
951 To: sip:1873353555@siptrunking.bell.ca;tag=630516958-1689862929711  
952 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
953 CSeq: 103 PRACK  
954 Content-Length: 0  
955  
956  
957 011145: Jul 20 10:22:09.747: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
958 Received:  
959 SIP/2.0 200 OK  
960 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753BC08  
961 From: "CUSTNAME" sip:6136325555@pbx1.sipt1.hgh.ca;tag=200D22F4-30D  
962 To: sip:1873353555@siptrunking.bell.ca;tag=630516958-1689862929711  
963 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
964 CSeq: 102 CANCEL  
965 Timestamp: 1689862929  
966 Content-Length: 0  
967  
968  
969 011146: Jul 20 10:22:09.747: //288404/CBEC6A000001/CCAPI/cc\_api\_call\_disconnect\_done:  
970 Disposition=0, Interface=0x22B02884, Tag=0x0, Call Id=288404,  
971 Call Entry(Disconnect Cause=65, Voice Class Cause Code=0, Retry Count=0)

972 011147: Jul 20 10:22:09.747: //288404/CBEC6A000001/CCAPI/cc\_api\_call\_disconnect\_done:  
973 Call Disconnect Event Sent  
974 011148: Jul 20 10:22:09.747: //-1/xxxxxxxxxxxx/CCAPI/cc\_free\_feature\_vsa:  
975  
976 011149: Jul 20 10:22:09.747: :cc\_free\_feature\_vsa freeing 3B6B9708  
977 011150: Jul 20 10:22:09.747: //-1/xxxxxxxxxxxx/CCAPI/cc\_free\_feature\_vsa:  
978  
979 011151: Jul 20 10:22:09.747: vsacount in free is 45  
980 011152: Jul 20 10:22:09.747: //288404/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
981 Received:  
982 SIP/2.0 487 Request terminated  
983 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753BC08  
984 From: "CUSTNAME" sip:6136325555@cube.sipt.com;tag=200D22F4-30D  
985 To: sip:18733535555@siptrunking.bell.ca;tag=630516958-1689862929711  
986 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
987 CSeq: 102 INVITE  
988 Timestamp: 1689862925  
989  
990 Content-Length: 0  
991  
992  
993 011153: Jul 20 10:22:09.751: //288404/CBEC6A000001/SIP/Error/ccsip\_iwf\_set\_call\_active:  
994 call\_entry:0,stream:0  
995 011154: Jul 20 10:22:09.751: //-1/xxxxxxxxxxxx/SIP/Msg/ccsipDisplayMsg:  
996 Sent:  
997 ACK sip:18733535555@siptrunking.bell.ca:5060 SIP/2.0  
998 Via: SIP/2.0/UDP 10.9.50.17:5060;branch=z9hG4bK3753BC08  
999 From: "CUSTNAME" sip:6136325555@pbx1.sipt1.hgh.ca;tag=200D22F4-30D  
1000 To: sip:18733535555@siptrunking.bell.ca;tag=630516958-1689862929711  
1001 Date: Thu, 20 Jul 2023 14:22:05 GMT  
1002 Call-ID: A2DDF149-263F11EE-BDE18382-926BFF9D@pbx1.sipt1.hgh.ca  
1003 Max-Forwards: 70  
1004 CSeq: 102 ACK  
1005 Allow-Events: telephone-event  
1006 Content-Length: 0  
1007  
1008  
1009 011155: Jul 20 10:22:10.223: //288403/CBEC6A000001/SIP/Msg/ccsipDisplayMsg:  
1010 Sent:  
1011 BYE sip:6136325555@10.9.52.11:5060 SIP/2.0  
1012 Via: SIP/2.0/UDP 10.9.52.60:5060;branch=z9hG4bK3754823E2  
1013 From: sip:918733535555@10.9.52.60;tag=200D2544-13A1  
1014 To: "CUSTNAME"  
sip:6136325555@10.9.52.11;tag=11598213~6ba2e5cf-fe0e-4509-a0b3-33f4273307e6-37335358  
1015 Date: Thu, 20 Jul 2023 14:22:05 GMT  
1016 Call-ID: cbec6a00-4b91430d-1886c4-b34090a@10.9.52.11  
1017 User-Agent: Cisco-SIPGateway/IOS-15.2.4.M6  
1018 Max-Forwards: 70  
1019 Timestamp: 1689862930  
1020 CSeq: 101 BYE  
1021 Reason: Q.850;cause=65  
1022 P-RTP-Stat: PS=194,OS=31040,PR=189,OR=30240,PL=0,JI=0,LA=0,DU=537736  
1023 Content-Length: 0