

Current configuration : 3571 bytes

!

version 12.4

service timestamps debug datetime msec

service timestamps log datetime msec

no service password-encryption

!

hostname office

!

boot-start-marker

boot-end-marker

!

logging buffered 51200 warnings

!

no aaa new-model

ip cef

!

!

no ip dhcp use vrf connected

ip dhcp excluded-address 192.168.0.1 192.168.0.50

!

ip dhcp pool FDN

import all

network 192.168.0.0 255.255.255.0

dns-server 192.168.0.1

default-router 192.168.0.10

!

ip name-server 85.189.102.5

ip name-server 85.189.39.5

!

multilink bundle-name authenticated

!

username admin password 0 xxxxxxxx

!

```
track 1 interface ATM0/0/0 line-protocol
!
interface FastEthernet0/0
description Connection to OfficeSwitch
ip address 192.168.0.10 255.255.255.0
ip nat inside
ip virtual-reassembly
duplex auto
speed auto
!
interface FastEthernet0/1
no ip address
ip nat outside
ip virtual-reassembly
duplex auto
speed auto
no cdp enable
!
interface ATM0/0/0
description ADSL for FDN
no ip address
no ip route-cache cef
no ip route-cache
no ip mroute-cache
no atm ilmi-keepalive
dsl operating-mode auto
pvc 0/38
encapsulation aal5mux ppp dialer
dialer pool-member 1
!
interface Dialer1
description PPP for ATM0/0/0
ip address negotiated
no ip redirects
```

```
no ip unreachable
no ip proxy-arp
ip nat outside
ip virtual-reassembly
encapsulation ppp
dialer pool 0
dialer idle-timeout 0
dialer persistent
no cdp enable
ppp authentication chap callin
ppp chap hostname xxxx-r32a@tdl.broadband
ppp chap password 0 xxxxxxxx
!
ip route 0.0.0.0 0.0.0.0 Dialer1 track 1
!
ip http server
ip http port 8080
ip http access-class 23
ip http authentication local
no ip http secure-server
ip http timeout-policy idle 60 life 86400 requests 10000
ip dns server
!
access-list 15 permit 192.168.0.0 0.0.0.255
no cdp run
!
route-map line1 permit 10
match ip address 15
!
control-plane
!
line con 0
line aux 0
login local
```

```
transport output none
line vty 0 4
access-class 23 in
privilege level 15
login local
transport input telnet
transport output none
line vty 5 15
access-class 23 in
privilege level 15
login local
transport input telnet
transport output none
!
scheduler allocate 20000 1000
end
```