

%ASA-7-710005: UDP request discarded from 192.168.0.18/1027 to LAN:255.255.255.255/1947

%ASA-7-609001: Built local-host Pune:65.55.223.24

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60173 to Pune:10.1.1.12/60173

%ASA-6-302015: Built outbound UDP connection 381143 for Pune:157.55.56.144/40030 (157.55.56.144/40030) to LAN:192.168.2.135/30113 (10.1.1.12/30113)

%ASA-6-302013: Built inbound TCP connection 381146 for DIGI:219.92.90.33/58635 (219.92.90.33/58635) to identity:210.48.199.214/443 (210.48.199.214/443)

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60174 to Pune:10.1.1.12/60174

%ASA-6-302015: Built inbound UDP connection 381149 for DIGI:192.168.2.200/51508 (192.168.2.200/51508)(LOCAL\cshiew) to Pune:8.8.8.8/53 (8.8.8.8/53) (cshiew)

%ASA-7-111009: User 'enable\_15' executed cmd: show module cxsc details

%ASA-6-302014: Teardown TCP connection 381115 for Pune:190.156.237.123/46032 to LAN:192.168.2.101/60156 duration 0:00:30 bytes 0 SYN Timeout

%ASA-6-302015: Built inbound UDP connection 381151 for DIGI:192.168.2.200/58211 (192.168.2.200/58211)(LOCAL\cshiew) to Pune:8.8.8.8/53 (8.8.8.8/53) (cshiew)

%ASA-7-609002: Teardown local-host Pune:94.225.82.249 duration 0:10:58

%ASA-6-302016: Teardown UDP connection 380971 for DIGI:192.168.2.200/51143(LOCAL\cshiew) to Pune:8.8.8.8/53 duration 0:02:08 bytes 200 (cshiew)

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60175 to Pune:10.1.1.12/60175

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60176 to Pune:10.1.1.12/60176

%ASA-7-710005: UDP request discarded from 192.168.0.12/1027 to LAN:255.255.255.255/1947

%ASA-7-710005: UDP request discarded from 192.168.0.12/1027 to management:255.255.255.255/1947

%ASA-6-302016: Teardown UDP connection 380976 for Pune:36.231.87.99/55196 to LAN:192.168.2.135/30113 duration 0:02:06 bytes 345

%ASA-7-609002: Teardown local-host Pune:190.142.107.82 duration 0:10:58

%ASA-6-302015: Built outbound UDP connection 381154 for Pune:111.221.74.17/40020 (111.221.74.17/40020) to LAN:192.168.2.149/31522 (10.1.1.12/31522)

%ASA-7-710005: UDP request discarded from 192.168.2.248/67 to management:255.255.255.255/68

%ASA-7-710005: UDP request discarded from 192.168.2.248/67 to LAN:255.255.255.255/68

%ASA-7-609002: Teardown local-host Pune:36.231.81.237 duration 0:33:50

%ASA-6-302014: Teardown TCP connection 381120 for DIGI:0.0.0.0/80 to LAN:192.168.2.15/5000 duration 0:00:30 bytes 0 SYN Timeout

%ASA-6-302016: Teardown UDP connection 380979 for DIGI:192.168.2.200/54355(LOCAL\cshiew) to Pune:8.8.8.8/53 duration 0:02:07 bytes 160 (cshiew)

%ASA-6-302014: Teardown TCP connection 381121 for Pune:68.199.124.97/20428 to LAN:192.168.2.101/60158 duration 0:00:30 bytes 0 SYN Timeout

%ASA-6-305012: Teardown dynamic TCP translation from LAN:192.168.2.101/60158 to Pune:10.1.1.12/60158 duration 0:00:30

%ASA-6-302014: Teardown TCP connection 381124 for Pune:81.202.98.112/7781 to LAN:192.168.2.101/60159 duration 0:00:30 bytes 0 SYN Timeout

%ASA-6-305012: Teardown dynamic TCP translation from LAN:192.168.2.101/60159 to Pone:10.1.1.12/60159 duration 0:00:30

%ASA-6-302014: Teardown TCP connection 380902 for Pone:74.125.135.101/80 to LAN:192.168.2.47/50570 duration 0:02:55 bytes 15918  
TCP FINs

%ASA-6-305012: Teardown dynamic TCP translation from LAN:192.168.2.47/50570 to Pone:10.1.1.12/50570 duration 0:02:55

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60177 to Pone:10.1.1.12/60177

%ASA-6-302013: Built inbound TCP connection 381156 for DIGI:219.92.90.33/58636 (219.92.90.33/58636) to identity:210.48.199.214/443  
(210.48.199.214/443)

%ASA-6-725001: Starting SSL handshake with client DIGI:219.92.90.33/58636 for TLSv1 session.

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60178 to Pone:10.1.1.12/60178

%ASA-6-302014: Teardown TCP connection 381126 for DIGI:0.0.0.0/8080 to LAN:192.168.2.15/5000 duration 0:00:30 bytes 0 SYN Timeout

%ASA-7-710005: UDP request discarded from 192.168.2.126/17500 to management:255.255.255.255/17500

%ASA-7-710005: UDP request discarded from 192.168.2.101/65147 to LAN:255.255.255.255/1947

%ASA-6-302014: Teardown TCP connection 381128 for Pone:173.81.246.3/24568 to LAN:192.168.2.101/60161 duration 0:00:30 bytes 0  
SYN Timeout

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.240/2941 to Pone:10.1.1.12/2941

%ASA-6-302016: Teardown UDP connection 380987 for DIGI:192.168.2.200/61827(LOCAL\cshiew) to Pone:8.8.8.8/53 duration 0:02:08  
bytes 130 (cshiew)

%ASA-7-710005: UDP request discarded from 192.168.2.200/59973 to DIGI:224.0.0.252/5355

%ASA-6-302016: Teardown UDP connection 380995 for Pone:111.221.77.155/40022 to LAN:192.168.2.140/11275 duration 0:02:01 bytes  
50

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60179 to Pone:10.1.1.12/60179

%ASA-4-733100: [ Scanning] drop rate-1 exceeded. Current burst rate is 10 per second, max configured rate is 10; Current average rate is  
15 per second, max configured rate is 5; Cumulative total count is 9416

%ASA-6-302014: Teardown TCP connection 381162 for Pone:81.202.141.153/34548 to LAN:192.168.2.101/60179 duration 0:00:00 bytes 0  
TCP Reset-O

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60179 to Pone:10.1.1.12/60179

%ASA-6-302014: Teardown TCP connection 381164 for Pone:81.202.141.153/34548 to LAN:192.168.2.101/60179 duration 0:00:00 bytes 0  
TCP Reset-O

%ASA-6-305012: Teardown dynamic TCP translation from LAN:192.168.2.101/60179 to Pone:10.1.1.12/60179 duration 0:00:00

%ASA-7-710005: UDP request discarded from 192.168.0.126/1025 to management:255.255.255.255/1947

%ASA-6-302016: Teardown UDP connection 380998 for Pone:157.55.235.150/40036 to LAN:192.168.2.15/45018 duration 0:02:02 bytes  
189

%ASA-6-302014: Teardown TCP connection 381129 for DIGI:0.0.0.0/139 to LAN:192.168.2.15/5000 duration 0:00:30 bytes 0 SYN Timeout

%ASA-6-302014: Teardown TCP connection 381166 for Pone:81.202.141.153/34548 to LAN:192.168.2.101/60179 duration 0:00:00 bytes 0  
TCP Reset-O

%ASA-6-302020: Built inbound ICMP connection for faddr 190.138.137.252/0 gaddr 10.1.1.12/0 laddr 192.168.2.101/60180

%ASA-6-302016: Teardown UDP connection 380996 for Pone:64.4.23.141/40047 to LAN:192.168.2.140/11275 duration 0:02:06 bytes 945

%ASA-6-302014: Teardown TCP connection 381134 for Pone:201.248.144.107/38885 to LAN:192.168.2.101/60163 duration 0:00:30 bytes 0 SYN Timeout

%ASA-6-302014: Teardown TCP connection 381135 for DIGI:0.0.0.0/445 to LAN:192.168.2.15/5000 duration 0:00:30 bytes 0 SYN Timeout

%ASA-7-710005: UDP request discarded from 192.168.0.26/1026 to LAN:255.255.255.255/1947

%ASA-7-710005: UDP request discarded from 192.168.0.26/1026 to management:255.255.255.255/1947

%ASA-6-302016: Teardown UDP connection 381001 for DIGI:192.168.2.200/65077(LOCAL\cshiew) to Pone:8.8.8.8/53 duration 0:02:08 bytes 200 (cshiew)

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60182 to Pone:10.1.1.12/60182

%ASA-7-111009: User 'enable\_15' executed cmd: show module cxsc details

%ASA-6-302014: Teardown TCP connection 381139 for Pone:99.252.123.166/60817 to LAN:192.168.2.101/60164 duration 0:00:30 bytes 0 SYN Timeout

%ASA-7-710005: UDP request discarded from 192.168.0.11/1026 to management:255.255.255.255/1947

%ASA-7-710005: UDP request discarded from 192.168.0.11/1026 to LAN:255.255.255.255/1947

%ASA-6-302020: Built inbound ICMP connection for faddr 190.138.137.252/0 gaddr 10.1.1.12/0 laddr 192.168.2.101/60180

%ASA-6-302021: Teardown ICMP connection for faddr 190.138.137.252/0 gaddr 10.1.1.12/0 laddr 192.168.2.101/60180

%ASA-7-710005: UDP request discarded from 192.168.0.22/1027 to management:255.255.255.255/1947

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60183 to Pone:10.1.1.12/60183

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60184 to Pone:10.1.1.12/60184

%ASA-7-609002: Teardown local-host Pone:79.145.162.24 duration 0:10:25

%ASA-7-609001: Built local-host Pone:213.199.179.145

%ASA-6-302013: Built outbound TCP connection 381178 for DIGI:0.0.0.0/80 (192.168.2.5/80) to LAN:192.168.2.58/5000 (192.168.2.58/5000)

%ASA-7-609002: Teardown local-host Pone:200.8.48.225 duration 0:10:58

%ASA-6-302016: Teardown UDP connection 381016 for DIGI:192.168.2.200/59600(LOCAL\cshiew) to Pone:8.8.8.8/53 duration 0:02:08 bytes 130 (cshiew)

%ASA-6-302016: Teardown UDP connection 381029 for Pone:157.55.130.160/40003 to LAN:192.168.2.140/11275 duration 0:02:01 bytes 52

%ASA-7-710005: UDP request discarded from 192.168.0.38/1026 to management:255.255.255.255/1947

%ASA-7-609001: Built local-host Pone:111.221.77.144

%ASA-6-302015: Built inbound UDP connection 381180 for DIGI:192.168.2.200/64570 (192.168.2.200/64570)(LOCAL\cshiew) to Pone:8.8.8.8/53 (8.8.8.8/53) (cshiew)

%ASA-7-710005: UDP request discarded from 192.168.0.17/1026 to management:255.255.255.255/1947

%ASA-7-710005: UDP request discarded from 192.168.0.17/1026 to LAN:255.255.255.255/1947

%ASA-7-710005: UDP request discarded from 192.168.1.100/1025 to LAN:255.255.255.255/1947

%ASA-6-302014: Teardown TCP connection 381148 for Pone:74.194.226.26/37355 to LAN:192.168.2.101/60174 duration 0:00:30 bytes 0 SYN Timeout

%ASA-6-305012: Teardown dynamic TCP translation from LAN:192.168.2.101/60174 to Pone:10.1.1.12/60174 duration 0:00:30

%ASA-6-302016: Teardown UDP connection 381028 for Pone:203.106.212.119/30373 to LAN:192.168.2.106/60641 duration 0:02:06 bytes 339

%ASA-7-609001: Built local-host Pone:74.65.245.219

%ASA-7-609001: Built local-host Pone:177.160.82.242

%ASA-7-609001: Built local-host Pone:79.183.138.27

%ASA-7-609001: Built local-host Pone:157.55.235.162

%ASA-6-302013: Built inbound TCP connection 381187 for DIGI:219.92.90.33/58638 (219.92.90.33/58638) to identity:210.48.199.214/443 (210.48.199.214/443)

%ASA-6-725002: Device completed SSL handshake with client DIGI:219.92.90.33/58638

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60186 to Pone:10.1.1.12/60186

%ASA-7-111009: User 'enable\_15' executed cmd: show module cxsc details

%ASA-6-302014: Teardown TCP connection 381152 for Pone:66.176.63.244/28320 to LAN:192.168.2.101/60175 duration 0:00:30 bytes 0 SYN Timeout

%ASA-7-710005: UDP request discarded from 192.168.0.58/1026 to LAN:255.255.255.255/1947

%ASA-6-302016: Teardown UDP connection 379123 for Pone:213.146.168.254/10042 to LAN:192.168.2.140/11275 duration 0:16:48 bytes 9576

%ASA-4-733100: [ Scanning] drop rate-1 exceeded. Current burst rate is 9 per second, max configured rate is 10; Current average rate is 15 per second, max configured rate is 5; Cumulative total count is 9561

%ASA-6-302013: Built outbound TCP connection 381192 for DIGI:0.0.0.0/139 (192.168.2.5/139) to LAN:192.168.2.58/5000 (192.168.2.58/5000)

%ASA-6-302016: Teardown UDP connection 381036 for Pone:111.221.77.159/40024 to LAN:192.168.2.135/30113 duration 0:02:02 bytes 54

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60187 to Pone:10.1.1.12/60187

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60188 to Pone:10.1.1.12/60188

%ASA-6-302016: Teardown UDP connection 381035 for Pone:111.221.74.15/40041 to LAN:192.168.2.135/30113 duration 0:02:03 bytes 189

%ASA-7-710005: UDP request discarded from 192.168.2.248/67 to management:255.255.255.255/68

%ASA-7-609002: Teardown local-host Pone:85.155.93.182 duration 0:10:58

%ASA-7-710005: UDP request discarded from 192.168.0.18/1027 to management:255.255.255.255/1947

%ASA-7-710005: UDP request discarded from 192.168.0.18/1027 to LAN:255.255.255.255/1947

%ASA-6-302013: Built outbound TCP connection 381195 for DIGI:0.0.0.0/445 (192.168.2.5/445) to LAN:192.168.2.58/5000 (192.168.2.58/5000)

%ASA-7-710005: UDP request discarded from 192.168.2.248/67 to management:255.255.255.255/68

%ASA-7-710005: UDP request discarded from 192.168.2.43/1028 to LAN:255.255.255.255/1947

%ASA-7-710005: UDP request discarded from 192.168.2.43/1028 to management:255.255.255.255/1947

%ASA-7-609002: Teardown local-host Pone:157.55.130.159 duration 0:12:34

%ASA-6-302014: Teardown TCP connection 381155 for Pone:190.20.188.183/40982 to LAN:192.168.2.101/60177 duration 0:00:30 bytes 0 SYN Timeout

%ASA-6-305012: Teardown dynamic TCP translation from LAN:192.168.2.101/60177 to Pune:10.1.1.12/60177 duration 0:00:30

%ASA-6-302014: Teardown TCP connection 381158 for Pune:71.60.70.237/33319 to LAN:192.168.2.101/60178 duration 0:00:30 bytes 0 SYN Timeout

%ASA-6-305012: Teardown dynamic TCP translation from LAN:192.168.2.101/60178 to Pune:10.1.1.12/60178 duration 0:00:30

%ASA-7-710005: UDP request discarded from 192.168.2.200/64834 to DIGI:224.0.0.252/5355

%ASA-6-302016: Teardown UDP connection 381037 for DIGI:192.168.2.200/56997(LOCAL\cshiew) to Pune:8.8.8.8/53 duration 0:02:08 bytes 130 (cshiew)

%ASA-7-710005: UDP request discarded from 192.168.2.126/17500 to management:255.255.255.255/17500

%ASA-7-609002: Teardown local-host Pune:190.95.112.1 duration 0:10:26

%ASA-7-710005: UDP request discarded from 192.168.0.12/1027 to LAN:255.255.255.255/1947

%ASA-6-302013: Built inbound TCP connection 381196 for DIGI:219.92.90.33/58639 (219.92.90.33/58639) to identity:210.48.199.214/443 (210.48.199.214/443)

%ASA-6-302013: Built inbound TCP connection 381197 for DIGI:219.92.90.33/58639 (219.92.90.33/58639) to identity:210.48.199.214/443 (210.48.199.214/443)

%ASA-6-725002: Device completed SSL handshake with client DIGI:219.92.90.33/58639

%ASA-6-305011: Built dynamic TCP translation from LAN:192.168.2.101/60190 to Pune:10.1.1.12/60190

%ASA-7-111009: User 'enable\_15' executed cmd: show module cxsc details