	/2018 10:07:34				
al etails					
1					
Domain			DOMAIN.net		
Owner			DOMAIN\Domain Ac		
Created			24/12/2017 16:32:58	3	
Modified			06/03/2018 13:36:14	l .	
User Revis	sions		0 (AD), 0 (SYSVOL)		
Computer	Revisions		56 (AD), 56 (SYSVO	DL)	
Unique ID			{E38E4DA5-7BBA-4	003-BCCD-2D2A3D42E17A)	}
GPO Statu	s		User settings disable	ed	
nks					
Location	En	forced	Link Status		Path
Computers	OU Ye	es	Enabled		DOMAIN.net/ComputersOU
Computer	No)	Enabled		DOMAIN.net/Test-Cyber/Comput
This list as	hisahida lala ia tha danaia aftha CDO				
	ly includes links in the domain of the GPO.				
curity Filtering					
	gs in this GPO can only apply to the following	ng groups, users, and computers:			
Name NT AUTHO	DRITY\Authenticated Users				
<u> </u>	vaudendated Osers				
elegation					
	ups and users have the specified permission				
Name		Allowed Permission		Inherited	
DOMAIN\E	Oomain Admins	Edit settings, delete,	modify security	No	
DOMAIN\E	Interprise Admins	Edit settings, delete,	modify security	No	
NT AUTHO	DRITY\Authenticated Users	Read (from Security	Filtering)	No	
NT AUTHO	DRITY/ENTERPRISE DOMAIN CONTROLL	ERS Read		No	
NT AUTHO	DRITY\SYSTEM	Edit settings, delete,	modify security	No	
uter Configuration	(Enabled)				
	,				
cies					
O-W					
indows Settings					
Security Settings					
Security Settings	ork (802.11) Policies				
Security Settings Wireless Netwo	ork (802.11) Policies eless Network Policy				
Security Settings Wireless Netwo	eless Network Policy		DOMAIN Wireless N	latuerk Doller	
Security Settings Wireless Netwo	eless Network Policy		DOMAIN Wireless N	letwork Policy	
Wireless Netwo DOMAIN Wire Policy Nam Policy Des	eless Network Policy ne cription		Sample Description	•	
Security Settings Wireless Netwo	eless Network Policy ne cription			•	
Wireless Netwo DOMAIN Wire Policy Nam Policy Des	eless Network Policy ne cription e		Sample Description	•	
Security Settings Wireless Network DOMAIN Wireless Network Policy Nam Policy Des Policy Type Global Settin	eless Network Policy ne cription e	3	Sample Description	•	
Wireless Network DOMAIN Wireless Network Policy Nan Policy Des Policy Type Global Settir Use Windo	eless Network Policy ne cription e	ş.	Sample Description Windows Vista and I	•	
Wireless Network DOMAIN Wireless Network Policy Nan Policy Des Policy Type Global Settir Use Windo	ne cription e engs was wireless LAN network services for clients er credentials for network authentication	S	Sample Description Windows Vista and I	•	
Wireless Network DOMAIN Wireless Network Policy Nam Policy Des Policy Typ Global Settir Use Windo Shared ust Hosted net	ne cription e engs was wireless LAN network services for clients er credentials for network authentication	ş.	Sample Description Windows Vista and I Enabled Enabled	•	
Wireless Network DOMAIN Wireless Network Policy Nan Policy Des Policy Type Global Settir Use Windo Shared use Hosted net Allow user	eless Network Policy ne cription e ngs www.wireless LAN network services for clients er credentials for network authentication tworks to view denied networks	3	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled	•	
Policy Nam Policy Nam Policy Settings Global Settin Use Windo Shared ust Hosted net Allow user Allow even	eless Network Policy ne cription e ngs www.wireless LAN network services for clients er credentials for network authentication tworks to view denied networks yone to create all user profiles	3	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Enabled Enabled Enabled	•	
Policy Nam Policy Type Global Settin Use Winder Use Wind Use Wind Allow user Allow user Only use G	eless Network Policy ne cription e ngs was wireless LAN network services for clients er credentials for network authentication works to view denied networks yone to create all user profiles irroup Policy profiles for allowed networks	3	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Enabled	•	
Wireless Network DOMAIN Wireless Network Policy Nan Policy Des Policy Typ. Global Settir Use Windo Shared use Hosted net Allow even Only use G	ne cription e cription e e e e e e e e e e e e e e e e e e e	3	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Enabled Enabled Disabled	•	
Wireless Network DOMAIN Wireless Network Policy Nan Policy Des Policy Type Global Settir Use Windo Shared use Allow user Allow even Only use G Network Filte Prevent co	ne cription e e nos wireless LAN network services for clients er credentials for network authentication tworks to view denied networks yone to create all user profiles group Policy profiles for allowed networks ers	3	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Enabled Disabled Disabled	•	
Wireless Network DOMAIN Wireless Network Policy Nan Policy Des Policy Type Global Settir Use Windo Shared use Allow user Allow even Only use G Network Filte Prevent co	eless Network Policy ne cription e ngs was wireless LAN network services for clients er credentials for network authentication tworks to view denied networks yone to create all user profiles croup Policy profiles for allowed networks ers nnection to infrastructure networks nnection to adhoc networks	3	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Enabled Enabled Disabled	•	
Wireless Network DOMAIN Wireless Network Policy Nan Policy Des Policy Type Global Settir Use Windo Shared use Allow user Allow even Only use G Network Filte Prevent co	ne cription e e nos wireless LAN network services for clients er credentials for network authentication tworks to view denied networks yone to create all user profiles group Policy profiles for allowed networks ers	3	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Enabled Disabled Disabled	•	
Wireless Network DOMAIN Wireless Network Policy Nan Policy Des Policy Type Global Settir Use Windo Shared use Allow user Allow even Only use G Network Filte Prevent co	eless Network Policy ne cription e ngs was wireless LAN network services for clients er credentials for network authentication tworks to view denied networks yone to create all user profiles croup Policy profiles for allowed networks ers nnection to infrastructure networks nnection to adhoc networks	5	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled	•	
Wireless Network DOMAIN Wireless Network Policy Nan Policy Des Policy Type Global Settir Use Windo Shared use Allow user Allow even Only use G Network Filte Prevent co	eless Network Policy ne cription e e mags was wireless LAN network services for clients er credentials for network authentication works to view denied networks yone to create all user profiles Group Policy profiles for allowed networks annection to infrastructure networks nnection to adhoc networks Allowed Networks	3	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled	Later Releases	
Policy Nam Policy Nam Policy Nam Policy Des Policy Typi Global Settir Use Windo Shared use Hosten Hosten Allow user Allow even Only use G Network Filta Prevent co	ne cription e cription e cription e e e e e e e e e e e e e e e e e e e	3	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled	ater Releases	
Policy Nam Policy Nam Policy Nam Policy Des Policy Typi Global Settir Use Windo Shared use Hosten Hosten Allow user Allow even Only use G Network Filta Prevent co	eless Network Policy ne cription e ngs was wireless LAN network services for clients er credentials for network authentication tworks to view denied networks yone to create all user profiles irroup Policy profiles for allowed networks ens nnection to infrastructure networks nnection to adhoc networks Allowed Networks Network Name (SSID) DOMAIN	3	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled	ater Releases	
Policy Nam Policy Nam Policy Nam Policy Des Policy Typi Global Settir Use Windo Shared use Hosten Hosten Allow user Allow even Only use G Network Filta Prevent co	ne cription e cription	3	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled	work Type estructure	
Policy Nam Policy Nam Policy Nam Policy Des Policy Typi Global Settir Use Windo Shared use Hosten Hosten Allow user Allow even Only use G Network Filta Prevent co	eless Network Policy ne cription e ngs was wireless LAN network services for clients er credentials for network authentication tworks to view denied networks yone to create all user profiles irroup Policy profiles for allowed networks ens nnection to infrastructure networks nnection to adhoc networks Allowed Networks Network Name (SSID) DOMAIN		Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled	ater Releases	
Policy Nam Policy Nam Policy Nam Policy Des Policy Typi Global Settir Use Windo Shared use Hosten Hosten Allow user Allow even Only use G Network Filta Prevent co	eless Network Policy ne cription e entry ings was wireless LAN network services for clients er credentials for network authentication tworks yone to create all user profiles group Policy profiles for allowed networks ers nnection to infrastructure networks nnection to adhoc networks Allowed Networks Network Name (SSID) DOMAIN DOMAIN	5	Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled	work Type estructure	
Policy Nam Policy Nam Policy Nam Policy Des Policy Typi Global Settir Use Windo Shared use Hosten Hosten Allow user Allow even Only use G Network Filta Prevent co	please Network Policy me cription e prigs was wireless LAN network services for clients er credentials for network authentication tworks to view denied networks yone to create all user profiles aroup Policy profiles for allowed networks ensetion to infrastructure networks nnection to infrastructure networks Allowed Networks Network Name (SSID) DOMAIN DOMAIN Profile Name Network Type		Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled	work Type structure MAIN structure	
Policy Nam Policy Nam Policy Nam Policy Des Policy Typi Global Settir Use Windo Shared use Hosten Hosten Allow user Allow even Only use G Network Filta Prevent co	peless Network Policy ne cription e cription criptio		Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled	work Type Instructure MAIN Instructure John Main Main Main Main Main Main Main Mai	
Policy Nam Policy Nam Policy Nam Policy Des Policy Typi Global Settir Use Windo Shared use Hosten Hosten Allow user Allow even Only use G Network Filta Prevent co	please Network Policy ne cription e ngs www.wireless LAN network services for clients er credentials for network authentication tworks to view denied networks yone to create all user profiles group Policy profiles for allowed networks annection to infrastructure networks Allowed Networks Network Name (SSID) DOMAIN Profile Name Network Type Automatically connect to this network		Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled	work Type Instructure MAIN Instructure John Main Main Main Main Main Main Main Mai	
Policy Nam Policy Nam Policy Nam Policy Des Policy Typi Global Settir Use Windo Shared use Hosten Hosten Allow user Allow even Only use G Network Filta Prevent co	please Network Policy ne cription e ngs www.wireless LAN network services for clients er credentials for network authentication tworks to view denied networks yone to create all user profiles group Policy profiles for allowed networks annection to infrastructure networks Allowed Networks Network Name (SSID) DOMAIN Profile Name Network Type Automatically connect to this network		Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled	work Type Instructure MAIN Instructure John Main Main Main Main Main Main Main Mai	
Policy Nam Policy Nam Policy Nam Policy Des Policy Typi Global Settir Use Windo Shared use Hosten Hosten Allow user Allow even Only use G Network Filta Prevent co	eless Network Policy ne cription e e mys wireless LAN network services for clients er credentials for network authentication works to view denied networks yone to create all user profiles group Policy profiles for allowed networks encetion to infrastructure networks Allowed Networks Network Name (SSID) DOMAIN Profile Name Network Type Automatically connect to this network Automatically switch to a more preferred		Sample Description Windows Vista and I Enabled Enabled Enabled Enabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled Disabled	work Type structure MAIN structure bled bled work Broadcasts its SSID	

PMK Time-tc Number of E Maximum Pr IEEE 802.1X S Computer At Maximum At Maximum E Held Period Start Period	ster Key (PMK; o-Live (minutes Entries in PMK (re-authentication Settings uthentication F: APOL-Start Me (seconds) on Period (seconds) Authenticat Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	cache on Failures failure	Enable	ted EAP (PEAP) sd INGroupLtd ed ed
Pairwise Ma PMK Time-to Number of E Maximum Pr IEEE 802.1X S Computer At Maximum At Maximum Et Held Period Start Period	ster Key (PMK; o-Live (minutes Entries in PMK (re-authentication Settings uthentication F: APOL-Start Me (seconds) on Period (seconds) Authenticat Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	cache on Failures failure	Enabled 720 128 3 User re-authentication 3 Protect Enable DOMA Disable Enable Disable Disable	ted EAP (PEAP) sd INGroupLtd ed ed
PMK Time-tc Number of E Maximum Pr IEEE 802.1X S Computer At Maximum At Maximum E Held Period Start Period	o-Live (minutes in PMK (re-authentication vithentication re-authentication uthentication FaAPOL-Start Me (seconds) on Period (seconds) on Period (seconds) Authenticat Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	cache on Failures failure	720 128 3 User re-authentication 3 Protec Enable DOMA Disable Enable Disable	ted EAP (PEAP) sd INGroupLtd ed ed
Number of E Maximum Pr IEEE 802.1X S Computer Ar Maximum Ar Maximum E Held Period Start Period	Entries in PMK (re-authentication Settings uthentication Fa APOL-Start Me (seconds) (seconds) on Period (seconds) Authenticat Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	Cache on Failures aillures essages Sent onds) chentication Method Properties tion method everyer certificate by these servers bot Certification Authorities mpt user to authorize new servers or trusted certification author t reconnect t if server does not present cryptobinding TLV twork access protection Authentication Method Configuration	128 3 User re-authentication 3 Protec Enable DOMA Disable Enable Disable	ted EAP (PEAP) sd INGroupLtd ed ed
Maximum PrileEE 802.1X Computer Air Maximum Air Maximum Er Held Period Start Period	re-authenticatic Settings uthentication Fa APOL-Start Me (seconds) (seconds) on Period (seconds) Authenticat Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	aillures aillures assages Sent onds) thentication Method Properties tion method erver certificate these servers bot Certification Authorities mpt user to authorize new servers or trusted certification author t reconnect t if server does not present cryptobinding TLV twork access protection Authentication Method Configuration	User re-authentication 3 Protect Enable DOMA Disable Enable Disable Disable	ted EAP (PEAP) sd INGroupLtd ed ed
Computer Al Maximum Al Maximum El Held Period Start Period	Settings uthentication Fit APOL-Start Me (seconds) (seconds) on Period (seconds) Authenticat Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	iailures assages Sent onds) thentication Method Properties tion method erver certificate to these servers oot Certification Authorities mpt user to authorize new servers or trusted certification author t reconnect t if server does not present cryptobinding TLV stwork access protection Authentication Method Configuration	User re-authentication 3 Protec Enable DOMA Disable Enable Disable	ted EAP (PEAP) sd INGroupLtd ed ed
Computer And Maximum And Maximum Endle Period Start Period	uthentication uthentication Fa APOL-Start Me (seconds) (seconds) on Period (seco Network Auth Authenticat Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	essages Sent conds) thentication Method Properties tion method erver certificate these servers bot Certification Authorities mpt user to authorize new servers or trusted certification author t reconnect t if server does not present cryptobinding TLV twork access protection Authentication Method Configuration	Protec Enable DOMA Disable Enable Disable	ted EAP (PEAP) sd INGroupLtd ed ed
Maximum And Maximum End Period Start Period	uthentication Fa APOL-Start Me (seconds) (seconds) on Period (seco Network Auth Authenticat Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	essages Sent conds) thentication Method Properties tion method erver certificate these servers bot Certification Authorities mpt user to authorize new servers or trusted certification author t reconnect t if server does not present cryptobinding TLV twork access protection Authentication Method Configuration	Protec Enable DOMA Disable Enable Disable	ted EAP (PEAP) sd INGroupLtd ed ed
Held Period Start Period	(seconds) (seconds) on Period (seconds) Authenticat Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	onds) thentication Method Properties tion method erver certificate these servers oot Certification Authorities mpt user to authorize new servers or trusted certification author t reconnect t if server does not present cryptobinding TLV twork access protection Authentication Method Configuration	Enable DOMA prities Disable Enable Disable	ed INGroupLtd ed ed ed
Start Period	(seconds) on Period (seconds) Network Autil Authenticat Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	tion method properties tion method erver certificate these servers bot Certification Authorities mpt user to authorize new servers or trusted certification author t reconnect t if server does not present cryptobinding TLV twork access protection Authentication Method Configuration	Enable DOMA prities Disable Enable Disable	ed INGroupLtd ed ed ed
	Network Auti Authentical Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	tion method properties tion method properties these servers tot Certification Authorities mpt user to authorize new servers or trusted certification author t reconnect t if server does not present cryptobinding TLV twork access protection Authentication Method Configuration	Enable DOMA prities Disable Enable Disable	ed INGroupLtd ed ed ed
Authenticati	Authentical Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	tion method properties tion method properties these servers tot Certification Authorities mpt user to authorize new servers or trusted certification author t reconnect t if server does not present cryptobinding TLV twork access protection Authentication Method Configuration	Enable DOMA prities Disable Enable Disable	ed INGroupLtd ed ed ed
	Authentical Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	tion method erver certificate these servers bot Certification Authorities mpt user to authorize new servers or trusted certification author t reconnect t if server does not present cryptobinding TLV twork access protection Authentication Method Configuration	Enable DOMA prities Disable Enable Disable	ed INGroupLtd ed ed ed
	Validate se Connect to Trusted Ro Do not pror Enable fast Disconnect	erver certificate these servers oot Certification Authorities mpt user to authorize new servers or trusted certification author t if server does not present cryptobinding TLV ttwork access protection Authentication Method Configuration	Enable DOMA prities Disable Enable Disable	ed INGroupLtd ed ed ed
	Connect to Trusted Ro Do not pror Enable fast Disconnect	othese servers bot Certification Authorities mpt user to authorize new servers or trusted certification author t reconnect it server does not present cryptobinding TLV titwork access protection Authentication Method Configuration	DOMA prities Disable Enable Disable	uNGroupLtd ed ed ed
	Trusted Ro Do not pror Enable fast Disconnect	oot Certification Authorities mpt user to authorize new servers or trusted certification autho t reconnect if server does not present cryptobinding TLV stwork access protection Authentication Method Configuration	rities Disable Enable Disable	ed ed ed
	Do not pror Enable fast Disconnect	mpt user to authorize new servers or trusted certification author treconnect if server does not present cryptobinding TLV stwork access protection Authentication Method Configuration	rities Disable Enable Disable	ed ed ed
	Enable fast Disconnect	t reconnect if server does not present cryptobinding TLV stwork access protection Authentication Method Configuration	Enable Disable	ed ed
	Disconnect	t if server does not present cryptobinding TLV stwork access protection Authentication Method Configuration	Disable	ed
		Authentication Method Configuration		
		Authentication Method Configuration		ad
		Authentication method		Smart card or certificate
		Validate server certificate Connect to these servers		Enabled
		Connect to these servers Trusted Root Certification Authorities		DOMAINGroupLtd
ļ		Do not prompt user to authorize new servers or trusted or	ertification authorities	Disabled
		Use a certificate on this computer		Enabled
		Use simple certificate selection		Enabled
		Use a different username for the connection		Disabled
		Value		
thork datalona	odion .	Liabled		
	addientication	TOT HELWORK access	Disabled	
			User re-authentication	
	ilures			
	sages Sent			
OL-Start Mes				
econds)				
econds) econds)	ade)			
econds) econds) Period (secor		hod Properties		
econds) econds) Period (secor	entication Meti	hod Properties	Protected EAP (PEAP)	
econds) econds) Period (seconds) Network Authoritication	entication Meti	hod Properties	Protected EAP (PEAP) Enabled	1
econds) econds) Period (secon Network Author Authenticatio Validate sen Connect to ti	on method ver certificate hese servers		Enabled	1
econds) Period (secon Network Author Authenticatic Validate sen Connect to to	on method ver certificate hese servers of Certification A	Authorities	Enabled DOMAINGroupLtd	,
econds) Period (seconds) Period (seconds) Authentication Validate sender Connect to total Trusted Rood Do not promise conds)	entication Metion method on method over certificate these servers of Certification Apply user to author		Enabled DOMAINGroupLtd Disabled	1
econds) Period (seconds) Period (seconds) Authenticatic Validate sen Connect to ti Trusted Roo Do not promenable fast i	on method ver certificate hese servers at Certification A upt user to author	Authorities orize new servers or trusted certification authorities	Enabled DOMAINGroupLtd Disabled Enabled	
econds) econds) Period (secor Network Author Authenticatic Validate sen Connect to ti Trusted Roo Do not prom Enable fast i Disconnect i	on method ver certificate hese servers of Certification A opt user to author reconnect if server does n	Authorities orize new servers or trusted certification authorities not present cryptobinding TLV	Enabled DOMAINGroupLtd Disabled Enabled Disabled	
econds) econds) Period (secor Network Author Authenticatic Validate sen Connect to ti Trusted Roo Do not prom Enable fast i Disconnect i	on method ver certificate hese servers ot Certification A upt user to author reconnect if server does n work access pro	Authorities orize new servers or trusted certification authorities not present cryptobinding TLV	Enabled DOMAINGroupLtd Disabled Enabled	
econds) econds) Period (secor Network Author Authenticatic Validate sen Connect to ti Trusted Roo Do not prom Enable fast i Disconnect i	on method ver certificate hese servers of Certification A type to author reconnect if server does n work access pro Authenticatio	Authorities orize new servers or trusted certification authorities not present cryptobinding TLV otection on Method Configuration	Enabled DOMAINGroupLtd Disabled Enabled Disabled Disabled	
econds) econds) Period (secor Network Author Authenticatic Validate sen Connect to ti Trusted Roo Do not prom Enable fast i Disconnect i	entication Metion method over certificate these servers of Certification Approximate the server of t	Authorities orize new servers or trusted certification authorities not present cryptobinding TLV otection	Enabled DOMAINGroupLtd Disabled Enabled Disabled Disabled	card or certificate
econds) econds) Period (secor Network Author Authenticatic Validate sen Connect to ti Trusted Roo Do not prom Enable fast i Disconnect i	entication Metion method ver certificate hese servers at Certification Appl user to authoreconnect if server does nowork access pro Authentication Authentication Validate se	Authorities orize new servers or trusted certification authorities not present cryptobinding TLV otection on Method Configuration tion method	Enabled DOMAINGroupLtd Disabled Enabled Disabled Disabled Smart	card or certificate
econds) econds) Period (secor Network Author Authenticatic Validate sen Connect to ti Trusted Roo Do not prom Enable fast i Disconnect i	entication Metion method over certificate hese servers of Certification Appt user to authoreconnect if server does nowork access pro Authentication Authentication Authentication Validate se Connect to Trusted Ro	Authorities orize new servers or trusted certification authorities not present cryptobinding TLV otection on Method Configuration tion method erver certificate these servers oct Certification Authorities	Enabled DOMAINGroupLtd Disabled Enabled Disabled Disabled Disabled Disabled	card or certificate ad INGroupLtd
econds) econds) Period (secor Network Author Authenticatic Validate sen Connect to ti Trusted Roo Do not prom Enable fast i Disconnect i	entication Metion method over certificate hese servers of Certification Aupt user to authoreconnect if server does nowork access produced Authenticatic Validate se Connect to Trusted Ro Do not pror	Authorities orize new servers or trusted certification authorities not present cryptobinding TLV otection on Method Configuration tion method erver certificate these servers	Enabled DOMAINGroupLtd Disabled Enabled Disabled Disabled Disabled Disabled	card or certificate ad INGroupLtd ed
1	JS IEEE 802.1X of IEEE 802.1X ettings	IEEE 802.1X authentication f IEEE 802.1X authentication ettings	DOMAIN Wired Sample Descrip Value rork services for clients Enabled Enabled Enabled Enabled Enabled Enabled IEEE 802.1X authentication for network access ff IEEE 802.1X authentication for network access ettings thentication	DOMAIN Wired Network Policy Sample Description Value Ork services for clients Enabled Enabled Enabled Enabled Enabled IEEE 802.1X authentication for network access Enabled IEEE 802.1X authentication for network access Disabled entings thentication User re-authentication

Policy	Setting
Automatic certificate management	Enabled
Option	Setting
Enroll new certificates, renew expired certificates, process pending certificate requests and remove	Enabled
revoked certificates	
Update and manage certificates that use certificate templates from Active Directory	Enabled
nistrative Templates	
Policy definitions (ADMX files) retrieved from the central store.	
extra Registry Settings	
Display names for some settings cannot be found. You might be able to resolve this issue by updating	he .ADM files used by Group Policy Management.
Setting	State
Software\Policies\Microsoft\Cryptography\PolicyServers\	{6BCBFC35-EDBF-41EE-A8CB-E86C437E71A5}
$Software \verb Policies Microsoft Cryptography \verb PolicyServers 37c9dc30f207f27f61a2f7c3aed598a6e2920bare (Cryptography) (Cry$	2
54\AuthFlags	
Software\Policies\Microsoft\Cryptography\PolicyServers\37c9dc30f207f27f61a2f7c3aed598a6e2920b	2147483645
54\Cost Software\Policies\Microsoft\Cryptography\PolicyServers\37c9dc30f207f27f61a2f7c3aed598a6e2920b	16
50nwareiPoliciesiwicrosoftiCryptographyiPolicyServers\57c3dc30t207t27f61a217c3aed396a6e2920b 54\Flags	10
Software\Policies\Microsoft\Cryptography\PolicyServers\37c9dc30f207f27f61a2f7c3aed598a6e2920b	Active Directory Enrollment Policy
54\FriendlyName	
Software\Policies\Microsoft\Cryptography\PolicyServers\37c9dc30f207f27f61a2f7c3aed598a6e2920b	{6BCBFC35-EDBF-41EE-A8CB-E86C437E71A5}
54\PolicyID	•
$Software \verb Policies Microsoft Cryptography \verb PolicyServers 37c9dc30f207f27f61a2f7c3aed598a6e2920bare (Control of the Control of Control o$	LDAP:
54\URL	
Software\Policies\Microsoft\Cryptography\PolicyServers\Flags	0
nces	
ol Panel Settings	
ol Panel Settings	
rices	
<u> </u>	
vices ervice (Name: dot3svc)	
vices ervice (Name: dot3svc) dot3svc (Order: 1)	
vices ervice (Name: dot3svc)	
vices ervice (Name: dot3svc) dot3svc (Order: 1)	dot3svc
dot3svc (Order: 1) General	dot3svc Start service
dot3svc (Order: 1) General Service name	
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked:	Start service
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked: Service Account	Start service Automatic 30 seconds
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked:	Start service Automatic
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked: Service Account	Start service Automatic 30 seconds
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked: Service Account Log on service as:	Start service Automatic 30 seconds
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked: Service Account Log on service as: Recovery	Start service Automatic 30 seconds No change
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked: Service Account Log on service as: Recovery First failure:	Start service Automatic 30 seconds No change
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked: Service Account Log on service as: Recovery First failure: Second failure: Subsequent failures:	Start service Automatic 30 seconds No change No change No change
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked: Service Account Log on service as: Recovery First failure: Second failure: Subsequent failures:	Start service Automatic 30 seconds No change No change No change
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked: Service Account Log on service as: Recovery First failure: Second failures: Subsequent failures: Common Options	Start service Automatic 30 seconds No change No change No change No change
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked: Service Account Log on service as: Recovery First failure: Second failure: Subsequent failures: Common Options Stop processing items on this extension if an error occurs on this item	Start service Automatic 30 seconds No change No change No change No change No change
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked: Service Account Log on service as: Recovery First failure: Second failures: Subsequent failures: Common Options	Start service Automatic 30 seconds No change No change No change No change
dot3svc (Order: 1) General Service name Action Startup type: Wait timeout if service is locked: Service Account Log on service as: Recovery First failure: Second failure: Subsequent failures: Common Options Stop processing items on this extension if an error occurs on this item	Start service Automatic 30 seconds No change No change No change No change No change