

AppUser-Login

Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:urn="urn:cisco:cup:presence:soap">
  <soapenv:Body>
    <urn:login force="true">
      <urn:username>webservicetest</urn:username>
      <urn:password>xxx</urn:password>
    </urn:login>
  </soapenv:Body>
</soapenv:Envelope>
```

Response

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:cup="urn:cisco:cup:presence:soap">
  <SOAP-ENV:Body>
    <cup:loginResponse>
      <cup:success>
        <cup:session-key>551e35c6-1be-1d90757b-2faf-7</cup:session-key>
      </cup:success>
    </cup:loginResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

Enduser-Login

Request

```
<?xml version='1.0' encoding='UTF-8'?>
<soapenv:Envelope xmlns:soapenv="http://www.w3.org/2003/05/soap-envelope">
<soapenv:Body>
<login xmlns="urn:cisco:cup:presence:soap" force="true">
<username>klmt</username>
<app-session-id>
```

```
551e35c6-1be-1d90757b-2faf-7
</app-session-id>
</login>
</soapenv:Body>
</soapenv:Envelope>
```

Response

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://www.w3.org/2003/05/soap-envelope" xmlns:SOAP-
ENC="http://www.w3.org/2003/05/soap-encoding" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:cup="urn:cisco:cup:presence:soap">
  <SOAP-ENV:Body>
    <cup:loginResponse>
      <cup:success>
        <cup:session-key>551e376c-13b-44f32be3-312c-7</cup:session-key>
      </cup:success>
    </cup:loginResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```

getPolledPresence

Request

```
<soapenv:Envelope xmlns:soapenv="http://schemas.xmlsoap.org/soap/envelope/" xmlns:urn="urn:cisco:cup:presence:soap">
  <soapenv:Header>
    <urn:session-key>551e376c-13b-44f32be3-312c-7</urn:session-key>
  </soapenv:Header>
  <soapenv:Body>
    <urn:getPolledPresence>
      <urn:contactsList>
        <!--1 to 100 repetitions:-->
        <urn:contact contactURI="user1@sie.at"/>
      </urn:contactsList>
      <urn:presenceType>RICH_PRESENCE</urn:presenceType>
    </urn:getPolledPresence>
  </soapenv:Body>
```

```
</soapenv:Envelope>
```

Response

```
<SOAP-ENV:Envelope xmlns:SOAP-ENV="http://schemas.xmlsoap.org/soap/envelope/" xmlns:SOAP-ENC="http://schemas.xmlsoap.org/soap/encoding/" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:xsd="http://www.w3.org/2001/XMLSchema" xmlns:cup="urn:cisco:cup:presence:soap">
  <SOAP-ENV:Header/>
  <SOAP-ENV:Body>
    <cup:getPolledPresenceResponse>
      <cup:presenceResponse>
        <cup:presenceType>RICH_PRESENCE</cup:presenceType>
        <richPresenceList xmlns="urn:cisco:cup:presence:soap">
          <presence entity="sip:user1@sie.at" xmlns="urn:ietf:params:xml:ns:pidf"
xmlns:dm="urn:ietf:params:xml:ns:pidf:data-model">
            <dm:person>
              <activities xmlns="urn:ietf:params:xml:ns:pidf:rpid">
                <unknown xmlns="urn:cisco:params:xml:ns:pidf:rpid"/>
              </activities>
            </dm:person>
            <tuple id="default">
              <status>
                <basic>closed</basic>
              </status>
            </tuple>
          </presence>
        </richPresenceList>
      </cup:presenceResponse>
    </cup:getPolledPresenceResponse>
  </SOAP-ENV:Body>
</SOAP-ENV:Envelope>
```